



ENQUIRY
TWO PAGE BID

भारत भारी बिजलीयंत्रों लिमिटेड, पुराना, जिला - 862022 (भारत)
उपरी भाग के लिए

BHARAT HEAVY ELECTRICALS LIMITED, PULAN, BHOPAL - 462022 (INDIA)
MATERIALS MAINTENANCE DIVISION

BPC 0007

E-THUNDER

TIN NO. 23573600001 ECG NO. AACB41465XMD09 IMPCT NO. HEL/05/01/0001/SI/5/1/79
PHONE: 91-755-2500000 OF LINE FAX: 91-755-2500023 WWW.BHEL.BHOPAL.COM

ENQUIRY NO. H190109
ENQUIRY DATE 08.07.20
ENQUIRY DUE DATE 28.07.20

SUPP NAME AND ADDRESS

SUPP CODE KEY CD KEY NO KEY DATE NO OF CATY2 NO OF CATY3 ENQ NO OF ITEMS INDENT NO
0 1 0 NA 7 9 7 24101034

GUARANTEE CERTIFICATE Y SUPPLY CONDITION SAME AS ABOVE

TEST CERTIFICATE Y

INSPECTION BOOKLET N TECHNICAL CONDITION AS PER ITEM DESCRIPTION

SAMPLE N INSPECTION CONDITION RUEL & PROF

NOTE: QUOTE PRICE BOTH IN FIGURES & WORDS IN CASE OF MISPLACED PRICE IN WORDS WILL BE VALID. QUOTATIONS NOT BEARING ENQUIRY NO AND DUE DATE WILL BE REJECTED.

SL. NO.	MATERIAL	DESC	UNIT	ITEM QTY	QTY VR%	LOT NO	LOT QTY	DEST	DELIVERY DATE
---------	----------	------	------	----------	---------	--------	---------	------	---------------

1	HE3200841002	SEAMLESS S X PIPE TO SA 312 TP 304L ASSME SPEC. PART -A2017, SPEC: BHEL/NCR/044755, PPH, RUL-20-3451 RIVOL RZF, 267 OD X 5.54 TK (MIN) X 6000 MM (MAX) LONG, SUTABLY PACKED TO AVOID INGRESS OF WATER, OTHER FOREIGN MATTER, AND MOVEMENT, RUBBING OF TUBES, ALL MTL TC & OTHER TEST CERTIFICATES AS PER ABOVE SPEC WITH CERTIFICATION BY INSPECTION AGENCY ONLY SET IN A FOLDER FILE 14 RZFS) ARE REQUIRED ALONG WITH DESPATCH DOCUMENTS	NO	132.000	0	1	1	5.000	211	24/10/20
---	--------------	---	----	---------	---	---	---	-------	-----	----------

2	HE3200841010	SEAMLESS S X PIPE TO SA 312 TP 304L ASSME SPEC. PART -A2017, SPEC: BHEL/NCR/044755, PPH, RUL-20-3451 RIVOL RZF, 267 OD X 5.54 TK (MIN) X 6000 MM (MAX) LONG, SUTABLY PACKED TO AVOID INGRESS OF WATER, OTHER FOREIGN MATTER, AND MOVEMENT, RUBBING OF TUBES, ALL MTL TC & OTHER TEST CERTIFICATES AS PER ABOVE SPEC WITH CERTIFICATION BY INSPECTION AGENCY ONLY SET IN A FOLDER FILE 14 RZFS) ARE REQUIRED ALONG WITH DESPATCH DOCUMENTS	NO	10.000	0	1	1	5.000	211	24/10/20
---	--------------	---	----	--------	---	---	---	-------	-----	----------

3	HE3200841022	SEAMLESS S X PIPE TO SA 312 TP 304L ASSME SPEC. PART -A2017, SPEC: BHEL/NCR/044755, PPH, RUL-20-3451 RIVOL RZF, 267 OD X 5.54 TK (MIN) X 6000 MM (MAX) LONG, SUTABLY PACKED TO AVOID INGRESS OF WATER, OTHER FOREIGN MATTER, AND MOVEMENT, RUBBING OF TUBES, ALL MTL TC & OTHER TEST CERTIFICATES AS PER ABOVE SPEC WITH CERTIFICATION BY INSPECTION AGENCY ONLY SET IN A FOLDER FILE 14 RZFS) ARE REQUIRED ALONG WITH DESPATCH DOCUMENTS	NO	1.000	0	1	1	1.000	211	24/10/20
---	--------------	---	----	-------	---	---	---	-------	-----	----------

NOTE: BHEL, BHOPAL'S Standard Terms & Conditions (BPT20102) MUST BE USED for imports and BPT20102/MS1527 rev01 for indigenous procurements from a part of this Enquiry. Bidders may obtain from us copies of these terms and conditions if not already available.

Note: During Bid Evaluation, No lowering of price with regard to preferential payment of within 45 days will be made on vendors offering under MISCELLANEOUS ACT - OCT 06

Please submit your lowest quotation in sealed envelope essentially superscribed with ENQUIRY NO, DTL DATE AND PARTS NAME so as to reach at TENDER ROOM, CROU, NO. 1 LHR, ADMA OL DING, BHEL, BHOPAL-462022 by 11.00 am of due date.

1. This is only a request for quotation & not an order.
2. Small Scale Industries should indicate SSI Regn. No. in Quotation/Invoice.
3. In case you are not making an offer against this Enquiry, we request you to post a request letter.
4. Indian vendors to please indicate GSTIN on their Quotation

RPT-160

Documents forwarded

NAME: SURESH KUMAR JEEPATI

DESIG: DY. MANAGER

1. Drawing

2. Purchase specification

3. Quality Surveillance Plan

2. Catalogue

4. Quality Surveillance Plan

Address: Bhilai, BHEL

RECEIVED
BHEL BHOPAL
24/10/20



भारत हैवी इंडस्ट्रियल्स लिमिटेड, पिपरावती, ओण्डा - ४६२०२२ (भारत)
 टाईप्री मशीन विभाग
 BATA HOUSE, 11, ESTATE ROAD, SHIMMER, BANGALORE - 462022

ENQUIRE NO	E19083019
ENQUIRY DATE	08/07/20
ENQUIRY BUS DATE	28/07/20

WWW.BHEL.BHPAL.COM

INDEX

3. In case you are not making an offer against this Enquiry, we request you to post a revert letter.

1. Drawing:
2. Catalogue:
3. Quality: Surveillance Photo

abstracting path: α [46] in

IIR: Bhopal 12th floor
 अभिनव त्रिपाठी/ABHINAV TRIPATHI
 प्रमुख प्रकाशक/Dy. Manager
 साप्ताहिक प्रकाशक-आमंत्रित/Invited
 श्री. एच. ई. एल. शर्मा/H. E. L. Sharma

कृपया कृपया ध्यान दें और कृपया ध्यान दें

Marching Towards Business Excellence



BHEL 0807

ENQUIRY
1WO PART BID

भारत भारी विद्युत् कर्षण लिमिटेड, भुवनेश्वर, ओडिशा - 751005 (भारत)
भारत भारी विद्युत् कर्षण लिमिटेड
BHARAT HEAVY ELECTRICALS LIMITED, BHUPAL, BHOPAL - 462022 (INDIA)
MATERIALS MANAGEMENT DIVISION

TIN NO. 23573600001 ECC NOAACB4146PXM089 MPCT NO. HEL0501000065157179
PHONE: 91-755-2500087 (7 LINE) FAX: 91-755-2500023 WWW.BHEL.BHOPAL.COM

ENQUIRY NO. E1903019
ENQUIRY DATE 08/07/20
ENQUIRY DUE DATE 28/07/20

DOCUMENTS

SEAMLESS S.S. PIPE TO SA 312 TP 304 ASSM. SPEC. PART-A: 2017, SPEC. REF: NPTEL/30599 S.S. PIPE CODE: 20-3401 REV-01 WITH C & CD LIMITATION OF 0.03% MAX. SIZE: 114.3 OD X 8.56 TH (MIN) X 5 M (+/-) 1 M LONG, SUITABLY PACKED TO AVOID INGRESS OF WATER, OTHER FOREIGN MATTER AND MOVEMENT, RUMORING, ALL MILL TC & OTHER TEST CERTIFICATES AS PER ABOVE SPEC. WITH CERTIFICATION OF INSPECTION AGENCY SET IN A FOLDER FILE (4 SETS) ARE REQUIRED ALONG WITH DESPATCH DOCUMENTS.

SEAMLESS S.S. PIPE TO SA 312 TP 304 ASSM. SPEC. PART-A: 2017, SPEC. REF: NPTEL/30599 S.S. PIPE CODE: 20-3401 REV-01 WITH C & CD LIMITATION OF 0.03% MAX. SIZE: 26.7 GH X 3.91 TH (MIN) X 5 M (+/-) 1 M LONG, SUITABLY PACKED TO AVOID INGRESS OF WATER, OTHER FOREIGN MATTER AND MOVEMENT, RUMORING, ALL MILL TC & OTHER TEST CERTIFICATES AS PER ABOVE SPEC. WITH CERTIFICATION OF INSPECTION AGENCY SET IN A FOLDER FILE (4 SETS) ARE REQUIRED ALONG WITH DESPATCH DOCUMENTS.

SEAMLESS S.S. PIPE TO SA 312 TP 304 ASSM. SPEC. PART-A: 2017, SPEC. REF: NPTEL/30599 S.S. PIPE CODE: 20-3401 REV-01 WITH C & CD LIMITATION OF 0.03% MAX. SIZE: 26.7 GH X 3.91 TH (MIN) X 5 M (+/-) 1 M LONG, SUITABLY PACKED TO AVOID INGRESS OF WATER, OTHER FOREIGN MATTER AND MOVEMENT, RUMORING, ALL MILL TC & OTHER TEST CERTIFICATES AS PER ABOVE SPEC. WITH CERTIFICATION OF INSPECTION AGENCY SET IN A FOLDER FILE (4 SETS) ARE REQUIRED ALONG WITH DESPATCH DOCUMENTS.

SEAMLESS S.S. PIPE TO SA 312 TP 304 ASSM. SPEC. PART-A: 2017, SPEC. REF: NPTEL/30599 S.S. PIPE CODE: 20-3401 REV-01 WITH C & CD LIMITATION OF 0.03% MAX. SIZE: 26.7 GH X 3.91 TH (MIN) X 5 M (+/-) 1 M LONG, SUITABLY PACKED TO AVOID INGRESS OF WATER, OTHER FOREIGN MATTER AND MOVEMENT, RUMORING, ALL MILL TC & OTHER TEST CERTIFICATES AS PER ABOVE SPEC. WITH CERTIFICATION OF INSPECTION AGENCY SET IN A FOLDER FILE (4 SETS) ARE REQUIRED ALONG WITH DESPATCH DOCUMENTS.

SEAMLESS S.S. PIPE TO SA 312 TP 304 ASSM. SPEC. PART-A: 2017, SPEC. REF: NPTEL/30599 S.S. PIPE CODE: 20-3401 REV-01 WITH C & CD LIMITATION OF 0.03% MAX. SIZE: 26.7 GH X 3.91 TH (MIN) X 5 M (+/-) 1 M LONG, SUITABLY PACKED TO AVOID INGRESS OF WATER, OTHER FOREIGN MATTER AND MOVEMENT, RUMORING, ALL MILL TC & OTHER TEST CERTIFICATES AS PER ABOVE SPEC. WITH CERTIFICATION OF INSPECTION AGENCY SET IN A FOLDER FILE (4 SETS) ARE REQUIRED ALONG WITH DESPATCH DOCUMENTS.

REMARK OFFER TO BE SUBMITTED IN TWO PART BID SYSTEM AS PER BP-200102 (T & E) ANNEXURE-B, ANNEXURE-A, SIGN VENDOR QUESTIONNAIRES & OTHER DOCUMENTS AND SUBMIT THE SAME ALONG WITH OTHER DUELY SIGNED AND STAMPED IN CASE OF PLACEMENT OF PO/VENDOR TO FURNISH QA PLAN & OTHER DOCUMENTS IN LINE WITH TECH. SPEC. REQUIRED WITHIN 4 WEEK FOR APPROVAL.

NOTE: BHEL, BHOPAL'S Standard Terms & Conditions BP-200102/ANNEX-3 rev02 for suppliers and BP-200102/ANNEX-5 rev03 for indigenous procurement form a part of this Enquiry. Bidders may obtain form or copies of these terms and conditions if not already available.

SPECIAL REMARKS:

Bid to be submitted through e-procurement. Refer quote link on BHEL Updrol B2B site.

NAME: SRI ABHINAV TRIPATHI
DESIG: DY. MANAGER

0755-2583432

abhinavtripathi@bhel.in

आभिनव त्रिपाठी/ABHINAV TRIPATHI
उप-प्रबंधक/ Dy. Manager
सामग्री प्रबंधक/ Dy. Manager / MM-1
भारत भारी विद्युत् कर्षण लिमिटेड, भुवनेश्वर, ओडिशा - 751005 (भारत)

कल कल गिलाग है गलक कलक गिलाग है

Marching Towards Business Excellence



ENQUIRY
TWO PART BID

गलक हैलु रूलुगलकल गलकल, गलकल, गलकल - 8 6 20 22 (गलकल)
गलकल गलकल गलकल
BHARAT HEAVY ELECTRICALS LIMITED, PIPALNI, BHOPAL - 462022(INDIA)
MATERIALS MANAGEMENT DIVISION

BPC 0007
F-TENDER

TIN NO. 23573600001 | ECC NO. AACB4146PXM009 | BPCCT NO. HEL/05/01/0001/LS/5/1/L/79
PHONE: 91-755-2500100 (7 LINE) FAX: 91-755-2500023
WWW.BHEL.BHPAL.COM

ENQUIRY NO
ENQUIRY DATE
ENQUIRY BUE DATE

EL/03019
08/07/20
28/07/20

DRAWING	N	PROJECT SPEC	Y	CATALOGUE	N	PLAN	Y	TWO PART BID	Y
SUPP CD.	SUPP NAME	MSNO.	STATUS	PMH	Cart Appr	S.NO	INBENT NO	ITEM NO	CATEGORY
						1	241101034	1	107400
						2	241101034	2	107400
						3	241101034	3	107400
						4	241101034	4	107400
						5	241101034	5	107400
						6	241101034	6	107400
						7	241101034	7	107400

E
N
Q
U
I
R
Y

NOTE: BHEL BHPAL'S Standard Terms & Conditions (BPC001/02/MMS533 rev-02 for imports and BPC001/02/MMS527 rev-03 for indigenous procurements form a part of this Enquiry. Bidders may obtain from us copies of these terms and conditions if not already available.

SPECIAL REMARKS: Bid to be submitted through e-procurement (refer above link on BHEL Bhopal IS213 site.

NAME: SURESH K. TRIPATHI
DESIG: DY MANAGER

0755-2503432
abhinavtripathi@bhel.in

अभिनव त्रिपाठी / ABHINAV TRIPATHI
उप निदेशक / Dy. Manager
सामग्री प्रबंधन - अर्मल / MM - Material
बी.एच.ई.एल., भोपाल / BHEL, BHOPAL