

| Sl. No. | Terms                                                                                            | Description                                                                                                                                                                                                                                                                                                                                                                                          | Supplier Confirmation |
|---------|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| 1       | Technical Specification of Energy efficient 70 Watt (+10%) High Bay Luminaire LED Light          | Item shall be supplied as per RFQ & BHEL requirements (Spec No- JP/WEX/ELECT/LED/70)                                                                                                                                                                                                                                                                                                                 |                       |
| 2       | General Specifications                                                                           | Supply of High Bay LED Luminaire of 70 watt (+10%),min system efficiency 100 Lumen/watt,Lumen Maintenance 70% after 5000 Hr Burning,made of high pressure die castAluminum alloy housing SMD LED for working at ambient temperature range of 5 deg C to 50 deg C.                                                                                                                                    |                       |
| 3       | LED optics & Specification                                                                       | LED rating -70 watt (min)                                                                                                                                                                                                                                                                                                                                                                            |                       |
| 4       | LED optics & Specification                                                                       | CRI > 70                                                                                                                                                                                                                                                                                                                                                                                             |                       |
| 5       | LED optics & Specification                                                                       | Color Temperature- 5700 K-6000 K (+/-100 K)                                                                                                                                                                                                                                                                                                                                                          |                       |
| 6       | LED optics & Specification                                                                       | Wide Beam angle > 90 Degrees                                                                                                                                                                                                                                                                                                                                                                         |                       |
| 7       | LED optics & Specification                                                                       | Make of LED- CREE/NICHIA/BRIDGELUX/PHILIPS/LUMILEDS/OSRAM/TOSHIBA/ASTER/MITSUBISHI/NATION STAR/LG Innotech/GE only                                                                                                                                                                                                                                                                                   |                       |
| 8       | LED Driver                                                                                       | Potted Type Driver circuitry,insulated and mounted inside the luminaire.<br>Driver Protection- Surge/Short Circuit/Over Voltage                                                                                                                                                                                                                                                                      |                       |
| 9       | Electrical Parameters of Luminaire                                                               | Rated Voltage : 220 - 240<br>Working Range : 160- 260                                                                                                                                                                                                                                                                                                                                                |                       |
| 10      | Electrical Parameters of Luminaire                                                               | Supply Frequency (Hz) -50                                                                                                                                                                                                                                                                                                                                                                            |                       |
| 11      | Electrical Parameters of Luminaire                                                               | Power Factor >0.95                                                                                                                                                                                                                                                                                                                                                                                   |                       |
| 12      | Electrical Parameters of Luminaire                                                               | THD <20%                                                                                                                                                                                                                                                                                                                                                                                             |                       |
| 13      | Electrical Parameters of Luminaire                                                               | Driver Efficiency >85 %                                                                                                                                                                                                                                                                                                                                                                              |                       |
| 14      | Luminaire Specification                                                                          | System Efficiency of Full Fixture > 100 Lumen/watt                                                                                                                                                                                                                                                                                                                                                   |                       |
| 15      | Luminaire Specification                                                                          | IP 65 or Higher                                                                                                                                                                                                                                                                                                                                                                                      |                       |
| 16      | Luminaire Specification                                                                          | Make of Luminaire - Crompton/Bajaj/Osram/Havells/Philips/Syska/Wipro/Surya/Eveready                                                                                                                                                                                                                                                                                                                  |                       |
| 17      | Warranty                                                                                         | Complete Fixture should be covered under comprehensive on site replacement warranty for period of 2 years from date of acceptance of material                                                                                                                                                                                                                                                        |                       |
| 18      | Documentation and Compliances                                                                    | The fixture should comply with the parameters as per relevant provisions IS 10322, LED driver should comply with relevant provisions of IEC61000 for Harmonics, IEC61347 ,electrical safety IEC62384, performance and IEC61547 ed.2.0, 2009, CISPR-15 for EMI. LM79 and LM80 reports need to be submitted from a NABL/UL Approved Laboratory.                                                        |                       |
| 19      | Other Technical Requirement                                                                      | Vendor To accept and provide catalogue of the model quoted for                                                                                                                                                                                                                                                                                                                                       |                       |
| 20      | Other Technical Requirement                                                                      | Vendor to confirm and submit LM79 and LM 80 reports with offer                                                                                                                                                                                                                                                                                                                                       |                       |
| 21      | Other Technical Requirement                                                                      | Original equipment manufacturer (OEM) (namely Crompton/Bajaj/Osram/Havells/Philips/Syska/Wipro/Surya/Eveready only) or their authorised dealers /distributors are eligible for submission of tenders against the NIT PQR                                                                                                                                                                             |                       |
| 22      | Other Technical Requirement                                                                      | Authorised dealers of the OEM shall submit authorisation certificates from them                                                                                                                                                                                                                                                                                                                      |                       |
| 23      | Other Technical Requirement                                                                      | The LED LIGHT FITTINGS supplied by the OEM or theirauthorised dealer shall be covered under a warranty of two (2) years from the date of acceptance of material at FSIP ,Jagdishpur. Under this warranty, they shall carry out on site free replacement of all defective LEDs with new LED fitting of same or higher rating within seven (7) days of receipt of complaint from FSIP ,Jagdishpur      |                       |
| 24      | Technical Specification of Energy efficient 35-40 Watt (+10%) LED Decorative Post Top Luminaries | Item shall be supplied as per RFQ & BHEL requirements ( Spec No- JP/WEX/ELECT/POST/40)                                                                                                                                                                                                                                                                                                               |                       |
| 25      | General Specifications                                                                           | Supply of LED Decorative Post Top Luminaire of 35 -40 watt (+10%),min system efficiency 90 Lumen/watt,Lumen Maintenance 70% after 5000 Hr Burning,housing comprises of die cast Aluminium alloy powder coated in graphite grey and reflector aluminium bright anodized with sand blast and clear acrylic & spun aluminium reflector for working at ambient temperature range of 5 deg C to 50 deg C. |                       |
| 26      | LED optics & Specification                                                                       | LED rating - 35 watt (min) to 40 Watt (+10%)                                                                                                                                                                                                                                                                                                                                                         |                       |
| 27      | LED optics & Specification                                                                       | CRI > 70                                                                                                                                                                                                                                                                                                                                                                                             |                       |
| 28      | LED optics & Specification                                                                       | Color Temperature- 5700 K-6000 K (+/-100 K)                                                                                                                                                                                                                                                                                                                                                          |                       |
| 29      | LED optics & Specification                                                                       | 360° indirect light Glare-free                                                                                                                                                                                                                                                                                                                                                                       |                       |
| 30      | LED optics & Specification                                                                       | Make of LED- CREE/NICHIA/BRIDGELUX/PHILIPS/LUMILEDS/OSRAM/TOSHIBA/ASTER/MITSUBISHI/NATION STAR/LG Innotech/GE only                                                                                                                                                                                                                                                                                   |                       |
| 31      | LED Driver                                                                                       | Potted Type Driver circuitry,insulated and mounted inside the luminaire.<br>Driver Protection- Surge/Short Circuit/Over Voltage                                                                                                                                                                                                                                                                      |                       |
| 32      | Electrical Parameters of Luminaire                                                               | Rated Voltage : 220 - 240<br>Working Range : 160- 260                                                                                                                                                                                                                                                                                                                                                |                       |
| 33      | Electrical Parameters of Luminaire                                                               | Supply Frequency (Hz) -50                                                                                                                                                                                                                                                                                                                                                                            |                       |

|    |                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |
|----|------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 34 | Electrical Parameters of Luminaire                   | Power Factor >0.95                                                                                                                                                                                                                                                                                                                                                                                                               |  |
| 35 | Electrical Parameters of Luminaire                   | THD <20%                                                                                                                                                                                                                                                                                                                                                                                                                         |  |
| 36 | Electrical Parameters of Luminaire                   | Driver Efficiency >85 %                                                                                                                                                                                                                                                                                                                                                                                                          |  |
| 37 | Luminaire Specification                              | System Efficiency of Full Fixture > 90 Lumen/watt                                                                                                                                                                                                                                                                                                                                                                                |  |
| 38 | Luminaire Specification                              | IP 65 or Higher                                                                                                                                                                                                                                                                                                                                                                                                                  |  |
| 39 | Luminaire Specification                              | Make of Luminare - Crompton/Bajaj/Osram/Havells/Philips/Syska/Wipro/Surya/Eveready                                                                                                                                                                                                                                                                                                                                               |  |
| 40 | Luminaire Specification                              | Suitable for 60mm max. O.D. mounting pipe                                                                                                                                                                                                                                                                                                                                                                                        |  |
| 41 | Warranty                                             | Complete Fixture should be covered under comprehensive on site replacement warranty for period of 2 years from date of acceptance of material                                                                                                                                                                                                                                                                                    |  |
| 42 | Documentation and Compliances                        | The fixture should comply with the parameters as per relevant provisions IS 10322, LED driver should comply with relevant provisions of IEC61000 for Harmonics, IEC61347 ,electrical safety IEC62384, performance and IEC61547 ed.2.0, 2009, CISPR-15 for EMI. LM79 and LM80 reports need to be submitted from a NABL/UL Approved Laboratory.                                                                                    |  |
| 43 | Other Technical Requirement                          | Vendor To accept and provide catalogue of the model quoted for                                                                                                                                                                                                                                                                                                                                                                   |  |
| 44 | Other Technical Requirement                          | Vendor to confirm and submit LM79 and LM 80 reprots with offer                                                                                                                                                                                                                                                                                                                                                                   |  |
| 45 | Other Technical Requirement                          | Original equipment manufacturer (OEM) (namely Crompton/Bajaj/Osram/Havells/Philips/Syska/Wipro/Surya/Eveready only) or their authorised dealers /distributers are eligible for submission of tenders against the NIT PQR                                                                                                                                                                                                         |  |
| 46 | Other Technical Requirement                          | Authorised dealers of the OEM shall submit authorisation certificates from them                                                                                                                                                                                                                                                                                                                                                  |  |
| 47 | Other Technical Requirement                          | The LED LIGHT FITTINGS supplied by the OEM or theirauthorised dealer shall be covered under a warranty of two (2) years from the date of acceptance of material at FSIP ,Jagdishpur. Under this warranty, they shall carry out on site free replacement of all defective LEDs with new LED fitting of same or higher rating within seven (7) days of receipt of complaint from FSIP ,Jagdishpur                                  |  |
| 48 | ANY OTHER INFORMATION                                | Supplier can furnish any other additional information considering the overall requirements.                                                                                                                                                                                                                                                                                                                                      |  |
| 49 | Test Certificate/ Guarantee /Calibration Certificate | Test certificate, Guarantee and Calibration certificate shall be submitted along with supply                                                                                                                                                                                                                                                                                                                                     |  |
| 50 | Inspection                                           | The equipment shall be inspected at BHEL Fabrication, Stamping & Insulator Plant Amethi (U.P.)                                                                                                                                                                                                                                                                                                                                   |  |
| 51 | Delivery                                             | Delivery of item shall be within the date given in PO ( however bidder can indicate best delivery in offer) Date of receipt at FSIP Store, BHEL–FSIP, Jagdishpur works shall be treated as date of delivery. Early delivery is acceptable.                                                                                                                                                                                       |  |
| 52 | Tolerance                                            | applicable @ +/- 0%                                                                                                                                                                                                                                                                                                                                                                                                              |  |
| 53 | Delivery Term                                        | Deliveries shall be F.O.R. FSIP Store, BHEL–FSIP Jagdishpur                                                                                                                                                                                                                                                                                                                                                                      |  |
| 54 | Freight & Insurance                                  | Freight and Insurance shall be borne by Vendor                                                                                                                                                                                                                                                                                                                                                                                   |  |
| 55 | Price                                                | The basic prices shall be firm. All taxes & duties to be specified. Specifically which shall be applicable at actual at time of invoicing. Supplier to raise the invoices only as per GST Act of GOI. The GSTN no of supplier as well as GSTN No of BHEL must be mentioned on the invoices/bills of the materials. The correct HSN code as well as rate of GST applicable are mentioned in the invoice/bills.                    |  |
| 56 | Evaluation                                           | Evaluation shall be done on overall basis with landed cost to BHEL, FSIP Stores, and Jagdishpur inclusive of loading, if any. In case vendor do not accept BHEL, FSIP, Jagdishpur payment terms/Delivery Term/ Penalty for delay Clause/Bank Guarantee clause as per enquiry than proper loading shall be done. The same shall be intimated prior to its application.                                                            |  |
| 57 | Terms of Payment                                     | 100% within 90 days from date of receipt of material at FSIP Store, BHEL–FSIP , subject to acceptance (SRV) of material. For MSME vendor's payment shall be done as per MSME act of GOI. For MSME supplier bidder to confirm on followings<br>1. Firm is owned by SC/ST or not.<br>2. Firm is owned by women or not                                                                                                              |  |
| 58 | Validity of offer                                    | Offer validity will be for 90 days from date of opening of Part-I of enquiry                                                                                                                                                                                                                                                                                                                                                     |  |
| 59 | Penalty for Delay                                    | The delivery of material shall be made within the time prescribed. Failure to deliver the material in time as per the delivery specified above would make the vendor liable to an un-conditional penalty at the rate of half percent (1/2%) of the price of the goods undelivered per week (or part thereof) Subjected to a maximum of ten percent (10%) of the order.<br>Note: "Recovery of LD will include GST as applicable." |  |
| 60 | Rejections:                                          | The supplier shall arrange replacement/repair within 15 days from the date of rejection intimation upon failure on supplier's part to comply. BHEL will take whatever appropriate action they may think fit in addition to repair/return of rejected material at the cost and risk of the supplier.                                                                                                                              |  |
| 61 | Risk purchase:                                       | In case of delays in supply of materials/defective materials not fulfilment of any other terms and conditions given in the purchase order, the purchase may cancel the full or part thereof, and may also make purchase of such material from elsewhere/alternate source at the risk and cost of supplier.                                                                                                                       |  |

|    |                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |
|----|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 62 | Arbitration     | <p>(i) Except as provided elsewhere in this contract, in case amicable settlement is not reached between the Parties, in respect of any dispute or difference; arising out of the formation, bench, termination, validity or execution of the Contract; or, the respective rights and liabilities of the Parties; or in relation to interpretation of any provision of the Contract; or, in any manner touching upon the Contract, then, either Party may, by giving a notice within 15 days in writing to the other Party may refer such dispute or difference to the sole arbitration of an arbitrator appointed by Head of the BHEL Unit/Region/Division issuing the Contract.</p> <p>(ii) The Arbitrator shall pass a reasoned award and the award of the Arbitrator shall be final and binding upon the Parties to the disputes.</p> <p>(iii) Subject as aforesaid, the provision of Arbitration and Conciliation Act 1966 (India) or statutory modifications or re-enactments thereof and the rules made thereunder and for the time being in force shall apply to the arbitration proceedings under this clause. The seat of arbitrator shall be BHEL IP Jagdishpur.</p> <p>(iv) The cost of arbitration shall be borne as per the award of the Arbitrator.</p> <p>(v) Subjected to the arbitration in terms of Clause given above, the Courts at Jagdishpur/Sultanpur ( Principal Civil Court having ordinary original civil jurisdiction to decide question forming subject matter of the arbitration is located) shall have exclusive jurisdiction over any matter arising out of or in connection with this Contract.</p> <p>(vi) Notwithstanding the existence or any dispute or difference and/or reference for the arbitration, the Contractor shall proceed with and continue without hindrance the performance of its obligations under this Contract with due diligence and expedition in a professional manner expect where the Contract has been terminated by either Party in terms of this Contract.</p> <p>(vii) In case of Contract with Public Sector Enterprise (PSE) or a Government Department, the following shall be applicable: In the event of any dispute or difference relating to the interpretation and application of the provision of the Contract, such dispute or difference shall be referred by either Party for arbitration to the sole arbitrator in the Department of Public Enterprise to be nominated by the Secretary to the Government of India in-charge of the Department of Public Enterprises. The Arbitration and Conciliation Act, 1966 shall not be applicable to arbitration under this clause. The award of the arbitration shall be binding upon the Parties to the dispute, providing, however, any Party aggrieved by such award may make further reference for setting aside or revision of the award to the law Secretary, Department of Legal Affairs, Ministry of Law and Justice, Government of India. Upon such reference the dispute shall be decided by the Law Secretary or the Special secretary or Additional Secretary when so authorised by the Law Secretary, whose decision shall bid the Parties hereto finally and conclusively. The Parties to the dispute will share equally the cost of arbitration as intimated by the Arbitrator.</p> |  |
| 63 | Jurisdiction    | In case of any suit or other legal proceedings arising under or relating to the contract, the Jurisdiction of Sultanpur (UP) district court shall apply.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
| 64 | Consignee       | The Stores Officer, IP Store, BHEL-FSIP, I.A. Jagdishpur, Distt. Amethi (UP)-227817                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| 65 | Billing Address | Purchase Officer, FSIP, BHEL, I.A. Jagdishpur, Distt. Amethi (UP)-227817                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
| 66 | Documentations  | One set of all required documents (ink signed) must accompany the supply and one set (Ink Signed) to be sent to Purchase officer before the dispatch.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
| 67 | Reverse Auction | BHEL reserve the right to go for Reverse Auction (RA) (Guidelines as available on www.bhel.com) instead of opening the sealed envelope price bid, submitted by the bidder. This will be decided after techno-commercial evaluation. Bidders to give their acceptance with the offer for participation in RA. Non-acceptance to participate in RA may result in non-consideration of their bids, in case of BHEL decides to go for RA. Those bidders who have given their acceptance to participate in Reverse Auction will have to necessarily submit 'Process compliance form' (to the designated service provider) as well as 'Online sealed bid' in the Reverse Auction. Non-submission of 'Process compliance form' or 'Online sealed bid' by the agreed bidder(s) will be considered as tempering of the tender process and will invite action by BHEL as per extent guidelines for suspension of business dealings with suppliers/ contractors( as available on www.bhel.com).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |
| 68 | Note            | <p>All the terms &amp; conditions of the contract with respect to Taxes &amp; Duties are subject to the new taxation laws introduced from time to time (e.g., GST). The terms &amp; conditions will be modified in accordance with the provisions of new laws (e.g., GST). The payment of Tax will be released subject to furnishing details of outward supply to BHEL in the Return. Also, ensure that the existing contracts which spill over to next year are modified accordingly.</p> <p>The vendor must ensure the GST Credit entry maintained by GSTN to the BHEL Accounts on 'GSTN Common Server'. In absence the same or any loss of GST Credit due to the vendor, shall be recovered/not payable to the Vendor</p> <p>GST Portion of invoice shall be released on</p> <ul style="list-style-type: none"> <li>• Vendor declaring such invoice in his GSTR-1 and</li> <li>• Receipt of Good and Tax Invoice as per GST and</li> <li>• Confirmation of Payment of GST thereon by vendor</li> </ul> <p>The finance dept. will hold the payment of GST charged in bill and make payment of after compliance of above.</p> <p>In case vendor delays declaring such invoice in his return and GST credit availed by BHEL is denied or reversed subsequently as per GST law, GST amount paid by BHEL towards such ITC reversal as per GST law shall be recoverable from vendor along with interest levied/leviable on BHEL.</p> <p>For FSIP BHEL GSTIN Reg. No:09AAACB4146P2ZC<br/>State Code: 09 (Uttar Pradesh)</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |
| 69 | Others          | <p>(a) Right of Acceptance: BHARAT HEAVY ELECTRICALS LIMITED JAGDISHPUR reserves the right to reject any or all the bids/quotations without assigning any reason thereof. BHEL also reserves the right to increase or decrease the tendered quantities. Bidders should be prepared to accept order for reduced quantity without any extra charges.</p> <p>(b) Right of Rejection /Non- Placement of PO: BHEL reserves the right to accept the offers in part or in full or cancel the Tender enquiry/PO without assigning any reason.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
| 70 | PQR             | Vendor should have supplied similar/ same item to BHEL/PSU/reputed companies in past 02 (two) Years. A copy of purchase order is required to be submitted as a documentary proof.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |
| 71 | PQR             | Financial standing through latest ITR, Annual report (balance sheet and profit and loss account) of last 3 years. i.e. FY 2016-17, 2017-18 & 2018-19.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
| 72 | PQR             | For manufacturer:- Capabilities with respect to personnel, equipment and manufacturing Facilities. Or for Trader/Dealer/Agent etc. a. Authorization letter from their principal is mandatory b. In case of foreign principal: An agency agreement deed copy is required.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
| 73 | Information     | NAME OF THE FIRM/ COMPANY/ ORGANIZATION ETC.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |
| 74 | Information     | AUTHORIZED REPRESENTATIVE/CONTACT PERSON NAME                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| 75 | Information     | E-MAIL ID                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
| 76 | Information     | CONTACT NUMBER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |
| 77 | Information     | ALTERNATE CONTACT NUMBER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
| 78 | Information     | PAN NUMBER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |
| 79 | Information     | GST NUMBER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |

|    |                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
|----|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 80 | MSME Details             | MSME STATUS (IF APPLICABLE) ALONG WITH CA CERTIFICATE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
| 81 | MSME Details             | TYPE DOCUMENT IN SUPPORT OF MSME (IF APPLICABLE)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |
| 82 | MSME Details             | DETAIL OF MSME DOCUMENT (IF APPLICABLE)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |
| 83 | Documents to be Uploaded | SIGNED AND STAMPED COPIES OF ANNEXURES/ SPECIFICATIONS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |
| 84 | Self Declaration         | <p>AN UNDERTAKING ON LETTER HEAD THAT BIDDER<br/>         BIDDER WILL COMPLY WITH ALL STATUTORY RULES/REGULATIONS PROMULGATED FROM TIME TO TIME BY<br/>         CENTRAL GOVT./STATE GOVT. OF UP AND LOCAL AREA AUTHORITY OF IA, JAGDISHPUR<br/>         NOT BLACKLISTED / UNDER HOLD FROM BHEL FSIP JAGDISHPUR OR BANNED BY ANY UNIT/REGION/OFFICE OF<br/>         BHEL.<br/>         NOT GUILTY BY A COURT OF LAW IN INDIA FOR ANY OFFENCE INVOLVING FRAUD, DISHONESTY AND MORAL<br/>         TURPITUDE<br/>         CASE OR CHARGE UNDER INVESTIGATION / ENQUIRY / TRIAL AGAINST ME /US, NOR CONVICTION IN A COURT OF<br/>         LAW OR SUSPENDED OR BLACKLISTED BY ANY ORGANIZATION ON ANY GROUND.<br/>         DETAILS OF LITIGATION WITH GOVT. DEPARTMENT / BHEL, IF ANY</p> |  |