

Purchase Department <u>NOTICE INVITING TENDER</u>
Annexure A to open tender: <u>NIT_33536 (2570608E) dt 08.07.2017</u>
Tenders are invited for following items.

SL	Material code	Description	UNIT	Qty	Lot	LotQty	Delivery date
001	IM5700104500		NO	1000.000	01	1000.000	25/08/2017
PLAIN SAFETY GOGGLE TOUGH LENS SIZE-50 Ass							
per our technical specifications enclosed							

Pre-Qualification Criteria

- 1) Vendor / Supplier must have experience of 1 or 2 year in supplying the same /similar item. Kindly arrange to submit Previous Purchase order copies and manufacturing capacity
- 2) ITR / balance sheet for last two years required to analyze the financial status.
- 3) PAN Number and GST registration copy required.

Offer may be submitted through <https://bheleps.buyjunction.in>.

Note: All corrigenda, addenda, amendments, time extensions, clarifications etc., to the tender will be hosted on BHEL website (www. bhel.com) only. Bidder should regularly visit website www.bhel.com to keep themselves updated.

Contact Details

Shri. V.Ramesh/ DGM /Purchase dept BHEL, Ranipet – 632 406 E mail : vramesh@bhelrpt.co.in Phone : 04172 284388	Shri .C.Sudheesh DM / Purchase Email : sudheesh@bhelrpt.co.in Phone : 04172-283018 Fax : 04172-241131
--	--

Manager / Purchase



SPECTACLE TYPE SAFETY GOGGLE

Revision : 01

Page: 01 of 03

Date : 05/07/17

01. Scope

This Standard covers the requirements of Spectacle type safety goggle.

02. Compliance with Standards

- It shall comply with IS: 5983-1980 (Reaffirmed in 2002) and IS: 7524 - (part 1)-1980 (Reaffirmed in 2002)

03. Technical Requirement

- The frame shall be of conventional type used with good quality Cellulose Acetate material with reinforcement on the sides and opaque and **brown** in colour.
- It shall have toughened imported lens (English, White, Toric, Plain and Optically Neutral) and shall withstand the steel ball test as per IS: 7524 - (part 1)-1980 (Reaffirmed in 2002)
- The thickness of the lens shall be of min 2.8 mm.
- The frame shall be provided with hinged type foldable side pieces of quality Cellulose Acetate material and opaque with good rivets
- Good, durable, screws and hinges on the side legs with good workmanship must be ensured.
- There should not be any defect either in the frame or in the lens, and the Goggles should be of smooth and fine surface quality.
- The size of the goggle shall be marked on the inner side of the left leg


04. Sample shall be submitted for our evaluation on non-returnable basis. Without sample offer will not be considered.

05. Test Certificate

1) The Supplier shall submit the test certificate as per IS: 5983-1980 (Reaffirmed in 2002) and IS: 7524 - (part 1)-1980 (Reaffirmed in 2002) along with the bulk supply on **Material quality, Optical property and shatter proof quality**.

2) Test certificate shall indicate

- BHEL Purchase Order Number and Date
- Batch Number, Month and Year of manufacturing


05/7/17



SPECTACLE TYPE SAFETY GOGGLE

Revision : 01

Page: 02 of 03

Date : 05/07/17

06. Packing

The goggle shall be supplied with individual good quality durable Rexene pouch for protection from damage and dust.

07. Marking

The goggle shall be marked with the following information

- Supplier identity
- Batch Number, Month and Year of manufacturing

08. Inspection

Inspection will be carried out at our works with reference to the sample accepted with the offer and test reports.

09. Guarantee Certificate

Guarantee certificate shall be given with the consignment for free replacement against any manufacturing defects within six months from the date of receipt at stores.




SPECTACLE TYPE SAFETY GOGGLE

Revision : 01

Page: 03 of 03

Date : 05/07/17

PHOTO



PREPARED BY

Signature :

G Seshadri
05/7/17

Name : G Seshadri
Designation : Addl. Engineer
Department : Safety Engineering

Seal

APPROVED BY

Signature :

Name : P. Jegathiesh
Designation : Dy. Manger
Department : Safety Engineering

Seal