



- Last Date for Submission of Bid : 16.10.2014 before 14.00 Hrs
- Bid Opening date: 16.10.2014 at 14.30 Hrs

### **Annexure A**

### **NOTICE INVITING TENDER**

**Ref: BAP/PUR/UTY/OXYGEN /19 dt. 16.09.2014**

#### **(a) Technical Requirement for Vendors Supplying Industrial Oxygen Gas in Supplier's own Cylinders confirming to IS: 309 Latest Revision**

Sealed Bids (Two Part Basis) are invited from prospective suppliers for supply of Industrial Oxygen Gas in Supplier's own cylinders confirming to IS:309 latest revision as per Scope, Specification, Standards and Quantities as listed below.

Sl No	Material Code	Description	Annual Requirement (Approx)
<b>1</b>	<b>IM1950102400</b>	<b>Requirement of Industrial Oxygen Gas in Supplier's own cylinders confirming to IS:309 latest revision including Loading, Unloading and Transporting to BHEL-Ranipet. TC should be required along with supply.</b>	<b>120,000 Cu.M</b>

- **Delivery:** Supplier must be able to supply daily/alternative days 70 numbers to 120 numbers filled oxygen gas cylinder (each cylinder must be filled with 7 Cu.M of Oxygen gas) confirming to IS309 latest revision
  - 2-Part Bid offer (both techno commercial & Price bid offers) should be submitted before the tender submission schedule indicated in our tender. The technical offer will be opened first and the same will be evaluated . Price bids of the technically accepted offers, will be opened next. This is an Annual Rate contract and hence , the rate shall be valid for one year from the date of the Purchase order.
  - If the offer does not meet the above technical specification, the same will be rejected.
- 1) Oxygen Gas in Supplier's own cylinder , as per IS 309 latest revision
  - 2) The cylinders has to be fitted with Valve Guard to avoid Cylinder valve damage.
  - 3) Test Certificate for Purity of Oxygen to be supplied with every lot

#### **General terms & Conditions in the supplier's scope:-**

- 1) The Cylinder consignment vehicle has to report to BHEL Stores department on BHEL working day positively before 9.00 AM.



- 2) The Cylinder consignment vehicle must under go BHEL Procedures such as Weighment, Stores entry and unloading of Full cylinders.
- 3) Equal number of Empty cylinders has to be taken from BHEL to supplier's work
- 4) Any delay in reporting time may cause delay in sending the supplier's vehicle out from BHEL premises and it may take next working day also.
- 5) Supplier must able give to BHEL minimum of 600 numbers to maximum of 700 nos of Oxygen cylinders of 47 liters water capacity ( 47 liters of water capacity only ) duly fitted with Valve Guard for Holding ( i.e at any point of time 600 nos of supplier's cylinders will be with BHEL and beyond this qty, empty cylinders of matching the inward quantity , will be available for return on daily basis).
- 6) Empty Cylinders returning will start from 12 to 14 working days from first Supply.

Manager/Purchase (UTY)