



A K Verma SDGM / CMM	M C Marandi SDGM / CQX	Rajeev Agrawal AGM / WEX
-------------------------	---------------------------	-----------------------------

Pre-Qualifying Requirement for Procurement of Steam Coal under TCMOU- E5109001

4	Monthly Committed Capacity:- Monthly capacity of the bidder shall be at least 750MT per month exclusively for BHEL Jhansi under this contract.	MT per month (Bidder to quote)						
5	As evidence of the above information, the bidder to attach the documentary proof as below : <table border="1" data-bbox="254 501 1262 694"> <thead> <tr> <th>Supplies made to</th> <th>Documentary Proof to be attached</th> </tr> </thead> <tbody> <tr> <td>BHEL Unit(s)</td> <td>Purchase Order Copies to be submitted</td> </tr> <tr> <td>Other than BHEL</td> <td>Copy of Purchase Order, Tax Invoice OR completion Certificate.</td> </tr> </tbody> </table>	Supplies made to	Documentary Proof to be attached	BHEL Unit(s)	Purchase Order Copies to be submitted	Other than BHEL	Copy of Purchase Order, Tax Invoice OR completion Certificate.	Pl tick ✓ as applicable ☐ BHEL Units ☐ Other than BHEL
Supplies made to	Documentary Proof to be attached							
BHEL Unit(s)	Purchase Order Copies to be submitted							
Other than BHEL	Copy of Purchase Order, Tax Invoice OR completion Certificate.							
6	New vendors who are not registered with BHEL, Jhansi should submit duly filled "Supplier Registration Form (SRF)" along with the requested documents. The SRF is available on line on our website www.bhel.com .	☐ Document Submitted						

- We agree that our bid is liable to be rejected in case (a) the relevant information is not filled, (b) documentation is incomplete, (c) there are false declarations, and (d) if we do not meet the PQR.
- Criteria at Sl. No. 6 is desirable. Other are mandatory.
- Supporting documents for the details filled above have been filled.

(Signature of the Supplier with Name, Designation & Seal)

 A K Verma SDGM / CMM	 M C Marandi SDGM / CQX	 Rajeev Agrawal AGM / WEX
--	---	--