

Item Number	Item Title	Item Description	Item Quantity	Unit of Measure	Consignee ID	Delivery Period (In number of days)
1	SUPPLY- AC & VENTILATION SYSTEM :	Supply-1	8	NO	buycon1751@bhel	147
	SPLIT AC UNIT - 2 TR (HIGH WALL TYPE SPLIT UNIT OF 2TR CAPACITY (MINIMUM COOLING CAPACITY OF 21000BTU/HR, MINIMUM AIR FLOW OF 600CFM, R-32 OR EQUIVALENT ECOFRIENDLY REFRIGERANT AND ENERGY EFFICIENCY RATING OF 5 STAR) EACH COMPLETE WITH OUTDOOR CONDENSING UNITS HAVING HERMETICALLY SEALED COMPRESSOR AND HIGH WALL TYPE INDOOR EVAPORATOR UNIT WITH CORDLESS REMOTE CONTROLLER, POWER CABLES BETWEEN OUTDOOR AND INDOOR UNITS AND INDOOR UNIT/OUTDOOR UNIT TO MCB/TPN AND FROM MCB BOX TO POWER SUPPLY SWITCH, COPPER REFRIGERANT PIPING BETWEEN INDOOR & OUTDOOR UNIT, PVC DRAIN PIPING FROM INDOOR UNITS, 5KV VOLTAGE STABILISER, MCB/TPN WITH MOUNTING BOX & FIRST CHARGE OF REFRIGERANT)					
2	SUPPLY- AC & VENTILATION SYSTEM : MS BRACKETS AND M.S. FRAME FOR INDOOR & OUTDOOR UNITS AND FIXING HARDWARE	Supply-2	8	NO	buycon1751@bhel	147
	(COMPLETE WITH FIXING HARDWARE LIKE ANCHOR BOLTS, NUTS, FITTINGS ETC. AS WOULD BE NECESSARY FOR INSTALLATION OF ABOVE EQUIPMENT)					
3	SUPPLY- AC & VENTILATION SYSTEM : ECU / CONTROL PANEL FOR SPLIT AIR	Supply-3	4	NO	buycon1751@bhel	147
	CONDITIONER (IN BAY CONTROL ROOM (AS PER DETAILS GIVEN IN EQUIPMENT SPECIFICATION ATTACHED TO SECTION-2)					
4	SUPPLY- AC & VENTILATION SYSTEM : AXIAL FLOW SUPPLY FANS - 6500 CMH	Supply-4	2	NO	buycon1751@bhel	147
	(AXIAL FLOW SUPPLY AIR FAN OF 6500CMH @ 30MM WG FOR LT SWITCHGEAR ROOM COMPLETE WITH PRE-FILTERS, FINE FILTERS, RAINPROTECTION COWL, BIRD SCREEN AND MOUNTING ARRANGEMENT WITH BACK DRAFT DAMPERS FOR EXHAUST AND MCB BOX)					

5	SUPPLY- AC & VENTILATION SYSTEM : AXIAL FLOW SUPPLY FANS - 3500 CMH (AXIAL FLOW SUPPLY AIR FAN OF 3500CMH @ 30MM WG FOR BATTERYCHARGER & DCDB ROOM COMPLETE WITH PRE-FILTERS, FINE FILTERS, RAIN PROTECTION COWL, BIRD SCREEN AND MOUNTING ARRANGEMENT WITH BACK DRAFT DAMPERS FOR EXHAUST AND MCB BOX)	Supply-5	2	NO	buycon1751@bhel	147
6	SUPPLY- AC & VENTILATION SYSTEM : AXIAL FLOW EXHAUST FANS WITH FLP MOTOR -8500 CMH (AXIAL FLOW EXHAUST AIR FAN OF 8500CMH @ 30MM WG, BIFURCATED TYPE WITH FLAMEPROOF MOTOR FOR BATTERY ROOM COMPLETE WITH, RAIN PROTECTION COWL, BIRD SCREEN AND MOUNTING ARRANGEMENT AND FRESH AIR LOVERS AND PDB)	Supply-6	4	NO	buycon1751@bhel	147
7	SUPPLY- AC & VENTILATION SYSTEM : PDB FOR AXIAL FLOW EXHAUST FANS (IN BATTERY ROOM)	Supply-7	1	NO	buycon1751@bhel	147
8	ETC- AC & VENTILATION SYSTEM : SPLIT AC UNIT - 2 TR (HIGH WALL TYPE SPLIT UNIT OF 2TR CAPACITY (MINIMUM COOLING CAPACITY OF 21000BTU/HR, MINIMUM AIR FLOW OF 600CFM, R-32 OR EQUIVALENT ECOFRIENDLY REFRIGERANT AND ENERGY EFFICIENCY RATING OF 5 STAR) EACH COMPLETE WITH OUTDOOR CONDENSING UNITS HAVING HERMETICALLY SEALED COMPRESSOR AND HIGH WALL TYPE INDOOR EVAPORATOR UNIT WITH CORDLESS REMOTE CONTROLLER, POWER CABLES BETWEEN OUTDOOR AND INDOOR UNITS AND INDOOR UNIT/OUTDOOR UNIT TO MCB/TPN AND FROM MCB BOX TO POWER ETC SWITCH, COPPER REFRIGERANT PIPING BETWEEN INDOOR & OUTDOOR UNIT, PVC DRAIN PIPING FROM INDOOR UNITS, 5KV VOLTAGE STABILISER, MCB/TPN WITH MOUNTING BOX & FIRST CHARGE OF REFRIGERANT)	ETC-1	8	NO	buycon1751@bhel	231

9	ETC- AC & VENTILATION SYSTEM : MS BRACKETS AND M.S. FRAME FOR INDOOR & OUTDOOR UNITS AND FIXING HARDWARE (COMPLETE WITH FIXING HARDWARE LIKE ANCHOR BOLTS, NUTS, FITTINGS ETC. AS WOULD BE NECESSARY FOR INSTALLATION OF ABOVE EQUIPMENT)	ETC-2	8	NO	buycon1751@bhel	231
10	ETC- AC & VENTILATION SYSTEM : ECU / CONTROL PANEL FOR SPLIT AIR CONDITIONER (IN BAY CONTROL ROOM (AS PER DETAILS GIVEN IN EQUIPMENT SPECIFICATION ATTACHED TO SECTION-2)	ETC-3	4	NO	buycon1751@bhel	231
11	ETC- AC & VENTILATION SYSTEM : AXIAL FLOW ETC FANS - 6500 CMH (AXIAL FLOW ETC AIR FAN OF 6500CMH @ 30MM WG FOR LT SWITCHGEAR ROOM COMPLETE WITH PRE-FILTERS, FINE FILTERS, RAINPROTECTION COWL, BIRD SCREEN AND MOUNTING ARRANGEMENT WITH BACK DRAFT DAMPERS FOR EXHAUST AND MCB BOX)	ETC-4	2	NO	buycon1751@bhel	231
12	ETC- AC & VENTILATION SYSTEM : AXIAL FLOW ETC FANS - 3500 CMH (AXIAL FLOW ETC AIR FAN OF 3500CMH @ 30MM WG FOR BATTERYCHARGER & DCDB ROOM COMPLETE WITH PRE-FILTERS, FINE FILTERS, RAIN PROTECTION COWL, BIRD SCREEN AND MOUNTING ARRANGEMENT WITH BACK DRAFT DAMPERS FOR EXHAUST AND MCB BOX)	ETC-5	2	NO	buycon1751@bhel	231
13	ETC- AC & VENTILATION SYSTEM : AXIAL FLOW EXHAUST FANS WITH FLP MOTOR -8500 CMH (AXIAL FLOW EXHAUST AIR FAN OF 8500CMH @ 30MM WG, BIFURCATED TYPE WITH FLAMEPROOF MOTOR FOR BATTERY ROOM COMPLETE WITH, RAIN PROTECTION COWL, BIRD SCREEN AND MOUNTING ARRANGEMENT AND FRESH AIR LOVERS AND PDB)	ETC-6	4	NO	buycon1751@bhel	231
14	ETC- AC & VENTILATION SYSTEM : PDB FOR AXIAL FLOW EXHAUST FANS (IN BATTERY ROOM)	ETC-7	1	NO	buycon1751@bhel	231
15	ETC - CABLE LAYING ALONGWITH ACCESSORIES	ETC-8	100	Mtr	buycon1751@bhel	231