



PLANT PURCHASE SPECIFICATION (CFFP - HARDWAR)

FF 05079 Rev01

Page 1 of 4

BURNT LIME (92% CaO) with reactivity test.

1.0 GENERAL:

This specification governs the quality of Burnt Lime for use in steel melting and refining operations.

2.0 APPLICATION

The material is to be used as flux for steel melting in Electric Arc Furnaces and refining in VAD, VOD & LRF operations.

3.0 COMPLIANCE WITH NATIONAL STANDARD

No national standard exists for burnt lime used in steel melting and refining operations.

4.0 SIZE

The material should be supplied in the form of lumps in the size range of 10 to 25 mm. 95% of the material should fall in this range.

5.0 TECHNICAL

5.1 CHEMICAL PROPERTIES

Burnt Lime should conform to the following chemical requirements :

ELEMENTS	% MIN.	% MAX.
CaO	92.00	
MgO	-----	2.00
SiO ₂	-----	2.00
Sulphur	-----	0.15
Fe ₂ O ₃ & Al ₂ O ₃	-----	2.00

5.2 LOI (loss on Ignition) :

The loss on ignition should not be more than 4%. LOI should be calculated as per IS 1514.

5.3 Reactivity test: In accordance with ASTM C 110.

Temperature rise → Minimum 29 °C within 2 minutes.

Time for completion of reaction → 10 minutes or less.

RMI	ARUN AGARWAL		WORKED BY	M.K.SAHU	
MPIC	ROHIT VARSHNEY		CHECKED BY	B K BEDI	
CHAIRMAN CPSC	V K AGARWAL		SUPERVISED BY	P.K ROY	
			APPROVED : PLANT STANDARDS COMMITTEE		
			PREPARED : SMS TECH	ISSUED : Steel Melting Shop	DATE



PLANT PURCHASE SPECIFICATION

(CFFP - HARDWAR)

FF 05079 Rev01

Page 2 of 4

5.4. Burnt lime is hygroscopic and on exposure to atmosphere absorbs moisture. With long exposure it becomes powder and loses its reactivity. Hence packing and storage are of utmost importance for retaining its properties over a long period of time. Packing has been adequately addressed at clause no 9.0.

6.0 SAMPLING AND METHOD FOR CHEMICAL ANALYSIS:

The sampling and chemical analysis should be done as per IS 1514 or any other standard practices applicable for burnt lime in steel industries.

All the test result of Chemical analysis and LOI to be rounded off as per IS 2-1960.

7.0 INSPECTION

- CFFP reserves the right to witness the testing of the material at supplier works.
- CFFP may test the material after receipt and acceptance of the material will be based on the CFFP's test results.
- For any deviation from this specification prior approval shall be taken by the supplier.
- For result of analysis and properties of material the decision of CFFP shall be final and binding on the supplier.
- If the material is not conforming to this specification, it is liable to be rejected and the supplier shall replace the same.

8.0 TEST CERTIFICATES

One Original and three copies of Test Certificate from the manufacturer containing the following information should be provided.

Manufacturer's Name

Name of the material

Batch/Lot No.

Quantity.

Note:

- a) A manufacturer supplying directly to BHEL should include BHEL's P.O. No. and Challan No. also in the TC.
- b) Any other supplier should provide a covering letter along with Manufacturer's TC as above mentioning BHEL's P.O. No. and Challan number with linkage to manufacture's TC/Batch no.

WORKED BY

M.K.SAHU

CHECKED BY

B K BEDI

COPYRIGHT AND CONFIDENTIAL
The information on this documents is the property of Bharat Heavy Electrical Limited It must not be used directly or indirectly in any way detrimental to the interest of the company



PLANT PURCHASE SPECIFICATION

(CFFP - HARDWAR)

FF 05079 Rev01

Page 3 of 4

9.0 PACKING AND MARKING:

The material should be packed in moisture proof polythene lined bags (double lined) with net weight in the range from 25 kg up to 35 Kg and these small bags should further be packed in jumbo bags weighing one ton (app.). The packing should be sea worthy and strong enough to withstand the rigors of loading/unloading. The packing should be good enough so that material should not gain moisture during storage. The bags should be properly stitched/sealed so that the material is not exposed to atmosphere till opened for usage. Each bag of 25-35 kg and jumbo bags should be identified with:

Manufacturer's Name

Material Name

Batch/Lot No.

Quantity.

Identification in any manner (Eg. - Stencil marking, Tags, Stickers etc.) is acceptable

COPYRIGHT AND CONFIDENTIAL

The information on this document is the property of Bharat Heavy Electrical Limited. It must not be used directly or indirectly in any way detrimental to the interest of the company.

WORKED BY

M.K.SAHU

CHECKED BY

B K BEDI

BHEL	PLANT PURCHASE SPECIFICATION	FF 05079 Rev01
	C.F.F.P. HARDWAR	PAGE: 4 OF 4

REVISION RECORD SHEET

SN	Revision No.	Revision date	Nature of Changes
1	01	29/12/2017	Packing clause revised. Small bags to be further packed in Jumbo bags.

ISSUED BY:	SMS	WORKED	M.K.SAHU 
REVISION	00	DATE:	B K BEDI 