



General Note:

Page:1/*

PHONE : 91-44-28158821

GRAMS : BHARATELEC

FAX NO:

E-mail :

Web :

OFFICE COPY**Collective No.**

9631700197

Enquiry Date

02.11.2017

**Due Date For
Quotation**

23.11.2017

Please quote Enquiry No, Date and due date in all correspondences.
This is only a request for quotation and not an order

Item	Description	Unit	Quantity	Delivery Quantity	Schedule Date
10	SP8551001043 O-RING SIZE 1.50x7.50 O-RING (WIRE DIA X INNER DIA) SIZE:1.5 X 7.5 mm . MATERIAL :NEOPRENE RUBBER. SHORE HARDNESS : 80 - 90 DEG.A.	NO	50.000	50.00	17.01.18
20	SP8551001060 O-RING SIZE 1.50x8.50 WELDON NIPPLE-10 O-RING(WIRE DIA X INNER DIA) SIZE:1.5 X 8.5 mm . MATERIAL :NEOPRENE RUBBER. SHORE HARDNESS : 80 - 90 DEG.A.	NO	100.000	100.00	17.01.18
30	SP8551001078 O-RING SIZE 1.50x5.00 O-RING (WIRE DIAxINNER DIA) SIZE : 1.5x5 MATERIAL: NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
40	SP8551001108 O-RING SIZE 1.50x9.00 O-RING (WIRE DIAxINNER DIA) SIZE : 1.5x9mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90DEG.A	NO	50.000	50.00	17.01.18
50	SP8551001116 O-RING SIZE 1.50x12.50 O-RING (WIRE DIA X INNER DIA) SIZE:1.5 X 12.5 mm . MATERIAL :NEOPRENE RUBBER. SHORE HARDNESS : 80 - 90 DEG.A.	NO	50.000	50.00	17.01.18
60	SP8551001144 O-RING SIZE 1.50X17.00 O-RING (WIRE DIA X INNER DIA) SIZE :1.50X17.00 MATERIAL :NEOPRENE RUBBER SHORE HARDNESS:80-90 DEG.A	NO	25.000	25.00	17.01.18
70	SP8551001167 O-RING SIZE 1.50x19.00 O-RING (WIRE DIAxINNER DIA) SIZE : 1.5x19.00mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
80	SP8551002031 O-RING SIZE 1.60x32.00 O-RING SIZE: 1.6 X 3.2 MATL: NEOPRENE SHORE HARDNESS 80-90xA	NO	25.000	25.00	17.01.18
90	SP8551005006	NO	100.000	100.00	17.01.18

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of
tenderers who have submitted their offer and who may like to be present for the tender
opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(SSTP)



9631700197 / 02.11.2017			23505		
	O-RING SIZE 1.78x10.82 WELDON NIPPLE-12 O-RING(WIRE DIAxINNER DIA) SIZE:1.78 X 10.82 mm . MATERIAL :NEOPRENE RUBBER. SHORE HARDNESS : 80 - 90 DEG.A.				
100	SP8551005014	NO	25.000	25.00	17.01.18
	O-RING SIZE 1.78x14.00 O-RING (WIRE DIA X INNER DIA) SIZE:1.78 X 14.00 mm . MATERIAL :NEOPRENE RUBBER. SHORE HARDNESS : 80 - 90 DEG.A.				
110	SP8551005022	NO	25.000	25.00	17.01.18
	O-RING SIZE 1.78x9.25.00(2FRM6) O-RING (WIRE DIAxINNER DIA) SIZE : 1.78x9.25mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A				
120	SP8551005073	NO	25.000	25.00	17.01.18
	O-RING SIZE 1.80x6.00 O-RING (WIRE DIAxINNER DIA) SIZE : 1.8x6mm MATL : NEOPRENE RUBBER. SHORE HARDNESS : 80-90 DEG.A				
130	SP8551010000	NO	25.000	25.00	17.01.18
	O-RING SIZE 2.00x15.00 O-RING (WIRE DIAxINNER DIA) SIZE : 2.00x15mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A				
140	SP8551010018	NO	100.000	100.00	17.01.18
	O-RING SIZE 2.00x12.00 WELDON NIPPLE-16 O-RING(WIRE DIAxINNER DIA) SIZE : 2.00x12.00mm MATL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A FOR REXROTH				
150	SP8551010026	NO	50.000	50.00	17.01.18
	O-RING SIZE 2.00x8.00 NG6 O-RING(WIRE DIA X INNER DIA) SIZE:2 X 8 mm . MATERIAL :NEOPRENE RUBBER. SHORE HARDNESS : 80 - 90 DEG.A.				
160	SP8551010034	NO	100.000	100.00	17.01.18
	O-RING SIZE 2.00x10.00 (NG6&16 BASE) O-RING (WIRE DIAxINNER DIA) SIZE :2.0x10mm MATERIAL :NEOPRENE RUBBER SHORE HARDNESS :80-90 DEG.A				
170	SP8551010042	NO	50.000	50.00	17.01.18
	O-RING SIZE 2.00x9.50 O-RING (WIRE DIA X INNER DIA) SIZE : 2 X 9.5 mm MATERIAL : NEOPRENE RUBBER. SHORE HARDNESS : 80 - 90 DEG.A.				
180	SP8551010050	NO	50.000	50.00	17.01.18
	O-RING SIZE 2.00x14.00				
The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.			Yours faithfully, For BHARAT HEAVY ELECTRICALS LIMITED MANAGER / PURCHASE (SSTP)		



9631700197 / 02.11.2017				23505	
190	SP8551010093 "O"-RING (WIRE DIAxINNER DIA) SIZE : 2.00x14mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A O-RING SIZE 2.00x22.00 O-RING (WIRE DIA X INNER DIA) SIZE:2 X 22 mm . MATERIAL :NEOPRENE RUBBER. SHORE HARDNESS : 80 - 90 DEG.A.	NO	25.000	25.00	17.01.18
200	SP8551010144 O-RING SIZE 2.00x28.00 O-RING (WIRE DIA X INNER DIA) SIZE:2 X 28 mm .MATERIAL :NEOPRENE RUBBER. SHORE HARDNESS : 80 - 90 DEG.A.	NO	25.000	25.00	17.01.18
210	SP8551011014 O-RING SIZE 2.30x36.00 O-RING (WIRE DIA X INNER DIA) SIZE:2.3 X 36 mm . MATERIAL:NEOPRENE RUBBER. SHORE HARDNESS : 80 - 90 DEG.A.	NO	25.000	25.00	17.01.18
220	SP8551013017 O-RING SIZE 2.40x12.30 O-RING (WIRE DIAxINNER DIA) SIZE : 2.4x12.3mm MATERIAL : NEOPERNE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
230	SP8551013025 O-RING SIZE 2.40x9.30 O-RING (WIRE DIAxINNER DIA) SIZE : 2.40x9.3mm MATERIAL : NEOPRENE RUBBERSHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
240	SP8551013092 O-RING SIZE 2.40x16.30 WELDON NIPPLE-20 O-RING (WIRE DIA XINNER DIA) SIZE:2.4 X 16.3 mm . MATERIAL:NEOPRENE RUBBER. SHORE HARDNESS : 80 - 90 DEG.A.	NO	100.000	100.00	17.01.18
250	SP8551013130 O-RING SIZE:2.40x20.30 WELDON NIPPLE-25 O-RING (WIRE DIA X INNER DIA) SIZE: 2.4 X 20.3 mm . MATERIAL:NEOPRENE RUBBER. SHORE HARDNESS : 80 - 90 DEG.A. O-RING (WIRE DIAxINNER DIA) SIZE : 2.40x20.30 MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	100.000	100.00	17.01.18
260	SP8551013173 O-RING SIZE 2.40x21.3 O-RING (WIRE DIA X INNER DIA) 2.4 X 21.3 mm . MATERIAL :NEOPRENE RUBBER. SHORE HARDNESS : 80 - 90 DEG.A.	NO	25.000	25.00	17.01.18
270	SP8551013190 O-RING SIZE 2.50x19.00 O-RING (WIRE DIAxINNER DIA) SIZE : 2.50x19mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.				Yours faithfully, For BHARAT HEAVY ELECTRICALS LIMITED MANAGER / PURCHASE (SSTP)	



9631700197 / 02.11.2017				23505	
280	SP8551013211 O-RING SIZE 2.40x25.30 WELDON NIPPLE-30 "O"-RING (WIRE DIAxINNER DIA) SIZE : 2.40x25.3mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	100.000	100.00	17.01.18
290	SP8551013238 O-RING SIZE 2.40x33.00 WELDON NIPPLE-38 "O"-RING(WIRE DIA X INNER DIA) SIZE:2.4 X 33mm. MATERIAL:NEOPRENE RUBBER. SHORE HARDNESS:80-90 DEG.A.	NO	100.000	100.00	17.01.18
300	SP8551013254 O-RING SIZE 2.40x33.30 O-RING (WIRE DIAxINNER DIA) SIZE : 2.4x33.3mm MATERIAL : NEOPRENE RUBBER. SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
310	SP8551015079 O-RING SIZE 2.50x28.00 O-RING (WIRE DIAxINNER DIA) SIZE : 2.5x28.00mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
320	SP8551015109 O-RING SIZE 2.50x45.00 O-RING (WIRE DIAxINNER DIA) SIZE : 2.5x45mm MATERIAL : NEOPRENE RUBBER. SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
330	SP8551015168 O-RING SIZE 2.50x14.00 O-RING (WIRE DIAxINNER DIA) SIZE : 2.5x14mm MATL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
340	SP8551015230 O-RING SIZE 2.50x115.00 PV180 O-RING (WIRE DIAxINNER DIA) SIZE : 2.5x115mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	15.000	15.00	17.01.18
350	SP8551015257 O-RING SIZE 2.50x23.00 O-RING (WIRE DIAxINNER DIA) SIZE : 2.5x23.00mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
360	SP8551015346 O-RING SIZE 2.50x34.00 O-RING (WIRE DIAxINNER DIA) SIZE : 2.5x34mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
370	SP8551025000 O-RING SIZE(WIRE)CHORD-2.50mm O-RING CHORD (WIRE) CHORD : 2.50mm MATERIAL : NEOPRENE RUBBER SHORE	NO	5.000	5.00	17.01.18
The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.				Yours faithfully, For BHARAT HEAVY ELECTRICALS LIMITED MANAGER / PURCHASE (SSTP)	



9631700197 / 02.11.2017				23505	
	HARDNESS : 80-90 DEG.A				
380	SP8551025058 O-RING SIZE 3.00x21.20 O-RING (WIRE DIAxINNER DIA) SIZE : 3.00x21.2mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	20.000	20.00	17.01.18
390	SP8551025090 O-RING SIZE 3.00x29.00 O-RING (WIRE DIAxINNER DIA) SIZE : 3.00x29mm,MATERIAL: NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
400	SP8551025122 O-RING SIZE 3.00x12.00 O-RING (WIRE DIAxINNER DIA) SIZE : 3.00x12mm ,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
410	SP8551025163 O-RING SIZE 3.00x84.50 O-RING (WIRE DIAxINNER DIA) SIZE : 3.00x84.5mm ,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	10.000	10.00	17.01.18
420	SP8551025180 O-RING SIZE 3.00x16.00 O-RING (WIRE DIAxINNER DIA) SIZE : 3.00x16mm ,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
430	SP8551025198 O-RING SIZE 3.00x19.00(NG22 REXROTHBASE) O-RING (WIRE DIAxINNER DIA) SIZE :3.00x19mm MATL :NEOPRENE RUBBER SHORE HARDNESS:80-90 DEG.A APPLICATION :N G22&32 REXROTH DIRECTIONAL CONTROL VALVE(BASE)	NO	25.000	25.00	17.01.18
440	SP8551025201 O-RING SIZE 3.00x52.00 PUSHER CYLR. O-RING (WIRE DIAxINNER DIA) SIZE : 3.00x52mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	10.000	10.00	17.01.18
450	SP8551025244 O-RING SIZE 3.00x24.22 O-RING (WIRE DIAxINNER DIA) SIZE : 3.00x24.2mm, MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
460	SP8551025309 O-RING SIZE 3.00x30.20 O-RING (WIRE DIAxINNER DIA) SIZE : 3.00x30.2mm ,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
470	SP8551025325 O-RING SIZE 3.00x31.00 O-RING (WIRE DIAxINNER DIA) SIZE :	NO	25.000	25.00	17.01.18
The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.				Yours faithfully, For BHARAT HEAVY ELECTRICALS LIMITED MANAGER / PURCHASE (SSTP)	



9631700197 / 02.11.2017				23505	
480	SP8551025341 3.00x31mm,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A O-RING SIZE 3.00x32.00 ACCU.BASE O-RING (WIRE DIAxINNER DIA) SIZE : 3.00x32mm ,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
490	SP8551025368 O-RING SIZE 3.00x36.00 O-RING (WIRE DIAxINNER DIA) SIZE : 3.00x36mm,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
500	SP8551025422 O-RING SIZE 3.00x42.00(NG32REXROTHBASE) O-RING (WIRE DIAxINNER DIA) SIZE :3.00x42mm MATL :NEOPRENE RUBBER SHORE HARDNESS:80-90 DEG.A APPLICATION :NG32 REXROTH DIRECTIONAL CONTROL VALVE(BASE)	NO	50.000	50.00	17.01.18
510	SP8551025430 O-RING SIZE 3.00 X 43.00 O-RING (WIRE DIAxINNER DIA) SIZE : 43x3mm ,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
520	SP8551025449 O-RING SIZE 3.00X42.50 (NG32REXROTHBASE) O-RING(WIRE DIA X INNER DIA) SIZE :3X42.5 MATERIAL :NEOPRENE RUBBER SHORE HARDNESS:80-90 DEG.A APPLICATION :NG32 R EXROTH DIRECTIONAL CONTROL VALVE(BASE)	NO	15.000	15.00	17.01.18
530	SP8551025457 O-RING SIZE 3.00x45.00 O-RING (WIRE DIAxINNER DIA) SIZE : 3.00x45mm,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
540	SP8551025473 O-RING SIZE 3.00x47.00 O-RING (WIRE DIAxINNER DIA) SIZE: 3.00x47mm ,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
550	SP8551025503 O-RING SIZE 3.00x149.00 O-RING (WIRE DIAxINNER DIA) SIZE : 3.00x149mm,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	10.000	10.00	17.01.18
560	SP8551025520 O-RING SIZE 3.00x50.00 O-RING (WIRE DIAxINNER DIA) SIZE: 3.00x50mm,MATERIAL : NEOPRENE RUBBER	NO	25.000	25.00	17.01.18
The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.				Yours faithfully, For BHARAT HEAVY ELECTRICALS LIMITED MANAGER / PURCHASE (SSTP)	



9631700197 / 02.11.2017				23505	
570	SHORE HARDNESS : 80-90 DEG.A SP8551025562 O-RING SIZE 3.00x55.00 O-RING (WIRE DIAxINNER DIA) SIZE : 3.00x55mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
580	SP8551025589 O-RING SIZE 3.00x58.00 O-RING (WIRE DIAxINNER DIA) SIZE : 3.00x58mm ,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
590	SP8551025600 O-RING SIZE 3.00x60.00 O-RING (WIRE DIAxINNER DIA) SIZE : 3.00x60.00mm ,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
600	SP8551025940 O-RING SIZE 3.00X94.00MPUMPDEL.FILTERCPE O-RING (WIRE DIAxINNER DIA) SIZE : 3.00x94mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
610	SP8551025945 O-RING SIZE 3.00X 138.00 TRANSPORTROLLER O-RING (WIRE DIA X INNER DIA) SIZE: 3 X 138 mm. MATERIAL :NEOPRENE RUBBER. SHORE HARDNESS: 80 - 90 DEG.A.	NO	25.000	25.00	17.01.18
620	SP8551026038 O-RING SIZE 3.30x15.00 O-RING (WIRE DIAxINNER DIA) SIZE : 3.30x15mm,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
630	SP8551026070 O-RING SIZE 3.30x35.00 O-RING (WIRE DIAxINNER DIA) SIZE: 3.30x35mm ,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
640	SP8551026076 O-RING SIZE 3.30X38.00 VALVE BLOCK CPE O-RING (WIRE DIAxINNER DIA) SIZE : 3.30x38.00 mm,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
650	SP8551027077 O-RING SIZE 3.50x34.00 O-RING (WIRE DIAxINNER DIA) SIZE : 3.50x34mm ,MATERIAL: NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
660	SP8551027085 O-RING SIZE 3.50x40.90 O-RING (WIRE DIAxINNER DIA) SIZE :	NO	25.000	25.00	17.01.18
The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.				Yours faithfully, For BHARAT HEAVY ELECTRICALS LIMITED MANAGER / PURCHASE (SSTP)	



9631700197 / 02.11.2017				23505	
670	3.50x40.9mm,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A SP8551027092 O-RING SIZE 3.50x43.00 Q.REL.COUP.CPE O-RING (WIRE DIAxINNER DIA) SIZE : 3.50x43mm,MATERIAL: NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
680	SP8551027093 O-RING SIZE 3.50x44.00 (KS VALVE BLOCK) O-RING (WIRE DIAxINNER DIA) SIZE: 3.50x44mm,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
690	SP8551030000 O-RING SIZE (WIRE) CHORD-3.00mm O-RING (WIRE) CHORD : 3.00mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	M	5.000	5.00	17.01.18
700	SP8551030027 O-RING SIZE 3.53x28.00 (SILICON) O-RING (WIRE DIAxINNER DIA) SIZE : 3.53x28mm SHORE HARDNESS : 60-75 deg.A MATERIAL : SILICON RUBBER to withstand a temperature of 200 deg.C and a pressure of 8 Kg/sq.cm. COLOUR : RED	NO	25.000	25.00	17.01.18
710	SP8551030108 O-RING SIZE 3.53x18.66 O-RING (WIRE DIAxINNER DIA) SIZE : 3.53x18.66mm,MATERIAL: NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
720	SP8551030116 O-RING SIZE 3.53x47.22 O-RING (WIRE DIAxINNER DIA) SIZE : 3.53x47.22mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	20.000	20.00	17.01.18
730	SP8551030671 O-RING SIZE 3.53X56.75MM O-RING (WIRE DIAxINNER DIA)(NEW PUMP DELIVERY SIDE)SIZE : 3.53x56.75mm,MATL: NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
740	SP8551031002 O-RING SIZE (WIRE) CHORD -3.55 mm O-RING (WIRE) CHORD : 3.55mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	M	5.000	5.00	17.01.18
750	SP8551031047 O-RING SIZE 3.55X47.50(1 1/2"FLANGE)CPE	NO	25.000	25.00	17.01.18
The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.				Yours faithfully, For BHARAT HEAVY ELECTRICALS LIMITED MANAGER / PURCHASE (SSTP)	



9631700197 / 02.11.2017				23505	
	O-RING (WIRE DIAxINNER DIA) SIZE : 3.55x47.5mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A WORK ING PRESSURE : 400Kg/CM2				
760	SP8551031050	NO	25.000	25.00	17.01.18
	O-RING SIZE 3.55X50.00(1 1/2" FLANGE)CPE O-RING (WIRE DIAxINNER DIA)SIZE: 3.55x50.0mm,MATERIAL: NEOPRENE RUBBER SHORE HARDNESS: 80-90 DEG.AWORK ING PRESSURE : 400Kg/CM2				
770	SP8551031056	NO	25.000	25.00	17.01.18
	O-RING SIZE 3.55X56.00 (2" FLANGE)CPE O-RING (WIRE DIAxINNER DIA) SIZE : 3.55x56.0 mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A WOR KING PRESSURE : 400Kg/CM2				
780	SP8551035002	M	5.000	5.00	17.01.18
	O-RING SIZE (WIRE) CHORD-3.50mm O-RING (WIRE) CHORD : 3.50mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A				
790	SP8551035045	NO	25.000	25.00	17.01.18
	O-RING SIZE 4.00x32.00 REDSON FL. RHF O-RING (WIRE DIAxINNER DIA) SIZE: 4.00x32mm,MATERIAL: NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A				
800	SP8551035088	NO	25.000	25.00	17.01.18
	O-RING SIZE 4.00x40.00 O-RING (WIRE DIAxINNER DIA) SIZE : 4.00x40mm,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A				
810	SP8551035128	NO	20.000	20.00	17.01.18
	O-RING SIZE 4.00X85.00 O-RING (WIRE DIAxINNER DIA) SIZE : 4.00x85mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A WORKI NG PRESSURE : 200Kg/CM2				
820	SP8551035215	NO	10.000	10.00	17.01.18
	O- RING SIZE 4.00X 170.00 SLIDE(AVAIL "O" - RING (WIRE DIA X INNER DIA) 4.00 X 170 mm. MATERIAL :NEOPRENE RUBBER. SHORE HARDNESS : 80 - 90 DEG.A. O- RING (WIRE DIA X INNER DIA) SIZE: 4 X 170 mm. MATERIAL :NEOPRENE RUBBER. SHORE HARDNESS: 80 - 90 DEG.A.				
830	SP8551035231	NO	10.000	10.00	17.01.18
	O-RING SIZE 4.00x119.00-CYL 100/70 O-RING (WIRE DIAxINNER DIA) SIZE :				
The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.				Yours faithfully, For BHARAT HEAVY ELECTRICALS LIMITED MANAGER / PURCHASE (SSTP)	



9631700197 / 02.11.2017				23505	
	4.00x119mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A WORK ING PRESSURE : 200Kg/CM2				
840	SP8551035240 O-RING SIZE 4.00X122.00 FILTER RHF&WBF O- RING (WIRE DIA X INNER DIA) 4.00 X 122 mm.MATERIAL :NEOPRENE RUBBER. SHORE HARDNESS: 80 - 90 DEG.A.	NO	25.000	25.00	17.01.18
850	SP8551035278 O- RING SIZE 10 X138 THRUST BLOCK(AVAIL O-RING (WIRE DIA X INNER DIA) SIZE: 10 X 138 mm. MATERIAL :NEOPRENE RUBBER. SHORE HARDNESS: 80 - 90 DEG.A.	NO	10.000	10.00	17.01.18
860	SP8551035285 O-RING SIZE 5.00X145.00THRUSTBLOCK(AVAIL O-RING (WIRE DIA X INNER DIA) SIZE: 5X145 mm. MATERIAL :NEOPRENE RUBBER. SHORE HARDNESS: 80 - 90 DEG.A.	NO	10.000	10.00	17.01.18
870	SP8551035336 O- RING SIZE 4.00X168.00 SLIDE (AVAIL O-RING (WIRE DIA X INNER DIA) SIZE : 4 X 168 mm. MATERIAL :NEOPRENE RUBBER. SHORE HARDNESS: 80 - 90 DEG.A.	NO	10.000	10.00	17.01.18
880	SP8551035363 O- RING SIZE 4.00X180.00 SRM "O" - RING (WIRE DIA X INNER DIA) 4.00 X 180 mm. MATERIAL :NEOPRENE RUBBER. SHORE HARDNESS : 80 - 90 DEG.A. 'O' RING (WIRE DIA X INNER DIA) SIZE :4.00X180mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DE G.A	NO	10.000	10.00	17.01.18
890	SP8551035410 O-RING SIZE 4.00x47.00-CYL 100/70 O-RING (WIRE DIAxINNER DIA) SIZE: 4.00x47mm,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90DEG.A WORKING PRESSU RE : 200Kg/CM2	NO	25.000	25.00	17.01.18
900	SP8551035550 O-RING SIZE 4.00x55.00 O-RING (WIRE DIAxINNER DIA) SIZE : 4.00x55mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
910	SP8551035710 O-RING SIZE 4.00X330.00 THRUSTBLOC(AVAIL	NO	5.000	5.00	17.01.18
The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.				Yours faithfully, For BHARAT HEAVY ELECTRICALS LIMITED MANAGER / PURCHASE (SSTP)	



9631700197 / 02.11.2017				23505	
	O-RING (WIRE DIAxINNER DIA) SIZE : 4.00x330mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A				
920	SP8551035984 O- RING SIZE 4.00X492.00 SLIDE (AVAIL O-RING (WIRE DIA X INNER DIA) SIZE :4.00 X 492 mm. MATERIAL :NEOPRENE RUBBER. SHORE HARDNESS: 80 - 90 DEG.A.	NO	5.000	5.00	17.01.18
930	SP8551037234 O-RING SIZE 4.50x115.00 O-RING (WIRE DIAxINNER DIA) SIZE: 4.50x115mm,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	10.000	10.00	17.01.18
940	SP8551037625 O -RING SIZE 4.50 X 311.00 "O"-RING(WIRE DIA X INNER DIA)4.50 X 311mm. MATERIAL :NEOPRENE RUBBER SHORE HARDNESS:80-90 DEG.A.	NO	5.000	5.00	17.01.18
950	SP8551040006 O-RING SIZE (WIRE) CHORD-4.00mm O-RING (WIRE) CHORD : 4.00mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	M	5.000	5.00	17.01.18
960	SP8551040057 O-RING SIZE 4.60x23.30 HANGER ROD T/F O-RING (WIRE DIAxINNER DIA)SIZE : 4.60x23.3mm,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
970	SP8551043505 O-RING SIZE 5.00X145 T.BLOCK CPE O-RING (WIRE DIAxINNER DIA) SIZE : 5.00x145mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
980	SP8551045008 O-RING SIZE (WIRE) CHORD 4.50mm O-RING (WIRE) CHORD : 4.50mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	M	5.000	5.00	17.01.18
990	SP8551045469 O-RING SIZE 5.00X240 FL.UNIT(RECIR) CPE O-RING (WIRE DIA X INNER DIA)SIZE: 5.00X240,MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80 - 90 DEG.A	NO	15.000	15.00	17.01.18
1000	SP8551050001 O-RING SIZE (WIRE) CHORD-5.00mm O-RING (WIRE) CHORD: 5.00mm,MATERIAL: NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	5.000	5.00	17.01.18
The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.				Yours faithfully, For BHARAT HEAVY ELECTRICALS LIMITED MANAGER / PURCHASE (SSTP)	



9631700197 / 02.11.2017				23505	
1010	SP8551050214 O-RING SIZE 5.33x78.75 O-RING (WIRE DIAxINNER DIA) SIZE : 5.33x78.75mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
1020	SP8551050222 O-RING SIZE 5.33x81.9 O-RING (WIRE DIAxINNER DIA) SIZE : 5.33x81.9mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	20.000	20.00	17.01.18
1030	SP8551050230 O-RING SIZE 5.33x85.1 O-RING (WIRE DIAxINNER DIA) SIZE : 5.33x85.1mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	25.000	25.00	17.01.18
1040	SP8551065084 O-RING SIZE 6.00x110.00 (SILICONE) O-RING (WIRE DIAxINNER DIA) SIZE : 6.00x110mm SHORE HARDNESS : 80-85 deg.A MATERIAL : SILICONE RUBBER to withstand a Temperature of 200 deg.C and a pressure of 8kg/sq.cm COLOUR : RED	NO	25.000	25.00	17.01.18
1050	SP8551070207 O-RING SIZE 7.00x165.00T.BLOCK MAND.COOL O-RING (WIRE DIAxINNER DIA) SIZE : 7.00x165mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	10.000	10.00	17.01.18
1060	SP8552000202 O-RING SIZE 1.50x8.00 O-RING (WIRE DIAxINNER DIA) SIZE : 1.5x8mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	50.000	50.00	17.01.18
1070	SP8552000229 O-RING SIZE 2.00X08.00 Z2FS "O" - RING (WIRE DIA X INNER DIA) 2 X 8 mm . MATERIAL :NEOPRENE RUBBER. SHORE HARDNESS : 80 - 90 DEG.A. O-RING(WIRE DIAxINNER DIA) SIZE :2.00X08.00 mm MATERIAL :NEOPRENE RUBBER SHORE HARDNESS:80-90 DEG.A	NO	25.000	25.00	17.01.18
1080	SP8552000288 O-RING 2.00x12.00 WELD NIPPLE,NG10&Z2FS O-RING (WIRE DIAxINNER DIA) SIZE : 2x12mm MATERIAL : NEOPRENE RUBBER SHORE HARDNESS : 80-90 DEG.A	NO	50.000	50.00	17.01.18
1090	SP8552000296 O-RING SIZE 2.00X13.00 O-RING (WIRE DIAxINNER DIA) SIZE :2X13 MATERIAL :NEOPRENE RUBBER SHORE HARDNESS:80-90 DEG.A APPLICATION :NG10	NO	25.000	25.00	17.01.18
The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.				Yours faithfully, For BHARAT HEAVY ELECTRICALS LIMITED MANAGER / PURCHASE (SSTP)	

**9631700197 / 02.11.2017****23505**

REX
ROTH DIRECTIONAL CONTROL VALVE(BASE)
1100 SP8552013810 NO 5.000 5.00 17.01.18
O-RING SIZE 10X138.00
T.BLOCK CPE
O-RING (WIRE DIAxINNER DIA)SIZE:
10.00x138mm,MATERIAL : NEOPRENE RUBBER
SHORE HARDNESS : 80-90 DEG.A

General Note:**Enclosures:**

"LD clause has to be confirmed without fail."

The bidder along with its associate / collaborators / sub-contractors / sub-vendors / consultants /service providers shall strictly adhere to BHEL fraud prevention policy displayed on BHEL website

<http://www.bhel.com> and shall immediately bring to the notice of BHEL Management about any fraud or suspected fraud as soon as it comes to their notice.

PR Links

Material.	PR.No	PR.Item.	Quantity	Acc. Assign	Customer Number
SP8551001043	120034853	00010	50.000	/000000	
SP8551001060	120034853	00020	100.000	/000000	
SP8551001078	120034853	00030	25.000	/000000	
SP8551001108	120034853	00040	50.000	/000000	
SP8551001116	120034853	00050	50.000	/000000	
SP8551001144	120034853	00060	25.000	/000000	
SP8551001167	120034853	00070	25.000	/000000	
SP8551002031	120034853	00080	25.000	/000000	
SP8551005006	120034853	00090	100.000	/000000	
SP8551005014	120034853	00100	25.000	/000000	
SP8551005022	120034853	00110	25.000	/000000	
SP8551005073	120034853	00120	25.000	/000000	
SP8551010000	120034853	00130	25.000	/000000	
SP8551010018	120034853	00140	100.000	/000000	
SP8551010026	120034853	00150	50.000	/000000	
SP8551010034	120034853	00160	100.000	/000000	
SP8551010042	120034853	00170	50.000	/000000	
SP8551010050	120034853	00180	50.000	/000000	
SP8551010093	120034853	00190	25.000	/000000	
SP8551010144	120034853	00200	25.000	/000000	

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(SSTP)



9631700197 / 02.11.2017				23505	
Material.	PR.No	PR.Item.	Quantity	Acc. Assign	Customer Number
SP8551011014	120034853	00210	25.000	/000000	
SP8551013017	120034853	00220	25.000	/000000	
SP8551013025	120034853	00230	25.000	/000000	
SP8551013092	120034853	00240	100.000	/000000	
SP8551013130	120034853	00250	100.000	/000000	
SP8551013173	120034853	00260	25.000	/000000	
SP8551013190	120034853	00270	25.000	/000000	
SP8551013211	120034853	00280	100.000	/000000	
SP8551013238	120034853	00290	100.000	/000000	
SP8551013254	120034853	00300	25.000	/000000	
SP8551015079	120034853	00310	25.000	/000000	
SP8551015109	120034853	00320	25.000	/000000	
SP8551015168	120034853	00330	25.000	/000000	
SP8551015230	120034853	00340	15.000	/000000	
SP8551015257	120034853	00350	25.000	/000000	
SP8551015346	120034853	00360	25.000	/000000	
SP8551025000	120034853	00370	5.000	/000000	
SP8551025058	120034853	00380	20.000	/000000	
SP8551025090	120034853	00390	25.000	/000000	
SP8551025122	120034853	00400	25.000	/000000	
SP8551025163	120034853	00410	10.000	/000000	
SP8551025180	120034853	00420	25.000	/000000	
SP8551025198	120034853	00430	25.000	/000000	
SP8551025201	120034853	00440	10.000	/000000	
SP8551025244	120034853	00450	25.000	/000000	
SP8551025309	120034853	00460	25.000	/000000	
SP8551025325	120034853	00470	25.000	/000000	
SP8551025341	120034853	00480	25.000	/000000	
SP8551025368	120034853	00490	25.000	/000000	
SP8551025422	120034853	00500	50.000	/000000	
SP8551025430	120034853	00510	25.000	/000000	
SP8551025449	120034853	00520	15.000	/000000	
SP8551025457	120034853	00530	25.000	/000000	
SP8551025473	120034853	00540	25.000	/000000	
SP8551025503	120034853	00550	10.000	/000000	
SP8551025520	120034853	00560	25.000	/000000	
SP8551025562	120034853	00570	25.000	/000000	
The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.				Yours faithfully, For BHARAT HEAVY ELECTRICALS LIMITED MANAGER / PURCHASE (SSTP)	

**9631700197 / 02.11.2017****23505**

Material.	PR.No	PR.Item.	Quantity	Acc. Assign	Customer Number
SP8551025589	120034853	00580	25.000	/000000	
SP8551025600	120034853	00590	25.000	/000000	
SP8551025940	120034853	00600	25.000	/000000	
SP8551025945	120034853	00620	25.000	/000000	
SP8551026038	120034853	00630	25.000	/000000	
SP8551026070	120034853	00640	25.000	/000000	
SP8551026076	120034853	00650	25.000	/000000	
SP8551027077	120034853	00660	25.000	/000000	
SP8551027085	120034853	00670	25.000	/000000	
SP8551027092	120034853	00680	25.000	/000000	
SP8551027093	120034853	00690	25.000	/000000	
SP8551030000	120034853	00700	5.000	/000000	
SP8551030027	120034853	00710	25.000	/000000	
SP8551030108	120034853	00720	25.000	/000000	
SP8551030116	120034853	00730	20.000	/000000	
SP8551030671	120034853	00740	25.000	/000000	
SP8551031002	120034853	00750	5.000	/000000	
SP8551031047	120034853	00760	25.000	/000000	
SP8551031050	120034853	00770	25.000	/000000	
SP8551031056	120034853	00780	25.000	/000000	
SP8551035002	120034853	00790	5.000	/000000	
SP8551035045	120034853	00800	25.000	/000000	
SP8551035088	120034853	00810	25.000	/000000	
SP8551035128	120034853	00820	20.000	/000000	
SP8551035215	120034853	00830	10.000	/000000	
SP8551035231	120034853	00840	10.000	/000000	
SP8551035240	120034853	00850	25.000	/000000	
SP8551035278	120034853	00860	10.000	/000000	
SP8551035285	120034853	00870	10.000	/000000	
SP8551035336	120034853	00880	10.000	/000000	
SP8551035363	120034853	00890	10.000	/000000	
SP8551035410	120034853	00900	25.000	/000000	
SP8551035550	120034853	00910	25.000	/000000	
SP8551035710	120034853	00920	5.000	/000000	
SP8551035984	120034853	00930	5.000	/000000	
SP8551037234	120034853	00940	10.000	/000000	
SP8551037625	120034853	00950	5.000	/000000	

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(SSTP)

**9631700197 / 02.11.2017****23505**

Material.	PR.No	PR.Item.	Quantity	Acc. Assign	Customer Number
SP8551040006	120034853	00960	5.000	/000000	
SP8551040057	120034853	00970	25.000	/000000	
SP8551043505	120034853	00980	25.000	/000000	
SP8551045008	120034853	00990	5.000	/000000	
SP8551045469	120034853	01000	15.000	/000000	
SP8551050001	120034853	01010	5.000	/000000	
SP8551050214	120034853	01020	25.000	/000000	
SP8551050222	120034853	01030	20.000	/000000	
SP8551050230	120034853	01040	25.000	/000000	
SP8551065084	120034853	01050	25.000	/000000	
SP8551070207	120034853	01060	10.000	/000000	
SP8552000202	120034853	01070	50.000	/000000	
SP8552000229	120034853	01080	25.000	/000000	
SP8552000288	120034853	01090	50.000	/000000	
SP8552000296	120034853	01100	25.000	/000000	
SP8552013810		00000	0.000	/000000	

list of suppliers**RFQ-5200006489****Open Tender Dummy Code**

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

MANAGER / PURCHASE
(SSTP)