




DRAWING NO. 2-7-1101-01-01197


ALL DIMENSIONS ARE IN MILLIMETERS




SECTION-A-A



SECTION-B-B



DETAIL -X



DETAIL -Y

4 NOS. CORNER ANCHORING GROOVE(TYPICAL DETAIL)

NOTES:-

1. THE REFRACTORIES SHALL BE COMPACT, OF HOMOGENEOUS TEXTURE AND FREE FROM CRACKS,VOIDS & OTHER FLAWS. THEY SHALL BE BURNT EVENLY THROUGH- OUT AND SHALL HAVE SUFFICIENT MECHANICAL STRENGTH AND NO SOFT CORNERS.
2. ALL CORNERS TO BE MINIMUM 3 mm.RADII.UNLESS OTHERWISE STATED.
3. TOLERANCE ON SIZE $\begin{matrix} +0 \\ -1 \end{matrix}$

ITEM NO.		DESCRIPTION		DRAWING NO.		58-60% Al ₂ O ₃		8	
MATERIAL CODE		MATERIAL SPEC		UNIT WT		QTY			
EQUIP: ROTARY HEARTH FURNACE									
Bharat Heavy Electricals Ltd SEAMLESS STEEL TUBE PLANT TIRUCHIRAPALLI - 620014				NAME S.S.N.KUMAR/M.D. S.S.N.KUMAR D.ASHCHINA		SIGNATURE S.S.N.Kumar/M.D. S.S.N.Kumar D.Ashchina		DATE 04.09.19 04.09.19 04.09.19	
DEPT		GRADE OF UNTO: DM		SCALE		WEIGHT (Kg)		REF TO ASSY DWG NO	
CODE		456		1:5		510		REF TO OLD DWG NO	
TITLE		RHF-BURNER BLOCK OUTER WALL-NA5514-7		CARD CODE		DRAWING NO :		REV	
				U 01		2-7-1101-01-01197		00	

CAUTION: THE INFORMATION ON THIS DOCUMENT IS THE PROPERTY OF BHEL. IT IS TO BE USED ONLY FOR THE PURPOSES FOR WHICH IT WAS ISSUED. IT MUST NOT BE USED DIRECTLY OR INDIRECTLY IN ANY WAY DETRIMENTAL TO THE INTEREST OF THE COMPANY.

REV	DATE	ALTERED	CHECKED	APPROVED

