

 BHARAT HEAVY ELECTRICALS LTD. (A GOVT. OF INDIA UNDERTAKING) P.O BHEL Jhansi - 284129, INDIA Tel.: 0510-277001/2412260 Fax: 2412120 Email : mmx@bheljhs.co.in JSC140/M2053	PURCHASE ENQUIRY	
	ENQ NO/DT: E9670066 27/07/17 REV NO/DT: 0 27/07/17	PAGE <u>1</u> 6

M/s PRESS TENDER ENQUIRY, P80550 DUMMY CODE GIVEN FOR PRESS TENDER ENQUIRIES ONLY. JHANSI NA FOR FOREIGN SUPPLIER INDIA TIN NO :	PLEASE SEND YOUR BEST QUOTATION AS PER TERMS & CONDITIONS AND REMARK MENTIONED UNDERNEATH.
---	---

REQUIRED: GUARANTEE CERT	Enq Due on: 22-08-17 TUESDAY Close at: 13:15 Open at: 14:00 Matcat: 962112 HEAT SINK & BLOCKING Validity: 120 days from Technical bid opening date IEM: TOP: 60 Days after receipt & acceptance of Material RA: RA not applicable Est. Value: Item wise Bid Type: TWO BID Tot Item: 19	Delivery: FOR Jhansi E-Proc: No
--------------------------	---	------------------------------------

ITEM NO : 1 MATL CODE : JS9009519330 DESTINATION: JS	PSL QTY/UM: 8.00 NO PO QTY /UM:
--	------------------------------------

DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
Blocking diode panel as per drg. No. 27189107008 Rev.02.	SEP-17	8.00

ITEM NO : 2 MATL CODE : JS9009518670 DESTINATION: JS	PSL QTY/UM: 8.00 NO PO QTY /UM:
--	------------------------------------

DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
HEAT SINK AS PER DRG NO. 37189101001 REV 01 SUTABLE FOR DIODE D410Z1000A (IF (AV) - 410 AMPS, VRRM - 1000V)	SEP-17	8.00

ITEM NO : 3 MATL CODE : JS9009518380 DESTINATION: JS	PSL QTY/UM: 8.00 NO PO QTY /UM:
--	------------------------------------

DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
SILICON DIODE TYPE D 410 Z 1000 A I F(AV) = 410 AMP, VRRM-1000 VOLTS , MOUNTING THREAD M24 X 1.5 PITCH .UR MAKE OR EQUIVALENT HAVING REVERSE POLARITY ANODE TO STUD.	SEP-17	8.00

ITEM NO : 4 MATL CODE : JS9009510050 DESTINATION: JS	PSL QTY/UM: 12.00 NO PO QTY /UM:
--	-------------------------------------

DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
OVER LOAD RELAY (SINGLE ELEMENT) WITH COIL ES850212 TO DRAWING NO 05831030018.V 00.	SEP-17	12.00

ITEM NO : 5 MATL CODE : JS9009514030 DESTINATION: JS	PSL QTY/UM: 3.00 NO PO QTY /UM:
--	------------------------------------

DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
RADIATOR FAN CONTACTOR M50EC WITH	SEP-17	3.00

 JSC140/M2053	BHARAT HEAVY ELECTRICALS LTD. (A GOVT. OF INDIA UNDERTAKING) P.O BHEL Jhansi - 284129, INDIA Tel.: 0510-277001/2412260 Fax: 2412120 Email : mmx@bheljhs.co.in		PURCHASE ENQUIRY	
	ENQ NO/DT: E9670066 27/07/17 REV NO/DT: 0 27/07/17		PAGE 2 6	
72 V TO DRG NO 25810030004. ES851132.				
ITEM NO : 6 MATL CODE : JS9009518100 DESTINATION: JS		PSL QTY/UM: 10.00 NO PO QTY /UM:		
DESCRIPTION LOAD AMMETER RESISTOR panel M5010CP17B1 TO DRG NO 35890030012..		DELIVERY SEP-17		QUANTITY (PSL UM) 10.00
ITEM NO : 7 MATL CODE : JS9009510070 DESTINATION: JS		PSL QTY/UM: 8.00 NO PO QTY /UM:		
DESCRIPTION REVERSER (2 MOTOR) WITH COIL ES850209 TO DRG NO 15870030003.		DELIVERY SEP-17		QUANTITY (PSL UM) 8.00
ITEM NO : 8 MATL CODE : JS9009512110 DESTINATION: JS		PSL QTY/UM: 8.00 NO PO QTY /UM:		
DESCRIPTION S S R PANEL TO DRG NO. 25890230087 V 00.		DELIVERY SEP-17		QUANTITY (PSL UM) 8.00
ITEM NO : 9 MATL CODE : JS9009510060 DESTINATION: JS		PSL QTY/UM: 40.00 NO PO QTY /UM:		
DESCRIPTION GP RELAY M21ER2 WITH COIL ES850210 TO DRG NO 15830030005.V 01.		DELIVERY SEP-17		QUANTITY (PSL UM) 40.00
ITEM NO : 10 MATL CODE : JS9009510010 DESTINATION: JS		PSL QTY/UM: 10.00 NO PO QTY /UM:		
DESCRIPTION CRANKING CONTACTOR M5022EC5 WITH 2 NO + 1 NC AND COIL ES850204 TO DRAWING NO 05810030003. V 21.		DELIVERY SEP-17		QUANTITY (PSL UM) 10.00
ITEM NO : 11 MATL CODE : JS9009518010 DESTINATION: JS		PSL QTY/UM: 8.00 NO PO QTY /UM:		
DESCRIPTION FIELD WEAKENING RESISTORS TO DRG NO 15751030025.V 00.		DELIVERY SEP-17		QUANTITY (PSL UM) 8.00

 JSC140/M2053	BHARAT HEAVY ELECTRICALS LTD. (A GOVT. OF INDIA UNDERTAKING) P.O BHEL Jhansi - 284129, INDIA Tel.: 0510-277001/2412260 Fax: 2412120 Email : mmx@bheljhs.co.in		PURCHASE ENQUIRY	
	ENQ NO/DT: E9670066 27/07/17 REV NO/DT: 0 27/07/17		PAGE <u>3</u> 6	
ITEM NO : 12 MATL CODE : JS9009510020 DESTINATION: JS		PSL QTY/UM: 10.00 NO PO QTY /UM:		
DESCRIPTION FIELD SHUNTING CONTACTOR M22EC6 WITH 1 NO + 1 NC, COIL ES850036 TO DRG NO.15810030003		DELIVERY SEP-17	QUANTITY (PSL UM) 10.00	
ITEM NO : 13 MATL CODE : JS9009510000 DESTINATION: JS		PSL QTY/UM: 10.00 NO PO QTY /UM:		
DESCRIPTION MOTOR CONTACTOR TYPE M24PC2 WITH 2 NO + 2 NC AND COIL ES850209 TO DRG NO 05800030006.V 21.		DELIVERY SEP-17	QUANTITY (PSL UM) 10.00	
ITEM NO : 14 MATL CODE : JS9009510110 DESTINATION: JS		PSL QTY/UM: 8.00 NO PO QTY /UM:		
DESCRIPTION LED PANEL SUITABLE FOR 24 V SYSTEM AS PER DRG NO. 37189101023 REV 00.		DELIVERY SEP-17	QUANTITY (PSL UM) 8.00	
ITEM NO : 15 MATL CODE : JS9009510030 DESTINATION: JS		PSL QTY/UM: 40.00 NO PO QTY /UM:		
DESCRIPTION RADIATOR FAN CONTACTOR M50EC WITH COIL (GF) WITH COIL ES850211 TO DRG NO.25810030004.		DELIVERY SEP-17	QUANTITY (PSL UM) 40.00	
ITEM NO : 16 MATL CODE : JS9009518760 DESTINATION: JS		PSL QTY/UM: 8.00 NO PO QTY /UM:		
DESCRIPTION WHEEL SLIP RELAY TYPE M5023 ER2 WITH 2 NO+1 NC CONTACT AND COIL VOLTAGE 24V DC. TO DRG. NO 15831030005 VAR 02.		DELIVERY SEP-17	QUANTITY (PSL UM) 8.00	
ITEM NO : 17 MATL CODE : JS9009520000 DESTINATION: JS		PSL QTY/UM: 10.00 NO PO QTY /UM:		
DESCRIPTION LOAD AMMETER SHUNT AS PER DRG NO 37189101006 REV 00.		DELIVERY SEP-17	QUANTITY (PSL UM) 10.00	
ITEM NO : 18 MATL CODE : JS9009518050 DESTINATION: JS		PSL QTY/UM: 10.00 NO PO QTY /UM:		
DESCRIPTION GROUND RELAY M22ER2 WITH COIL		DELIVERY SEP-17	QUANTITY (PSL UM) 10.00	

 JSC140/M2053	BHARAT HEAVY ELECTRICALS LTD. (A GOVT. OF INDIA UNDERTAKING) P.O BHEL Jhansi - 284129, INDIA Tel.: 0510-277001/2412260 Fax: 2412120 Email : mmx@bheljhs.co.in	PURCHASE ENQUIRY	
	ENQ NO/DT: E9670066 27/07/17 REV NO/DT: 0 27/07/17	PAGE 4 6	

ES851040 TO DRG NO 05830030011..	
---	--

ITEM NO : 19 MATL CODE : JS9009518030 DESTINATION: JS	PSL QTY/UM: 10.00 NO PO QTY /UM:
--	--

DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
BATTERY SWITCH TYPE M5026KS2 TO DRG NO. 15790030002.	SEP-17	10.00

SPECIAL REMARKS:

-- FOR ANY CLARIFICATION ON OUR TENDER TERMS AND CONDITIONS, BEFORE DUE DATE, PLEASE CONTACT DY. MGR. (MM-LOCO DEPT.),
 E-MAIL : mupadhyaya@bheljhs.co.in/archana@bheljhs.co.in.
 PHONE NO.: 0510 - 2412320/ 2412737/ 2756.
 FAX NO.: 0510 - 2412120.

1- PRESENT RATE OF ALL TAXES & DUTIES MUST BE MENTIONED IN THE OFFER.

2- TENDER SHOULD BE SUBMITTED IN DOUBLE COVER UNDER TWO PART BID EPICTED BELOW:

2A- THE OUTER COVER SHOULD ONLY BEAR THE ADDRESS OF THIS OFFICE AND SHOULD NOT HAVE ANY INDICATION THAT A TENDER IS WITHIN:

TO,
 SR.DGM(MM)
 BHEL, JHANSI- 284129

2B- THE TWO INNER COVERS SHALL RESPECTIVELY CONTAINING THE TECHNO COMMERCIAL BID IN ONE AND THE PRICE BID IN ANOTHER. EACH COVER SHALL BE SUPER - SCRIBED WITH THE BIDDERS NAME AND ADDRESS TENDER NUMBER AND SEALED WITH BIDDERS NAME, TENDER NUMBER AND ON THE RESPECTIVE COVERS SKETECHED BELOW :-

TECHNO-COMMERCIAL BID COVER (PART- I)
 TENDER NO. _____ DUE ON _____
 TO,
 Sr.DGM(MM)
 BHEL, JHANSI- 284129

PRICE BID COVER (PART - II)
 TENDER NO. PUR/E _____ DUE ON _____
 TO,
 Sr. DGM(MM)
 BHEL, JHANSI- 284129

2C- THE TENDERS DULY FILLED IN AND COMPLETE IN ALL RESPECTS AND BE DROPPED IN THE TENDER BOX LOCATED AT CISF GATE OF OUR ADMIN-ISTRATIVE BUILDING TILL 13.15 HRS ON THE TENDER OPENING DATE AS NOTED IN THE COVERING LETTER. THE TENDERS SENT BY BEFORE 13.15 HRS. ON TENDER DUE DATE.

2D- ALL THE "TECHNO COMMERCIAL BID" TENDER RECIEVED SHALL BE OPENED FROM 1400 HRS IN THE TEDNER ROOM LOCATED IN ADMN. BUILDING ON THE TENDER OPENING DATE IN PRESENCE OF BIDDERS OR THEIR REPRESENTATIVES AS MAY BE PRESENT.

2E- BIDDERS ARE ADVISED TO NOTE & STRICTLY FOLLOW THE TIME SCHEDULES TO AVOID. INCONVENCIES LATER AND POSSIBILITY OF NON ACCEPTANCE OF



BHARAT HEAVY ELECTRICALS LTD.
(A GOVT. OF INDIA UNDERTAKING)
P.O BHEL Jhansi - 284129, INDIA
Tel.: 0510-277001/2412260 Fax: 2412120
Email : mmx@bheljhs.co.in

PURCHASE ENQUIRY

ENQ NO/DT: E9670066 27/07/17
REV NO/DT: 0 27/07/17

PAGE 5
6

- TENDER BY BHEL.
- 3- YOUR OFFER MUST BE SUBMITTED STRICTLY AS PER FORMATS FOR TECHNO COMMERCIAL BIDS AND PRICE BIDS PROVIDED IN ANNEXURE-1 AND ANNEXURE-2 RESPECTIVELY. VENDOR ARE REGARDED KINDLY FURNISH THEIR QUOTATION EXACTLY IN OUR SUBMITTED ANNEXURE 1 & 2. IF NOT SUBMITTED IN ANNEXURE 1 & 2 THAN IT WILL BE ASSUMED THAT ALL TERMS AND CONDITION AS PER ANNEXURE 1 ARE ACCEPTABLE.
 - 4- ALL OTHER TERMS AND CONDITION UNLESS OTHERWISE SPECIFIED AND DIRECTED ARE AS PER GENERAL TERMS AND CONDITION OF PURCHASE ENQUIRY
 - 5- INSPECTION SHALL BE DONE BY BHEL AT BHEL JHANSI.
 - 6- RATES ARE TO BE QUOTED FOR BHEL JHANSI (INCLUSIVE OF FREIGHT & INCURANCE). IN CASE OF NON-ACCEPTENCE OF ABOVE AND LOADING SHALL BE DONE AS PER OUR PURCHASE POLICY I.E.2% FOR DISTANCE ABOVE 500KM & 1% UPTO 500KM FOR FREIGHT AND 0.07% LOADING SHALL BE DONE FORINSURANCE TO ARRIVE THE L-1 STATUS.
 - 7- TERMS OF PAYMENT - 100% PAYMENT AFTER 60 DAYS OF RECEIPT AND ACCEPTANCE OF MATERIAL AT BHEL WORKS. INCASE OF NON ACCEPTANCE OF PAYMENT TERMS, ANY OTHER PAYMENT TERMS WILL BE LOADED AS PER FORMULA BELOW:-
(SBI BASE RATE ON ENQUIRY DUE DATE + 6) X * / 365)%
- AS ON DATE SBI RATE BASE IS 10.
* THROUGH BANK / COD / DRS - (SBI BASE RATE ON ENQUIRY DUE DATE + 6%) FOR 70 DAYS.
* CAD - (SBI BASE RATE ON ENQUIRY DUE DATE + 6%) FOR 85 DAYS.
* THE OFFERS SUBMITTED WITH ADVANCE OR L/C TERMS OF PAYMENT SHALL BEREJECTED.
 - 8- LIQUIDATED DAMAGE / PENALTY - FAILURE TO SUPPLY BY THE TIME SPECIFIED IN THE ORDER WILL MAKE THE SUPPLIER LIABLE TO PAY UNCONDITIONAL PENALTY OF 0.5 % OF THE PRICE OF THE GOODS IN ARREAR (DELAYED AND NOT SUPPLIED) PER WEEK SUBJECT TO A MAXIMUM OF 10% OF THE ORDER VALUE. IN CASE OF NON ACCEPTANCE OF BHEL L/D CLAUSE THE SUITABLE LOADING UP TO 10% SHALL BE DONE ON SUPPLIERS QUOTED RATE TO ARRIVE THE L-1 STATUS.
 - 9- WARRANTY CLAUSE - WARRANTY SHALL BE 18 MONTHS FROM THE DATE OF COMMISSIONING OR 24 MONTHS FROM THE DATE OF DESPATCH. IN CASE OF NON ACCEPTANCE OF WARRANTEE CLAUSE THE LOADING @ 2.5% PER YEAR I.E.0.208% PER MONTH SHALL BE DONE YOUR QUOTED RATE TO ARRIVE L-1 STATUS.
 - 10- KINDLY MENTION THE FOLLOWING DETAIL IN YOUR QUATATION.
(A) PAN NO.
(B) TIN NO.
 - 11- THE VENDOR HAS SUPPLIED TO ANY GOVT DEPT/PSU DURING PRECEDING 3 YEARS.

THE QUOTATION MUST BE SEALED AND BE SENT IN DOUBLE ENVELOPE.
THE INNER ENVELOPE SHOULD BEAR ENQUIRY NUMBER & DUE DATE AT THE TOP.

In case the bidder has not submitted PAN No, TIN No. and E-mail ID, the bidder has to submit the same along with the copy of PAN No and TIN No. Else his offer will be liable to be rejected.

If you are not in a position to quote due to any reason, you must send regret letter titled enquiry no. etc, failing which you may not be considered for sending future enquiries.

ENCLOSERS:



BHARAT HEAVY ELECTRICALS LTD.
(A GOVT. OF INDIA UNDERTAKING)
P.O BHEL Jhansi - 284129, INDIA
Tel.:0510-277001/2412260 Fax: 2412120
Email : mmx@bheljhs.co.in

PURCHASE ENQUIRY

ENQ NO/DT: E9670066 27/07/17
REV NO/DT: 0 27/07/17

PAGE 6
6

FOR AND ON BEHALF OF
BHARAT HEAVY ELECTRICALS LTD
MANOJ UPADHYAYA
27/07/17
MANOJ UPADHYAYA
MANAGER (MMX)
Email:-mupadhyaya@bheljhs.co.in

***** END OF PURCHASE ENQUIRY *****

NOTE :

- * THE BIDDER IS INFORMED THAT THE GENERAL TERMS & CONDITIONS OF ENQUIRY WHICH ARE UPLOADED AT <https://www.bheljhs.co.in> UNDER SUPPLIER INFORMATION PORTAL AT TERMS & CONDITION FOR, ENQUIRY LINK, ARE TO BE READ BY THE BIDDER BEFORE SUBMITTING QUOTE IN THE ENQUIRY. BHEL SHALL CONSTRUCT THE PARTICIPATION BY THE BIDDER IN ENQUIRY AS ACCEPTANCE TO THE GENERAL TERMS AND CONDITIONS OF ENQUIRY.
- * SUPPLIERS ARE REQUESTED TO INFORM US WITH VALID CERTIFICATE, IF THEY ARE REGISTERED UNDER MSMED ACT'2006. (APPLICABLE FOR INDIAN SUPPLIERS ONLY).
- * FOR SUPPLIERS SUPPLYING FROM OUTSIDE THE LOCAL AREA OF BHEL JHANSI, ENTRY TAX WILL BE APPLICABLE. SUPPLIERS SHOULD NECESSARILY INDICATE RATE OF ENTRY TAX SEPARATELY WHEREVER APPLICABLE. THEY SHOULD ALSO MENTION THE ENTRY TAX CHARGED SEPARATELY IN THE INVOICE.
- * FOR SUPPLIERS SUPPLYING FROM OUTSIDE UP, IN CASE THE OFFER IS SILENT ON ENTRY TAX, IT SHALL BE LOADED SUITABLY WITH THE APPLICABLE RATES
- * IN CASE IF THERE IS ANY DIFFERENCE BETWEEN THE 'SPECIAL REMARKS/ANNEXURES' OF THE ENQUIRY AND THE PREPRINTED TERMS & CONDITIONS (REF JSC140/M2053), THE REQUIREMENT GIVEN IN REMARKS WILL PREVAIL.