

BPC 0007

ENQUIRY
TWO PART BID

भारत हेवी इलेक्ट्रिकल्स लिमिटेड, पिप्लानी, भोपाल - ४६२०२२(भारत)

श्री श्री भारती विभागी

BHARAT HEAVY ELECTRICALS LIMITED, PIPLANI, BHOPAL – 462022(INDIA)
MATERIALS MANAGEMENT DIVISION

TIN NO. 23573600001 | ECC NO.AAA.CB4146PXM009 | MPCT NO. HELA05A01A0001SL5/11/79

PHONE: 91-755-2500100 (7 LINE)

FAX: 91-755-2500023

WWW.BHEL.BHOPAL.COM

ENQUIRY NO E1603033

ENQUIRY DATE 24/08/20

ENQUIRY DUE DATE 14/09/20

SUPP NAME AND ADDRESS		SUPP CODE	REV CD	REV NO	REV DATE	NO OF CATY2	NO OF CATY3	ENQ NO OF ITEMS	INDENT NO
		0	1	0	NA	16	26	16	241101035
		GUARANTEE CERTIFICATE		Y	SUPPLY CONDITION				
		TEST CERTIFICATE		Y	IN SUITABLE PACKED CONDITION				
		INSTRUCTION BOOKLET		N	TECHNICAL CONDITION				
		SAMPLE		N	AS PER ANNEXURE-A, DRAWINGS, CHECKLIST & QAP (CDE-20-3477) ENCLOSED				
		GATE PASS		Y	INSPECTION CONDITION				
					BHEL- QC / TPIA				

NOTE: QUOTE PRICE BOTH IN FIGURES & WORDS.IN CASE OF MISMATCH PRICE IN WORDS WILL BE VALID,QUOTATIONS NOT BEARING ENQUIRY NO AND DUE DATE LIABLE TO BE REJECTED.

SL NO	MATERIAL CODE	DESC	UNIT	ITEM QTY	QTY VR%	LOT NO	LOT QTY	DEST	DELIVERY DATE
1	HE4180037971	FULLY FINISHED DIA. 1400 BF VALVE BODY (SEA WATER) TO ASTM A439 D2 AS PER DRAWING NO. 19513800098 REV. 00 & ANNEXURE-A.	NO		1.000	0	1	1.000	201
2	HE4180037980	FULLY FINISHED DIA. 1400 BF VALVE DOOR (SEA WATER) TO ASTM A439 D2 AS PER DRAWING NO. 19513800099 REV. 00 & ANNEXURE-A.	NO		1.000	0	1	1.000	201
3	HE4180047020	FULLY FINISHED DIA. 1300 BF VALVE BODY (SEA WATER) TO ASTM A439 D2 AS PER DRAWING NO. 19513800096 REV. 00 & ANNEXURE-A.	NO		3.000	0	1	2.000	201
							2	1.000	201
4	HE4180047039	FULLY FINISHED DIA. 1300 BF VALVE DOOR (SEA WATER) TO ASTM A439 D2 AS PER DRAWING NO. 19513800097 REV. 00 & ANNEXURE-A.	NO		3.000	0	1	2.000	201
							2	1.000	201
5	HE4180047047	FULLY FINISHED DIA. 1000 BF VALVE BODY (SEA WATER) TO ASTM A439 D2 AS PER DRAWING NO. 19513800008 REV. 00 & ANNEXURE-A.	NO		3.000	0	1	2.000	201
							2	1.000	201
6	HE4180047055	FULLY FINISHED DIA. 1000 BF VALVE DOOR (SEA WATER) TO ASTM A439 D2 AS PER DRAWING NO. 19513800009 REV. 01 & ANNEXURE-A.	NO		3.000	0	1	2.000	201
							2	1.000	201
7	HE4180047063	FULLY FINISHED DIA. 900 BF VALVE BODY (SEA WATER) TO ASTM A439 D2 AS PER DRAWING NO. 19513800010 REV. 00 & ANNEXURE-A.	NO		3.000	0	1	2.000	201
							2	1.000	201
8	HE4180047071	FULLY FINISHED DIA. 900 BF VALVE DOOR (SEA WATER) TO ASTM A439 D2 AS PER DRAWING NO. 19513800011 REV. 00 & ANNEXURE-A.	NO		3.000	0	1	2.000	201
							2	1.000	201
9	HE4180047080	FULLY FINISHED DIA. 800 BF VALVE BODY (SEA WATER) TO ASTM A439 D2 AS PER DRAWING NO. 12160112108 REV. 03 & ANNEXURE-A.	NO		1.000	0	1	1.000	201

NOTE:BHEL,BHOPAL'S Standard Terms & Conditions BP200102/MM55533 rev02 for imports and BP200102/MM5527 rev03 for indigenous procurements form a part of this Enquiry.Bidders may obtain from us copies of these terms and conditions if not already available.

Note: During Bid Evaluation, No loading of price with regard to preferential payment of within 45 days will be made on vendore falling under MSMED ACT - OCT 06

Please submit your lowest quotation in sealed envelop essentially superscribed with ENQUIRY NO, DUE DATE AND PARTY'S NAME so as to reach at TENDER ROOM, GROUND FLOOR, ADM BUILDING, BHEL, PIPLANI BHOPAL-462022 by 11.00 am of due date.

SPECIAL REMARK:

- 1.This is only a request for Quotation & not an order.
2.Small Scale industries should indicate SSI Regn. No. in Quotation/invoice.
3.In case you are not making an offer against this Enquiry, we request you to post a regret letter.
4.Indian vendors to please indicate GSTIN on their quotation.

Documents Enclosed

- 1.Drawing. 3.Purchase specification.
2.Catalogue. 4.Quality Surveillance Plan.


NAME : SHRI NIKHIL KUMAR PANDEY

DESG : SR.ENGINEER

0755-2502068

nikhilpandey@bhel.in

SIGN & SEAL



BPC 0007

ENQUIRY

TWO PART BID

भारत हेवी इलेक्ट्रिकल्स लिमिटेड, पिप्लानी, भोपाल - ४६२०२२(भारत)

सामग्री प्रबंध विभाग

BHARAT HEAVY ELECTRICALS LIMITED, PIPLANI, BHOPAL - 462022(INDIA)

MATERIALS MANAGEMENT DIVISION

TIN NO. 23573600001 | ECC NO. AAA CB4146PXM009 | MPCT NO. HELA05X01J0001SL5/11/79

PHONE: 91-755-2500100 (7 LINE)

FAX: 91-755-2500023

WWW.BHEL.BHOPAL.COM

ENQUIRY NO E1603033

ENQUIRY DATE 24/08/20

ENQUIRY DUE DATE 14/09/20

ENQUIRY

10	HE4180047098	FULLY FINISHED DIA. 800 BF VALVE DOOR (SEA WATER) TO ASTM A439 D2 AS PER DRAWING NO. 12160112110 VAR. 02, REV. 01 & ANNEXURE-A.	NO	1.000	0	1	1.000	201	30/10/20
11	HE4180047101	FULLY FINISHED DIA. 700 BF VALVE BODY (SEA WATER) TO ASTM A439 D2 AS PER DRAWING NO. 19513800049 REV. 00 & ANNEXURE-A.	NO	1.000	0	1	1.000	201	30/10/20
12	HE4180047110	FULLY FINISHED DIA. 700 BF VALVE DOOR (SEA WATER) TO ASTM A439 D2 AS PER DRAWING NO. 19513800047 REV. 00 & ANNEXURE-A.	NO	1.000	0	1	1.000	201	30/10/20
13	HE4180047128	FULLY FINISHED DIA. 600 BF VALVE BODY (SEA WATER) TO ASTM A439 D2 AS PER DRAWING NO. 12160112097 REV. 01 & ANNEXURE-A.	NO	3.000	0	1	2.000	201	30/10/20
						2	1.000	201	30/11/20
14	HE4180047136	FULLY FINISHED DIA. 600 BF VALVE DOOR (SEA WATER) TO ASTM A439 D2 AS PER DRAWING NO. 12160112098 REV. 01 & ANNEXURE-A.	NO	3.000	0	1	2.000	201	30/10/20
						2	1.000	201	30/11/20
15	HE4180047144	FULLY FINISHED DIA. 500 BF VALVE BODY (SEA WATER) TO ASTM A439 D2 AS PER DRAWING NO. 19513800040 REV. 02 & ANNEXURE-A.	NO	19.000	0	1	10.000	201	30/10/20
						2	9.000	201	30/11/20
16	HE4180047152	FULLY FINISHED DIA. 500 BF VALVE DOOR (SEA WATER) TO ASTM A439 D2 AS PER DRAWING NO. 19513800039 REV. 00 & ANNEXURE-A.	NO	19.000	0	1	10.000	201	30/10/20
						2	9.000	201	30/11/20

REMARK 1. OFFER TO BE SUBMITTED IN TWO PART BID I.E. 'TECHNICAL BID' & 'PRICE BID'. 2. REFER GCC & 'ANNEX' FOR COMMERCIAL TERMS AND TECHNICAL TERMS. 3. PLEASE FURNISH DULY FILLED AND ENDORSED COPY OF BHEL GTC (BP 200102), ANNEXURE B, ANNEXURE C AND ANNEXURE D ALONG WITH OFFER. 4. PLEASE ACCEPT OUR TECHNICAL OFFER IN TOTO. ANY DEVIATION FROM OUR COMMERCIAL CONDITION SHALL BE SUITABLY LOADED IN THE OFFERED PRICE. 5. ENQUIRY TECHNICAL TERM : AS PER ANNEXURE-A, DRAWINGS, CHECKLIST & QAP (CDE-20-3477) ENCLOSED. 6. SUPPLIER TECHNICAL TERM : IN SUITABLE PACKED CONDITION. 7. INSPECTION TERMS : BHEL- QC / TPIA8. ORDERING TO BE DONE ON PACKAGE BASIS AS BELOW:- PACKAGE-I (ITEM 1 & 2), PACKAGE-II (ITEM 3 & 4), PACKAGE-III (ITEM 5 & 6), PACKAGE-IV (ITEM 7 & 8), PACKAGE-V (ITEM 9 & 10), PACKAGE-VI (ITEM 11 & 12), PACKAGE-VII (ITEM 13 & 14), PACKAGE-VIII (ITEM 15 & 16). 9. PACKAGES ARE NON DIVISIBLE. BIDDER TO PROVIDE SEAL & SIGNED COPY OF QP, CHECKLIST AND SPEC. ANY DEVIATION TO ABOVE IS TO BE CLEARLY MENTIONED. 10. PUBLIC PROCUREMENT (PREFERENCE) TO MAKE IN INDIA). ORDER 2017 AS AMENDED ON 04/06/2020 TO BE FOLLOWED. 11. SUBMITTED DULY SEAL & SIGNED PQR WITH SUPPORTING DOCUMENTS. 12. VENDOR TO SUBMIT BHEL QAP CDE -20-3477 DULY SEAL & SIGNED BY VENDOR OR SUBMIT OWN (IN LINE WITH BHEL QAP) FOR APPROVAL. 13. REVERSE AUCTION AS PER BHEL RA POLICY 2020 SHALL BE CONDUCTED.

DRAWING	Y	PURCH SPEC	Y	CATALOGUE	N	Quality Surveillance	Pl	Y	TWO PART BID	Y
---------	---	------------	---	-----------	---	----------------------	----	---	--------------	---

NOTE: BHEL, BHOPAL'S Standard Terms & Conditions BP200102/MM5533 rev02 for imports and BP200102/MM5527 rev03 for indigenous procurements form a part of this Enquiry. Bidders may obtain from us copies of these terms and conditions if not already available.

Note: During Bid Evaluation, No loading of price with regard to preferential payment of within 45 days will be made on vendore falling under MSMED ACT - OCT 06

Please submit your lowest quotation in sealed envelop essentially superscribed with ENQUIRY NO, DUE DATE AND PARTY'S NAME so as to reach at TENDER ROOM, GROUND FLOOR, ADM BUILDING, BHEL, PIPLANI BHOPAL-462022 by 11.00 am of due date.

SPECIAL REMARK:

1. This is only a request for Quotation & not an order.
2. Small Scale industries should indicate SSI Regn. No. in Quotation/invoice.
3. In case you are not making an offer against this Enquiry, we request you to post a regret letter.
4. Indian vendors to please indicate GSTIN on their quotation.

Documents Enclosed
1. Drawing. 3. Purchase specification.
2. Catalogue. 4. Quality Surveillance Plan.

NAME : SHRI NIKHIL KUMAR PANDEY

DESG : SR. ENGINEER

0755-2502068

nikhilpandey@bhel.in

SIGN & SEAL