

 ENQUIRY TWO PART BID BPC 0007 E-TENDER	भारत हेवी इलेक्ट्रिकल्स लिमिटेड, पिपलानी, भोपाल - ४६२०२२(भारत) सामग्री प्रबंधन विभाग BHARAT HEAVY ELECTRICALS LIMITED, PIPLANI, BHOPAL – 462022(INDIA) MATERIALS MANAGEMENT DIVISION		ENQUIRY NO E4303005 ENQUIRY DATE 21/05/20 ENQUIRY DUE DATE 19/06/20
	TIN NO. 23573600001 ECC NO. AAACB4146PXM009 MPCT NO. HEL/05/01/0001/S15/11/79 PHONE: 91-755-2500100 (7 LINE) FAX: 91-755-2500023 WWW.BHELBHOPAL.COM		

SUPP NAME AND ADDRESS	SUPP CODE	REV CD	REV NO	REV DATE	NO OF CATY2	NO OF CATY3	ENQ NO OF ITEMS	INDENT NO
	0	3	2	26/05/20	4	4	4	120907204
	GUARANTEE CERTIFICATE		Y	SUPPLY CONDITION AS PER DELIVERY SCHEDULE				
	TEST CERTIFICATE		Y					
	INSTRUCTION BOOKLET		N	TECHNICAL CONDITION AS PER DRAWING				
	SAMPLE		N					
	GATE PASS		Y	INSPECTION CONDITION AT BHEL BHOPAL				

NOTE: QUOTE PRICE BOTH IN FIGURES & WORDS. IN CASE OF MISMATCH PRICE IN WORDS WILL BE VALID, QUOTATIONS NOT BEARING ENQUIRY NO AND DUE DATE LIABLE TO BE REJECTED.

SL NO	MATERIAL CODE	DESC	UNIT	ITEM QTY	QTY VR%	LOT NO	LOT QTY	DEST	DELIVERY DATE
1	BP9048103010	2.5SQMM SINGLE CORE MULTI-STRANDED TINNED COPPERCONDUCTOR ELECTRON BEAM IRRADIATED CROSS LINKED THIN WALLED FLEXIBLE ELASTOMERIC INSULATED & SHEATHED CABLE FOR WORKING VOLTAGES ABOVE 750V UPTO 1.8/3.3KV AS PER RDSO SPECIFICATION NO. ELRS/SPEC/ELC/0019 REV.04 OR LATEST (CLAUSE NO 3.2.2, DATASHEET 2A TABLE-2). EACH DRUM/SPOOL/REEL OF SINGLE CABLE LENGTH SHALL BE 500 MTRS +/-2%.	MR	40000.000	0	1	40000.000	209	30/07/20
2	BP9048563542	1.5SQMM SINGLE CORE MULTI-STRANDED TINNED COPPERCONDUCTOR ELECTRON BEAM IRRADIATED CROSS LINKED THIN WALLED FLEXIBLE ELASTOMERIC INSULATED & SHEATHED CABLE FOR WORKING VOLTAGES ABOVE 750V UPTO 1.8/3.3KV AS PER RDSO SPECIFICATION NO. ELRS/SPEC/ELC/0019 REV.04 OR LATEST (CLAUSE NO 3.2.2, DATASHEET 2A TABLE-2). EACH DRUM/SPOOL/REEL OF SINGLE CABLE LENGTH SHALL BE 500 MTRS +/-2%.	MR	200000.000	0	1	200000.000	209	30/07/20
3	BP9048563550	10SQMM SINGLE CORE MULTI-STRANDED TINNED COPPERCONDUCTOR ELECTRON BEAM IRRADIATED CROSS LINKED THIN WALLED FLEXIBLE ELASTOMERIC INSULATED & SHEATHED CABLE FOR WORKING VOLTAGES ABOVE 750V UPTO 1.8/3.3KV AS PER RDSO SPECIFICATION NO. ELRS/SPEC/ELC/0019 REV.04 OR LATEST (CLAUSE NO 3.2.2, DATASHEET 2A TABLE-2). EACH DRUM/SPOOL/REEL OF SINGLE CABLE LENGTH SHALL BE 500 MTRS +/-2%.	MR	12000.000	0	1	12000.000	209	30/07/20
4	BP9048563569	25SQMM SINGLE CORE MULTI-STRANDED TINNED COPPERCONDUCTOR ELECTRON BEAM IRRADIATED / CHEMICALLY CURED CROSS LINKED THIN WALLED FLEXIBLE ELASTOMERIC INSULATED & SHEATHED	MR	4000.000	0	1	4000.000	209	30/07/20

NOTE: BHEL, BHOPAL'S Standard Terms & Conditions BP200102/MM5533 rev02 for imports and BP200102/MM5527 rev03 for indigenous procurements form a part of this Enquiry. Bidders may obtain from us copies of these terms and conditions if not already available.

Note: During Bid Evaluation, No loading of price with regard to preferential payment of within 45 days will be made on vendore falling under MSMED ACT - OCT 06		
Please submit your lowest quotation in sealed envelop essentially superscribed with ENQUIRY NO, DUE DATE AND PARTY'S NAME so as to reach at TENDER ROOM, GROUND FLOOR, ADM BUILDING, BHEL, PIPLANI BHOPAL-462022 by 11.00 am of due date.		SPECIAL REMARK: Bid to be submitted through e-procurement. Refer eproc link on BHEL Bhopal B2B site.
1. This is only a request for Quotation & not an order. 2. Small Scale industries should indicate SSI Regn. No. in Quotation/invoice. 3. In case you are not making an offer against this Enquiry, we request you to post a regret letter. 4. Indian vendors to please indicate GSTIN on their quotation.		NAME : SHRI KUMAR KISHLAYA DESG : SR.ENGINEER 0755-2502275 kishlaya@bhel.in SIGN & SEAL

 ENQUIRY TWO PART BID BPC 0007 E-TENDER	भारत हेवी इलेक्ट्रिकल्स लिमिटेड, पिपलानी, भोपाल - ४६२०२२(भारत) सामग्री प्रबंधन विभाग BHARAT HEAVY ELECTRICALS LIMITED, PIPLANI, BHOPAL – 462022(INDIA) MATERIALS MANAGEMENT DIVISION		ENQUIRY NO E4303005 ENQUIRY DATE 21/05/20 ENQUIRY DUE DATE 19/06/20
	TIN NO. 23573600001 ECC NO. AAACB4146PXM009 MPCT NO. HEL/05/01/0001/S15/11/79 PHONE: 91-755-2500100 (7 LINE) FAX: 91-755-2500023 WWW.BHEL.BHOPAL.COM		

		CABLE FOR WORKING VOLTAGES ABOVE 750V UPTO 3KV AS PER RDSO SPECIFICATION NO. ELRS/SPEC/ELC/0019 REV.04 OR LATEST (CLAUSE NO 3.2.2, DATASHEET 1A OR 2A TABLE- 2). EACH DRUM/SPOOL/REEL OF SINGLE CABLE LENGTH SHALL BE 500 MTRS +/-2%.							
--	--	---	--	--	--	--	--	--	--

REMARK QUOTATION SHOULD BE SUBMITTED WITH FOLLOWING CONDITIONS:-1/TERMS OF DELIVERY: - F.O.R.DESTINATION. 2/ DESTINATION: - CRX, BHEL-BHOPAL3/ MODE OF TRANSPORT: - DOOR DELIVERY BY YOUR TRANSPORTER. 3/ SUBMIT OFFER ON FIRM PRICE BASIS ONLY. 4/ VENDORS TO QUOTE AS PER ATTACHED TERMS AND CONDITIONS (BP200102), THE SAME SHALL BE DEEMED ACCEPTED, UNLESS ANY DEVIATION IS SPECIFICALLY MENTIONED. 5/ QUOTATION TO BE SUBMITTED IN TWO PART BID. 6/ COMPLIANCE TO ALL ANNEXURES ALONG WITH GENERAL T&C (BP200102) (SEALED AND SIGNED COPY) TO BE FURNISHED WITH QUOTATION. 7/ IT IS ENQUIRY FOR FRAMEWORK AGREEMENT, P.O. SHALL BE PLACED AS PER OUR REQUIREMENT & DELIVERY SCHEDULE AS PER P.O. 8/ SUBMISSION OF DULY FILLED DOCUMENT FOR PREQUALIFICATION CRITERIA, ALONG WITH RELEVANT SUPPORTING DOCUMENTS, IS MANDATORY. OFFERS WITHOUT THESE DOCUMENTS ARE LIABLE TO BE REJECTED

DRAWING	Y	PURCH SPEC	Y	CATALOUGE	N	Quality Surveillance Plan	N	TWO PART BID	Y
---------	---	------------	---	-----------	---	---------------------------	---	--------------	---

--

NOTE:BHEL,BHOPAL'S Standard Terms & Conditions BP200102/MM5533 rev02 for imports and BP200102/MM5527 rev03 for indigeneous procurements form a part of this Enquiry.Bidders may obtain from us copies of these terms and conditions if not already available.

Note: During Bid Evaluation, No loading of price with regard to preferential payment of within 45 days will be made on vendore falling under MSMED ACT - OCT 06

Please submit your lowest quotation in sealed envelop essentially superscribed with ENQUIRY NO, DUE DATE AND PARTY'S NAME so as to reach at TENDER ROOM, GROUND FLOOR, ADM BUILDING, BHEL, PIPLANI BHOPAL-462022 by 11.00 am of due date.

- 1.This is only a request for Quotation & not an order.
- 2.Small Scale industries should indicate SSI Regn. No. in Quotation/invoice.
- 3.In case you are not making an offer against this Enquiry, we request you to post a regret letter.
- 4.Indian vendors to please indicate GSTIN on their quotation.

SPECIAL REMARK: Bid to be submitted through e-procurement. Refer eproc link on BHEL Bhopal B2B site.

Documents Enclosed

- 1.Drawing.
- 2.Catalogue.
- 3.Purchase specification.
- 4.Quality Surveillance Plan.

NAME : SHRI KUMAR KISHLAYA

DESG : SR.ENGINEER

0755-2502275

kishlaya@bhel.in

SIGN & SEAL

 ENQUIRY TWO PART BID BPC 0007 E-TENDER	भारत हेवी इलेक्ट्रिकल्स लिमिटेड, पिपलानी, भोपाल - ४६२०२२(भारत) सामग्री प्रबंधन विभाग BHARAT HEAVY ELECTRICALS LIMITED, PIPLANI, BHOPAL – 462022(INDIA) MATERIALS MANAGEMENT DIVISION		ENQUIRY NO E4303005 ENQUIRY DATE 21/05/20 ENQUIRY DUE DATE 19/06/20
	TIN NO. 235736000001 ECC NO. AAACB4146PXM009 MPCT NO. HEL/05/01/0001/S15/11/79 PHONE: 91-755-2500100 (7 LINE) FAX: 91-755-2500023 WWW.BHEL.BHOPAL.COM		

SUPP NAME AND ADDRESS	SUPP CODE	REV CD	REV NO	REV DATE	NO OF CATY2	NO OF CATY3	ENQ NO OF ITEMS	INDENT NO
OFFICE COPY		3	2	26/05/20	4	4	4	120907204
	GUARANTEE CERTIFICATE		Y	SUPPLY CONDITION AS PER DELIVERY SCHEDULE				
	TEST CERTIFICATE		Y					
	INSTRUCTION BOOKLET		N	TECHNICAL CONDITION AS PER DRAWING				
	SAMPLE		N					
	GATE PASS		Y	INSPECTION CONDITION AT BHEL BHOPAL				

NOTE: QUOTE PRICE BOTH IN FIGURES & WORDS. IN CASE OF MISMATCH PRICE IN WORDS WILL BE VALID, QUOTATIONS NOT BEARING ENQUIRY NO AND DUE DATE LIABLE TO BE REJECTED.

SL NO	MATERIAL CODE	DESC	UNIT	ITEM QTY	QTY VR%	LOT NO	LOT QTY	DEST	DELIVERY DATE
1	BP9048103010	2.5SQMM SINGLE CORE MULTI-STRANDED TINNED COPPERCONDUCTOR ELECTRON BEAM IRRADIATED CROSS LINKED THIN WALLED FLEXIBLE ELASTOMERIC INSULATED & SHEATHED CABLE FOR WORKING VOLTAGES ABOVE 750V UPTO 1.8/3.3KV AS PER RDSO SPECIFICATION NO. ELRS/SPEC/ELC/0019 REV.04 OR LATEST (CLAUSE NO 3.2.2, DATASHEET 2A TABLE-2). EACH DRUM/SPOOL/REEL OF SINGLE CABLE LENGTH SHALL BE 500 MTRS +/-2%.	MR	40000.000	0	1	40000.000	209	30/07/20
2	BP9048563542	1.5SQMM SINGLE CORE MULTI-STRANDED TINNED COPPERCONDUCTOR ELECTRON BEAM IRRADIATED CROSS LINKED THIN WALLED FLEXIBLE ELASTOMERIC INSULATED & SHEATHED CABLE FOR WORKING VOLTAGES ABOVE 750V UPTO 1.8/3.3KV AS PER RDSO SPECIFICATION NO. ELRS/SPEC/ELC/0019 REV.04 OR LATEST (CLAUSE NO 3.2.2, DATASHEET 2A TABLE-2). EACH DRUM/SPOOL/REEL OF SINGLE CABLE LENGTH SHALL BE 500 MTRS +/-2%.	MR	200000.000	0	1	200000.000	209	30/07/20
3	BP9048563550	10SQMM SINGLE CORE MULTI-STRANDED TINNED COPPERCONDUCTOR ELECTRON BEAM IRRADIATED CROSS LINKED THIN WALLED FLEXIBLE ELASTOMERIC INSULATED & SHEATHED CABLE FOR WORKING VOLTAGES ABOVE 750V UPTO 1.8/3.3KV AS PER RDSO SPECIFICATION NO. ELRS/SPEC/ELC/0019 REV.04 OR LATEST (CLAUSE NO 3.2.2, DATASHEET 2A TABLE-2). EACH DRUM/SPOOL/REEL OF SINGLE CABLE LENGTH SHALL BE 500 MTRS +/-2%.	MR	12000.000	0	1	12000.000	209	30/07/20
4	BP9048563569	25SQMM SINGLE CORE MULTI-STRANDED TINNED COPPERCONDUCTOR ELECTRON BEAM IRRADIATED / CHEMICALLY CURED CROSS LINKED	MR	4000.000	0	1	4000.000	209	30/07/20

NOTE: BHEL, BHOPAL'S Standard Terms & Conditions BP200102/MM5533 rev02 for imports and BP200102/MM5527 rev03 for indigeneous procurements form a part of this Enquiry. Bidders may obtain from us copies of these terms and conditions if not already available.

SPECIAL REMARKS: Bid to be submitted through e-procurement. Refer eproc link on BHEL Bhopal B2B site.	NAME : SHRI KUMAR KISHLAYA DESG : SR.ENGINEER 0755-2502275 kishlaya@bhel.in SIGN & SEAL
--	--

E
N
Q
U
I
R
Y

 BPC 0007	ENQUIRY TWO PART BID E-TENDER	भारत हेवी इलेक्ट्रिकल्स लिमिटेड, पिपलानी, भोपाल - ४६२०२२(भारत) सामग्री प्रबंधन विभाग BHARAT HEAVY ELECTRICALS LIMITED, PIPLANI, BHOPAL – 462022(INDIA) MATERIALS MANAGEMENT DIVISION <table><tr><td>TIN NO. 23573600001</td><td>ECC NO. AAACB4146PXM009</td><td>MPCT NO. HEL/05/01/0001/S15/11/79</td></tr></table> PHONE: 91-755-2500100 (7 LINE) FAX: 91-755-2500023 WWW.BHEL.BHOPAL.COM	TIN NO. 23573600001	ECC NO. AAACB4146PXM009	MPCT NO. HEL/05/01/0001/S15/11/79	ENQUIRY NO E4303005 ENQUIRY DATE 21/05/20 ENQUIRY DUE DATE 19/06/20
TIN NO. 23573600001	ECC NO. AAACB4146PXM009	MPCT NO. HEL/05/01/0001/S15/11/79				

		THIN WALLED FLEXIBLE ELASTOMERIC INSULATED & SHEATHED CABLE FOR WORKING VOLTAGES ABOVE 750V UPTO 3KV AS PER RDSO SPECIFICATION NO. ELRS/SPEC/ELC/0019 REV.04 OR LATEST (CLAUSE NO 3.2.2, DATASHEET 1A OR 2A TABLE- 2). EACH DRUM/SPOOL/REEL OF SINGLE CABLE LENGTH SHALL BE 500 MTRS +/-2%.							
--	--	---	--	--	--	--	--	--	--

REMARK QUOTATION SHOULD BE SUBMITTED WITH FOLLOWING CONDITIONS:-1/TERMS OF DELIVERY: - F.O.R.DESTINATION. 2/ DESTINATION: - CRX, BHEL-BHOPAL3/ MODE OF TRANSPORT: - DOOR DELIVERY BY YOUR TRANSPORTER. 3/ SUBMIT OFFER ON FIRM PRICE BASIS ONLY. 4/ VENDORS TO QUOTE AS PER ATTACHED TERMS AND CONDITIONS (BP200102), THE SAME SHALL BE DEEMED ACCEPTED, UNLESS ANY DEVIATION IS SPECIFICALLY MENTIONED. 5/ QUOTATION TO BE SUBMITTED IN TWO PART BID. 6/ COMPLIANCE TO ALL ANNEXURES ALONG WITH GENERAL T&C (BP200102) (SEALED AND SIGNED COPY) TO BE FURNISHED WITH QUOTATION. 7/ IT IS ENQUIRY FOR FRAMEWORK AGREEMENT, P.O. SHALL BE PLACED AS PER OUR REQUIREMENT & DELIVERY SCHEDULE AS PER P.O. 8/ SUBMISSION OF DULY FILLED DOCUMENT FOR PREQUALIFICATION CRITERIA, ALONG WITH RELEVANT SUPPORTING DOCUMENTS, IS MANDATORY. OFFERS WITHOUT THESE DOCUMENTS ARE LIABLE TO BE REJECTED

DRAWING		Y	PURCH SPEC		Y	CATALOUGE		N	PLAN		N	TWO PART BID			Y
SUPP CD.	SUPP NAME					MSME	STATUS.	PMD	Cust Appr	S.NO	INDENT NO	ITEM NO	CATEGORY	ENQUIRY QTY.	
										1	120907204	1	285170	40000.000	
										2	120907204	2	285170	200000.000	
										3	120907204	3	285170	12000.000	
										4	120907204	4	285170	4000.000	

NOTE:BHEL,BHOPAL'S Standard Terms & Conditions BP200102/MM5533 rev02 for imports and BP200102/MM5527 rev03 for indigeneous procurements form a part of this Enquiry.Bidders may obtain from us copies of these terms and conditions if not already available.

SPECIAL REMARKS: Bid to be submitted through e-procurement. Refer eproc link on BHEL Bhopal B2B site.	NAME : SHRI KUMAR KISHLAYA DESG : SR.ENGINEER 0755-2502275 kishlaya@bhel.in SIGN & SEAL
--	--

E
N
Q
U
I
R
Y