

Item	75AA	Description FITTINGS PIPE CAP (C S)				
1. Supplier Code - Name		A687 - AWAJI MATERIA (THAILAND) CO. LTD.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	.5	24	
	1	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
2. Supplier Code - Name		A732 - ALLIED INTERNATIONAL S.R.L. [PIACENZA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	.5	60	.5" Upto Sch160; .75-6"Upto SchXXS; 8-24" UptoSch160; 26"&above based on proof test reports; MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	505	Fitting Size(INCH) Visible to C&P	0.5	0.5	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	4.78	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	0.75	6	
	2	509	Fitting Schedule Visible to C&P	0	XXS	
	2	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		

* IR - Interpretation Required

Item	75AA	Description	FITTINGS PIPE CAP (C S)		
	2	511	Fitting Description Visible to C&P	CAP	
	3	505	Fitting Size(INCH) Visible to C&P	8	24
	3	509	Fitting Schedule Visible to C&P	0	160
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	3	507	Fitting Material Visible to C&P	CS	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL	
	3	511	Fitting Description Visible to C&P	CAP	
	4	505	Fitting Size(INCH) Visible to C&P	26	60
	4	509	Fitting Schedule Visible to C&P		
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	CS	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL	
	4	511	Fitting Description Visible to C&P	CAP	

* IR - Interpretation Required

Item	75AA	Description FITTINGS PIPE CAP (C S)				
3. Supplier Code - Name		C209 - CSA FITTINGS				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	1	1	0.5-1.5" Upto Sch XXS; 2-6" upto SchXXS, 8" upto Sch160 & 10-14" upto Sch 80
	1	505	Fitting Size(INCH) Visible to C&P	0.5	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	8	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	10	14	
	3	509	Fitting Schedule Visible to C&P	0	80	
	3	510	Fitting Thickness(MM) Visible to C&P	0	19.05	
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AA	Description	FITTINGS PIPE CAP (C S)			
4. Supplier Code - Name		D111 - DEE DEVELOPMENT ENGINEERS LIMITED [PALWAL]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	2	28	2-6" UPTO SCHXXS, 8"-12" UPTO SCH160, 14-26" UPTO 99 mm thk & 28" UPTO 80 mm thk
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	12	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	14	26	
	3	509	Fitting Schedule Visible to C&P			
	3	510	Fitting Thickness(MM) Visible to C&P	0	99	
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		
	4	505	Fitting Size(INCH) Visible to C&P	28	28	
	4	509	Fitting Schedule Visible to C&P			
	4	510	Fitting Thickness(MM) Visible to C&P	0	80	

* IR - Interpretation Required

Item	75AA	Description	FITTINGS PIPE CAP (C S)		
	4	507	Fitting Material Visible to C&P	CS	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL	
	4	511	Fitting Description Visible to C&P	CAP	



066055053055

* IR - Interpretation Required

Item	75AA	Description	FITTINGS PIPE CAP (C S)			
5. Supplier Code - Name		E630 - EZEFLOW INC. [Quebec]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	3	48	3-12" UPTO SCH160/XXS, 14-24" UPTO SCH80, 26-48" UPTO SCHXS
	1	505	Fitting Size(INCH) Visible to C&P	3	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	12	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	14	24	
	3	509	Fitting Schedule Visible to C&P	0	80	
	3	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		
	4	505	Fitting Size(INCH) Visible to C&P	26	48	
	4	509	Fitting Schedule Visible to C&P	0	XS	
	4	510	Fitting Thickness(MM) Visible to C&P	0	12.7	
	4	507	Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	75AA	Description	FITTINGS PIPE CAP (C S)		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL	
	4	511	Fitting Description Visible to C&P	CAP	
6. Supplier Code - Name G125 - GUJRAT INFRAPIPES PVT. LIMITED [VADODARA]					
Item Remarks:-					
Capabilities					
Group	Param	Description (UOM)	From	To	Remarks
1	258	Size-NB(INCH) Visible to C&P	2	48	2-6" Upto SchXXS,8-24"Upto Sch160,26-48"UptoSchXS.
1	505	Fitting Size(INCH) Visible to C&P	2	6	
1	509	Fitting Schedule Visible to C&P	0	XXS	
1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
1	507	Fitting Material Visible to C&P	CS		
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
1	511	Fitting Description Visible to C&P	CAP		
2	505	Fitting Size(INCH) Visible to C&P	8	24	
2	509	Fitting Schedule Visible to C&P	0	160	
2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
2	507	Fitting Material Visible to C&P	CS		
2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
2	511	Fitting Description Visible to C&P	CAP		
3	505	Fitting Size(INCH) Visible to C&P	26	48	
3	509	Fitting Schedule Visible to C&P	0	XS	
3	510	Fitting Thickness(MM) Visible to C&P	0	12.7	
3	507	Fitting Material Visible to C&P	CS		
3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
3	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AA	Description FITTINGS PIPE CAP (C S)							
7. Supplier Code - Name		H644 - HEBEI CANGZHOU HENGTONG TUBING CO.LTD [CANGZHOU CITY]							
Item Remarks:-									
	Code	Holiday Desc	Remarks	Client Specific	Clients		IR *	From	To
	01D	HOLIDAY-CONSTRAINTS ON MEN & MACHINERIES	HOLIDAY-CONSTRAINTS ON MEN & MACHINERIES	N			N	13/01/2014	
	02F	HOLIDAY-MGMT DISPUTE & QUALITY LAPSES	HOLIDAY-MGMT DISPUTE & QUALITY LAPSES	N			N	28/12/2011	27/06/2012
Capabilities									
	Group	Param	Description (UOM)	From		To	Remarks		
	1	258	Size-NB(INCH) Visible to C&P	2		48			
	1	505	Fitting Size(INCH) Visible to C&P	2		48			
	1	509	Fitting Schedule Visible to C&P						
	1	510	Fitting Thickness(MM) Visible to C&P	0		59.54			
	1	507	Fitting Material Visible to C&P	CS					
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL					
	1	511	Fitting Description Visible to C&P	CAP 066055053055					

* IR - Interpretation Required

Item	75AA	Description FITTINGS PIPE CAP (C S)				
8. Supplier Code - Name		I597 - IBF S P A				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	2	24	2-6" UPTO SCHXXS, 8-20" UPTO SCH160, 22-24" UPTO SCH80
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	20	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	50.01	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	22	24	
	3	509	Fitting Schedule Visible to C&P	0	80	
	3	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AA	Description FITTINGS PIPE CAP (C S)				
9. Supplier Code - Name		I604 - ITM S.R.L.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	16	60	16-24" Upto Sch 80;26" & above based on proof test reports.
	1	505	Fitting Size(INCH) Visible to C&P	16	24	
	1	509	Fitting Schedule Visible to C&P	0	80	
	1	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	26	60	
	2	509	Fitting Schedule Visible to C&P			
	2	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
10. Supplier Code - Name		J615 - LONGSHAN PIPE SOLUTIONS CO. LTD. [..]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	0.75	24	Seamless
	1	505	Fitting Size(INCH) Visible to C&P	0.75	24	
	1	509	Fitting Schedule Visible to C&P			
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AA	Description FITTINGS PIPE CAP (C S)				
11. Supplier Code - Name		K218 - K.S.PIPE FITTINGS (P) LTD [PALWAL]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	2	24	Thk upto Sch160
	1	505	Fitting Size(INCH) Visible to C&P	2	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		

066055053055

* IR - Interpretation Required

Item	75AA	Description	FITTINGS PIPE CAP (C S)				
12. Supplier Code - Name		M057 - M.S. FITTINGS MFG. CO PVT LTD [KOLKATA]					
Item Remarks:-							
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	258	Size-NB(INCH) Visible to C&P	.5	20	2" UPTO SCHXXS,3" UPTO SCH160,4-8" UPTO SCHXXS,10-20" UPTO SCH140.	
	1	505	Fitting Size(INCH) Visible to C&P	0.5	2		
	1	509	Fitting Schedule Visible to C&P	0	XXS		
	1	510	Fitting Thickness(MM) Visible to C&P	0	11.07		
	1	507	Fitting Material Visible to C&P	CS			
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL			
	1	511	Fitting Description Visible to C&P	CAP			
	2	505	Fitting Size(INCH) Visible to C&P	2.5	3		
	2	509	Fitting Schedule Visible to C&P	0	160		
	2	510	Fitting Thickness(MM) Visible to C&P	0	11.13		
	2	507	Fitting Material Visible to C&P	CS			
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL			
	2	511	Fitting Description Visible to C&P	CAP			
	3	505	Fitting Size(INCH) Visible to C&P	4	8		
	3	509	Fitting Schedule Visible to C&P	0	XXS		
	3	510	Fitting Thickness(MM) Visible to C&P	0	22.23		
	3	507	Fitting Material Visible to C&P	CS			
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL			
	3	511	Fitting Description Visible to C&P	CAP			
	4	505	Fitting Size(INCH) Visible to C&P	10	20		
	4	509	Fitting Schedule Visible to C&P	0	140		
	4	510	Fitting Thickness(MM) Visible to C&P	0	44.45		

* IR - Interpretation Required

Item	75AA	Description	FITTINGS PIPE CAP (C S)		
	4	507	Fitting Material Visible to C&P	CS	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL	
	4	511	Fitting Description Visible to C&P	CAP	
13. Supplier Code - Name M507 - MUNRO & MILLER FITTINGS LTD					
Item Remarks:-					
<i>Capabilities</i>					
Group	Param	Description (UOM)	From	To	Remarks
1	258	Size-NB(INCH) Visible to C&P	1	1	
1	505	Fitting Size(INCH) Visible to C&P	0	80	
1	509	Fitting Schedule Visible to C&P			
1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
1	507	Fitting Material Visible to C&P	CS		
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
1	511	Fitting Description Visible to C&P	CAP		
14. Supplier Code - Name P315 - P.K.TUBES & FITTINGS PVT.LTD.					
Item Remarks:-					
<i>Capabilities</i>					
Group	Param	Description (UOM)	From	To	Remarks
1	258	Size-NB(INCH) Visible to C&P	2	48	upto Sch 160
1	505	Fitting Size(INCH) Visible to C&P	2	48	
1	509	Fitting Schedule Visible to C&P			
1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
1	507	Fitting Material Visible to C&P	CS		
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
1	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AA	Description FITTINGS PIPE CAP (C S)				
15. Supplier Code - Name		P325 - PETRO CHEM INDUSTRIES [VADODARA]				
Item Remarks:-		As per details below:				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	2	8	
	1	505	Fitting Size(INCH) Visible to C&P	2	8	
	1	509	Fitting Schedule Visible to C&P	0	80	
	1	510	Fitting Thickness(MM) Visible to C&P	0	12.70	
	1	507	Fitting Material Visible to C&P	CS Material		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	CAP		
16. Supplier Code - Name		P340 - PATTECH FITWELL TUBE COMPONENTS				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	2	6	UPTO SCH 80
	1	505	Fitting Size(INCH) Visible to C&P	2 066055053055	6	
	1	509	Fitting Schedule Visible to C&P	0	80	
	1	510	Fitting Thickness(MM) Visible to C&P	0	10.97	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AA	Description	FITTINGS PIPE CAP (C S)			
17. Supplier Code - Name		P694 - PIANA S.P.A [PAVIA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	.5	60	SEAMLESS:0.5-24' UPTO SCH 160/XXS, WELDED:18-60"
	1	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	18	60	
	2	509	Fitting Schedule Visible to C&P			
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AA	Description	FITTINGS PIPE CAP (C S)			
18. Supplier Code - Name		S102 - SAWAN ENGINEERS PVT LTD [VADODARA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	2	36	SIZE: 2-6" UPTO SCH XXS, 8-12" UPTO SCH 160 & 14-36" UPTO 25.4MM. (UNIT I & II)
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	12	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	14	36	
	3	509	Fitting Schedule Visible to C&P			
	3	510	Fitting Thickness(MM) Visible to C&P	0	25.4	
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AA	Description	FITTINGS PIPE CAP (C S)				
19. Supplier Code - Name		S265 - SIDHARTH & GAUTAM ENGINEERS					
Item Remarks:-							
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	258	Size-NB(INCH) Visible to C&P	0	48	2-6" upto SchXXS, 8-24" upto Sch160	
	1	505	Fitting Size(INCH) Visible to C&P	2	6		
	1	509	Fitting Schedule Visible to C&P	0	XXS		
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95		
	1	507	Fitting Material Visible to C&P	CS			
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL			
	1	511	Fitting Description Visible to C&P	CAP			
	2	505	Fitting Size(INCH) Visible to C&P	8	24		
	2	509	Fitting Schedule Visible to C&P	0	160		
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
	2	507	Fitting Material Visible to C&P	CS			
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL			
	2	511	Fitting Description Visible to C&P	CAP			
	3	505	Fitting Size(INCH) Visible to C&P	26	48		
	3	509	Fitting Schedule Visible to C&P				
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
	3	507	Fitting Material Visible to C&P	CS			
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL			
	3	511	Fitting Description Visible to C&P	CAP			

* IR - Interpretation Required

Item	75AA	Description FITTINGS PIPE CAP (C S)				
20. Supplier Code - Name		S810 - SUNGKWANG BEND CO. LTD [Busan]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	0	80	
	1	509	Fitting Schedule Visible to C&P			
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
21. Supplier Code - Name		T019 - TEEKAY TUBES PVT LTD [NEW MUMBAI]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	0	30	
	1	505	Fitting Size(INCH) Visible to C&P	0 066055053055	30	
	1	509	Fitting Schedule Visible to C&P			
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AA	Description FITTINGS PIPE CAP (C S)				
22. Supplier Code - Name		T050 - TUBE BEND (CALCUTTA) PVT LTD [HOWRAH (W.B)]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	1	1	SIZE: 2-14" UPTO SCH 160 SEAMLESS ; 8-24" THK UPTO 10MM WELDED
	1	505	Fitting Size(INCH) Visible to C&P	2	14	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	35.71	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	24	
	2	509	Fitting Schedule Visible to C&P			
	2	510	Fitting Thickness(MM) Visible to C&P	0	10	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	CAP		

23. Supplier Code - Name		T221 - TOPAZ PIPING INDUSTRIES [Vadodara]				
Item Remarks:-		No blocks covered:				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	2	24	Upto 17.5mm thickness
	1	505	Fitting Size(INCH) Visible to C&P	2	24	
	1	509	Fitting Schedule Visible to C&P			
	1	510	Fitting Thickness(MM) Visible to C&P	0	17.5	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
1	511	Fitting Description Visible to C&P	CAP			

* IR - Interpretation Required

Item	75AA	Description								FITTINGS PIPE CAP (C S)	
24. Supplier Code - Name		T226 - TUBE TURN (INDIA) PVT LTD [NAVI MUMBAI]									
Item Remarks:-											
	Code	Holiday Desc	Remarks	Client Specific	Clients		IR *	From	To		
	01J	HOLIDAY-MATERIAL FAILURE AT SITE	HOLIDAY-MATERIAL FAILURE AT SITE	N			N	03/05/2013	02/11/2013		
Capabilities											
	Group	Param	Description (UOM)	From		To	Remarks				
	1	258	Size-NB(INCH) Visible to C&P	2		24	UPTO SCH160/XXS				
	1	505	Fitting Size(INCH) Visible to C&P	2		6					
	1	509	Fitting Schedule Visible to C&P	0		XXS					
	1	510	Fitting Thickness(MM) Visible to C&P	0		21.95					
	1	507	Fitting Material Visible to C&P	CS							
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL							
	1	511	Fitting Description Visible to C&P	CAP							
	2	505	Fitting Size(INCH) Visible to C&P	8		24					
	2	509	Fitting Schedule Visible to C&P	0 066055053055		160					
	2	510	Fitting Thickness(MM) Visible to C&P	0		59.54					
	2	507	Fitting Material Visible to C&P	CS							
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL							
	2	511	Fitting Description Visible to C&P	CAP							

* IR - Interpretation Required

Item	75AA	Description	FITTINGS PIPE CAP (C S)			
25. Supplier Code - Name		T746 - TK CORPORATION [BUSAN]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	3	68	THK:3-6"UptoSchXXS;8-12"UptoSch160;14-20"UptoSch160;22-24"UptoSch120;26-68"UptoSchXS.
	1	505	Fitting Size(INCH) Visible to C&P	3	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	20	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	50.01	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	22	24	
	3	509	Fitting Schedule Visible to C&P	0	120	
	3	510	Fitting Thickness(MM) Visible to C&P	0	46.02	
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		
	4	505	Fitting Size(INCH) Visible to C&P	26	68	
	4	509	Fitting Schedule Visible to C&P	0	XS	
	4	510	Fitting Thickness(MM) Visible to C&P	0	12.7	

* IR - Interpretation Required

Item	75AA	Description	FITTINGS PIPE CAP (C S)		
	4	507	Fitting Material Visible to C&P	CS	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL	
	4	511	Fitting Description Visible to C&P	CAP	
26. Supplier Code - Name V608A - VALVITALIA SPA-TECNOFORGE DIVISION					
Item Remarks:-					
<i>Capabilities</i>					
Group	Param	Description (UOM)	From	To	Remarks
1	258	Size-NB(INCH) Visible to C&P	2	60	2-6" Upto XXS;8-24" Upto Sch 160;26" & above based on proof test data.(Castle Goviniani Plant)
1	505	Fitting Size(INCH) Visible to C&P	2	6	
1	509	Fitting Schedule Visible to C&P	0	XXS	
1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
1	507	Fitting Material Visible to C&P	CS		
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
1	511	Fitting Description Visible to C&P	CAP		
2	505	Fitting Size(INCH) Visible to C&P	8	24	
2	509	Fitting Schedule Visible to C&P	0	160	
2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
2	507	Fitting Material Visible to C&P	CS		
2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
2	511	Fitting Description Visible to C&P	CAP		
3	505	Fitting Size(INCH) Visible to C&P	26	60	
3	509	Fitting Schedule Visible to C&P			
3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
3	507	Fitting Material Visible to C&P	CS		
3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
3	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AA	Description	FITTINGS PIPE CAP (C S)			
27. Supplier Code - Name		V633 - VILMAR SA				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	12	40	12-24" Upto Sch 80;26" & above based on proof test reports.
	1	505	Fitting Size(INCH) Visible to C&P	12	24	
	1	509	Fitting Schedule Visible to C&P	0	80	
	1	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	26	40	
	2	509	Fitting Schedule Visible to C&P			
	2	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AA	Description	FITTINGS PIPE CAP (C S)			
28. Supplier Code - Name		W510 - WILH SCHULZ GmbH [KREFELD]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	2	32	2-6" Upto SchXXS;8-20" upto Sch160;22-24" Upto Sch60;26-32" upto SchXS.
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P		XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	20	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	50.01	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	22	24	
	3	509	Fitting Schedule Visible to C&P	0	60	
	3	510	Fitting Thickness(MM) Visible to C&P	0	24.61	
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		
	4	505	Fitting Size(INCH) Visible to C&P	26	32	
	4	509	Fitting Schedule Visible to C&P	0	XS	
	4	510	Fitting Thickness(MM) Visible to C&P	0	12.7	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	75AA	Description	FITTINGS PIPE CAP (C S)			
30. Supplier Code - Name		Y634 - YINGKOU LIAOHE PIPE FITTINGS CO. LTD [LIAONING]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	1	1	2"-8" Thk upto 23.01mm, 10"-14" Thk upto 35.71mm, 16"-48" Thk upto 40mm. For Grades WPHY 70 ,Size upto 42" & Thk upto 19.05mm.
	1	505	Fitting Size(INCH) Visible to C&P	2	8	
	1	509	Fitting Schedule Visible to C&P			
	1	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	10	14	
	2	509	Fitting Schedule Visible to C&P			
	2	510	Fitting Thickness(MM) Visible to C&P	0 066055053055	35.71	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	16	48	
	3	509	Fitting Schedule Visible to C&P			
	3	510	Fitting Thickness(MM) Visible to C&P	0	40	
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		
	4	505	Fitting Size(INCH) Visible to C&P	0	42	
	4	509	Fitting Schedule Visible to C&P			
	4	510	Fitting Thickness(MM) Visible to C&P	0	19.05	

* IR - Interpretation Required

Item	75AA	Description	FITTINGS PIPE CAP (C S)		
	4	507	Fitting Material Visible to C&P	WPHY70	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL	
	4	511	Fitting Description Visible to C&P	CAP	
Item	75AB	Description	FITTINGS PIPE CAP (A S)		
 066055053055					

* IR - Interpretation Required

Item	75AB	Description	FITTINGS PIPE CAP (A S)			
1. Supplier Code - Name		A732 - ALLIED INTERNATIONAL S.R.L. [PIACENZA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	.5	60	.5" Upto Sch160;.75-6"Upto SchXXS;8-24" UptoSch160;26"&above based on proof test reports;MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	505	Fitting Size(INCH) Visible to C&P	0.5	0.5	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	4.78	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	0.75	6	
	2	509	Fitting Schedule Visible to C&P	0 066055053055	XXS	
	2	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	8	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		
	4	505	Fitting Size(INCH) Visible to C&P	26	60	
	4	509	Fitting Schedule Visible to C&P			

* IR - Interpretation Required

Item	75AB	Description	FITTINGS PIPE CAP (A S)		
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL	
	4	511	Fitting Description Visible to C&P	CAP	



066055053055

* IR - Interpretation Required

Item	75AB	Description FITTINGS PIPE CAP (A S)				
2. Supplier Code - Name		C209 - CSA FITTINGS				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	1	1	0.5-1.5" Upto Sch XXS; 2-6" upto SchXXS, 8" upto Sch160 & 10-14" upto Sch 80
	1	505	Fitting Size(INCH) Visible to C&P	0.5	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	8	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	10	14	
	3	509	Fitting Schedule Visible to C&P	0	80	
	3	510	Fitting Thickness(MM) Visible to C&P	0	19.05	
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AB	Description	FITTINGS PIPE CAP (A S)			
3. Supplier Code - Name		D111 - DEE DEVELOPMENT ENGINEERS LIMITED [PALWAL]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	2	28	2-6" UPTO SCHXXS, 8"-12" UPTO SCH160, 14-26" UPTO 99 mm thk & 28" UPTO 80 mm thk
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	12	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	14	26	
	3	509	Fitting Schedule Visible to C&P			
	3	510	Fitting Thickness(MM) Visible to C&P	0	99	
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		
	4	505	Fitting Size(INCH) Visible to C&P	28	28	
	4	509	Fitting Schedule Visible to C&P			
	4	510	Fitting Thickness(MM) Visible to C&P	0	80	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	75AB	Description	FITTINGS PIPE CAP (A S)			
4. Supplier Code - Name		E630 - EZEFLOW INC. [Quebec]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	3	48	3-12" UPTO SCH160/XXS, 14-24" UPTO SCH80, 26-48" UPTO SCHXS
	1	505	Fitting Size(INCH) Visible to C&P	3	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	12	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	14	24	
	3	509	Fitting Schedule Visible to C&P	0	80	
	3	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		
	4	505	Fitting Size(INCH) Visible to C&P	26	48	
	4	509	Fitting Schedule Visible to C&P	0	XS	
	4	510	Fitting Thickness(MM) Visible to C&P	0	12.7	
	4	507	Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

Item	75AB	Description	FITTINGS PIPE CAP (A S)		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL	
	4	511	Fitting Description Visible to C&P	CAP	
5. Supplier Code - Name G125 - GUJRAT INFRAPIPES PVT. LIMITED [VADODARA]					
Item Remarks:-					
Capabilities					
Group	Param	Description (UOM)	From	To	Remarks
1	258	Size-NB(INCH) Visible to C&P	2	48	2-6" Upto SchXXS,8-24"Upto Sch160,26-48"UptoSchXS.
1	505	Fitting Size(INCH) Visible to C&P	2	6	
1	509	Fitting Schedule Visible to C&P	0	XXS	
1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
1	511	Fitting Description Visible to C&P	CAP		
2	505	Fitting Size(INCH) Visible to C&P	8	24	
2	509	Fitting Schedule Visible to C&P	0	160	
2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
2	511	Fitting Description Visible to C&P	CAP		
3	505	Fitting Size(INCH) Visible to C&P	26	48	
3	509	Fitting Schedule Visible to C&P	0	XS	
3	510	Fitting Thickness(MM) Visible to C&P	0	12.7	
3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
3	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	75AB	Description FITTINGS PIPE CAP (A S)				
7. Supplier Code - Name		I597 - IBF S P A				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	2	24	2-6" UPTO SCHXXS, 8-20" UPTO SCH160, 22-24" UPTO SCH80
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	20	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	50.01	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	22	24	
	3	509	Fitting Schedule Visible to C&P	0	80	
	3	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AB	Description FITTINGS PIPE CAP (A S)				
8. Supplier Code - Name		I604 - ITM S.R.L.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	16	60	16-24" Upto Sch 80;26" & above based on proof test reports.
	1	505	Fitting Size(INCH) Visible to C&P	16	24	
	1	509	Fitting Schedule Visible to C&P	0	80	
	1	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	26	60	
	2	509	Fitting Schedule Visible to C&P			
	2	510	Fitting Thickness(MM) Visible to C&P	0	30.94	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	9. Supplier Code - Name		J615 - LONGSHAN PIPE SOLUTIONS CO. LTD. [..]			
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	0.75	24	Seamless
	1	505	Fitting Size(INCH) Visible to C&P	0.75	24	
	1	509	Fitting Schedule Visible to C&P			
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AB	Description FITTINGS PIPE CAP (A S)				
10. Supplier Code - Name		M507 - MUNRO & MILLER FITTINGS LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	0	80	
	1	509	Fitting Schedule Visible to C&P			
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
11. Supplier Code - Name		P315 - P.K.TUBES & FITTINGS PVT.LTD.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	2	48	upto Sch 160
	1	505	Fitting Size(INCH) Visible to C&P	2 066055053055	48	
	1	509	Fitting Schedule Visible to C&P			
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AB	Description FITTINGS PIPE CAP (A S)				
12. Supplier Code - Name		P694 - PIANA S.P.A [PAVIA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	.5	60	SEAMLESS:0.5-24' UPTO SCH 160/XXS, WELDED:18-60"
	1	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	18	60	
	2	509	Fitting Schedule Visible to C&P			
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AB	Description	FITTINGS PIPE CAP (A S)			
13. Supplier Code - Name		S102 - SAWAN ENGINEERS PVT LTD [VADODARA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	2	36	SIZE: 2-6" UPTO SCH XXS, 8-12" UPTO SCH 160 & 14-36" UPTO 25.4MM. (UNIT I & II)
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	12	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	14	36	
	3	509	Fitting Schedule Visible to C&P			
	3	510	Fitting Thickness(MM) Visible to C&P	0	25.4	
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AB	Description	FITTINGS PIPE CAP (A S)			
14. Supplier Code - Name		S265 - SIDHARTH & GAUTAM ENGINEERS				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	0	48	2-6" upto SchXXS, 8-24" upto Sch160
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	26	48	
	3	509	Fitting Schedule Visible to C&P			
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AB	Description					FITTINGS PIPE CAP (A S)
15. Supplier Code - Name		S810 - SUNGKWANG BEND CO. LTD [Busan]					
Item Remarks:-							
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	258	Size-NB(INCH) Visible to C&P	1	1		
	1	505	Fitting Size(INCH) Visible to C&P	0	80		
	1	509	Fitting Schedule Visible to C&P				
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9			
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL			
	1	511	Fitting Description Visible to C&P	CAP			
16. Supplier Code - Name		T019 - TEEKAY TUBES PVT LTD [NEW MUMBAI]					
Item Remarks:-							
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	258	Size-NB(INCH) Visible to C&P	0	30		
	1	505	Fitting Size(INCH) Visible to C&P	0 066055053055	30		
	1	509	Fitting Schedule Visible to C&P				
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9			
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL			
	1	511	Fitting Description Visible to C&P	CAP			

* IR - Interpretation Required

Item	75AB	Description	FITTINGS PIPE CAP (A S)			
17. Supplier Code - Name		T221 - TOPAZ PIPING INDUSTRIES [Vadodara]				
Item Remarks:-		No blocks covered:				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	2	24	Upto 17.5mm thickness
	1	505	Fitting Size(INCH) Visible to C&P	2	24	
	1	509	Fitting Schedule Visible to C&P			
	1	510	Fitting Thickness(MM) Visible to C&P	0	17.5	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
1	511	Fitting Description Visible to C&P	CAP			

066055053055

* IR - Interpretation Required

Item	75AB	Description								FITTINGS PIPE CAP (A S)	
18. Supplier Code - Name		T226 - TUBE TURN (INDIA) PVT LTD [NAVI MUMBAI]									
Item Remarks:-											
	Code	Holiday Desc		Remarks		Client Specific	Clients		IR *	From	To
	01J	HOLIDAY-MATERIAL FAILURE AT SITE		HOLIDAY-MATERIAL FAILURE AT SITE		N			N	03/05/2013	02/11/2013
Capabilities											
	Group	Param	Description (UOM)		From		To	Remarks			
	1	258	Size-NB(INCH) Visible to C&P		2		24	UPTO SCH160/XXS			
	1	505	Fitting Size(INCH) Visible to C&P		2		6				
	1	509	Fitting Schedule Visible to C&P		0		XXS				
	1	510	Fitting Thickness(MM) Visible to C&P		0		21.95				
	1	507	Fitting Material Visible to C&P		Gr.11,22,5,9						
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P		ALL						
	1	511	Fitting Description Visible to C&P		CAP						
	2	505	Fitting Size(INCH) Visible to C&P		8		24				
	2	509	Fitting Schedule Visible to C&P		0 066055053055		160				
	2	510	Fitting Thickness(MM) Visible to C&P		0		59.54				
	2	507	Fitting Material Visible to C&P		Gr.11,22,5,9						
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P		ALL						
	2	511	Fitting Description Visible to C&P		CAP						

* IR - Interpretation Required

Item	75AB	Description	FITTINGS PIPE CAP (A S)			
19. Supplier Code - Name		T746 - TK CORPORATION [BUSAN]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	3	68	THK:3-6"UptoSchXXS;8-12"UptoSch160;14-20"UptoSch160;22-24"UptoSch120;26-68"UptoSchXS.
	1	505	Fitting Size(INCH) Visible to C&P	3	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	20	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	50.01	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	22	24	
	3	509	Fitting Schedule Visible to C&P	0	120	
	3	510	Fitting Thickness(MM) Visible to C&P	0	46.02	
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		
	4	505	Fitting Size(INCH) Visible to C&P	26	68	
	4	509	Fitting Schedule Visible to C&P	0	XS	
	4	510	Fitting Thickness(MM) Visible to C&P	0	12.7	

* IR - Interpretation Required

Item	75AB	Description	FITTINGS PIPE CAP (A S)		
	4	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL	
	4	511	Fitting Description Visible to C&P	CAP	
20. Supplier Code - Name V608A - VALVITALIA SPA-TECNOFORGE DIVISION					
Item Remarks:-					
<i>Capabilities</i>					
Group	Param	Description (UOM)	From	To	Remarks
1	258	Size-NB(INCH) Visible to C&P	2	60	2-6" Upto XXS;8-24" Upto Sch 160;26" & above based on proof test data.(Castle Goviniani Plant)
1	505	Fitting Size(INCH) Visible to C&P	2	6	
1	509	Fitting Schedule Visible to C&P	0	XXS	
1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
1	511	Fitting Description Visible to C&P	CAP		
2	505	Fitting Size(INCH) Visible to C&P	8	24	
2	509	Fitting Schedule Visible to C&P	0	160	
2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
2	511	Fitting Description Visible to C&P	CAP		
3	505	Fitting Size(INCH) Visible to C&P	26	60	
3	509	Fitting Schedule Visible to C&P			
3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
3	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AB	Description FITTINGS PIPE CAP (A S)				
21. Supplier Code - Name		V633 - VILMAR SA				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	12	40	12-24" Upto Sch 80;26" & above based on proof test reports.
	1	505	Fitting Size(INCH) Visible to C&P	12	24	
	1	509	Fitting Schedule Visible to C&P	0	80	
	1	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	26	40	
	2	509	Fitting Schedule Visible to C&P			
	2	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AB	Description	FITTINGS PIPE CAP (A S)			
22. Supplier Code - Name		W510 - WILH SCHULZ GmbH [KREFELD]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	2	32	2-6" Upto SchXXS;8-20" upto Sch160;22-24" Upto Sch60;26-32" upto SchXS.
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P		XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	20	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	50.01	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	22	24	
	3	509	Fitting Schedule Visible to C&P	0	60	
	3	510	Fitting Thickness(MM) Visible to C&P	0	24.61	
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		
	4	505	Fitting Size(INCH) Visible to C&P	26	32	
	4	509	Fitting Schedule Visible to C&P	0	XS	
	4	510	Fitting Thickness(MM) Visible to C&P	0	12.7	

* IR - Interpretation Required

Item	75AB	Description	FITTINGS PIPE CAP (A S)		
	4	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL	
	4	511	Fitting Description Visible to C&P	CAP	



066055053055

* IR - Interpretation Required

Item	75AB	Description	FITTINGS PIPE CAP (A S)			
23. Supplier Code - Name		W615 - WEIFANG HUODA PIPE FITTINGS MANUFACTURE				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	6	24	6-8" UPTO SCH120; 10-24" UPTO SCH140; GR. WP11/22/91
	1	505	Fitting Size(INCH) Visible to C&P	6	8	
	1	509	Fitting Schedule Visible to C&P	0	120	
	1	510	Fitting Thickness(MM) Visible to C&P	0	18.26	
	1	507	Fitting Material Visible to C&P	Gr.11,22		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	10	24	
	2	509	Fitting Schedule Visible to C&P	0	140	
	2	510	Fitting Thickness(MM) Visible to C&P	0	52.37	
	2	507	Fitting Material Visible to C&P	Gr.11,22		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	6	8	
	3	509	Fitting Schedule Visible to C&P	0	120	
	3	510	Fitting Thickness(MM) Visible to C&P	0	18.26	
	3	507	Fitting Material Visible to C&P	Gr.91		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		
	4	505	Fitting Size(INCH) Visible to C&P	10	24	
	4	509	Fitting Schedule Visible to C&P	0	140	
	4	510	Fitting Thickness(MM) Visible to C&P	0	52.37	
	4	507	Fitting Material Visible to C&P	Gr.91		

* IR - Interpretation Required

Item	75AB	Description	FITTINGS PIPE CAP (A S)
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P
	4	511	Fitting Description Visible to C&P
Item	75AC	Description	FITTINGS PIPE CAP (S S)



066055053055

* IR - Interpretation Required

Item	75AC	Description	FITTINGS PIPE CAP (S S)			
1. Supplier Code - Name		A732 - ALLIED INTERNATIONAL S.R.L. [PIACENZA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	.5	60	.5" Upto Sch160;.75-6"Upto SchXXS;8-24" UptoSch160;26"&above based on proof test reports;MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	505	Fitting Size(INCH) Visible to C&P	0.5	0.5	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	4.78	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	0.75	6	
	2	509	Fitting Schedule Visible to C&P	0 066055053055	XXS	
	2	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	8	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		
	4	505	Fitting Size(INCH) Visible to C&P	26	60	
	4	509	Fitting Schedule Visible to C&P			

* IR - Interpretation Required

Item	75AC	Description	FITTINGS PIPE CAP (S S)		
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL	
	4	511	Fitting Description Visible to C&P	CAP	



066055053055

* IR - Interpretation Required

Item	75AC	Description FITTINGS PIPE CAP (S S)				
2. Supplier Code - Name		C209 - CSA FITTINGS				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	1	1	0.5-1.5" Upto Sch XXS; 2-6" upto SchXXS, 8" upto Sch160 & 10-14" upto Sch 80
	1	505	Fitting Size(INCH) Visible to C&P	0.5	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	8	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	10	14	
	3	509	Fitting Schedule Visible to C&P	0	80	
	3	510	Fitting Thickness(MM) Visible to C&P	0	19.05	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AC	Description	FITTINGS PIPE CAP (S S)			
3. Supplier Code - Name		D111 - DEE DEVELOPMENT ENGINEERS LIMITED [PALWAL]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	2	24	2-6" UPTO SCHXXS, 8"-12" UPTO SCH160, 14-26" UPTO 99 mm thk & 28" UPTO 80 mm thk
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	12	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	14	26	
	3	509	Fitting Schedule Visible to C&P			
	3	510	Fitting Thickness(MM) Visible to C&P	0	99	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		
	4	505	Fitting Size(INCH) Visible to C&P	28	28	
	4	509	Fitting Schedule Visible to C&P			
	4	510	Fitting Thickness(MM) Visible to C&P	0	80	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	75AC	Description	FITTINGS PIPE CAP (S S)			
4. Supplier Code - Name		E630 - EZEFLOW INC. [Quebec]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	3	48	3-12" UPTO SCH160/XXS, 14-24" UPTO SCH80, 26-48" UPTO SCHXS
	1	505	Fitting Size(INCH) Visible to C&P	3	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	12	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	14	24	
	3	509	Fitting Schedule Visible to C&P	0	80	
	3	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		
	4	505	Fitting Size(INCH) Visible to C&P	26	48	
	4	509	Fitting Schedule Visible to C&P	0	XS	
	4	510	Fitting Thickness(MM) Visible to C&P	0	12.7	
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

Item	75AC	Description	FITTINGS PIPE CAP (S S)		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL	
	4	511	Fitting Description Visible to C&P	CAP	
5. Supplier Code - Name G125 - GUJRAT INFRAPIPES PVT. LIMITED [VADODARA]					
Item Remarks:-					
Capabilities					
Group	Param	Description (UOM)	From	To	Remarks
1	258	Size-NB(INCH) Visible to C&P	2	48	2-6" Upto SchXXS,8-24"Upto Sch160,26-48"UptoSchXS.
1	505	Fitting Size(INCH) Visible to C&P	2	6	
1	509	Fitting Schedule Visible to C&P	0	XXS	
1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
1	511	Fitting Description Visible to C&P	CAP		
2	505	Fitting Size(INCH) Visible to C&P	8	24	
2	509	Fitting Schedule Visible to C&P	0	160	
2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
2	511	Fitting Description Visible to C&P	CAP		
3	505	Fitting Size(INCH) Visible to C&P	26	48	
3	509	Fitting Schedule Visible to C&P	0	XS	
3	510	Fitting Thickness(MM) Visible to C&P	0	12.7	
3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
3	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	75AC	Description	FITTINGS PIPE CAP (S S)			
7. Supplier Code - Name		I597 - IBF S P A				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	2	24	2-6" UPTO SCHXXS, 8-20" UPTO SCH160, 22-24" UPTO SCH80
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	20	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	50.01	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	22	24	
	3	509	Fitting Schedule Visible to C&P	0	80	
	3	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AC	Description FITTINGS PIPE CAP (S S)				
8. Supplier Code - Name		I604 - ITM S.R.L.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	16	60	16-24" Upto Sch 80;26" & above based on proof test reports.
	1	505	Fitting Size(INCH) Visible to C&P	16	24	
	1	509	Fitting Schedule Visible to C&P	0	80	
	1	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	26	60	
	2	509	Fitting Schedule Visible to C&P			
	2	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	9. Supplier Code - Name		K218 - K.S.PIPE FITTINGS (P) LTD [PALWAL]			
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	2	24	Thk upto Sch160
	1	505	Fitting Size(INCH) Visible to C&P	2	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AC	Description					FITTINGS PIPE CAP (S S)
10. Supplier Code - Name		M507 - MUNRO & MILLER FITTINGS LTD					
Item Remarks:-							
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	258	Size-NB(INCH) Visible to C&P	1	1		
	1	505	Fitting Size(INCH) Visible to C&P	0	80		
	1	509	Fitting Schedule Visible to C&P				
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL			
	1	511	Fitting Description Visible to C&P	CAP			
11. Supplier Code - Name		P315 - P.K.TUBES & FITTINGS PVT.LTD.					
Item Remarks:-							
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	258	Size-NB(INCH) Visible to C&P	2	48	upto Sch 160	
	1	505	Fitting Size(INCH) Visible to C&P	2 066055053055	48		
	1	509	Fitting Schedule Visible to C&P				
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL			
	1	511	Fitting Description Visible to C&P	CAP			

* IR - Interpretation Required

Item	75AC	Description					FITTINGS PIPE CAP (S S)
12. Supplier Code - Name		P325 - PETRO CHEM INDUSTRIES [VADODARA]					
Item Remarks:-		As per details below:					
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	258	Size-NB(INCH) Visible to C&P	2	8		
	1	505	Fitting Size(INCH) Visible to C&P	2	8		
	1	509	Fitting Schedule Visible to C&P	0	40S		
	1	510	Fitting Thickness(MM) Visible to C&P	0	5.54		
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H			
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
	1	511	Fitting Description Visible to C&P	CAP			
13. Supplier Code - Name		P694 - PIANA S.P.A [PAVIA]					
Item Remarks:-							
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	258	Size-NB(INCH) Visible to C&P	.5	60	SEAMLESS:0.5-24' UPTO SCH 160/XXS, WELDED:18-60"	
	1	505	Fitting Size(INCH) Visible to C&P	0.5	24		
	1	509	Fitting Schedule Visible to C&P	0	160		
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
	1	511	Fitting Description Visible to C&P	CAP			
	2	505	Fitting Size(INCH) Visible to C&P	18	60		
	2	509	Fitting Schedule Visible to C&P				
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
	2	511	Fitting Description Visible to C&P	CAP			

* IR - Interpretation Required

Item	75AC	Description	FITTINGS PIPE CAP (S S)			
14. Supplier Code - Name		R607 - RACCORTUBI SPA [SARMATO (Pc)]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	.5	24	.5-6"UptoSchXXS,8-24"UptoSch160 ;MANUFACTURER:TECNINOX
	1	505	Fitting Size(INCH) Visible to C&P	0.5	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AC	Description	FITTINGS PIPE CAP (S S)			
15. Supplier Code - Name		S102 - SAWAN ENGINEERS PVT LTD [VADODARA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	2	36	SIZE: 2-6" UPTO SCH XXS, 8-12" UPTO SCH 160 & 14-36" UPTO 25.4MM (UNIT I &II)
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	12	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	14	36	
	3	509	Fitting Schedule Visible to C&P			
	3	510	Fitting Thickness(MM) Visible to C&P	0	25.4	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AC	Description	FITTINGS PIPE CAP (S S)			
16. Supplier Code - Name		S265 - SIDHARTH & GAUTAM ENGINEERS				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	0	48	2-6" upto SchXXS, 8-24" upto Sch160
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	26	48	
	3	509	Fitting Schedule Visible to C&P			
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AC	Description	FITTINGS PIPE CAP (S S)			
17. Supplier Code - Name		S810 - SUNGKWANG BEND CO. LTD [Busan]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	0	80	
	1	509	Fitting Schedule Visible to C&P			
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
18. Supplier Code - Name		T019 - TEEKAY TUBES PVT LTD [NEW MUMBAI]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	0	30	
	1	505	Fitting Size(INCH) Visible to C&P	0 066055053055	30	
	1	509	Fitting Schedule Visible to C&P			
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	75AC	Description	FITTINGS PIPE CAP (S S)			
20. Supplier Code - Name		T746 - TK CORPORATION [BUSAN]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	3	68	THK:3-6"UptoSchXXS;8-12"UptoSch160;14-20"UptoSch160;22-24"UptoSch120;26-68"UptoSchXS.
	1	505	Fitting Size(INCH) Visible to C&P	3	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	20	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	50.01	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	22	24	
	3	509	Fitting Schedule Visible to C&P	0	120	
	3	510	Fitting Thickness(MM) Visible to C&P	0	46.02	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		
	4	505	Fitting Size(INCH) Visible to C&P	26	68	
	4	509	Fitting Schedule Visible to C&P	0	XS	
	4	510	Fitting Thickness(MM) Visible to C&P	0	12.7	

* IR - Interpretation Required

Item	75AC	Description	FITTINGS PIPE CAP (S S)		
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL	
	4	511	Fitting Description Visible to C&P	CAP	
21. Supplier Code - Name V608A - VALVITALIA SPA-TECNOFORGE DIVISION					
Item Remarks:-					
<i>Capabilities</i>					
Group	Param	Description (UOM)	From	To	Remarks
1	258	Size-NB(INCH) Visible to C&P	2	60	2-6" Upto XXS;8-24" Upto Sch 160;26" & above based on proof test data.(Castle Goviniani Plant)
1	505	Fitting Size(INCH) Visible to C&P	2	6	
1	509	Fitting Schedule Visible to C&P	0	XXS	
1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
1	511	Fitting Description Visible to C&P	CAP		
2	505	Fitting Size(INCH) Visible to C&P	8	24	
2	509	Fitting Schedule Visible to C&P	0	160	
2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
2	511	Fitting Description Visible to C&P	CAP		
3	505	Fitting Size(INCH) Visible to C&P	26	60	
3	509	Fitting Schedule Visible to C&P			
3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
3	511	Fitting Description Visible to C&P	CAP		

* IR - Interpretation Required

Item	75AC	Description	FITTINGS PIPE CAP (S S)				
22. Supplier Code - Name		V633 - VILMAR SA					
Item Remarks:-							
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	258	Size-NB(INCH) Visible to C&P	12	40	12-24" Upto Sch 80;26" & above based on proof test reports.	
	1	505	Fitting Size(INCH) Visible to C&P	12	24		
	1	509	Fitting Schedule Visible to C&P	0	80		
	1	510	Fitting Thickness(MM) Visible to C&P	0	30.96		
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL			
	1	511	Fitting Description Visible to C&P	CAP			
	2	505	Fitting Size(INCH) Visible to C&P	26	40		
	2	509	Fitting Schedule Visible to C&P				
	2	510	Fitting Thickness(MM) Visible to C&P	0	30.96		
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL			
	2	511	Fitting Description Visible to C&P	CAP			

* IR - Interpretation Required

Item	75AC	Description	FITTINGS PIPE CAP (S S)			
23. Supplier Code - Name		W510 - WILH SCHULZ GmbH [KREFELD]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	2	32	2-6" Upto SchXXS;8-20" upto Sch160;22-24" Upto Sch60;26-32" upto SchXS.
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P		XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	1	511	Fitting Description Visible to C&P	CAP		
	2	505	Fitting Size(INCH) Visible to C&P	8	20	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	50.01	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	2	511	Fitting Description Visible to C&P	CAP		
	3	505	Fitting Size(INCH) Visible to C&P	22	24	
	3	509	Fitting Schedule Visible to C&P	0	60	
	3	510	Fitting Thickness(MM) Visible to C&P	0	24.61	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	3	511	Fitting Description Visible to C&P	CAP		
	4	505	Fitting Size(INCH) Visible to C&P	26	32	
	4	509	Fitting Schedule Visible to C&P	0	XS	
	4	510	Fitting Thickness(MM) Visible to C&P	0	12.7	

* IR - Interpretation Required

Item	75AC		Description	FITTINGS PIPE CAP (S S)		
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	ALL		
	4	511	Fitting Description Visible to C&P	CAP		
Item	75AD		Description	FITTINGS PIPE CAP (EXOTIC)		
1. Supplier Code - Name						

* IR - Interpretation Required