

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
1. Supplier Code - Name		A687 - AWAJI MATERIA (THAILAND) CO. LTD.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.5	24	
	1	123	Elbow-S.R.(INCH) Visible to C&P	.5	24	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	.5	24	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	.5	24	
	1	237	Return Bend.(INCH) Visible to C&P	.5	24	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	.5	24	
	1	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	0.5	24	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0.5	24	
	5	509 Fitting Schedule Visible to C&P	0	160	
	5	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	0.5	24	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	



066055053055

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
2. Supplier Code - Name		A732 - ALLIED INTERNATIONAL S.R.L. [PIACENZA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	16	60	16-24" UptoSch60;26"&above based on proof test reports;MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	123	Elbow-S.R.(INCH) Visible to C&P	16	60	16-24" UptoSch60;26"&above based on proof test reports;MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	16	60	16-24" UptoSch 140;26"&above based on proof test reports;MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	16	60	16-24" UptoSch60;26"&above based on proof test reports;MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	505	Fitting Size(INCH) Visible to C&P	16	24	
	1	509	Fitting Schedule Visible to C&P	0	60	
	1	510	Fitting Thickness(MM) Visible to C&P	0	24.61	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	16	24	
	2	509	Fitting Schedule Visible to C&P	0	60	
	2	510	Fitting Thickness(MM) Visible to C&P	0	24.61	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
	3	505	Fitting Size(INCH) Visible to C&P	0	0	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	0	
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511	Fitting Description Visible to C&P	REDUCER-CONC		
	4	505	Fitting Size(INCH) Visible to C&P	16	24	
	4	509	Fitting Schedule Visible to C&P	0	140	
	4	510	Fitting Thickness(MM) Visible to C&P	0	52.37	
	4	507	Fitting Material Visible to C&P	CS		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511	Fitting Description Visible to C&P	REDUCER-ECC		
	5	505	Fitting Size(INCH) Visible to C&P	0	0	
	5	509	Fitting Schedule Visible to C&P	0	0	
	5	510	Fitting Thickness(MM) Visible to C&P	0	0	
	5	507	Fitting Material Visible to C&P	CS		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511	Fitting Description Visible to C&P	RETURN BEND		
	6	505	Fitting Size(INCH) Visible to C&P	16	24	
	6	509	Fitting Schedule Visible to C&P	0	60	
	6	510	Fitting Thickness(MM) Visible to C&P	0	24.61	
	6	507	Fitting Material Visible to C&P	CS		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511	Fitting Description Visible to C&P	TEE		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	CS	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	26	60
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	24.61
	8	507	Fitting Material Visible to C&P	CS	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	8	511	Fitting Description Visible to C&P	ELBOW-LR	
	9	505	Fitting Size(INCH) Visible to C&P	26	60
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	24.61
	9	507	Fitting Material Visible to C&P	CS	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	9	511	Fitting Description Visible to C&P	ELBOW-SR	
	10	505	Fitting Size(INCH) Visible to C&P	26	60
	10	509	Fitting Schedule Visible to C&P	0	0
	10	510	Fitting Thickness(MM) Visible to C&P	0	52.37
	10	507	Fitting Material Visible to C&P	CS	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	10	511	Fitting Description Visible to C&P	REDUCER-ECC	

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
11	505	Fitting Size(INCH) Visible to C&P	26	60		
11	509	Fitting Schedule Visible to C&P	0	0		
11	510	Fitting Thickness(MM) Visible to C&P	0	24.61		
11	507	Fitting Material Visible to C&P	CS			
11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
11	511	Fitting Description Visible to C&P	TEE			



066055053055

* IR - Interpretation Required

Item	74AA	Description FITTINGS FABRICATED FROM PLATE - C.S.				
3. Supplier Code - Name		D111 - DEE DEVELOPMENT ENGINEERS LIMITED [PALWAL]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	16	24	UPTO SCH160
	1	123	Elbow-S.R.(INCH) Visible to C&P	16	24	UPTO SCH160
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	16	24	UPTO SCH160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	16	24	UPTO SCH160
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	16	24	UPTO SCH160
	1	505	Fitting Size(INCH) Visible to C&P	16	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	16	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	16	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	16	24	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	16	24	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	



066055053055

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
4. Supplier Code - Name		E630 - EZEFLOW INC. [Quebec]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	16	36	
	1	123	Elbow-S.R.(INCH) Visible to C&P	16	36	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	16	26	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	16	26	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	16	30	
	1	505	Fitting Size(INCH) Visible to C&P	16	36	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	16	36	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	16	26	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	16	26	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	16	30	
	6	509 Fitting Schedule Visible to C&P	0	0	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	



066055053055

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
5. Supplier Code - Name		G125 - GUJRAT INFRAPIPES PVT. LIMITED [VADODARA]				
Item Remarks:-						
Capabilities						
Group	Param	Description (UOM)	From	To	Remarks	
1	121	Elbow-L.R.(INCH) Visible to C&P	10	76	10-24" UptoSch 160.(Manglej works only).	
1	123	Elbow-S.R.(INCH) Visible to C&P	10	48	10-24" UptoSch 160.(Manglej works only).	
1	231	Reducer-Conc.-NB(INCH) Visible to C&P	10	96	10-24" UptoSch 160.(Manglej works only).	
1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	10	96	10-24" UptoSch 160.(Manglej works only).	
1	237	Return Bend.(INCH) Visible to C&P	0	0		
1	268	Stub-End.(INCH) Visible to C&P	0	0		
1	272	Tee.(INCH) Visible to C&P	10	54	10-24" UptoSch 160.(Manglej works only).	
1	505	Fitting Size(INCH) Visible to C&P	10	24		
1	509	Fitting Schedule Visible to C&P	0	160		
1	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
1	507	Fitting Material Visible to C&P	CS			
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
1	511	Fitting Description Visible to C&P	ELBOW-LR			
2	505	Fitting Size(INCH) Visible to C&P	10	24		
2	509	Fitting Schedule Visible to C&P	0	160		
2	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
2	507	Fitting Material Visible to C&P	CS			
2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
2	511	Fitting Description Visible to C&P	ELBOW-SR			
3	505	Fitting Size(INCH) Visible to C&P	10	24		
3	509	Fitting Schedule Visible to C&P	0	160		
3	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
3	507	Fitting Material Visible to C&P	CS			

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	10	24	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	10	24	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	7 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	7 511	Fitting Description Visible to C&P	STUB END		
	8 505	Fitting Size(INCH) Visible to C&P	26	76	
	8 509	Fitting Schedule Visible to C&P	0	0	
	8 510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	8 507	Fitting Material Visible to C&P	CS		
	8 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	8 511	Fitting Description Visible to C&P	ELBOW-LR		
	9 505	Fitting Size(INCH) Visible to C&P	26	48	
	9 509	Fitting Schedule Visible to C&P	0	0	
	9 510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	9 507	Fitting Material Visible to C&P	CS		
	9 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	9 511	Fitting Description Visible to C&P	ELBOW-SR		
	10 505	Fitting Size(INCH) Visible to C&P	26	96	
	10 509	Fitting Schedule Visible to C&P	0	0	
	10 510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	10 507	Fitting Material Visible to C&P	CS		
	10 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	10 511	Fitting Description Visible to C&P	REDUCER-CONC		
	11 505	Fitting Size(INCH) Visible to C&P	26	96	
	11 509	Fitting Schedule Visible to C&P	0	0	
	11 510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	11 507	Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	11	511	Fitting Description Visible to C&P	REDUCER-ECC	
	12	505	Fitting Size(INCH) Visible to C&P	26	54
	12	509	Fitting Schedule Visible to C&P	0	0
	12	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	12	507	Fitting Material Visible to C&P	CS	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	12	511	Fitting Description Visible to C&P	TEE	

066055053055

* IR - Interpretation Required

Item	74AA	Description FITTINGS FABRICATED FROM PLATE - C.S.							
6. Supplier Code - Name		H644 - HEBEI CANGZHOU HENGTONG TUBING CO.LTD [CANGZHOU CITY]							
Item Remarks:-									
	Code	Holiday Desc	Remarks	Client Specific	Clients		IR *	From	To
	01D	HOLIDAY-CONSTRAINTS ON MEN & MACHINERIES	HOLIDAY-CONSTRAINTS ON MEN & MACHINERIES	N			N	13/01/2014	
	02F	HOLIDAY-MGMT DISPUTE & QUALITY LAPSES	HOLIDAY-MGMT DISPUTE & QUALITY LAPSES	N			N	28/12/2011	27/06/2012
Capabilities									
	Group	Param	Description (UOM)	From		To	Remarks		
	1	121	Elbow-L.R.(INCH) Visible to C&P	12		48			
	1	123	Elbow-S.R.(INCH) Visible to C&P	12		48			
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	12		48			
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	12		48			
	1	237	Return Bend.(INCH) Visible to C&P	12		48			
	1	268	Stub-End.(INCH) Visible to C&P	0		0			
	1	272	Tee.(INCH) Visible to C&P	12		48			
	1	505	Fitting Size(INCH) Visible to C&P	12		48			
	1	509	Fitting Schedule Visible to C&P	0		0			
	1	510	Fitting Thickness(MM) Visible to C&P	0		59.54			
	1	507	Fitting Material Visible to C&P	CS					
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED					
	1	511	Fitting Description Visible to C&P	ELBOW-LR					
	2	505	Fitting Size(INCH) Visible to C&P	12		48			
	2	509	Fitting Schedule Visible to C&P	0		0			
	2	510	Fitting Thickness(MM) Visible to C&P	0		59.54			
	2	507	Fitting Material Visible to C&P	CS					
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED					
	2	511	Fitting Description Visible to C&P	ELBOW-SR					

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
	3	505	Fitting Size(INCH) Visible to C&P	12	48	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511	Fitting Description Visible to C&P	REDUCER-CONC		
	4	505	Fitting Size(INCH) Visible to C&P	12	48	
	4	509	Fitting Schedule Visible to C&P	0	0	
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507	Fitting Material Visible to C&P	CS		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511	Fitting Description Visible to C&P	REDUCER-ECC		
	5	505	Fitting Size(INCH) Visible to C&P	12	48	
	5	509	Fitting Schedule Visible to C&P	0	0	
	5	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	5	507	Fitting Material Visible to C&P	CS		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511	Fitting Description Visible to C&P	RETURN BEND		
	6	505	Fitting Size(INCH) Visible to C&P	12	48	
	6	509	Fitting Schedule Visible to C&P	0	0	
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507	Fitting Material Visible to C&P	CS		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511	Fitting Description Visible to C&P	TEE		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
	7	505	Fitting Size(INCH) Visible to C&P	0	0	
	7	509	Fitting Schedule Visible to C&P	0	0	
	7	510	Fitting Thickness(MM) Visible to C&P	0	0	
	7	507	Fitting Material Visible to C&P	CS		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	7	511	Fitting Description Visible to C&P	STUB END		



066055053055

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
7. Supplier Code - Name		I597 - IBF S P A				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	16	24	16-18" UPTO SCH160, 20-24" UPTO SCH140
	1	123	Elbow-S.R.(INCH) Visible to C&P	16	24	16-18" UPTO SCH160, 20-24" UPTO SCH140
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	16	24	16" UPTO SCH160, 18-24" UPTO SCH140
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	16	24	16-20" UPTO SCH160, 22-24" UPTO SCH140
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	16	24	16-18" UPTO SCH160, 20-24" UPTO SCH140
	1	505	Fitting Size(INCH) Visible to C&P	16	18	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	45.24	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	16	18	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	45.24	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	16	16	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	40.49	
	3	507	Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	16	20	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	50.01	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	16	18	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	45.24	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	7	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	7	511 Fitting Description Visible to C&P	STUB END		
	8	505 Fitting Size(INCH) Visible to C&P	20	24	
	8	509 Fitting Schedule Visible to C&P	0	140	
	8	510 Fitting Thickness(MM) Visible to C&P	0	52.37	
	8	507 Fitting Material Visible to C&P	CS		
	8	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	8	511 Fitting Description Visible to C&P	ELBOW-LR		
	9	505 Fitting Size(INCH) Visible to C&P	20	24	
	9	509 Fitting Schedule Visible to C&P	0	140	
	9	510 Fitting Thickness(MM) Visible to C&P	0	52.37	
	9	507 Fitting Material Visible to C&P	CS		
	9	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	9	511 Fitting Description Visible to C&P	ELBOW-SR		
	10	505 Fitting Size(INCH) Visible to C&P	18	24	
	10	509 Fitting Schedule Visible to C&P	0	140	
	10	510 Fitting Thickness(MM) Visible to C&P	0	52.37	
	10	507 Fitting Material Visible to C&P	CS		
	10	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	10	511 Fitting Description Visible to C&P	REDUCER-CONC		
	11	505 Fitting Size(INCH) Visible to C&P	22	24	
	11	509 Fitting Schedule Visible to C&P	0	140	
	11	510 Fitting Thickness(MM) Visible to C&P	0	52.37	
	11	507 Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
11	511	Fitting Description Visible to C&P	REDUCER-ECC		
12	505	Fitting Size(INCH) Visible to C&P	20	24	
12	509	Fitting Schedule Visible to C&P	0	140	
12	510	Fitting Thickness(MM) Visible to C&P	0	52.37	
12	507	Fitting Material Visible to C&P	CS		
12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
12	511	Fitting Description Visible to C&P	TEE		

066055053055

* IR - Interpretation Required

Item	74AA	Description FITTINGS FABRICATED FROM PLATE - C.S.				
8. Supplier Code - Name		I604 - ITM S.R.L.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	16	60	16-24" Upto Sch 60;26" & above based on proof test reports.
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	10	56	10-14" Upto Sch 160; 16-24" Upto Sch 80;26" & above based on proof test reports.
	1	505	Fitting Size(INCH) Visible to C&P	16	24	
	1	509	Fitting Schedule Visible to C&P	0	60	
	1	510	Fitting Thickness(MM) Visible to C&P	0	24.61	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	0	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	0	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	0	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	0	
	3	507	Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	0	0	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	0	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	10	14	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	35.71	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	16	24
	8	509	Fitting Schedule Visible to C&P	0	80
	8	510	Fitting Thickness(MM) Visible to C&P	0	30.96
	8	507	Fitting Material Visible to C&P	CS	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	8	511	Fitting Description Visible to C&P	TEE	
	9	505	Fitting Size(INCH) Visible to C&P	26	56
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	30.96
	9	507	Fitting Material Visible to C&P	CS	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	9	511	Fitting Description Visible to C&P	TEE	
	10	505	Fitting Size(INCH) Visible to C&P	26	60
	10	509	Fitting Schedule Visible to C&P	0	0
	10	510	Fitting Thickness(MM) Visible to C&P	0	24.61
	10	507	Fitting Material Visible to C&P	CS	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	10	511	Fitting Description Visible to C&P	ELBOW-LR	

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
9. Supplier Code - Name		J614 - JIANGYIN TIANNING METAL PIPE FITTING CO				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	12	30	UPTO 40MM THK
	1	123	Elbow-S.R.(INCH) Visible to C&P	12	30	UPTO 40MM THK
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	12	30	UPTO 40MM THK
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	12	30	UPTO 40MM THK
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	12	30	UPTO 40MM THK
	1	505	Fitting Size(INCH) Visible to C&P	12	30	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	40	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	12	30	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	40	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	12	30	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	40	
	3	507	Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	12	30	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	40	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	12	30	
	6	509 Fitting Schedule Visible to C&P	0	0	
	6	510 Fitting Thickness(MM) Visible to C&P	0	40	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	



066055053055

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
10. Supplier Code - Name		J615 - LONGSHAN PIPE SOLUTIONS CO. LTD. [..]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	1	123	Elbow-S.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	1	237	Return Bend.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	1	268	Stub-End.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	1	272	Tee.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	1	505	Fitting Size(INCH) Visible to C&P	20	30	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	50	
	1	507	Fitting Material Visible to C&P	CS Material		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	121	Elbow-L.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	2	123	Elbow-S.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	2	231	Reducer-Conc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	2	232	Reducer-Ecc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	2	237	Return Bend.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	2	268	Stub-End.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	2	272	Tee.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	2	505	Fitting Size(INCH) Visible to C&P	20	30	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	50	
	2	507	Fitting Material Visible to C&P	CS Material		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	121	Elbow-L.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	3	123	Elbow-S.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	3	231	Reducer-Conc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	3	232	Reducer-Ecc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	3	237	Return Bend.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	3	268	Stub-End.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	3	272	Tee.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	3	505	Fitting Size(INCH) Visible to C&P	20	30	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	50	
	3	507	Fitting Material Visible to C&P	CS Material		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511	Fitting Description Visible to C&P	REDUCER-CON		
	4	121	Elbow-L.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	4	123	Elbow-S.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	4	231	Reducer-Conc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	4	232	Reducer-Ecc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	4	237	Return Bend.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	4	268	Stub-End.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	4	272	Tee.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	4	505	Fitting Size(INCH) Visible to C&P	20	30	
	4	509	Fitting Schedule Visible to C&P	0	0	
	4	510	Fitting Thickness(MM) Visible to C&P	0	50	

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
	4	507	Fitting Material Visible to C&P	CS Material		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511	Fitting Description Visible to C&P	REDUCER-ECC		
	5	121	Elbow-L.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	5	123	Elbow-S.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	5	231	Reducer-Conc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	5	232	Reducer-Ecc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	5	237	Return Bend.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	5	268	Stub-End.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	5	272	Tee.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	5	505	Fitting Size(INCH) Visible to C&P	20	30	
	5	509	Fitting Schedule Visible to C&P	0	0	
	5	510	Fitting Thickness(MM) Visible to C&P	0 066055053055	50	
	5	507	Fitting Material Visible to C&P	CS Material		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511	Fitting Description Visible to C&P	TEE		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
11. Supplier Code - Name		M507 - MUNRO & MILLER FITTINGS LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	1	1	
	1	123	Elbow-S.R.(INCH) Visible to C&P	1	1	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	1	1	
	1	237	Return Bend.(INCH) Visible to C&P	1	1	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	0	96	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	96	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	96	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	0	96	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	96	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	0	96	
	6	509 Fitting Schedule Visible to C&P	0	0	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	



066055053055

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
12. Supplier Code - Name		P315 - P.K.TUBES & FITTINGS PVT.LTD.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	1	1	16-24" upto 59.54mm,26-36" upto 38.89mm,38-48" upto 38.89mm
	1	123	Elbow-S.R.(INCH) Visible to C&P	1	1	16-24" upto 59.54mm,26-36" upto 38.89mm,38-48" upto 38.89mm
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1	16-24" upto 59.54mm,26-36" upto 38.89mm,38-48" upto 38.89mm
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	1	1	16-24" upto 59.54mm,26-36" upto 38.89mm,38-48" upto 38.89mm
	1	237	Return Bend.(INCH) Visible to C&P	16	24	upto 38.89mm
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	1	1	16-24" upto 59.54mm,26-36" upto 38.89mm,36-48" upto 38.89mm
	1	505	Fitting Size(INCH) Visible to C&P	16	24	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	16	24	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	16	24	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	16	24
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	CS	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	16	24
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	38.89
	5	507	Fitting Material Visible to C&P	CS	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	16	24
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	CS	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	CS	

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	7	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	7	511 Fitting Description Visible to C&P	STUB END		
	8	505 Fitting Size(INCH) Visible to C&P	26	48	
	8	509 Fitting Schedule Visible to C&P	0	0	
	8	510 Fitting Thickness(MM) Visible to C&P	0	38.89	
	8	507 Fitting Material Visible to C&P	CS		
	8	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	8	511 Fitting Description Visible to C&P	ELBOW-LR		
	9	505 Fitting Size(INCH) Visible to C&P	26	48	
	9	509 Fitting Schedule Visible to C&P	0	0	
	9	510 Fitting Thickness(MM) Visible to C&P	0	38.89	
	9	507 Fitting Material Visible to C&P	CS		
	9	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	9	511 Fitting Description Visible to C&P	ELBOW-SR		
	10	505 Fitting Size(INCH) Visible to C&P	26	48	
	10	509 Fitting Schedule Visible to C&P	0	0	
	10	510 Fitting Thickness(MM) Visible to C&P	0	38.89	
	10	507 Fitting Material Visible to C&P	CS		
	10	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	10	511 Fitting Description Visible to C&P	REDUCER-CONC		
	11	505 Fitting Size(INCH) Visible to C&P	26	48	
	11	509 Fitting Schedule Visible to C&P	0	0	
	11	510 Fitting Thickness(MM) Visible to C&P	0	38.89	
	11	507 Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	11	511	Fitting Description Visible to C&P	REDUCER-ECC		
	12	505	Fitting Size(INCH) Visible to C&P	26	48	
	12	509	Fitting Schedule Visible to C&P	0	0	
	12	510	Fitting Thickness(MM) Visible to C&P	0	38.89	
	12	507	Fitting Material Visible to C&P	CS		
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	12	511	Fitting Description Visible to C&P	TEE		
13. Supplier Code - Name P325 - PETRO CHEM INDUSTRIES [VADODARA]						
Item Remarks:- As per details below:						
<i>Capabilities</i>						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	10	24	
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	10	24	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	10	24	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	10	24	
	1	505	Fitting Size(INCH) Visible to C&P	10	24	
	1	509	Fitting Schedule Visible to C&P	-	-	
	1	510	Fitting Thickness(MM) Visible to C&P	0	10	
	1	507	Fitting Material Visible to C&P	CS Material		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
14. Supplier Code - Name		P694 - PIANA S.P.A [PAVIA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	18	60	
	1	123	Elbow-S.R.(INCH) Visible to C&P	18	60	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	26	60	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	26	60	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	18	60	
	1	505	Fitting Size(INCH) Visible to C&P	18	60	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	18	60	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	26	60	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	26	60	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	18	60	
	6	509 Fitting Schedule Visible to C&P	0	0	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	



066055053055

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
15. Supplier Code - Name		R607 - RACCORTUBI SPA [SARMATO (Pc)]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	16	24	16"UptoSch120,18-24"UptoSch20-140;MANUFACTURER:TECNINOX
	1	123	Elbow-S.R.(INCH) Visible to C&P	16	24	16"UptoSch120,18-24"UptoSch20-140;MANUFACTURER:TECNINOX
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	16	24	16"UptoSch120,18-24"UptoSch20-140;MANUFACTURER:TECNINOX
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	16	24	16"UptoSch120,18-24"UptoSch20-140;MANUFACTURER:TECNINOX
	1	505	Fitting Size(INCH) Visible to C&P	16	16	
	1	509	Fitting Schedule Visible to C&P	0	120	
	1	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	16	16	
	2	509	Fitting Schedule Visible to C&P	0	120	
	2	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	0	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	0	
	3	507	Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	16	16	
	4	509 Fitting Schedule Visible to C&P	0	120	
	4	510 Fitting Thickness(MM) Visible to C&P	0	30.96	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	16	16	
	6	509 Fitting Schedule Visible to C&P	0	120	
	6	510 Fitting Thickness(MM) Visible to C&P	0	30.96	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	7	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	7	511 Fitting Description Visible to C&P	STUB END		
	8	505 Fitting Size(INCH) Visible to C&P	18	24	
	8	509 Fitting Schedule Visible to C&P	20	140	
	8	510 Fitting Thickness(MM) Visible to C&P	7.92	52.37	
	8	507 Fitting Material Visible to C&P	CS		
	8	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	8	511 Fitting Description Visible to C&P	ELBOW-LR		
	9	505 Fitting Size(INCH) Visible to C&P	18	24	
	9	509 Fitting Schedule Visible to C&P	20	140	
	9	510 Fitting Thickness(MM) Visible to C&P	7.92	52.37	
	9	507 Fitting Material Visible to C&P	CS		
	9	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	9	511 Fitting Description Visible to C&P	ELBOW-SR		
	10	505 Fitting Size(INCH) Visible to C&P	18	24	
	10	509 Fitting Schedule Visible to C&P	20	140	
	10	510 Fitting Thickness(MM) Visible to C&P	7.92	52.37	
	10	507 Fitting Material Visible to C&P	CS		
	10	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	10	511 Fitting Description Visible to C&P	REDUCER-ECC		
	11	505 Fitting Size(INCH) Visible to C&P	18	24	
	11	509 Fitting Schedule Visible to C&P	20	140	
	11	510 Fitting Thickness(MM) Visible to C&P	7.92	52.37	
	11	507 Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	11	511	Fitting Description Visible to C&P	TEE	



066055053055

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
16. Supplier Code - Name		S102 - SAWAN ENGINEERS PVT LTD [VADODARA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	8	80	SIZE: 8-24" UPTO SCH 160; 26-80" BASED ON PROOF TEST (UNIT I & II)
	1	123	Elbow-S.R.(INCH) Visible to C&P	8	80	SIZE: 8-24" UPTO SCH 160; 26-80" BASED ON PROOF TEST (UNIT I & II)
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	8	96	SIZE: 8-16" UPTO SCH 160; 18-24" SCH 20-SCH 160. ABOVE 24" BASED ON PROOF TEST (UNIT I & II)
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	8	96	SIZE: 8-16" UPTO SCH 160; 18-24" SCH 20-SCH 160. ABOVE 24" BASED ON PROOF TEST (UNIT I & II)
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	8	72	SIZE: 8-24" UPTO SCH 160.ABOVE 24" BASED ON PROOF TEST(UNIT I & II)
	1	505	Fitting Size(INCH) Visible to C&P	8	24	066055053055
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	8	16	

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	40.49	
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511	Fitting Description Visible to C&P	REDUCER-CONC		
	4	505	Fitting Size(INCH) Visible to C&P	8	16	
	4	509	Fitting Schedule Visible to C&P	0	160	
	4	510	Fitting Thickness(MM) Visible to C&P	0	40.49	
	4	507	Fitting Material Visible to C&P	CS		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511	Fitting Description Visible to C&P	REDUCER-ECC		
	5	505	Fitting Size(INCH) Visible to C&P	0	0	
	5	509	Fitting Schedule Visible to C&P	0	0	
	5	510	Fitting Thickness(MM) Visible to C&P	0	0	
	5	507	Fitting Material Visible to C&P	CS		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511	Fitting Description Visible to C&P	RETURN BEND		
	6	505	Fitting Size(INCH) Visible to C&P	8	24	
	6	509	Fitting Schedule Visible to C&P	0	160	
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507	Fitting Material Visible to C&P	CS		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511	Fitting Description Visible to C&P	TEE		
	7	505	Fitting Size(INCH) Visible to C&P	0	0	

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
	7	509	Fitting Schedule Visible to C&P	0	0	
	7	510	Fitting Thickness(MM) Visible to C&P	0	0	
	7	507	Fitting Material Visible to C&P	CS		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	7	511	Fitting Description Visible to C&P	STUB END		
	8	505	Fitting Size(INCH) Visible to C&P	26	80	
	8	509	Fitting Schedule Visible to C&P	0	0	
	8	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	8	507	Fitting Material Visible to C&P	CS		
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	8	511	Fitting Description Visible to C&P	ELBOW-LR		
	9	505	Fitting Size(INCH) Visible to C&P	26	80	
	9	509	Fitting Schedule Visible to C&P	0	0	
	9	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	9	507	Fitting Material Visible to C&P	CS		
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	9	511	Fitting Description Visible to C&P	ELBOW-SR		
	10	505	Fitting Size(INCH) Visible to C&P	18	24	
	10	509	Fitting Schedule Visible to C&P	20	160	
	10	510	Fitting Thickness(MM) Visible to C&P	7.92	59.54	
	10	507	Fitting Material Visible to C&P	CS		
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	10	511	Fitting Description Visible to C&P	REDUCER-CONC		
	11	505	Fitting Size(INCH) Visible to C&P	18	24	

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	11	509	Fitting Schedule Visible to C&P	20	160
	11	510	Fitting Thickness(MM) Visible to C&P	7.92	59.54
	11	507	Fitting Material Visible to C&P	CS	
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	11	511	Fitting Description Visible to C&P	REDUCER-ECC	
	12	505	Fitting Size(INCH) Visible to C&P	26	96
	12	509	Fitting Schedule Visible to C&P	0	0
	12	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	12	507	Fitting Material Visible to C&P	CS	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	12	511	Fitting Description Visible to C&P	REDUCER-CONC	
	13	505	Fitting Size(INCH) Visible to C&P	26	96
	13	509	Fitting Schedule Visible to C&P	0	0
	13	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	13	507	Fitting Material Visible to C&P	CS	
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	13	511	Fitting Description Visible to C&P	REDUCER-ECC	
	14	505	Fitting Size(INCH) Visible to C&P	26	72
	14	509	Fitting Schedule Visible to C&P	0	0
	14	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	14	507	Fitting Material Visible to C&P	CS	
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	14	511	Fitting Description Visible to C&P	TEE	

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
17. Supplier Code - Name		S265 - SIDHARTH & GAUTAM ENGINEERS				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	10	48	10-24" upto Sch160
	1	123	Elbow-S.R.(INCH) Visible to C&P	10	48	10-24" upto Sch160
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	10	48	10-24" upto Sch160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	12	48	12-24" upto Sch160
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	10	48	10-24" upto Sch160
	1	505	Fitting Size(INCH) Visible to C&P	10	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	10	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	10	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	12	24	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	10	24	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	7	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	7	511 Fitting Description Visible to C&P	STUB END		
	8	505 Fitting Size(INCH) Visible to C&P	26	48	
	8	509 Fitting Schedule Visible to C&P	0	0	
	8	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	8	507 Fitting Material Visible to C&P	CS		
	8	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	8	511 Fitting Description Visible to C&P	ELBOW-LR		
	9	505 Fitting Size(INCH) Visible to C&P	26	48	
	9	509 Fitting Schedule Visible to C&P	0	0	
	9	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	9	507 Fitting Material Visible to C&P	CS		
	9	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	9	511 Fitting Description Visible to C&P	ELBOW-SR		
	10	505 Fitting Size(INCH) Visible to C&P	26	48	
	10	509 Fitting Schedule Visible to C&P	0	0	
	10	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	10	507 Fitting Material Visible to C&P	CS		
	10	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	10	511 Fitting Description Visible to C&P	REDUCER-CONC		
	11	505 Fitting Size(INCH) Visible to C&P	26	48	
	11	509 Fitting Schedule Visible to C&P	0	0	
	11	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	11	507 Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	11	511	Fitting Description Visible to C&P	REDUCER-ECC	
	12	505	Fitting Size(INCH) Visible to C&P	26	48
	12	509	Fitting Schedule Visible to C&P	0	0
	12	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	12	507	Fitting Material Visible to C&P	CS	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	12	511	Fitting Description Visible to C&P	TEE	

066055053055

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
18. Supplier Code - Name		S810 - SUNGKWANG BEND CO. LTD [Busan]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	1	1	
	1	123	Elbow-S.R.(INCH) Visible to C&P	1	1	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	1	1	
	1	237	Return Bend.(INCH) Visible to C&P	1	1	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	0	96	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	96	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	96	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	0	96	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	96	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	0	96	
	6	509 Fitting Schedule Visible to C&P	0	0	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	



066055053055

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
19. Supplier Code - Name		T019 - TEEKAY TUBES PVT LTD [NEW MUMBAI]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	10	24	PLATE THK UPTO 40 MM
	1	123	Elbow-S.R.(INCH) Visible to C&P	10	24	PLATE THK UPTO 40 MM
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	10	36	SIZE: 10-26" PLATE THK UPTO 40 MM & 28-36" PLATE THK UPTO 20MM
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	10	36	SIZE: 10-26" PLATE THK UPTO 40 MM & 28-36" PLATE THK UPTO 20MM
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	10	24	PLATE THK UPTO 40 MM
	1	505	Fitting Size(INCH) Visible to C&P	10	24	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	40	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	10	24	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	40	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	10	26	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	40	

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	3	507	Fitting Material Visible to C&P	CS	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	10	26
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	40
	4	507	Fitting Material Visible to C&P	CS	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	CS	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	10	24
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	40
	6	507	Fitting Material Visible to C&P	CS	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
	7	507	Fitting Material Visible to C&P	CS		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	7	511	Fitting Description Visible to C&P	STUB END		
	8	505	Fitting Size(INCH) Visible to C&P	28	36	
	8	509	Fitting Schedule Visible to C&P	0	0	
	8	510	Fitting Thickness(MM) Visible to C&P	0	20	
	8	507	Fitting Material Visible to C&P	CS		
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	8	511	Fitting Description Visible to C&P	REDUCER-CONC		
	9	505	Fitting Size(INCH) Visible to C&P	28	36	
	9	509	Fitting Schedule Visible to C&P	0	0	
	9	510	Fitting Thickness(MM) Visible to C&P	0	20	
	9	507	Fitting Material Visible to C&P	CS		
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	9	511	Fitting Description Visible to C&P	REDUCER-ECC		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
20. Supplier Code - Name		T050 - TUBE BEND (CALCUTTA) PVT LTD [HOWRAH (W.B)]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	1	1	SIZE: 8-24" THK UPTO 10MM
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1	SIZE: 8-24" THK UPTO 10MM
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	1	1	SIZE: 8-24" THK UPTO 10MM
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	1	1	SIZE: 8-24" THK UPTO 10MM
	1	505	Fitting Size(INCH) Visible to C&P	8	24	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	10	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	0	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	0	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	8	24	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	10	
	3	507	Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	8	24	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	10	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	8	24	
	6	509 Fitting Schedule Visible to C&P	0	0	
	6	510 Fitting Thickness(MM) Visible to C&P	0	10	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	



066055053055

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
21. Supplier Code - Name		T221 - TOPAZ PIPING INDUSTRIES [Vadodara]				
Item Remarks:-		Blocks covered: FTWELLC001,FTWELLC002,FTWELLC003, FTWELLC004,FTWELSCS001 FTWELSCS002 FTWELSCS003,FTWELSCS004,FTWRECCS001, FTWRECCS002,FTWRECCS003,,FTWRECCS004,FTWRECCS001,FTWRECCS002,FTWRECCS003 FTWRECCS004,FTWTEEC001 FTWTEEC002 FTWTEEC003				
Capabilities						
Group	Param	Description (UOM)	From	To	Remarks	
1	121	Elbow-L.R.(INCH) Visible to C&P	8	48	8-24" Upto Sch. 160, 26-48" Upto 27mm thickness	
1	123	Elbow-S.R.(INCH) Visible to C&P	8	48	8-24" Upto Sch. 160, 26-48" Upto 27mm thickness	
1	231	Reducer-Conc.-NB(INCH) Visible to C&P	8	60	8-24" Upto Sch. 160, 26-60" Upto 31.75mm thickness	
1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	8	60	8-24" Upto Sch. 160, 26-60" Upto 31.75mm thickness	
1	237	Return Bend.(INCH) Visible to C&P	0	0		
1	268	Stub-End.(INCH) Visible to C&P	0	0		
1	272	Tee.(INCH) Visible to C&P	8	42	8-24" Upto Sch. 160, 26-42" Upto 14mm thickness	
1	505	Fitting Size(INCH) Visible to C&P	8	24		
1	509	Fitting Schedule Visible to C&P	0	160		
1	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
1	507	Fitting Material Visible to C&P	CS			
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
1	511	Fitting Description Visible to C&P	ELBOW-LR			
2	505	Fitting Size(INCH) Visible to C&P	8	24		
2	509	Fitting Schedule Visible to C&P	0	160		
2	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
2	507	Fitting Material Visible to C&P	CS			
2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
2	511	Fitting Description Visible to C&P	ELBOW-SR			
3	505	Fitting Size(INCH) Visible to C&P	8	24		
3	509	Fitting Schedule Visible to C&P	0	160		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	3	507	Fitting Material Visible to C&P	CS	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	8	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	CS	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	CS	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	8	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	CS	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	CS	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	26	48
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	27
	8	507	Fitting Material Visible to C&P	CS	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	8	511	Fitting Description Visible to C&P	ELBOW-LR	
	9	505	Fitting Size(INCH) Visible to C&P	26	48
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	27
	9	507	Fitting Material Visible to C&P	CS	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	9	511	Fitting Description Visible to C&P	ELBOW-SR	
	10	505	Fitting Size(INCH) Visible to C&P	26	60
	10	509	Fitting Schedule Visible to C&P	0	0
	10	510	Fitting Thickness(MM) Visible to C&P	0	31.75
	10	507	Fitting Material Visible to C&P	CS	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	10	511	Fitting Description Visible to C&P	REDUCER-CONC	
	11	505	Fitting Size(INCH) Visible to C&P	26	60
	11	509	Fitting Schedule Visible to C&P	0	0

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	74AA	Description							FITTINGS FABRICATED FROM PLATE - C.S.	
22. Supplier Code - Name		T226 - TUBE TURN (INDIA) PVT LTD [NAVI MUMBAI]								
Item Remarks:-										
	Code	Holiday Desc	Remarks	Client Specific	Clients		IR *	From	To	
	01J	HOLIDAY-MATERIAL FAILURE AT SITE	HOLIDAY-MATERIAL FAILURE AT SITE	N			N	03/05/2013	02/11/2013	
Capabilities										
	Group	Param	Description (UOM)	From		To	Remarks			
	1	121	Elbow-L.R.(INCH) Visible to C&P	16		36				
	1	123	Elbow-S.R.(INCH) Visible to C&P	16		36				
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	16		36				
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	16		36				
	1	237	Return Bend.(INCH) Visible to C&P	0		0				
	1	268	Stub-End.(INCH) Visible to C&P	0		0				
	1	272	Tee.(INCH) Visible to C&P	16		36				
	1	505	Fitting Size(INCH) Visible to C&P	16		36				
	1	509	Fitting Schedule Visible to C&P	0		0				
	1	510	Fitting Thickness(MM) Visible to C&P	0		59.54				
	1	507	Fitting Material Visible to C&P	CS						
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED						
	1	511	Fitting Description Visible to C&P	ELBOW-LR						
	2	505	Fitting Size(INCH) Visible to C&P	16		36				
	2	509	Fitting Schedule Visible to C&P	0		0				
	2	510	Fitting Thickness(MM) Visible to C&P	0		59.54				
	2	507	Fitting Material Visible to C&P	CS						
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED						
	2	511	Fitting Description Visible to C&P	ELBOW-SR						
	3	505	Fitting Size(INCH) Visible to C&P	16		36				
	3	509	Fitting Schedule Visible to C&P	0		0				

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511	Fitting Description Visible to C&P	REDUCER-CONC		
	4	505	Fitting Size(INCH) Visible to C&P	16	36	
	4	509	Fitting Schedule Visible to C&P	0	0	
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507	Fitting Material Visible to C&P	CS		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511	Fitting Description Visible to C&P	REDUCER-ECC		
	5	505	Fitting Size(INCH) Visible to C&P	0	0	
	5	509	Fitting Schedule Visible to C&P	0	0	
	5	510	Fitting Thickness(MM) Visible to C&P	0	0	
	5	507	Fitting Material Visible to C&P	CS		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511	Fitting Description Visible to C&P	RETURN BEND		
	6	505	Fitting Size(INCH) Visible to C&P	16	36	
	6	509	Fitting Schedule Visible to C&P	0	0	
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507	Fitting Material Visible to C&P	CS		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511	Fitting Description Visible to C&P	TEE		
	7	505	Fitting Size(INCH) Visible to C&P	0	0	
	7	509	Fitting Schedule Visible to C&P	0	0	

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	CS	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	



066055053055

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
23. Supplier Code - Name		T746 - TK CORPORATION [BUSAN]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	26	68	
	1	123	Elbow-S.R.(INCH) Visible to C&P	26	68	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	26	60	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	26	68	
	1	505	Fitting Size(INCH) Visible to C&P	26	68	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	26	68	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	26	60	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	0	0	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	0	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	26	68	
	6	509 Fitting Schedule Visible to C&P	0	0	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	



066055053055

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
24. Supplier Code - Name		V608A - VALVITALIA SPA-TECNOFORGE DIVISION				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	16	84	Thk:16-24"Upto Sch160;26" & above based on proof test data. (Castle Govianani Plant)
	1	123	Elbow-S.R.(INCH) Visible to C&P	16	84	Thk:16-24"Upto Sch160;26" & above based on proof test data. (Castle Govianani Plant)
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	16	84	Thk:16-24"Upto SchXS;26" & above based on proof test data.(Castle Govianani Plant)
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	16	60	Thk:16-24"Upto Sch160;26" & above based on proof test data. (Castle Govianani Plant)
	1	505	Fitting Size(INCH) Visible to C&P	16	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	16	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	0	
	3	509	Fitting Schedule Visible to C&P	0	0	

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
	3	510	Fitting Thickness(MM) Visible to C&P	0	0	
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511	Fitting Description Visible to C&P	REDUCER-CONC		
	4	505	Fitting Size(INCH) Visible to C&P	16	24	
	4	509	Fitting Schedule Visible to C&P	0	XS	
	4	510	Fitting Thickness(MM) Visible to C&P	0	12.7	
	4	507	Fitting Material Visible to C&P	CS		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511	Fitting Description Visible to C&P	REDUCER-ECC		
	5	505	Fitting Size(INCH) Visible to C&P	0	0	
	5	509	Fitting Schedule Visible to C&P	0	0	
	5	510	Fitting Thickness(MM) Visible to C&P	0	0	
	5	507	Fitting Material Visible to C&P	CS		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511	Fitting Description Visible to C&P	RETURN BEND		
	6	505	Fitting Size(INCH) Visible to C&P	16	24	
	6	509	Fitting Schedule Visible to C&P	0	160	
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507	Fitting Material Visible to C&P	CS		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511	Fitting Description Visible to C&P	TEE		
	7	505	Fitting Size(INCH) Visible to C&P	0	0	
	7	509	Fitting Schedule Visible to C&P	0	0	

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
	7	510	Fitting Thickness(MM) Visible to C&P	0	0	
	7	507	Fitting Material Visible to C&P	CS		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	7	511	Fitting Description Visible to C&P	STUB END		
	8	505	Fitting Size(INCH) Visible to C&P	26	84	
	8	509	Fitting Schedule Visible to C&P	0	0	
	8	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	8	507	Fitting Material Visible to C&P	CS		
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	8	511	Fitting Description Visible to C&P	ELBOW-LR		
	9	505	Fitting Size(INCH) Visible to C&P	26	84	
	9	509	Fitting Schedule Visible to C&P	0	0	
	9	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	9	507	Fitting Material Visible to C&P	CS		
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	9	511	Fitting Description Visible to C&P	ELBOW-SR		
	10	505	Fitting Size(INCH) Visible to C&P	26	84	
	10	509	Fitting Schedule Visible to C&P	0	0	
	10	510	Fitting Thickness(MM) Visible to C&P	0	12.7	
	10	507	Fitting Material Visible to C&P	CS		
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	10	511	Fitting Description Visible to C&P	REDUCER-ECC		
	11	505	Fitting Size(INCH) Visible to C&P	26	60	
	11	509	Fitting Schedule Visible to C&P	0	0	

* IR - Interpretation Required

Itemwise Approved Suppliers

29/01/2018 15:46:46

Page 78 of 253

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	11	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	11	507	Fitting Material Visible to C&P	CS	
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	11	511	Fitting Description Visible to C&P	TEE	



066055053055

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
25. Supplier Code - Name		V633 - VILMAR SA				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	12	40	12-24" Upto Sch 80;26" & above based on proof test reports.
	1	123	Elbow-S.R.(INCH) Visible to C&P	10	36	10-24" Upto Sch 40;26" & above based on proof test reports.
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	12	24	
	1	509	Fitting Schedule Visible to C&P	0	80	
	1	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	10	24	
	2	509	Fitting Schedule Visible to C&P	0	40	
	2	510	Fitting Thickness(MM) Visible to C&P	0	17.48	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	0	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	0	
	3	507	Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	0	0	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	0	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	0	0	
	6	509 Fitting Schedule Visible to C&P	0	0	
	6	510 Fitting Thickness(MM) Visible to C&P	0	0	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	7	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	7	511 Fitting Description Visible to C&P	STUB END		
	8	505 Fitting Size(INCH) Visible to C&P	26	40	
	8	509 Fitting Schedule Visible to C&P	0	0	
	8	510 Fitting Thickness(MM) Visible to C&P	0	30.96	
	8	507 Fitting Material Visible to C&P	CS		
	8	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	8	511 Fitting Description Visible to C&P	ELBOW-LR		
	9	505 Fitting Size(INCH) Visible to C&P	26	36	
	9	509 Fitting Schedule Visible to C&P	0	0	
	9	510 Fitting Thickness(MM) Visible to C&P	0	17.48	
	9	507 Fitting Material Visible to C&P	CS		
	9	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	9	511 Fitting Description Visible to C&P	ELBOW-SR		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
26. Supplier Code - Name		W615 - WEIFANG HUODA PIPE FITTINGS MANUFACTURE				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	1	1	SIZE: 12-42" THK UPTO 42MM, WPB & WPHY70 & UPTO 44" THK UPTO 9MM, WPB
	1	123	Elbow-S.R.(INCH) Visible to C&P	1	1	SIZE: 12-42" THK UPTO 42MM, WPB & WPHY70 & UPTO 44" THK UPTO 9MM, WPB
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1	40"X36" THK 25.4MM / 22.23MM, WPB ; UN-EQUAL TEE 42"X20" THK 42MM/25.40MM WPHY 70
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	1	1	EQUAL TEE: SIZE: UPTO 42" THK UPTO 42MM,WPB/WPC7, WPHY70 ;UN EQUAL TEE-40"X36" THK 25.4MM, WPB & 42"X20" THK 42MM WPHY 70
	1	505	Fitting Size(INCH) Visible to C&P	12	42	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	42	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	12	42	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	42	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	40	

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	25.4	
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511	Fitting Description Visible to C&P	REDUCER-CONC		
	4	505	Fitting Size(INCH) Visible to C&P	0	0	
	4	509	Fitting Schedule Visible to C&P	0	0	
	4	510	Fitting Thickness(MM) Visible to C&P	0	0	
	4	507	Fitting Material Visible to C&P	CS		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511	Fitting Description Visible to C&P	REDUCER-ECC		
	5	505	Fitting Size(INCH) Visible to C&P	0	0	
	5	509	Fitting Schedule Visible to C&P	0	0	
	5	510	Fitting Thickness(MM) Visible to C&P	0	0	
	5	507	Fitting Material Visible to C&P	CS		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511	Fitting Description Visible to C&P	RETURN BEND		
	6	505	Fitting Size(INCH) Visible to C&P	0	42	
	6	509	Fitting Schedule Visible to C&P	0	0	
	6	510	Fitting Thickness(MM) Visible to C&P	0	42	
	6	507	Fitting Material Visible to C&P	CS		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511	Fitting Description Visible to C&P	TEE		
	7	505	Fitting Size(INCH) Visible to C&P	0	0	

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
	7	509	Fitting Schedule Visible to C&P	0	0	
	7	510	Fitting Thickness(MM) Visible to C&P	0	0	
	7	507	Fitting Material Visible to C&P	CS		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	7	511	Fitting Description Visible to C&P	STUB END		
	8	505	Fitting Size(INCH) Visible to C&P	44	44	
	8	509	Fitting Schedule Visible to C&P	0	0	
	8	510	Fitting Thickness(MM) Visible to C&P	0	9	
	8	507	Fitting Material Visible to C&P	CS		
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	8	511	Fitting Description Visible to C&P	ELBOW-LR		
	9	505	Fitting Size(INCH) Visible to C&P	44	44	
	9	509	Fitting Schedule Visible to C&P	0	0	
	9	510	Fitting Thickness(MM) Visible to C&P	0	9	
	9	507	Fitting Material Visible to C&P	CS		
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	9	511	Fitting Description Visible to C&P	ELBOW-SR		
	10	505	Fitting Size(INCH) Visible to C&P	12	42	
	10	509	Fitting Schedule Visible to C&P	0	0	
	10	510	Fitting Thickness(MM) Visible to C&P	0	42	
	10	507	Fitting Material Visible to C&P	WPHY70		
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	10	511	Fitting Description Visible to C&P	ELBOW-LR		
	11	505	Fitting Size(INCH) Visible to C&P	12	42	

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	11	509	Fitting Schedule Visible to C&P	0	0
	11	510	Fitting Thickness(MM) Visible to C&P	0	42
	11	507	Fitting Material Visible to C&P	WPHY70	
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	11	511	Fitting Description Visible to C&P	ELBOW-SR	
	12	505	Fitting Size(INCH) Visible to C&P	0	42
	12	509	Fitting Schedule Visible to C&P	0	0
	12	510	Fitting Thickness(MM) Visible to C&P	0	42
	12	507	Fitting Material Visible to C&P	WPHY70	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	12	511	Fitting Description Visible to C&P	TEE	
				066055053055	

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
27. Supplier Code - Name		Y502 - YINGKOU NORTH PIPE FITTINGS CO LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	8	42	UPTO 48MM THK
	1	123	Elbow-S.R.(INCH) Visible to C&P	8	42	UPTO 48MM THK
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	8	42	UPTO 48MM THK
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	8	42	UPTO 48MM THK
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	8	42	UPTO 48MM THK
	1	505	Fitting Size(INCH) Visible to C&P	8	42	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	48	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	42	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	48	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	8	42	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	48	
	3	507	Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	8	42	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	48	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	8	42	
	6	509 Fitting Schedule Visible to C&P	0	0	
	6	510 Fitting Thickness(MM) Visible to C&P	0	48	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	



066055053055

* IR - Interpretation Required

Item	74AA	Description					FITTINGS FABRICATED FROM PLATE - C.S.
28. Supplier Code - Name		Y634 - YINGKOU LIAOHE PIPE FITTINGS CO. LTD [LIAONING]					
Item Remarks:-							
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	121	Elbow-L.R.(INCH) Visible to C&P	1	1	16"-24" Thk upto 59.55mm, 26"-60" Thk upto 35mm . For WPHY 70 Grades ,Size upto 42" & Thk upto 19.05mm.	
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0		
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1	8"-24" Thk upto Sch 160, 26"-48" Thk upto 59.55mm . For WPHY 70 Grades ,Size upto 42" & Thk upto 19.05mm.	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	1	1	8"-24" Thk upto Sch 160, 26"-48" Thk upto 59.55mm . For WPHY 70 Grades ,Size upto 42" & Thk upto 19.05mm.	
	1	237	Return Bend.(INCH) Visible to C&P	0	0		
	1	268	Stub-End.(INCH) Visible to C&P	0	0		
	1	272	Tee.(INCH) Visible to C&P	1	1	10"-24" Thk upto Sch 160, 26"-48" Thk upto 59.55mm & 50"-84" Thk upto 20mm.	
	1	505	Fitting Size(INCH) Visible to C&P	16	24		
	1	509	Fitting Schedule Visible to C&P	0	0		
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.55		
	1	507	Fitting Material Visible to C&P	CS			
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
	1	511	Fitting Description Visible to C&P	ELBOW-LR			
	2	505	Fitting Size(INCH) Visible to C&P	0	0		
	2	509	Fitting Schedule Visible to C&P	0	0		
	2	510	Fitting Thickness(MM) Visible to C&P	0	0		
	2	507	Fitting Material Visible to C&P	CS			
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
	2	511	Fitting Description Visible to C&P	ELBOW-SR			
3	505	Fitting Size(INCH) Visible to C&P	8	24			

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511	Fitting Description Visible to C&P	REDUCER-CONC		
	4	505	Fitting Size(INCH) Visible to C&P	8	24	
	4	509	Fitting Schedule Visible to C&P	0	160	
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507	Fitting Material Visible to C&P	CS		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511	Fitting Description Visible to C&P	REDUCER-ECC		
	5	505	Fitting Size(INCH) Visible to C&P	0	0	
	5	509	Fitting Schedule Visible to C&P	0	0	
	5	510	Fitting Thickness(MM) Visible to C&P	0	0	
	5	507	Fitting Material Visible to C&P	CS		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511	Fitting Description Visible to C&P	RETURN BEND		
	6	505	Fitting Size(INCH) Visible to C&P	10	24	
	6	509	Fitting Schedule Visible to C&P	0	160	
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507	Fitting Material Visible to C&P	CS		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511	Fitting Description Visible to C&P	TEE		
	7	505	Fitting Size(INCH) Visible to C&P	0	0	

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.		
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	CS	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	26	60
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	35
	8	507	Fitting Material Visible to C&P	CS	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	8	511	Fitting Description Visible to C&P	ELBOW-LR	
	9	505	Fitting Size(INCH) Visible to C&P	26	48
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	59.55
	9	507	Fitting Material Visible to C&P	CS	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	9	511	Fitting Description Visible to C&P	REDUCER-CONC	
	10	505	Fitting Size(INCH) Visible to C&P	26	48
	10	509	Fitting Schedule Visible to C&P	0	0
	10	510	Fitting Thickness(MM) Visible to C&P	0	59.55
	10	507	Fitting Material Visible to C&P	CS	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	10	511	Fitting Description Visible to C&P	REDUCER-ECC	
	11	505	Fitting Size(INCH) Visible to C&P	26	48

* IR - Interpretation Required

Item	74AA	Description	FITTINGS FABRICATED FROM PLATE - C.S.			
	11	509	Fitting Schedule Visible to C&P	0	0	
	11	510	Fitting Thickness(MM) Visible to C&P	0	59.55	
	11	507	Fitting Material Visible to C&P	CS		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	11	511	Fitting Description Visible to C&P	TEE		
	12	505	Fitting Size(INCH) Visible to C&P	50	84	
	12	509	Fitting Schedule Visible to C&P	0	0	
	12	510	Fitting Thickness(MM) Visible to C&P	0	20	
	12	507	Fitting Material Visible to C&P	CS		
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	12	511	Fitting Description Visible to C&P	TEE		
	13	505	Fitting Size(INCH) Visible to C&P	0	42	
	13	509	Fitting Schedule Visible to C&P	0	0	
	13	510	Fitting Thickness(MM) Visible to C&P	0	19.05	
	13	507	Fitting Material Visible to C&P	WPHY70		
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	13	511	Fitting Description Visible to C&P	ELBOW-LR		
	14	505	Fitting Size(INCH) Visible to C&P	0	42	
	14	509	Fitting Schedule Visible to C&P	0	0	
	14	510	Fitting Thickness(MM) Visible to C&P	0	19.05	
	14	507	Fitting Material Visible to C&P	WPHY70		
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	14	511	Fitting Description Visible to C&P	REDUCER-CONC		
	15	505	Fitting Size(INCH) Visible to C&P	0	42	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.			
1. Supplier Code - Name		A732 - ALLIED INTERNATIONAL S.R.L. [PIACENZA]				
Item Remarks:-						
Capabilities						
Group	Param	Description (UOM)	From	To	Remarks	
1	122	Elbow-L.R.(INCH) Visible to C&P	16	60	16-24" UptoSch60;26"&above based on proof test reports;MANUFACTURER: M/S TECTUBI RACCORDI SPA.	
1	123	Elbow-S.R.(INCH) Visible to C&P	16	60	16-24" UptoSch60;26"&above based on proof test reports;MANUFACTURER: M/S TECTUBI RACCORDI SPA.	
1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0		
1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	16	60	16-24" UptoSch140;26"&above based on proof test reports;MANUFACTURER: M/S TECTUBI RACCORDI SPA.	
1	237	Return Bend.(INCH) Visible to C&P	0	0		
1	268	Stub-End.(INCH) Visible to C&P	0	0		
1	272	Tee.(INCH) Visible to C&P	16	60	16-24" UptoSch60;26"&above based on proof test reports;MANUFACTURER: M/S TECTUBI RACCORDI SPA.	
1	505	Fitting Size(INCH) Visible to C&P	16	24		
1	509	Fitting Schedule Visible to C&P	0	60		
1	510	Fitting Thickness(MM) Visible to C&P	0	24.61		
1	507	Fitting Material Visible to C&P	Gr.11,22,5,9			
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
1	511	Fitting Description Visible to C&P	ELBOW-LR			
2	505	Fitting Size(INCH) Visible to C&P	16	24		
2	509	Fitting Schedule Visible to C&P	0	60		
2	510	Fitting Thickness(MM) Visible to C&P	0	24.61		
2	507	Fitting Material Visible to C&P	Gr.11,22,5,9			
2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
2	511	Fitting Description Visible to C&P	ELBOW-SR			

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	3	505	Fitting Size(INCH) Visible to C&P	0	0
	3	509	Fitting Schedule Visible to C&P	0	0
	3	510	Fitting Thickness(MM) Visible to C&P	0	0
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	16	24
	4	509	Fitting Schedule Visible to C&P	0	140
	4	510	Fitting Thickness(MM) Visible to C&P	0	52.37
	4	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	16	24
	6	509	Fitting Schedule Visible to C&P	0	60
	6	510	Fitting Thickness(MM) Visible to C&P	0	24.61
	6	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	26	60
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	24.61
	8	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	8	511	Fitting Description Visible to C&P	ELBOW-LR	
	9	505	Fitting Size(INCH) Visible to C&P	26	60
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	24.61
	9	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	9	511	Fitting Description Visible to C&P	ELBOW-SR	
	10	505	Fitting Size(INCH) Visible to C&P	26	60
	10	509	Fitting Schedule Visible to C&P	0	0
	10	510	Fitting Thickness(MM) Visible to C&P	0	52.37
	10	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	10	511	Fitting Description Visible to C&P	REDUCER-ECC	

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.			
11	505	Fitting Size(INCH) Visible to C&P	26	60		
11	509	Fitting Schedule Visible to C&P	0	0		
11	510	Fitting Thickness(MM) Visible to C&P	0	24.61		
11	507	Fitting Material Visible to C&P	Gr.11,22,5,9			
11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
11	511	Fitting Description Visible to C&P	TEE			



066055053055

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.			
2. Supplier Code - Name		D111 - DEE DEVELOPMENT ENGINEERS LIMITED [PALWAL]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	122	Elbow-L.R.(INCH) Visible to C&P	16	24	UPTO SCH160
	1	123	Elbow-S.R.(INCH) Visible to C&P	16	24	UPTO SCH160
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	16	24	UPTO SCH160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	16	24	UPTO SCH160
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	16	24	UPTO SCH160
	1	505	Fitting Size(INCH) Visible to C&P	16	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	16	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	16	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	16	24	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	16	24	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	



066055053055

* IR - Interpretation Required

Item	74AB	Description FITTINGS FABRICATED FROM PLATE - A.S.				
3. Supplier Code - Name		E630 - EZEFLOW INC. [Quebec]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	122	Elbow-L.R.(INCH) Visible to C&P	16	36	
	1	123	Elbow-S.R.(INCH) Visible to C&P	16	36	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	16	26	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	16	26	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	16	30	
	1	505	Fitting Size(INCH) Visible to C&P	16	36	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	16	36	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	16	26	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	16	26
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	16	30
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr.11,22,5,9	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.			
4. Supplier Code - Name		G125 - GUJRAT INFRAPIPES PVT. LIMITED [VADODARA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	122	Elbow-L.R.(INCH) Visible to C&P	10	48	10-24" UptoSch 160.(Manglej works only).
	1	123	Elbow-S.R.(INCH) Visible to C&P	10	48	10-24" UptoSch 160.(Manglej works only).
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	10	48	10-24" UptoSch 160.(Manglej works only).
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	10	48	10-24" UptoSch 160.(Manglej works only).
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	10	54	10-24" UptoSch 160.(Manglej works only).
	1	505	Fitting Size(INCH) Visible to C&P	10	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	10	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	10	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	10	24	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	10	24	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	26	48
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	8	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	8	511	Fitting Description Visible to C&P	ELBOW-LR	
	9	505	Fitting Size(INCH) Visible to C&P	26	48
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	9	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	9	511	Fitting Description Visible to C&P	ELBOW-SR	
	10	505	Fitting Size(INCH) Visible to C&P	26	48
	10	509	Fitting Schedule Visible to C&P	0	0
	10	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	10	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	10	511	Fitting Description Visible to C&P	REDUCER-CONC	
	11	505	Fitting Size(INCH) Visible to C&P	26	48
	11	509	Fitting Schedule Visible to C&P	0	0
	11	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	11	507	Fitting Material Visible to C&P	Gr.11,22,5,9	

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	11	511	Fitting Description Visible to C&P	REDUCER-ECC	
	12	505	Fitting Size(INCH) Visible to C&P	26	54
	12	509	Fitting Schedule Visible to C&P	0	0
	12	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	12	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	12	511	Fitting Description Visible to C&P	TEE	

066055053055

* IR - Interpretation Required

Item	74AB	Description FITTINGS FABRICATED FROM PLATE - A.S.							
5. Supplier Code - Name		H644 - HEBEI CANGZHOU HENGTONG TUBING CO.LTD [CANGZHOU CITY]							
Item Remarks:-									
	Code	Holiday Desc	Remarks	Client Specific	Clients		IR *	From	To
	02F	HOLIDAY-MGMT DISPUTE & QUALITY LAPSES	HOLIDAY-MGMT DISPUTE & QUALITY LAPSES	N			N	28/12/2011	27/06/2012
	01D	HOLIDAY-CONSTRAINTS ON MEN & MACHINERIES	HOLIDAY-CONSTRAINTS ON MEN & MACHINERIES	N			N	13/01/2014	
Capabilities									
	Group	Param	Description (UOM)	From		To	Remarks		
	1	122	Elbow-L.R.(INCH) Visible to C&P	12		48			
	1	123	Elbow-S.R.(INCH) Visible to C&P	12		48			
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	12		48			
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	12		48			
	1	237	Return Bend.(INCH) Visible to C&P	12		48			
	1	268	Stub-End.(INCH) Visible to C&P	0		0			
	1	272	Tee.(INCH) Visible to C&P	12		48			
	1	505	Fitting Size(INCH) Visible to C&P	12		48			
	1	509	Fitting Schedule Visible to C&P	0		0			
	1	510	Fitting Thickness(MM) Visible to C&P	0		59.54			
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9					
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED					
	1	511	Fitting Description Visible to C&P	ELBOW-LR					
	2	505	Fitting Size(INCH) Visible to C&P	12		48			
	2	509	Fitting Schedule Visible to C&P	0		0			
	2	510	Fitting Thickness(MM) Visible to C&P	0		59.54			
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9					
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED					
	2	511	Fitting Description Visible to C&P	ELBOW-SR					

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.			
	3	505	Fitting Size(INCH) Visible to C&P	12	48	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511	Fitting Description Visible to C&P	REDUCER-CONC		
	4	505	Fitting Size(INCH) Visible to C&P	12	48	
	4	509	Fitting Schedule Visible to C&P	0	0	
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511	Fitting Description Visible to C&P	REDUCER-ECC		
	5	505	Fitting Size(INCH) Visible to C&P	12	48	
	5	509	Fitting Schedule Visible to C&P	0	0	
	5	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	5	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511	Fitting Description Visible to C&P	RETURN BEND		
	6	505	Fitting Size(INCH) Visible to C&P	12	48	
	6	509	Fitting Schedule Visible to C&P	0	0	
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511	Fitting Description Visible to C&P	TEE		

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	74AB	Description FITTINGS FABRICATED FROM PLATE - A.S.				
6. Supplier Code - Name		I597 - IBF S P A				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	122	Elbow-L.R.(INCH) Visible to C&P	16	24	16-18" UPTO SCH160, 20-24" UPTO SCH140
	1	123	Elbow-S.R.(INCH) Visible to C&P	16	24	16-18" UPTO SCH160, 20-24" UPTO SCH140
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	16	24	16" UPTO SCH160, 18-24" UPTO SCH140
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	16	24	16-20" UPTO SCH160, 22-24" UPTO SCH140
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	16	24	16-18" UPTO SCH160, 20-24" UPTO SCH140
	1	505	Fitting Size(INCH) Visible to C&P	16	18	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	45.24	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	16	18	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	45.24	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	16	16	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	40.49	
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	16	20	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	50.01	
	4	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	16	18	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	45.24	
	6	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	7 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	7 511	Fitting Description Visible to C&P	STUB END		
	8 505	Fitting Size(INCH) Visible to C&P	20	24	
	8 509	Fitting Schedule Visible to C&P	0	140	
	8 510	Fitting Thickness(MM) Visible to C&P	0	52.37	
	8 507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	8 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	8 511	Fitting Description Visible to C&P	ELBOW-LR		
	9 505	Fitting Size(INCH) Visible to C&P	20	24	
	9 509	Fitting Schedule Visible to C&P	0	140	
	9 510	Fitting Thickness(MM) Visible to C&P	0	52.37	
	9 507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	9 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	9 511	Fitting Description Visible to C&P	ELBOW-SR		
	10 505	Fitting Size(INCH) Visible to C&P	18	24	
	10 509	Fitting Schedule Visible to C&P	0	140	
	10 510	Fitting Thickness(MM) Visible to C&P	0	52.37	
	10 507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	10 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	10 511	Fitting Description Visible to C&P	REDUCER-CONC		
	11 505	Fitting Size(INCH) Visible to C&P	22	24	
	11 509	Fitting Schedule Visible to C&P	0	140	
	11 510	Fitting Thickness(MM) Visible to C&P	0	52.37	
	11 507	Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	11	511	Fitting Description Visible to C&P	REDUCER-ECC	
	12	505	Fitting Size(INCH) Visible to C&P	20	24
	12	509	Fitting Schedule Visible to C&P	0	140
	12	510	Fitting Thickness(MM) Visible to C&P	0	52.37
	12	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	12	511	Fitting Description Visible to C&P	TEE	

066055053055

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.			
7. Supplier Code - Name		I604 - ITM S.R.L.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	122	Elbow-L.R.(INCH) Visible to C&P	16	60	16-24" Upto Sch 60;26" & above based on proof test reports.
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	16	56	16-24" Upto Sch 80;26" & above based on proof test reports.
	1	505	Fitting Size(INCH) Visible to C&P	16	24	
	1	509	Fitting Schedule Visible to C&P	0	60	
	1	510	Fitting Thickness(MM) Visible to C&P	0	24.61	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	0	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	0	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	0	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	0	
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	0	0	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	0	
	4	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	16	24	
	6	509 Fitting Schedule Visible to C&P	0	80	
	6	510 Fitting Thickness(MM) Visible to C&P	0	30.96	
	6	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	26	56
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	30.96
	8	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	8	511	Fitting Description Visible to C&P	TEE	
	9	505	Fitting Size(INCH) Visible to C&P	26	60
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	24.61
	9	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	9	511	Fitting Description Visible to C&P	ELBOW-LR	

* IR - Interpretation Required

Item	74AB	Description FITTINGS FABRICATED FROM PLATE - A.S.				
8. Supplier Code - Name		J614 - JIANGYIN TIANNING METAL PIPE FITTING CO				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	122	Elbow-L.R.(INCH) Visible to C&P	12	30	UPTO 40MM THK
	1	123	Elbow-S.R.(INCH) Visible to C&P	12	30	UPTO 40MM THK
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	12	30	UPTO 40MM THK
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	12	30	UPTO 40MM THK
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	12	30	UPTO 40MM THK
	1	505	Fitting Size(INCH) Visible to C&P	12	30	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	40	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	12	30	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	40	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	12	30	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	40	
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	12	30
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	40
	4	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	12	30
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	40
	6	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr.11,22,5,9	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	74AB	Description FITTINGS FABRICATED FROM PLATE - A.S.				
9. Supplier Code - Name		J615 - LONGSHAN PIPE SOLUTIONS CO. LTD. [..]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	122	Elbow-L.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	1	123	Elbow-S.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	1	237	Return Bend.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	1	268	Stub-End.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	1	272	Tee.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	1	505	Fitting Size(INCH) Visible to C&P	20	30	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	50	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	122	Elbow-L.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	2	123	Elbow-S.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	2	231	Reducer-Conc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	2	232	Reducer-Ecc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	2	237	Return Bend.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	2	268	Stub-End.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	2	272	Tee.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	2	505	Fitting Size(INCH) Visible to C&P	20	30	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	50	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	2	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511 Fitting Description Visible to C&P	ELBOW-SR		
	3	122 Elbow-L.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	3	123 Elbow-S.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	3	231 Reducer-Conc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	3	232 Reducer-Ecc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	3	237 Return Bend.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	3	268 Stub-End.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	3	272 Tee.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	3	505 Fitting Size(INCH) Visible to C&P	20	30	
	3	509 Fitting Schedule Visible to C&P	0	0	
	3	510 Fitting Thickness(MM) Visible to C&P	0	50	
	3	507 Fitting Material Visible to C&P	Gr.11,22,5.9		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CON		
	4	122 Elbow-L.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	4	123 Elbow-S.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	4	231 Reducer-Conc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	4	232 Reducer-Ecc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	4	237 Return Bend.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	4	268 Stub-End.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	4	272 Tee.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	4	505 Fitting Size(INCH) Visible to C&P	20	30	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	50	

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.			
	4	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511	Fitting Description Visible to C&P	REDUCER-ECC		
	5	122	Elbow-L.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	5	123	Elbow-S.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	5	231	Reducer-Conc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	5	232	Reducer-Ecc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	5	237	Return Bend.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	5	268	Stub-End.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	5	272	Tee.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	5	505	Fitting Size(INCH) Visible to C&P	20	30	
	5	509	Fitting Schedule Visible to C&P	0	0	
	5	510	Fitting Thickness(MM) Visible to C&P	0 066055053055	50	
	5	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511	Fitting Description Visible to C&P	TEE		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.			
10. Supplier Code - Name		M507 - MUNRO & MILLER FITTINGS LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	122	Elbow-L.R.(INCH) Visible to C&P	1	1	
	1	123	Elbow-S.R.(INCH) Visible to C&P	1	1	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	1	1	
	1	237	Return Bend.(INCH) Visible to C&P	1	1	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	0	96	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	96	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	96	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	0	96	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	96	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	5	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	0	96	
	6	509 Fitting Schedule Visible to C&P	0	0	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.			
11. Supplier Code - Name		P315 - P.K.TUBES & FITTINGS PVT.LTD.				
Item Remarks:-						
Capabilities						
Group	Param	Description (UOM)	From	To	Remarks	
1	122	Elbow-L.R.(INCH) Visible to C&P	1	1	16-24" upto 59.54mm,26-36" upto 38.89mm	
1	123	Elbow-S.R.(INCH) Visible to C&P	1	1	16-24" upto 59.54mm,26-36" upto 38.89mm	
1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1	16-24" upto 59.54mm,26-36" upto 38.89mm	
1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	1	1	16-24" upto 59.54mm,26-36" upto 38.89mm	
1	237	Return Bend.(INCH) Visible to C&P	0	0		
1	268	Stub-End.(INCH) Visible to C&P	0	0		
1	272	Tee.(INCH) Visible to C&P	1	1	16-24" upto 59.54mm,26-36" upto 38.89mm	
1	505	Fitting Size(INCH) Visible to C&P	16	24		
1	509	Fitting Schedule Visible to C&P	0	0		
1	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
1	507	Fitting Material Visible to C&P	Gr.11,22,5,9			
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
1	511	Fitting Description Visible to C&P	ELBOW-LR			
2	505	Fitting Size(INCH) Visible to C&P	16	24		
2	509	Fitting Schedule Visible to C&P	0	0		
2	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
2	507	Fitting Material Visible to C&P	Gr.11,22,5,9			
2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
2	511	Fitting Description Visible to C&P	ELBOW-SR			
3	505	Fitting Size(INCH) Visible to C&P	16	24		
3	509	Fitting Schedule Visible to C&P	0	0		
3	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
3	507	Fitting Material Visible to C&P	Gr.11,22,5,9			

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	16	24	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	16	24	
	6	509 Fitting Schedule Visible to C&P	0	0	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	26	36
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	38.89
	8	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	8	511	Fitting Description Visible to C&P	ELBOW-LR	
	9	505	Fitting Size(INCH) Visible to C&P	26	36
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	38.89
	9	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	9	511	Fitting Description Visible to C&P	ELBOW-SR	
	10	505	Fitting Size(INCH) Visible to C&P	26	36
	10	509	Fitting Schedule Visible to C&P	0	0
	10	510	Fitting Thickness(MM) Visible to C&P	0	38.89
	10	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	10	511	Fitting Description Visible to C&P	REDUCER-CONC	
	11	505	Fitting Size(INCH) Visible to C&P	26	36
	11	509	Fitting Schedule Visible to C&P	0	0
	11	510	Fitting Thickness(MM) Visible to C&P	0	38.89
	11	507	Fitting Material Visible to C&P	Gr.11,22,5,9	

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	11	511	Fitting Description Visible to C&P	REDUCER-ECC	
	12	505	Fitting Size(INCH) Visible to C&P	26	36
	12	509	Fitting Schedule Visible to C&P	0	0
	12	510	Fitting Thickness(MM) Visible to C&P	0	38.89
	12	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	12	511	Fitting Description Visible to C&P	TEE	

066055053055

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.			
12. Supplier Code - Name		P694 - PIANA S.P.A [PAVIA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	122	Elbow-L.R.(INCH) Visible to C&P	18	60	
	1	123	Elbow-S.R.(INCH) Visible to C&P	18	60	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	26	60	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	26	60	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	18	60	
	1	505	Fitting Size(INCH) Visible to C&P	18	60	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	18	60	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	26	60	
3	509	Fitting Schedule Visible to C&P	0	0		
3	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
3	507	Fitting Material Visible to C&P	Gr.11,22,5,9			

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	26	60	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	18	60	
	6	509 Fitting Schedule Visible to C&P	0	0	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	



066055053055

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.			
13. Supplier Code - Name		R607 - RACCORTUBI SPA [SARMATO (Pc)]				
Item Remarks:-						
Capabilities						
Group	Param	Description (UOM)	From	To	Remarks	
1	122	Elbow-L.R.(INCH) Visible to C&P	16	24	16"UptoSch120,18-24"UptoSch20-140;MANUFACTURER:TECNINOX	
1	123	Elbow-S.R.(INCH) Visible to C&P	16	24	16"UptoSch120,18-24"UptoSch20-140;MANUFACTURER:TECNINOX	
1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0		
1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	16	24	16"UptoSch120,18-24"UptoSch20-140;MANUFACTURER:TECNINOX	
1	237	Return Bend.(INCH) Visible to C&P	0	0		
1	268	Stub-End.(INCH) Visible to C&P	0	0		
1	272	Tee.(INCH) Visible to C&P	16	24	16"UptoSch120,18-24"UptoSch20-140;MANUFACTURER:TECNINOX	
1	505	Fitting Size(INCH) Visible to C&P	16	16		
1	509	Fitting Schedule Visible to C&P	0	120		
1	510	Fitting Thickness(MM) Visible to C&P	0	30.96		
1	507	Fitting Material Visible to C&P	Gr.11,22,5,9			
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
1	511	Fitting Description Visible to C&P	ELBOW-LR			
2	505	Fitting Size(INCH) Visible to C&P	16	16		
2	509	Fitting Schedule Visible to C&P	0	120		
2	510	Fitting Thickness(MM) Visible to C&P	0	30.96		
2	507	Fitting Material Visible to C&P	Gr.11,22,5,9			
2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
2	511	Fitting Description Visible to C&P	ELBOW-SR			
3	505	Fitting Size(INCH) Visible to C&P	0	0		
3	509	Fitting Schedule Visible to C&P	0	0		
3	510	Fitting Thickness(MM) Visible to C&P	0	0		
3	507	Fitting Material Visible to C&P	Gr.11,22,5,9			

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	16	16	
	4	509 Fitting Schedule Visible to C&P	0	120	
	4	510 Fitting Thickness(MM) Visible to C&P	0	30.96	
	4	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	16	16	
	6	509 Fitting Schedule Visible to C&P	0	120	
	6	510 Fitting Thickness(MM) Visible to C&P	0	30.96	
	6	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	18	24
	8	509	Fitting Schedule Visible to C&P	20	140
	8	510	Fitting Thickness(MM) Visible to C&P	7.92	52.37
	8	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	8	511	Fitting Description Visible to C&P	ELBOW-LR	
	9	505	Fitting Size(INCH) Visible to C&P	18	24
	9	509	Fitting Schedule Visible to C&P	20	140
	9	510	Fitting Thickness(MM) Visible to C&P	7.92	52.37
	9	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	9	511	Fitting Description Visible to C&P	ELBOW-SR	
	10	505	Fitting Size(INCH) Visible to C&P	18	24
	10	509	Fitting Schedule Visible to C&P	20	140
	10	510	Fitting Thickness(MM) Visible to C&P	7.92	52.37
	10	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	10	511	Fitting Description Visible to C&P	REDUCER-ECC	
	11	505	Fitting Size(INCH) Visible to C&P	18	24
	11	509	Fitting Schedule Visible to C&P	20	140
	11	510	Fitting Thickness(MM) Visible to C&P	7.92	52.37
	11	507	Fitting Material Visible to C&P	Gr.11,22,5,9	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.			
14. Supplier Code - Name		S102 - SAWAN ENGINEERS PVT LTD [VADODARA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	122	Elbow-L.R.(INCH) Visible to C&P	8	60	SIZE: 8-24" upto Sch 160 & 26-60" THICKNESS BASED ON PROOF TEST. (UNIT I & II)
	1	123	Elbow-S.R.(INCH) Visible to C&P	8	60	SIZE: 8-24" upto Sch 160 & 26-60" THICKNESS BASED ON PROOF TEST. (UNIT I & II)
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	8	48	SIZE: 8-24" upto Sch 160, & 26-48" THICKNESS BASED ON PROOF TEST. (UNIT I & II)
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	8	48	SIZE: 8-24" upto Sch 160, & 26-48" THICKNESS BASED ON PROOF TEST. (UNIT I & II)
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	8	48	SIZE: 8-24" upto Sch 160, & 26-48" THICKNESS BASED ON PROOF TEST. (UNIT I & II)
	1	505	Fitting Size(INCH) Visible to C&P	8	24	
	1	509	Fitting Schedule Visible to C&P	0	160	066055053055
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	8	24	
	3	509	Fitting Schedule Visible to C&P	0	160	

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	8	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	8	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	26	60
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	8	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	8	511	Fitting Description Visible to C&P	ELBOW-LR	
	9	505	Fitting Size(INCH) Visible to C&P	26	60
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	9	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	9	511	Fitting Description Visible to C&P	ELBOW-SR	
	10	505	Fitting Size(INCH) Visible to C&P	26	48
	10	509	Fitting Schedule Visible to C&P	0	0
	10	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	10	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	10	511	Fitting Description Visible to C&P	REDUCER-CONC	
	11	505	Fitting Size(INCH) Visible to C&P	26	48
	11	509	Fitting Schedule Visible to C&P	0	0

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.			
	11	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	11	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	11	511	Fitting Description Visible to C&P	REDUCER-ECC		
	12	505	Fitting Size(INCH) Visible to C&P	26	48	
	12	509	Fitting Schedule Visible to C&P	0	0	
	12	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	12	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	12	511	Fitting Description Visible to C&P	TEE		
				066055053055		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.			
15. Supplier Code - Name		S265 - SIDHARTH & GAUTAM ENGINEERS				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	122	Elbow-L.R.(INCH) Visible to C&P	10	48	10-24" upto Sch160
	1	123	Elbow-S.R.(INCH) Visible to C&P	10	48	10-24" upto Sch160
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	10	48	10-24" upto Sch160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	12	48	12-24" upto Sch160
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	10	48	10-24" upto Sch160
	1	505	Fitting Size(INCH) Visible to C&P	10	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	10	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	10	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	12	24	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	10	24	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	26	48
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	8	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	8	511	Fitting Description Visible to C&P	ELBOW-LR	
	9	505	Fitting Size(INCH) Visible to C&P	26	48
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	9	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	9	511	Fitting Description Visible to C&P	ELBOW-SR	
	10	505	Fitting Size(INCH) Visible to C&P	26	48
	10	509	Fitting Schedule Visible to C&P	0	0
	10	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	10	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	10	511	Fitting Description Visible to C&P	REDUCER-CONC	
	11	505	Fitting Size(INCH) Visible to C&P	26	48
	11	509	Fitting Schedule Visible to C&P	0	0
	11	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	11	507	Fitting Material Visible to C&P	Gr.11,22,5,9	

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	11	511	Fitting Description Visible to C&P	REDUCER-ECC	
	12	505	Fitting Size(INCH) Visible to C&P	26	48
	12	509	Fitting Schedule Visible to C&P	0	0
	12	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	12	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	12	511	Fitting Description Visible to C&P	TEE	

066055053055

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.			
16. Supplier Code - Name		S810 - SUNGKWANG BEND CO. LTD [Busan]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	122	Elbow-L.R.(INCH) Visible to C&P	1	1	
	1	123	Elbow-S.R.(INCH) Visible to C&P	1	1	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	1	1	
	1	237	Return Bend.(INCH) Visible to C&P	1	1	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	0	96	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	96	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	96	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0	96
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	96
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	5	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	0	96
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr.11,22,5,9	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.			
17. Supplier Code - Name		T019 - TEEKAY TUBES PVT LTD [NEW MUMBAI]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	122	Elbow-L.R.(INCH) Visible to C&P	10	24	PLATE THK UPTO 40 MM
	1	123	Elbow-S.R.(INCH) Visible to C&P	10	24	PLATE THK UPTO 40 MM
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	10	36	SIZE: 10-26" PLATE THK UPTO 40 MM & 28-36" PLATE THK UPTO 20MM
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	10	36	SIZE: 10-26" PLATE THK UPTO 40 MM & 28-36" PLATE THK UPTO 20MM
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	10	24	PLATE THK UPTO 40 MM
	1	505	Fitting Size(INCH) Visible to C&P	10	24	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	40	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	10	24	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	40	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	10	26	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	40	

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	3	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	10	26	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	40	
	4	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	10	24	
	6	509 Fitting Schedule Visible to C&P	0	0	
	6	510 Fitting Thickness(MM) Visible to C&P	0	40	
	6	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	7	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	28	36
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	20
	8	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	8	511	Fitting Description Visible to C&P	REDUCER-CONC	
	9	505	Fitting Size(INCH) Visible to C&P	28	36
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	20
	9	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	9	511	Fitting Description Visible to C&P	REDUCER-ECC	

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.				
18. Supplier Code - Name		T221 - TOPAZ PIPING INDUSTRIES [Vadodara]					
Item Remarks:-		Blocks Covered: FTWELLAS003,FTWELLAS004,FTWELAS003 FTWELAS004,FTWRECAS003 FTWRECAS004 FTWREEAS003, FTWREEAS004,FTWTEEAS003 FTWTEEAS004					
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	122	Elbow-L.R.(INCH) Visible to C&P	8	48	8-48" Upto 12.7mm thickness	
	1	123	Elbow-S.R.(INCH) Visible to C&P	8	48	8-48" Upto 12.7mm thickness	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	8	54	Upto 20mm thickness	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	8	54	Upto 20mm thickness	
	1	237	Return Bend.(INCH) Visible to C&P	0	0		
	1	268	Stub-End.(INCH) Visible to C&P	0	0		
	1	272	Tee.(INCH) Visible to C&P	8	42	Upto 20mm thickness	
	1	505	Fitting Size(INCH) Visible to C&P	8	48		
	1	509	Fitting Schedule Visible to C&P	0	0		
	1	510	Fitting Thickness(MM) Visible to C&P	0	12.7		
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9			
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
	1	511	Fitting Description Visible to C&P	ELBOW-LR			
	2	505	Fitting Size(INCH) Visible to C&P	8	48		
	2	509	Fitting Schedule Visible to C&P	0	0		
	2	510	Fitting Thickness(MM) Visible to C&P	0	12.7		
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9			
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
	2	511	Fitting Description Visible to C&P	ELBOW-SR			
	3	505	Fitting Size(INCH) Visible to C&P	8	54		
	3	509	Fitting Schedule Visible to C&P	0	0		
	3	510	Fitting Thickness(MM) Visible to C&P	0	20		
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9			

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	8	54
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	20
	4	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	8	42
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	20
	6	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr.11,22,5,9	

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	



066055053055

* IR - Interpretation Required

Item	74AB	Description FITTINGS FABRICATED FROM PLATE - A.S.							
19. Supplier Code - Name		T226 - TUBE TURN (INDIA) PVT LTD [NAVI MUMBAI]							
Item Remarks:-									
	Code	Holiday Desc	Remarks	Client Specific	Clients		IR *	From	To
	01J	HOLIDAY-MATERIAL FAILURE AT SITE	HOLIDAY-MATERIAL FAILURE AT SITE	N			N	03/05/2013	02/11/2013
Capabilities									
	Group	Param	Description (UOM)	From		To	Remarks		
	1	122	Elbow-L.R.(INCH) Visible to C&P	16		36			
	1	123	Elbow-S.R.(INCH) Visible to C&P	16		36			
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	16		36			
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	16		36			
	1	237	Return Bend.(INCH) Visible to C&P	0		0			
	1	268	Stub-End.(INCH) Visible to C&P	0		0			
	1	272	Tee.(INCH) Visible to C&P	16		36			
	1	505	Fitting Size(INCH) Visible to C&P	16		36			
	1	509	Fitting Schedule Visible to C&P	0		0			
	1	510	Fitting Thickness(MM) Visible to C&P	0		59.54			
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9					
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED					
	1	511	Fitting Description Visible to C&P	ELBOW-LR					
	2	505	Fitting Size(INCH) Visible to C&P	16		36			
	2	509	Fitting Schedule Visible to C&P	0		0			
	2	510	Fitting Thickness(MM) Visible to C&P	0		59.54			
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9					
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED					
	2	511	Fitting Description Visible to C&P	ELBOW-SR					
	3	505	Fitting Size(INCH) Visible to C&P	16		36			
	3	509	Fitting Schedule Visible to C&P	0		0			

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	16	36
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	16	36
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	



066055053055

* IR - Interpretation Required

Item	74AB	Description FITTINGS FABRICATED FROM PLATE - A.S.				
20. Supplier Code - Name		T746 - TK CORPORATION [BUSAN]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	122	Elbow-L.R.(INCH) Visible to C&P	26	68	
	1	123	Elbow-S.R.(INCH) Visible to C&P	26	68	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	26	60	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	26	68	
	1	505	Fitting Size(INCH) Visible to C&P	26	68	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	26	68	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	26	60	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	0	0	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	0	
	4	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	26	68	
	6	509 Fitting Schedule Visible to C&P	0	0	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.			
21. Supplier Code - Name		V608A - VALVITALIA SPA-TECNOFORGE DIVISION				
Item Remarks:-						
Capabilities						
Group	Param	Description (UOM)	From	To	Remarks	
1	122	Elbow-L.R.(INCH) Visible to C&P	16	84	Thk:16-24"Upto Sch160;26" & above based on proof test data. (Castle Govianani Plant)	
1	123	Elbow-S.R.(INCH) Visible to C&P	16	84	Thk:16-24"Upto Sch160;26" & above based on proof test data. (Castle Govianani Plant)	
1	231	Reducer-Conc. -NB(INCH) Visible to C&P	0	0		
1	232	Reducer-Ecc. -NB(INCH) Visible to C&P	16	84	Thk:16-24"Upto SchXS;26" & above based on proof test data.(Castle Govianani Plant)	
1	237	Return Bend.(INCH) Visible to C&P	0	0		
1	268	Stub-End.(INCH) Visible to C&P	0	0		
1	272	Tee.(INCH) Visible to C&P	16	60	Thk:16-24"Upto Sch160;26" & above based on proof test data. (Castle Govianani Plant)	
1	505	Fitting Size(INCH) Visible to C&P	16	24		
1	509	Fitting Schedule Visible to C&P	0	160		
1	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
1	507	Fitting Material Visible to C&P	Gr.11,22,5,9			
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
1	511	Fitting Description Visible to C&P	ELBOW-LR			
2	505	Fitting Size(INCH) Visible to C&P	16	24		
2	509	Fitting Schedule Visible to C&P	0	160		
2	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
2	507	Fitting Material Visible to C&P	Gr.11,22,5,9			
2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
2	511	Fitting Description Visible to C&P	ELBOW-SR			
3	505	Fitting Size(INCH) Visible to C&P	0	0		
3	509	Fitting Schedule Visible to C&P	0	0		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	3	510	Fitting Thickness(MM) Visible to C&P	0	0
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	16	24
	4	509	Fitting Schedule Visible to C&P	0	XS
	4	510	Fitting Thickness(MM) Visible to C&P	0	12.7
	4	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	16	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	26	84
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	8	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	8	511	Fitting Description Visible to C&P	ELBOW-LR	
	9	505	Fitting Size(INCH) Visible to C&P	26	84
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	9	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	9	511	Fitting Description Visible to C&P	ELBOW-SR	
	10	505	Fitting Size(INCH) Visible to C&P	26	84
	10	509	Fitting Schedule Visible to C&P	0	0
	10	510	Fitting Thickness(MM) Visible to C&P	0	12.7
	10	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	10	511	Fitting Description Visible to C&P	REDUCER-ECC	
	11	505	Fitting Size(INCH) Visible to C&P	26	60
	11	509	Fitting Schedule Visible to C&P	0	0

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.			
	11	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	11	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	11	511	Fitting Description Visible to C&P	TEE		



066055053055

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.			
22. Supplier Code - Name		V633 - VILMAR SA				
Item Remarks:-						
Capabilities						
Group	Param	Description (UOM)	From	To	Remarks	
1	122	Elbow-L.R.(INCH) Visible to C&P	12	40	12-24" Upto Sch 80;26" & above based on proof test reports.	
1	123	Elbow-S.R.(INCH) Visible to C&P	10	36	10-24" Upto Sch 40;26" & above based on proof test reports.	
1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0		
1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0		
1	237	Return Bend.(INCH) Visible to C&P	0	0		
1	268	Stub-End.(INCH) Visible to C&P	0	0		
1	272	Tee.(INCH) Visible to C&P	0	0		
1	505	Fitting Size(INCH) Visible to C&P	12	24		
1	509	Fitting Schedule Visible to C&P	0	80		
1	510	Fitting Thickness(MM) Visible to C&P	0	30.96		
1	507	Fitting Material Visible to C&P	Gr.11,22,5,9			
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
1	511	Fitting Description Visible to C&P	ELBOW-LR			
2	505	Fitting Size(INCH) Visible to C&P	10	24		
2	509	Fitting Schedule Visible to C&P	0	40		
2	510	Fitting Thickness(MM) Visible to C&P	0	17.48		
2	507	Fitting Material Visible to C&P	Gr.11,22,5,9			
2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
2	511	Fitting Description Visible to C&P	ELBOW-SR			
3	505	Fitting Size(INCH) Visible to C&P	0	0		
3	509	Fitting Schedule Visible to C&P	0	0		
3	510	Fitting Thickness(MM) Visible to C&P	0	0		
3	507	Fitting Material Visible to C&P	Gr.11,22,5,9			

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	0	0	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	0	
	4	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	0	0	
	6	509 Fitting Schedule Visible to C&P	0	0	
	6	510 Fitting Thickness(MM) Visible to C&P	0	0	
	6	507 Fitting Material Visible to C&P	Gr.11,22,5,9		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	Gr.11,22,5,9		

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	26	40
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	30.96
	8	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	8	511	Fitting Description Visible to C&P	ELBOW-LR	
	9	505	Fitting Size(INCH) Visible to C&P	26	36
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	17.48
	9	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	9	511	Fitting Description Visible to C&P	ELBOW-SR	

* IR - Interpretation Required

Item	74AB	Description					FITTINGS FABRICATED FROM PLATE - A.S.
23. Supplier Code - Name		W615 - WEIFANG HUODA PIPE FITTINGS MANUFACTURE					
Item Remarks:-							
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	122	Elbow-L.R.(INCH) Visible to C&P	0	0		
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0		
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0		
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0		
	1	237	Return Bend.(INCH) Visible to C&P	0	0		
	1	268	Stub-End.(INCH) Visible to C&P	0	0		
	1	272	Tee.(INCH) Visible to C&P	1	1	SIZE: UPTO 36" THK 45MM , P11 & P22	
	1	505	Fitting Size(INCH) Visible to C&P	0	0		
	1	509	Fitting Schedule Visible to C&P	0	0		
	1	510	Fitting Thickness(MM) Visible to C&P	0	0		
	1	507	Fitting Material Visible to C&P	Gr.11,22			
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
	1	511	Fitting Description Visible to C&P	ELBOW-LR			
	2	505	Fitting Size(INCH) Visible to C&P	0	0		
	2	509	Fitting Schedule Visible to C&P	0	0		
	2	510	Fitting Thickness(MM) Visible to C&P	0	0		
	2	507	Fitting Material Visible to C&P	Gr.11,22			
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
	2	511	Fitting Description Visible to C&P	ELBOW-SR			
	3	505	Fitting Size(INCH) Visible to C&P	0	0		
	3	509	Fitting Schedule Visible to C&P	0	0		
	3	510	Fitting Thickness(MM) Visible to C&P	0	0		
	3	507	Fitting Material Visible to C&P	Gr.11,22			

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0	0
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	0
	4	507	Fitting Material Visible to C&P	Gr.11,22	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.11,22	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	0	36
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	45
	6	507	Fitting Material Visible to C&P	Gr.11,22	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr.11,22	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.			
24. Supplier Code - Name		Y502 - YINGKOU NORTH PIPE FITTINGS CO LTD				
Item Remarks:-						
Capabilities						
Group	Param	Description (UOM)	From	To	Remarks	
1	122	Elbow-L.R.(INCH) Visible to C&P	8	42	UPTO 48MM THK	
1	123	Elbow-S.R.(INCH) Visible to C&P	8	42	UPTO 48MM THK	
1	231	Reducer-Conc.-NB(INCH) Visible to C&P	8	42	UPTO 48MM THK	
1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	8	42	UPTO 48MM THK	
1	237	Return Bend.(INCH) Visible to C&P	0	0		
1	268	Stub-End.(INCH) Visible to C&P	0	0		
1	272	Tee.(INCH) Visible to C&P	8	42	UPTO 48MM THK	
1	505	Fitting Size(INCH) Visible to C&P	8	42		
1	509	Fitting Schedule Visible to C&P	0	0		
1	510	Fitting Thickness(MM) Visible to C&P	0	48		
1	507	Fitting Material Visible to C&P	Gr.11,22,5,9			
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
1	511	Fitting Description Visible to C&P	ELBOW-LR			
2	505	Fitting Size(INCH) Visible to C&P	8	42		
2	509	Fitting Schedule Visible to C&P	0	0		
2	510	Fitting Thickness(MM) Visible to C&P	0	48		
2	507	Fitting Material Visible to C&P	Gr.11,22,5,9			
2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED			
2	511	Fitting Description Visible to C&P	ELBOW-SR			
3	505	Fitting Size(INCH) Visible to C&P	8	42		
3	509	Fitting Schedule Visible to C&P	0	0		
3	510	Fitting Thickness(MM) Visible to C&P	0	48		
3	507	Fitting Material Visible to C&P	Gr.11,22,5,9			

* IR - Interpretation Required

Item	74AB	Description	FITTINGS FABRICATED FROM PLATE - A.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	8	42
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	48
	4	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	8	42
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	48
	6	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr.11,22,5,9	

* IR - Interpretation Required

Item	74AB	Description FITTINGS FABRICATED FROM PLATE - A.S.				
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	7	511	Fitting Description Visible to C&P	STUB END		
Item	74AC	Description FITTINGS FABRICATED FROM PLATE - S.S.				
 066055053055						

* IR - Interpretation Required

Item	74AC	Description FITTINGS FABRICATED FROM PLATE - S.S.				
1. Supplier Code - Name		A732 - ALLIED INTERNATIONAL S.R.L. [PIACENZA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	16	60	16-24" UptoSch60;26"&above based on proof test reports;MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	123	Elbow-S.R.(INCH) Visible to C&P	16	60	16-24" UptoSch60;26"&above based on proof test reports;MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	16	60	16-24" UptoSch140;26"&above based on proof test reports;MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	16	60	16-24" UptoSch60;26"&above based on proof test reports;MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	505	Fitting Size(INCH) Visible to C&P	16	24	
	1	509	Fitting Schedule Visible to C&P	0	60	
	1	510	Fitting Thickness(MM) Visible to C&P	0	24.61	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	16	24	
	2	509	Fitting Schedule Visible to C&P	0	60	
	2	510	Fitting Thickness(MM) Visible to C&P	0	24.61	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	3	505	Fitting Size(INCH) Visible to C&P	0	0
	3	509	Fitting Schedule Visible to C&P	0	0
	3	510	Fitting Thickness(MM) Visible to C&P	0	0
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	16	24
	4	509	Fitting Schedule Visible to C&P	0	140
	4	510	Fitting Thickness(MM) Visible to C&P	0	52.37
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	16	24
	6	509	Fitting Schedule Visible to C&P	0	60
	6	510	Fitting Thickness(MM) Visible to C&P	0	24.61
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	26	60
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	24.61
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	8	511	Fitting Description Visible to C&P	ELBOW-LR	
	9	505	Fitting Size(INCH) Visible to C&P	26	60
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	24.61
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	9	511	Fitting Description Visible to C&P	ELBOW-SR	
	10	505	Fitting Size(INCH) Visible to C&P	26	60
	10	509	Fitting Schedule Visible to C&P	0	0
	10	510	Fitting Thickness(MM) Visible to C&P	0	52.37
	10	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	10	511	Fitting Description Visible to C&P	REDUCER-ECC	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	74AC	Description FITTINGS FABRICATED FROM PLATE - S.S.				
2. Supplier Code - Name		D111 - DEE DEVELOPMENT ENGINEERS LIMITED [PALWAL]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	16	24	UPTO SCH160
	1	123	Elbow-S.R.(INCH) Visible to C&P	16	24	UPTO SCH160
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	16	24	UPTO SCH160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	16	24	UPTO SCH160
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	16	24	UPTO SCH160
	1	505	Fitting Size(INCH) Visible to C&P	16	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	16	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	16	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	16	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	16	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	74AC	Description FITTINGS FABRICATED FROM PLATE - S.S.				
3. Supplier Code - Name		E630 - EZEFLOW INC. [Quebec]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	16	36	
	1	123	Elbow-S.R.(INCH) Visible to C&P	16	36	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	16	26	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	16	26	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	16	30	
	1	505	Fitting Size(INCH) Visible to C&P	16	36	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	16	36	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	16	26	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	16	26
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	16	30
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	



066055053055

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.			
4. Supplier Code - Name		G125 - GUJRAT INFRAPIPES PVT. LIMITED [VADODARA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	10	76	10-24" UptoSch 160.(Manglej works only).
	1	123	Elbow-S.R.(INCH) Visible to C&P	10	48	10-24" UptoSch 160.(Manglej works only).
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	10	96	10-24" UptoSch 160.(Manglej works only).
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	10	96	10-24" UptoSch 160.(Manglej works only).
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	10	16	(Manglej works only).
	1	272	Tee.(INCH) Visible to C&P	10	54	10-24" UptoSch 160.(Manglej works only).
	1	505	Fitting Size(INCH) Visible to C&P	10	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	10	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	10	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	10	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	10	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	10	16
	7	509	Fitting Schedule Visible to C&P	0	160
	7	510	Fitting Thickness(MM) Visible to C&P	0	40.49
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	26	76
	8	509	Fitting Schedule Visible to C&P		
	8	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	8	511	Fitting Description Visible to C&P	ELBOW-LR	
	9	505	Fitting Size(INCH) Visible to C&P	26	48
	9	509	Fitting Schedule Visible to C&P		
	9	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	9	511	Fitting Description Visible to C&P	ELBOW-SR	
	10	505	Fitting Size(INCH) Visible to C&P	26	96
	10	509	Fitting Schedule Visible to C&P		
	10	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	10	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	10	511	Fitting Description Visible to C&P	REDUCER-CONC	
	11	505	Fitting Size(INCH) Visible to C&P	26	96
	11	509	Fitting Schedule Visible to C&P		
	11	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	11	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	11	511	Fitting Description Visible to C&P	REDUCER-ECC	
	12	505	Fitting Size(INCH) Visible to C&P	26	54
	12	509	Fitting Schedule Visible to C&P		
	12	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	12	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	12	511	Fitting Description Visible to C&P	TEE	

066055053055

* IR - Interpretation Required

Item	74AC	Description FITTINGS FABRICATED FROM PLATE - S.S.							
5. Supplier Code - Name		H644 - HEBEI CANGZHOU HENG TONG TUBING CO.LTD [CANGZHOU CITY]							
Item Remarks:-									
	Code	Holiday Desc	Remarks	Client Specific	Clients		IR *	From	To
	01D	HOLIDAY-CONSTRAINTS ON MEN & MACHINERIES	HOLIDAY-CONSTRAINTS ON MEN & MACHINERIES	N			N	13/01/2014	
	02F	HOLIDAY-MGMT DISPUTE & QUALITY LAPSES	HOLIDAY-MGMT DISPUTE & QUALITY LAPSES	N			N	28/12/2011	27/06/2012
Capabilities									
	Group	Param	Description (UOM)	From		To	Remarks		
	1	121	Elbow-L.R.(INCH) Visible to C&P	12		48			
	1	123	Elbow-S.R.(INCH) Visible to C&P	12		48			
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	12		48			
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	12		48			
	1	237	Return Bend.(INCH) Visible to C&P	12		48			
	1	268	Stub-End.(INCH) Visible to C&P	12		48			
	1	272	Tee.(INCH) Visible to C&P	12		48			
	1	505	Fitting Size(INCH) Visible to C&P	12		48			
	1	509	Fitting Schedule Visible to C&P	0		0			
	1	510	Fitting Thickness(MM) Visible to C&P	0		59.54			
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H					
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED					
	1	511	Fitting Description Visible to C&P	ELBOW-LR					
	2	505	Fitting Size(INCH) Visible to C&P	12		48			
	2	509	Fitting Schedule Visible to C&P	0		0			
	2	510	Fitting Thickness(MM) Visible to C&P	0		59.54			
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H					
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED					
	2	511	Fitting Description Visible to C&P	ELBOW-SR					

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	3	505	Fitting Size(INCH) Visible to C&P	12	48
	3	509	Fitting Schedule Visible to C&P	0	0
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	12	48
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	12	48
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	12	48
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	74AC	Description FITTINGS FABRICATED FROM PLATE - S.S.				
6. Supplier Code - Name		I597 - IBF S P A				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	16	24	16-18" UPTO SCH160, 20-24" UPTO SCH140
	1	123	Elbow-S.R.(INCH) Visible to C&P	16	24	16-18" UPTO SCH160, 20-24" UPTO SCH140
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	16	24	16" UPTO SCH160, 18-24" UPTO SCH140
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	16	24	16-20" UPTO SCH160, 20-24" UPTO SCH140
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	16	24	16-18" UPTO SCH160, 20-24" UPTO SCH140
	1	505	Fitting Size(INCH) Visible to C&P	16	18	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	45.24	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	16	18	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	45.24	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	16	16	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	40.49	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	16	20
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	50.01
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	16	18
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	45.24
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	7 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	7 511	Fitting Description Visible to C&P	STUB END		
	8 505	Fitting Size(INCH) Visible to C&P	20	24	
	8 509	Fitting Schedule Visible to C&P	0	140	
	8 510	Fitting Thickness(MM) Visible to C&P	0	52.37	
	8 507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	8 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	8 511	Fitting Description Visible to C&P	ELBOW-LR		
	9 505	Fitting Size(INCH) Visible to C&P	20	24	
	9 509	Fitting Schedule Visible to C&P	0	140	
	9 510	Fitting Thickness(MM) Visible to C&P	0	52.37	
	9 507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	9 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	9 511	Fitting Description Visible to C&P	ELBOW-SR		
	10 505	Fitting Size(INCH) Visible to C&P	18	24	
	10 509	Fitting Schedule Visible to C&P	0	140	
	10 510	Fitting Thickness(MM) Visible to C&P	0	52.37	
	10 507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	10 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	10 511	Fitting Description Visible to C&P	REDUCER-CONC		
	11 505	Fitting Size(INCH) Visible to C&P	22	24	
	11 509	Fitting Schedule Visible to C&P	0	140	
	11 510	Fitting Thickness(MM) Visible to C&P	0	52.37	
	11 507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
11	511	Fitting Description Visible to C&P	REDUCER-ECC		
12	505	Fitting Size(INCH) Visible to C&P	20	24	
12	509	Fitting Schedule Visible to C&P	0	140	
12	510	Fitting Thickness(MM) Visible to C&P	0	52.37	
12	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
12	511	Fitting Description Visible to C&P	TEE		

066055053055

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.			
7. Supplier Code - Name		I604 - ITM S.R.L.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	16	60	16-24" Upto Sch 60;26" & above based on proof test reports.
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	16	56	16-24" Upto Sch 80;26" & above based on proof test reports.
	1	505	Fitting Size(INCH) Visible to C&P	16	24	
	1	509	Fitting Schedule Visible to C&P	0	60	
	1	510	Fitting Thickness(MM) Visible to C&P	0	24.61	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	0	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	0	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	0	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	0	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0	0
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	0
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	16	24
	6	509	Fitting Schedule Visible to C&P	0	80
	6	510	Fitting Thickness(MM) Visible to C&P	0	30.96
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	74AC	Description FITTINGS FABRICATED FROM PLATE - S.S.				
8. Supplier Code - Name		J614 - JIANGYIN TIANNING METAL PIPE FITTING CO				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	12	30	UPTO 40MM THK
	1	123	Elbow-S.R.(INCH) Visible to C&P	12	30	UPTO 40MM THK
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	12	30	UPTO 40MM THK
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	12	30	UPTO 40MM THK
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	12	30	UPTO 40MM THK
	1	505	Fitting Size(INCH) Visible to C&P	12	30	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	40	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	12	30	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	40	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	12	30	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	40	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	12	30
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	40
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	12	30
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	40
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	



066055053055

* IR - Interpretation Required

Item	74AC	Description FITTINGS FABRICATED FROM PLATE - S.S.				
9. Supplier Code - Name		J615 - LONGSHAN PIPE SOLUTIONS CO. LTD. [..]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	1	123	Elbow-S.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	1	237	Return Bend.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	1	268	Stub-End.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	1	272	Tee.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	1	505	Fitting Size(INCH) Visible to C&P	20	30	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	50	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	121	Elbow-L.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	2	123	Elbow-S.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	2	231	Reducer-Conc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	2	232	Reducer-Ecc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	2	237	Return Bend.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	2	268	Stub-End.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	2	272	Tee.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	2	505	Fitting Size(INCH) Visible to C&P	20	30	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	50	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	2	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511 Fitting Description Visible to C&P	ELBOW-SR		
	3	121 Elbow-L.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	3	123 Elbow-S.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	3	231 Reducer-Conc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	3	232 Reducer-Ecc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	3	237 Return Bend.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	3	268 Stub-End.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	3	272 Tee.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	3	505 Fitting Size(INCH) Visible to C&P	20	30	
	3	509 Fitting Schedule Visible to C&P	0	0	
	3	510 Fitting Thickness(MM) Visible to C&P	0	50	
	3	507 Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CON		
	4	121 Elbow-L.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	4	123 Elbow-S.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	4	231 Reducer-Conc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	4	232 Reducer-Ecc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	4	237 Return Bend.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	4	268 Stub-End.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	4	272 Tee.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	4	505 Fitting Size(INCH) Visible to C&P	20	30	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	50	

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.			
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511	Fitting Description Visible to C&P	REDUCER-ECC		
	5	121	Elbow-L.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	5	123	Elbow-S.R.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	5	231	Reducer-Conc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	5	232	Reducer-Ecc.-NB(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	5	237	Return Bend.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	5	268	Stub-End.(INCH) Visible to C&P	0	0	Old Parameter to be deleted after rationalizations.
	5	272	Tee.(INCH) Visible to C&P	20	30	Old Parameter to be deleted after rationalizations.
	5	505	Fitting Size(INCH) Visible to C&P	20	30	
	5	509	Fitting Schedule Visible to C&P	0	0	
	5	510	Fitting Thickness(MM) Visible to C&P	0 066055053055	50	
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511	Fitting Description Visible to C&P	TEE		

* IR - Interpretation Required

Item	74AC	Description FITTINGS FABRICATED FROM PLATE - S.S.				
10. Supplier Code - Name		M507 - MUNRO & MILLER FITTINGS LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	1	1	
	1	123	Elbow-S.R.(INCH) Visible to C&P	1	1	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	1	1	
	1	237	Return Bend.(INCH) Visible to C&P	1	1	
	1	268	Stub-End.(INCH) Visible to C&P	1	1	
	1	272	Tee.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	0	96	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	96	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	96	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0	96
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	96
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	0	96
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	96
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.			
11. Supplier Code - Name		P315 - P.K.TUBES & FITTINGS PVT.LTD.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	1	1	16-24" upto 59.54mm,26-36" upto 38.89mm
	1	123	Elbow-S.R.(INCH) Visible to C&P	1	1	16-24" upto 59.54mm,26-36" upto 38.89mm
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1	16-24" upto 59.54mm,26-36" upto 38.89mm
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	1	1	16-24" upto 59.54mm,26-36" upto 38.89mm
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	2	24	
	1	272	Tee.(INCH) Visible to C&P	1	1	16-24" upto 59.54mm,26-36" upto 38.89mm
	1	505	Fitting Size(INCH) Visible to C&P	16	24	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	16	24	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	16	24	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	16	24
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	16	24
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	2	24
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	26	36
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	38.89
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	8	511	Fitting Description Visible to C&P	ELBOW-LR	
	9	505	Fitting Size(INCH) Visible to C&P	26	36
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	38.89
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	9	511	Fitting Description Visible to C&P	ELBOW-SR	
	10	505	Fitting Size(INCH) Visible to C&P	26	36
	10	509	Fitting Schedule Visible to C&P	0	0
	10	510	Fitting Thickness(MM) Visible to C&P	0	38.89
	10	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	10	511	Fitting Description Visible to C&P	REDUCER-CONC	
	11	505	Fitting Size(INCH) Visible to C&P	26	36
	11	509	Fitting Schedule Visible to C&P	0	0
	11	510	Fitting Thickness(MM) Visible to C&P	0	38.89
	11	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.			
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	11	511	Fitting Description Visible to C&P	REDUCER-ECC		
	12	505	Fitting Size(INCH) Visible to C&P	26	36	
	12	509	Fitting Schedule Visible to C&P	0	0	
	12	510	Fitting Thickness(MM) Visible to C&P	0	38.89	
	12	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	12	511	Fitting Description Visible to C&P	TEE		
12. Supplier Code - Name P325 - PETRO CHEM INDUSTRIES [VADODARA]						
Item Remarks:- As per details below:						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	10	16	
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	10	16	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	10	16	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	10	16	
	1	505	Fitting Size(INCH) Visible to C&P	10	16	
	1	509	Fitting Schedule Visible to C&P	-	-	
	1	510	Fitting Thickness(MM) Visible to C&P	0	10	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		

* IR - Interpretation Required

Item	74AC	Description FITTINGS FABRICATED FROM PLATE - S.S.				
13. Supplier Code - Name		P694 - PIANA S.P.A [PAVIA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	18	60	
	1	123	Elbow-S.R.(INCH) Visible to C&P	18	60	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	26	60	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	26	60	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	18	60	
	1	505	Fitting Size(INCH) Visible to C&P	18	60	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	18	60	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	26	60	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	26	60
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	18	60
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	



066055053055

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.			
14. Supplier Code - Name		R607 - RACCORTUBI SPA [SARMATO (Pc)]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	16	24	16"UptoSch120,18-24"UptoSch20-140;MANUFACTURER:TECNINOX
	1	123	Elbow-S.R.(INCH) Visible to C&P	16	24	16"UptoSch120,18-24"UptoSch20-140;MANUFACTURER:TECNINOX
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	16	24	16"UptoSch120,18-24"UptoSch20-140;MANUFACTURER:TECNINOX
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	16	24	MANUFACTURER:TECNINOX
	1	272	Tee.(INCH) Visible to C&P	16	24	16"UptoSch120,18-24"UptoSch20-140;MANUFACTURER:TECNINOX
	1	505	Fitting Size(INCH) Visible to C&P	16	16	
	1	509	Fitting Schedule Visible to C&P	0	120	
	1	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	16	16	
	2	509	Fitting Schedule Visible to C&P	0	120	
	2	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	0	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	0	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	16	16
	4	509	Fitting Schedule Visible to C&P	0	120
	4	510	Fitting Thickness(MM) Visible to C&P	0	30.96
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	16	16
	6	509	Fitting Schedule Visible to C&P	0	120
	6	510	Fitting Thickness(MM) Visible to C&P	0	30.96
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	16	24
	7	509	Fitting Schedule Visible to C&P	0	160
	7	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	18	24
	8	509	Fitting Schedule Visible to C&P	20	140
	8	510	Fitting Thickness(MM) Visible to C&P	7.92	52.37
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	8	511	Fitting Description Visible to C&P	ELBOW-LR	
	9	505	Fitting Size(INCH) Visible to C&P	18	24
	9	509	Fitting Schedule Visible to C&P	20	140
	9	510	Fitting Thickness(MM) Visible to C&P	7.92	52.37
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	9	511	Fitting Description Visible to C&P	ELBOW-SR	
	10	505	Fitting Size(INCH) Visible to C&P	18	24
	10	509	Fitting Schedule Visible to C&P	20	140
	10	510	Fitting Thickness(MM) Visible to C&P	7.92	52.37
	10	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	10	511	Fitting Description Visible to C&P	REDUCER-ECC	
	11	505	Fitting Size(INCH) Visible to C&P	18	24
	11	509	Fitting Schedule Visible to C&P	20	140
	11	510	Fitting Thickness(MM) Visible to C&P	7.92	52.37
	11	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
11	511	Fitting Description Visible to C&P	TEE		



066055053055

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.			
15. Supplier Code - Name		S102 - SAWAN ENGINEERS PVT LTD [VADODARA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	8	64	SIZE: 8-24" UPTO SCH 160; 26-64" BASED ON PROOF TEST (UNIT I & II)
	1	123	Elbow-S.R.(INCH) Visible to C&P	8	64	SIZE: 8-24" UPTO SCH 160; 26-64" BASED ON PROOF TEST (UNIT I & II)
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	8	96	SIZE: 8-16" UPTO SCH 160; 18-24" SCH 20-SCH 160. ABOVE 24" BASED ON PROOF TEST (UNIT I & II)
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	8	96	SIZE: 8-16" UPTO SCH 160; 18-24" SCH 20-SCH 160. ABOVE 24" BASED ON PROOF TEST (UNIT I & II)
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	8	24	UPTO SCH 80S (UNIT I & II)
	1	272	Tee.(INCH) Visible to C&P	8	48	SIZE: 8-24" UPTO SCH 160.ABOVE 24" BASED ON PROOF TEST(UNIT I & II)
	1	505	Fitting Size(INCH) Visible to C&P	8	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	8	16	

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	3	509	Fitting Schedule Visible to C&P	0	160
	3	510	Fitting Thickness(MM) Visible to C&P	0	40.49
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	8	16
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	40.49
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	8	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	8	24

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	7	509	Fitting Schedule Visible to C&P	0	80
	7	510	Fitting Thickness(MM) Visible to C&P	0	30.96
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	26	64
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	8	511	Fitting Description Visible to C&P	ELBOW-LR	
	9	505	Fitting Size(INCH) Visible to C&P	26	64
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	9	511	Fitting Description Visible to C&P	ELBOW-SR	
	10	505	Fitting Size(INCH) Visible to C&P	18	24
	10	509	Fitting Schedule Visible to C&P	20	160
	10	510	Fitting Thickness(MM) Visible to C&P	7.92	59.54
	10	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	10	511	Fitting Description Visible to C&P	REDUCER-CONC	
	11	505	Fitting Size(INCH) Visible to C&P	18	24

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	11	509	Fitting Schedule Visible to C&P	20	160
	11	510	Fitting Thickness(MM) Visible to C&P	7.92	59.54
	11	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	11	511	Fitting Description Visible to C&P	REDUCER-ECC	
	12	505	Fitting Size(INCH) Visible to C&P	26	96
	12	509	Fitting Schedule Visible to C&P	0	0
	12	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	12	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	12	511	Fitting Description Visible to C&P	REDUCER-CONC	
	13	505	Fitting Size(INCH) Visible to C&P	26	96
	13	509	Fitting Schedule Visible to C&P	0	0
	13	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	13	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	13	511	Fitting Description Visible to C&P	REDUCER-ECC	
	14	505	Fitting Size(INCH) Visible to C&P	26	48
	14	509	Fitting Schedule Visible to C&P	0	0
	14	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	14	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	14	511	Fitting Description Visible to C&P	TEE	

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.			
16. Supplier Code - Name		S265 - SIDHARTH & GAUTAM ENGINEERS				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	10	48	10-24" upto Sch160
	1	123	Elbow-S.R.(INCH) Visible to C&P	10	48	10-24" upto Sch160
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	10	48	10-24" upto Sch160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	12	48	12-24" upto Sch160
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	10	24	
	1	272	Tee.(INCH) Visible to C&P	10	48	10-24" upto Sch160
	1	505	Fitting Size(INCH) Visible to C&P	10	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	10	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	10	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	10	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	10	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	10	24
	7	509	Fitting Schedule Visible to C&P	0	160
	7	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	26	48
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	8	511	Fitting Description Visible to C&P	ELBOW-LR	
	9	505	Fitting Size(INCH) Visible to C&P	26	48
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	9	511	Fitting Description Visible to C&P	ELBOW-SR	
	10	505	Fitting Size(INCH) Visible to C&P	26	48
	10	509	Fitting Schedule Visible to C&P	0	0
	10	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	10	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	10	511	Fitting Description Visible to C&P	REDUCER-CONC	
	11	505	Fitting Size(INCH) Visible to C&P	26	48
	11	509	Fitting Schedule Visible to C&P	0	0
	11	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	11	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
11	511	Fitting Description Visible to C&P	REDUCER-ECC		
12	505	Fitting Size(INCH) Visible to C&P	26	48	
12	509	Fitting Schedule Visible to C&P	0	0	
12	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
12	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
12	511	Fitting Description Visible to C&P	TEE		

066055053055

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.			
17. Supplier Code - Name		S810 - SUNGKWANG BEND CO. LTD [Busan]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	1	1	
	1	123	Elbow-S.R.(INCH) Visible to C&P	1	1	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	1	1	
	1	237	Return Bend.(INCH) Visible to C&P	1	1	
	1	268	Stub-End.(INCH) Visible to C&P	1	1	
	1	272	Tee.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	0	96	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	96	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	96	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0	96
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	96
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	0	96
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	96
	7	509	Fitting Schedule Visible to C&P		
	7	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	



066055053055

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.			
18. Supplier Code - Name		T019 - TEEKAY TUBES PVT LTD [NEW MUMBAI]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	10	24	PLATE THK UPTO 40 MM
	1	123	Elbow-S.R.(INCH) Visible to C&P	10	24	PLATE THK UPTO 40 MM
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	10	36	SIZE: 10-26" PLATE THK UPTO 40 MM & 28-36" PLATE THK UPTO 20MM
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	10	36	SIZE: 10-26" PLATE THK UPTO 40 MM & 28-36" PLATE THK UPTO 20MM
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	10	24	PLATE THK UPTO 40 MM
	1	505	Fitting Size(INCH) Visible to C&P	10	24	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	40	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	10	24	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	40	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	10	26	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	40	

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	10	26
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	40
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	10	24
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	40
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	28	36
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	20
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	8	511	Fitting Description Visible to C&P	REDUCER-CONC	
	9	505	Fitting Size(INCH) Visible to C&P	28	36
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	20
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	9	511	Fitting Description Visible to C&P	REDUCER-ECC	

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.			
19. Supplier Code - Name		T221 - TOPAZ PIPING INDUSTRIES [Vadodara]				
Item Remarks:-		Blocks covered: FTWELLSS003,FTWELLSS004,FTWELSSS003,FTWELSSS004,FTWRECSS003,FTWRECSS004,FTWREESS003,FTWREESS004,FTWTEESS003				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	8	48	Upto 12.7mm thickness
	1	123	Elbow-S.R.(INCH) Visible to C&P	8	48	Upto 12.7mm thickness
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	8	54	Upto 20mm thickness
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	8	54	Upto 20mm thickness
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	8	42	Upto 20mm thickness
	1	505	Fitting Size(INCH) Visible to C&P	8	48	
	1	509	Fitting Schedule Visible to C&P	0		
	1	510	Fitting Thickness(MM) Visible to C&P	0	12.7	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	48	
	2	509	Fitting Schedule Visible to C&P	0		
	2	510	Fitting Thickness(MM) Visible to C&P	0	12.7	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	8	54	
	3	509	Fitting Schedule Visible to C&P	0		
	3	510	Fitting Thickness(MM) Visible to C&P	0	20	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	8	54
	4	509	Fitting Schedule Visible to C&P	0	
	4	510	Fitting Thickness(MM) Visible to C&P	0	20
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	8	42
	6	509	Fitting Schedule Visible to C&P	0	
	6	510	Fitting Thickness(MM) Visible to C&P	0	20
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	74AC	Description FITTINGS FABRICATED FROM PLATE - S.S.				
20. Supplier Code - Name		T746 - TK CORPORATION [BUSAN]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	8	68	Thk:8-24"UptoSch60.
	1	123	Elbow-S.R.(INCH) Visible to C&P	8	68	Thk:8-24"UptoSch60.
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	16	60	Thk:16-24:UptoSch140.
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	10	60	
	1	272	Tee.(INCH) Visible to C&P	10	68	Thk:10-12"SchXS-Sch160;14-16"Sch 60-Sch160;18-24"UptoSch160.
	1	505	Fitting Size(INCH) Visible to C&P	8	24	
	1	509	Fitting Schedule Visible to C&P	0	60	
	1	510	Fitting Thickness(MM) Visible to C&P	0	24.61	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	24	
	2	509	Fitting Schedule Visible to C&P	0	60	
	2	510	Fitting Thickness(MM) Visible to C&P	0	24.61	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	16	24	
	3	509	Fitting Schedule Visible to C&P	0	140	
	3	510	Fitting Thickness(MM) Visible to C&P	0	52.37	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0	0
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	0
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	10	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	10	60
	7	509	Fitting Schedule Visible to C&P		
	7	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	7 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	7 511	Fitting Description Visible to C&P	STUB END		
	8 505	Fitting Size(INCH) Visible to C&P	26	68	
	8 509	Fitting Schedule Visible to C&P	0	0	
	8 510	Fitting Thickness(MM) Visible to C&P	0	24.61	
	8 507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	8 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	8 511	Fitting Description Visible to C&P	ELBOW-LR		
	9 505	Fitting Size(INCH) Visible to C&P	26	68	
	9 509	Fitting Schedule Visible to C&P	0	0	
	9 510	Fitting Thickness(MM) Visible to C&P	0	24.61	
	9 507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	9 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	9 511	Fitting Description Visible to C&P	ELBOW-SR		
	10 505	Fitting Size(INCH) Visible to C&P	26	60	
	10 509	Fitting Schedule Visible to C&P	0	0	
	10 510	Fitting Thickness(MM) Visible to C&P	0	52.37	
	10 507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	10 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	10 511	Fitting Description Visible to C&P	REDUCER-CONC		
	11 505	Fitting Size(INCH) Visible to C&P	26	68	
	11 509	Fitting Schedule Visible to C&P	0	0	
	11 510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	11 507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.			
21. Supplier Code - Name		V608A - VALVITALIA SPA-TECNOFORGE DIVISION				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	16	84	Thk:16-24"Upto Sch160;26" & above based on proof test data. (Castle Govianani Plant)
	1	123	Elbow-S.R.(INCH) Visible to C&P	16	84	Thk:16-24"Upto Sch160;26" & above based on proof test data. (Castle Govianani Plant)
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	16	84	Thk:16-24"Upto SchXS;26" & above based on proof test data.(Castle Govianani Plant)
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	1	1	
	1	272	Tee.(INCH) Visible to C&P	16	60	Thk:16-24"Upto Sch160;26" & above based on proof test data. (Castle Govianani Plant)
	1	505	Fitting Size(INCH) Visible to C&P	16	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	16	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	0	
	3	509	Fitting Schedule Visible to C&P	0	0	

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	3	510	Fitting Thickness(MM) Visible to C&P	0	0
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	16	24
	4	509	Fitting Schedule Visible to C&P	0	XS
	4	510	Fitting Thickness(MM) Visible to C&P	0	12.7
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	16	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	16	84
	7	509	Fitting Schedule Visible to C&P		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	7	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	26	84
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	8	511	Fitting Description Visible to C&P	ELBOW-LR	
	9	505	Fitting Size(INCH) Visible to C&P	26	84
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	9	511	Fitting Description Visible to C&P	ELBOW-SR	
	10	505	Fitting Size(INCH) Visible to C&P	26	84
	10	509	Fitting Schedule Visible to C&P	0	0
	10	510	Fitting Thickness(MM) Visible to C&P	0	12.7
	10	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	10	511	Fitting Description Visible to C&P	REDUCER-ECC	
	11	505	Fitting Size(INCH) Visible to C&P	26	60
	11	509	Fitting Schedule Visible to C&P	0	0

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
11	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
11	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
11	511	Fitting Description Visible to C&P	TEE		



066055053055

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.			
22. Supplier Code - Name		V633 - VILMAR SA				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	12	40	12-24" Upto Sch 80;26" & above based on proof test reports.
	1	123	Elbow-S.R.(INCH) Visible to C&P	10	36	10-24" Upto Sch 40;26" & above based on proof test reports.
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	12	24	
	1	509	Fitting Schedule Visible to C&P	0	80	
	1	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	10	24	
	2	509	Fitting Schedule Visible to C&P	0	40	
	2	510	Fitting Thickness(MM) Visible to C&P	0	17.48	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	0	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	0	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	0	0	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	0	
	4	507 Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	0	0	
	6	509 Fitting Schedule Visible to C&P	0	0	
	6	510 Fitting Thickness(MM) Visible to C&P	0	0	
	6	507 Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	7 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	7 511	Fitting Description Visible to C&P	STUB END		
	8 505	Fitting Size(INCH) Visible to C&P	26	40	
	8 509	Fitting Schedule Visible to C&P	0	0	
	8 510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	8 507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	8 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	8 511	Fitting Description Visible to C&P	ELBOW-LR		
	9 505	Fitting Size(INCH) Visible to C&P	26	36	
	9 509	Fitting Schedule Visible to C&P	0	0	
	9 510	Fitting Thickness(MM) Visible to C&P	0	17.48	
	9 507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	9 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	9 511	Fitting Description Visible to C&P	ELBOW-SR		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.			
23. Supplier Code - Name		W510 - WILH SCHULZ GmbH [KREFELD]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	16	40	16-22" Upto Sch 20;24" Upto Sch XS.
	1	123	Elbow-S.R.(INCH) Visible to C&P	16	40	16-22" Upto Sch 20;24" Upto Sch XS.
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	16	30	16-24" Upto Sch XS.
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	16	30	16-24" Upto Sch XS.
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	1	1	
	1	272	Tee.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	16	22	
	1	509	Fitting Schedule Visible to C&P	0	20	
	1	510	Fitting Thickness(MM) Visible to C&P	0	9.53	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	16	22	
	2	509	Fitting Schedule Visible to C&P	0	20	
	2	510	Fitting Thickness(MM) Visible to C&P	0	9.53	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	16	30	
	3	509	Fitting Schedule Visible to C&P	0	XS	
	3	510	Fitting Thickness(MM) Visible to C&P	0	12.7	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	16	30
	4	509	Fitting Schedule Visible to C&P	0	XS
	4	510	Fitting Thickness(MM) Visible to C&P	0	12.7
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	0	0
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	0
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	16	40
	7	509	Fitting Schedule Visible to C&P	0	XS
	7	510	Fitting Thickness(MM) Visible to C&P	0	12.7
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.			
24. Supplier Code - Name		Y634 - YINGKOU LIAOHE PIPE FITTINGS CO. LTD [LIAONING]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	1	1	16"-24" Thk upto 59.55mm & 26"-64" Thk upto 35mm
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1	8"-24" Thk upto Sch 160 & 26"-48" Thk upto 59.55mm
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	1	1	8"-24" Thk upto Sch 160 & 26"-48" Thk upto 59.55mm
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	16	24	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.55	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	0	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	0	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	8	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	8	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	0	0
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	0
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	

* IR - Interpretation Required

Item	74AC	Description	FITTINGS FABRICATED FROM PLATE - S.S.		
	7 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	7 511	Fitting Description Visible to C&P	STUB END		
	8 505	Fitting Size(INCH) Visible to C&P	26	64	
	8 509	Fitting Schedule Visible to C&P	0	0	
	8 510	Fitting Thickness(MM) Visible to C&P	0	35	
	8 507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	8 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	8 511	Fitting Description Visible to C&P	ELBOW-LR		
	9 505	Fitting Size(INCH) Visible to C&P	26	48	
	9 509	Fitting Schedule Visible to C&P			
	9 510	Fitting Thickness(MM) Visible to C&P	0	59.55	
	9 507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	9 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	9 511	Fitting Description Visible to C&P	REDUCER-CONC		
	10 505	Fitting Size(INCH) Visible to C&P	26	48	
	10 509	Fitting Schedule Visible to C&P	0		
	10 510	Fitting Thickness(MM) Visible to C&P	0	59.55	
	10 507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	10 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FABRICATED		
	10 511	Fitting Description Visible to C&P	REDUCER-ECC		
Item	74AD	Description	FITTINGS FAB. FROM PLATES-EXOTIC MATLS.		

* IR - Interpretation Required

Item	74AD	Description FITTINGS FAB. FROM PLATES-EXOTIC MATLS.				
1. Supplier Code - Name		A732 - ALLIED INTERNATIONAL S.R.L. [PIACENZA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	16	60	Cu-Ni Alloys:16-24" UptoSch60;26"&above based on proof test reports;MANUFACTURER: M/S TECTUBI RACCORDI SPA.
2. Supplier Code - Name		I597 - IBF S P A				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	UNS 31803/32205; SIZE: UPTO 20", THK: UPTO SCH20; SOURCE: PLATE: OUTOKUMPU, ELECTRODE:ELGA
3. Supplier Code - Name		R607 - RACCORTUBI SPA [SARMATO (Pc)]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	16	24	MANUFACTURER:TECNINOX
4. Supplier Code - Name		S102 - SAWAN ENGINEERS PVT LTD [VADODARA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	ELBOWS (LR/SR), REDUCER (CR/ER) & TEE: SIZE: 8-36" BASED ON PROOF TEST; DUPLEX STAINLESS STEEL. RAW MATERIAL & CONSUMABLES TO BE PROCURED FROM EIL APPROVED SOURCE. (UNIT I & UNIT II)
5. Supplier Code - Name		S810 - SUNGKWANG BEND CO. LTD [Busan]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	INCONEL/HASTALLOY/MONEL/C UPRO NICKEL
6. Supplier Code - Name		W510 - WILH SCHULZ GmbH [KREFELD]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	Upto 16" Thickness Upto Sch 120.As per A815 UNS 31803/UNS 32205. Raw matl source(Plate) M/s Industeel,Belgium.
Item	74AE	Description FITTINGS FABRICATED FROM PLATE - CLADDED				

* IR - Interpretation Required

Item	74AE	Description FITTINGS FABRICATED FROM PLATE - CLADDED				
1. Supplier Code - Name		27411 - Cladtek Middle East FZC [INDONESIA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	48	
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	48	Mfg & dispatch from "PT Cladtek BiMetal Manufacturing, Indonesia".Quotation from "Cladtek Middle East FZC,UAE"
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	48	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	48	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	2	48	
2. Supplier Code - Name		T221 - TOPAZ PIPING INDUSTRIES [Vadodara]				
Item Remarks:-		No blocks covered:				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	123	Elbow-S.R.(INCH) Visible to C&P	12	54	Upto 14+3mm thickness
	1	121	Elbow-L.R.(INCH) Visible to C&P	12	54	Upto 14+3mm thickness
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	12	60	Upto 14+3mm thickness
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	0	0	

* IR - Interpretation Required