

Item	71AA	Description FITTING BLOCK FORGED-CARBON STEEL				
1. Supplier Code - Name		C209 - CSA FITTINGS				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	.25	4	3000# TO 9000#
	1	505	Fitting Size(INCH) Visible to C&P	0.25	4	
	1	506	Fitting Rating(LBS) Visible to C&P	3000	9000	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
2. Supplier Code - Name		C724 - CHERO PIPING SPA				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	UPTO 4" 6000#
	1	505	Fitting Size(INCH) Visible to C&P	0.124	4	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	6000	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
3. Supplier Code - Name		E060 - EBY FASTENERS [MAHARASHTRA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	1/8"- 3" NB; 3000# TO 9000#
	1	505	Fitting Size(INCH) Visible to C&P	0.124	3	
	1	506	Fitting Rating(LBS) Visible to C&P	3000	9000	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		

* IR - Interpretation Required

Item	71AA	Description FITTING BLOCK FORGED-CARBON STEEL				
4. Supplier Code - Name		F130 - FLASH FORGE PVT LTD [VISAKHAPATNAM]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	UPTO 1.5" UPTO 9000 CLASS
	1	505	Fitting Size(INCH) Visible to C&P	0.124	1.5	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
5. Supplier Code - Name		F624 - FITTINOX SRL				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	1/8"-2" UPTO 9000#, 2.5"-4" 3000#
	1	505	Fitting Size(INCH) Visible to C&P	0.124	2	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
	2	505	Fitting Size(INCH) Visible to C&P	2.5	4	
	2	506	Fitting Rating(LBS) Visible to C&P	2000	3000	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		

* IR - Interpretation Required

Item	71AA	Description FITTING BLOCK FORGED-CARBON STEEL				
6. Supplier Code - Name		H172 - HILTON METAL FORGING LIMITED [Thane]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	upto 3"; 3000# TO 9000#, Stub ends upto 24"
	1	505	Fitting Size(INCH) Visible to C&P	0.124	3	
	1	506	Fitting Rating(LBS) Visible to C&P	3000	9000	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
7. Supplier Code - Name		I604 - ITM S.R.L.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	Upto 2" Upto 9000 Cl; Upto 3" Upto 6000 Cl
	1	505	Fitting Size(INCH) Visible to C&P	0.124	2	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
	2	505	Fitting Size(INCH) Visible to C&P	0.124	3	
	2	506	Fitting Rating(LBS) Visible to C&P	2000	6000	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		

* IR - Interpretation Required

Item	71AA	Description FITTING BLOCK FORGED-CARBON STEEL				
8. Supplier Code - Name		K645 - KEONSAE HIGH PRESSURE CO.LTD. [GYEONGNAM]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	1/8-2" UPTO 9000#, 2.5-4" 3000#
	1	505	Fitting Size(INCH) Visible to C&P	0.124	2	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
	2	505	Fitting Size(INCH) Visible to C&P	2.5	4	
	2	506	Fitting Rating(LBS) Visible to C&P	2000	3000	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
9. Supplier Code - Name		L004 - LEADER VALVES LTD [JALANDHAR]				
Item Remarks:-						
066055053055						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	UPTO 1.5" 3000# TO 9000#
	1	505	Fitting Size(INCH) Visible to C&P	0.124	1.5	
	1	506	Fitting Rating(LBS) Visible to C&P	3000	9000	
	1	507	Fitting Material Visible to C&P	CS		
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE			

* IR - Interpretation Required

Item	71AA	Description FITTING BLOCK FORGED-CARBON STEEL				
10. Supplier Code - Name		M057 - M.S. FITTINGS MFG. CO PVT LTD [KOLKATA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	UPTO 1.5" UPTO 9000#, 2-4" 3000# TO 6000#
	1	505	Fitting Size(INCH) Visible to C&P	0.124	1.5	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
	2	505	Fitting Size(INCH) Visible to C&P	2	4	
	2	506	Fitting Rating(LBS) Visible to C&P	3000	6000	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
11. Supplier Code - Name		M507 - MUNRO & MILLER FITTINGS LTD				
Item Remarks:-						
066055053055						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	0.124	4	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	CS		
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE			

* IR - Interpretation Required

Item	71AA	Description	FITTING BLOCK FORGED-CARBON STEEL			
12. Supplier Code - Name		M731 - M.E.G.A SPA				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	.5	2	Upto 9000#.
	1	505	Fitting Size(INCH) Visible to C&P	0.5	2	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
13. Supplier Code - Name		P315 - P.K.TUBES & FITTINGS PVT.LTD.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	0.5-1.5" Upto 9000 Class
	1	505	Fitting Size(INCH) Visible to C&P	0.5	1.5	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
14. Supplier Code - Name		P708 - PROMAT BD LTD MIDDLE EAST [WALSALL, UK]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	Upto 2" OD Upto 9000 Cl
	1	505	Fitting Size(INCH) Visible to C&P	0.124	2	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		

* IR - Interpretation Required

Item	71AA	Description FITTING BLOCK FORGED-CARBON STEEL							
15. Supplier Code - Name		T050 - TUBE BEND (CALCUTTA) PVT LTD [HOWRAH (W.B)]							
Item Remarks:-									
Capabilities									
	Group	Param	Description (UOM)	From		To	Remarks		
	1	263	Standard(INCH) Visible to C&P	1		1	SIZE: 0.5-1.5" UPTO 9000#		
	1	505	Fitting Size(INCH) Visible to C&P	0.5		1.5			
	1	506	Fitting Rating(LBS) Visible to C&P	2000		9000			
	1	507	Fitting Material Visible to C&P	CS					
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE					
16. Supplier Code - Name		T226 - TUBE TURN (INDIA) PVT LTD [NAVI MUMBAI]							
Item Remarks:-									
	Code	Holiday Desc	Remarks	Client Specific	Clients		IR *	From	To
	01J	HOLIDAY-MATERIAL FAILURE AT SITE	HOLIDAY-MATERIAL FAILURE AT SITE	N			N	03/05/2013	02/11/2013
Capabilities									
	Group	Param	Description (UOM)	From		To	Remarks		
	1	263	Standard(INCH) Visible to C&P	1		1	0.5-4" 3000-6000#, 0.5-2" 9000#		
	1	505	Fitting Size(INCH) Visible to C&P	0.5		4			
	1	506	Fitting Rating(LBS) Visible to C&P	3000		6000			
	1	507	Fitting Material Visible to C&P	CS					
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE					
	2	505	Fitting Size(INCH) Visible to C&P	0.5		2			
	2	506	Fitting Rating(LBS) Visible to C&P	9000		9000			
	2	507	Fitting Material Visible to C&P	CS					
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE					

* IR - Interpretation Required

Item	71AA	Description FITTING BLOCK FORGED-CARBON STEEL				
17. Supplier Code - Name		T746 - TK CORPORATION [BUSAN]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	0.5-4"
	1	505	Fitting Size(INCH) Visible to C&P	0.5	4	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
18. Supplier Code - Name		U144 - U I PIPE FITTINGS PVT LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	2	3	UNIT I: 2-3" UPTO 6000 CLASS
	1	505	Fitting Size(INCH) Visible to C&P	2	3	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	6000	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
19. Supplier Code - Name		V157 - VIJAY CYCLE & STEEL INDUSTRIES [JALANDHAR]				
Item Remarks:-		BLOCK COVERED 1.0.5-1.5"3000-9000# 2.2-3"3000-6000 3.2-3"6000-9000#				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	Refer Remarks		SIZE: 0.5-3" AND RATING 3000-9000
	1	505	Fitting Size(INCH) Visible to C&P	0.5	3	
	1	506	Fitting Rating(LBS) Visible to C&P	3000	9000	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		

* IR - Interpretation Required

Item	71AA	Description FITTING BLOCK FORGED-CARBON STEEL				
20. Supplier Code - Name		W510 - WILH SCHULZ GmbH [KREFELD]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	Upto 2";Upto 9000#.
	1	505	Fitting Size(INCH) Visible to C&P	0.124	2	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
Item	71AB	Description FITTING BLOCK FORGED-ALLOY STEEL				
1. Supplier Code - Name		C209 - CSA FITTINGS				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	.25	4	3000# TO 9000#
	1	505	Fitting Size(INCH) Visible to C&P	0.25	4	
	1	506	Fitting Rating(LBS) Visible to C&P	3000	9000	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
2. Supplier Code - Name		C724 - CHERO PIPING SPA				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	UPTO 4" 6000#
	1	505	Fitting Size(INCH) Visible to C&P	0.124	4	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	6000	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		

* IR - Interpretation Required

Item	71AB	Description FITTING BLOCK FORGED-ALLOY STEEL				
3. Supplier Code - Name		E060 - EBY FASTENERS [MAHARASHTRA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	UPTO 3"NB; 3000# TO 9000#
	1	505	Fitting Size(INCH) Visible to C&P	0.124	3	
	1	506	Fitting Rating(LBS) Visible to C&P	3000	9000	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
4. Supplier Code - Name		F130 - FLASH FORGE PVT LTD [VISAKHAPATNAM]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	UPTO 1.5" UPTO 9000 CLASS
	1	505	Fitting Size(INCH) Visible to C&P	0.124	1.5	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		

* IR - Interpretation Required

Item	71AB	Description FITTING BLOCK FORGED-ALLOY STEEL				
5. Supplier Code - Name		F624 - FITTINOX SRL				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	1/8"-2" UPTO 9000#, 2.5"-4" 3000#
	1	505	Fitting Size(INCH) Visible to C&P	0.124	2	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
	2	505	Fitting Size(INCH) Visible to C&P	2.5	4	
	2	506	Fitting Rating(LBS) Visible to C&P	2000	3000	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
6. Supplier Code - Name		I604 - ITM S.R.L.				
Item Remarks:-						
066055053055						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	Upto 2" Upto 9000 Cl; Upto 3" Upto 6000 Cl
	1	505	Fitting Size(INCH) Visible to C&P	0.124	2	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
	2	505	Fitting Size(INCH) Visible to C&P	0.124	3	
	2	506	Fitting Rating(LBS) Visible to C&P	2000	6000	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		

* IR - Interpretation Required

Item	71AB	Description FITTING BLOCK FORGED-ALLOY STEEL				
7. Supplier Code - Name		K645 - KEONSAE HIGH PRESSURE CO.LTD. [GYEONGNAM]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	1/8-2" UPTO 9000#, 2.5-4" 3000#
	1	505	Fitting Size(INCH) Visible to C&P	0.124	2	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
	2	505	Fitting Size(INCH) Visible to C&P	2.5	4	
	2	506	Fitting Rating(LBS) Visible to C&P	2000	3000	
	2	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
8. Supplier Code - Name		L004 - LEADER VALVES LTD [JALANDHAR]				
Item Remarks:-						
066055053055						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	UPTO 1.5" 3000# TO 9000#
	1	505	Fitting Size(INCH) Visible to C&P	0.124	1.5	
	1	506	Fitting Rating(LBS) Visible to C&P	3000	9000	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE			

* IR - Interpretation Required

Item	71AB	Description FITTING BLOCK FORGED-ALLOY STEEL				
9. Supplier Code - Name		M057 - M.S. FITTINGS MFG. CO PVT LTD [KOLKATA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	Refer remarks	Refer remarks	UPTO 4", 3000# TO 6000#
	1	505	Fitting Size(INCH) Visible to C&P	0.124	4	
	1	506	Fitting Rating(LBS) Visible to C&P	3000	6000	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
10. Supplier Code - Name		M507 - MUNRO & MILLER FITTINGS LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	0.124	4	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
11. Supplier Code - Name		M731 - M.E.G.A SPA				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	.5	2	Upto 9000#.
	1	505	Fitting Size(INCH) Visible to C&P	0.5	2	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		

* IR - Interpretation Required

Item	71AB	Description								FITTING BLOCK FORGED-ALLOY STEEL		
12. Supplier Code - Name		T226 - TUBE TURN (INDIA) PVT LTD [NAVI MUMBAI]										
Item Remarks:-												
	Code	Holiday Desc		Remarks		Client Specific	Clients		IR *	From	To	
	01J	HOLIDAY-MATERIAL FAILURE AT SITE		HOLIDAY-MATERIAL FAILURE AT SITE		N			N	03/05/2013	02/11/2013	
Capabilities												
	Group	Param	Description (UOM)		From		To	Remarks				
	1	263	Standard(INCH) Visible to C&P		1		1	0.5-4" 3000-6000#, 0.5-2" 9000#				
	1	505	Fitting Size(INCH) Visible to C&P		0.5		4					
	1	506	Fitting Rating(LBS) Visible to C&P		3000		6000					
	1	507	Fitting Material Visible to C&P		Gr.11,22,5,9							
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P		FORGE							
	2	505	Fitting Size(INCH) Visible to C&P		0.5		2					
	2	506	Fitting Rating(LBS) Visible to C&P		9000		9000					
	2	507	Fitting Material Visible to C&P		Gr.11,22,5,9							
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P		FORGE							
13. Supplier Code - Name		T746 - TK CORPORATION [BUSAN]										
Item Remarks:-												
Capabilities												
	Group	Param	Description (UOM)		From		To	Remarks				
	1	263	Standard(INCH) Visible to C&P		1		1	0.5-4"				
	1	505	Fitting Size(INCH) Visible to C&P		0.5		4					
	1	506	Fitting Rating(LBS) Visible to C&P		2000		9000					
	1	507	Fitting Material Visible to C&P		Gr.11,22,5,9							
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P		FORGE							

* IR - Interpretation Required

Item	71AB	Description					FITTING BLOCK FORGED-ALLOY STEEL
14. Supplier Code - Name		W510 - WILH SCHULZ GmbH [KREFELD]					
Item Remarks:-							
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	263	Standard(INCH) Visible to C&P	1	1	Upto 2";Upto 9000#.	
	1	505	Fitting Size(INCH) Visible to C&P	0.124	2		
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000		
	1	507	Fitting Material Visible to C&P	Gr.11,22,5,9			
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE			

Item	71AC	Description					FITTING BLOCK FORGED-STAINLESS STEEL
1. Supplier Code - Name		C209 - CSA FITTINGS					
Item Remarks:-							
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	263	Standard(INCH) Visible to C&P	.25	4	3000# TO 9000#	
	1	505	Fitting Size(INCH) Visible to C&P	0.25	4		
	1	506	Fitting Rating(LBS) Visible to C&P	3000	9000		
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE			

2. Supplier Code - Name		C724 - CHERO PIPING SPA				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	UPTO 4" 6000#
	1	505	Fitting Size(INCH) Visible to C&P	0.124	4	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	6000	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		

* IR - Interpretation Required

Item	71AC	Description FITTING BLOCK FORGED-STAINLESS STEEL				
3. Supplier Code - Name		E060 - EBY FASTENERS [MAHARASHTRA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	UPTO 3"NB; 3000# TO 9000#
	1	505	Fitting Size(INCH) Visible to C&P	0.124	3	
	1	506	Fitting Rating(LBS) Visible to C&P	3000	9000	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
4. Supplier Code - Name		F130 - FLASH FORGE PVT LTD [VISAKHAPATNAM]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	UPTO 1.5" UPTO 9000 CLASS
	1	505	Fitting Size(INCH) Visible to C&P	0.124	1.5	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		

* IR - Interpretation Required

Item	71AC	Description FITTING BLOCK FORGED-STAINLESS STEEL				
5. Supplier Code - Name		F624 - FITTINOX SRL				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	1/8"-2" UPTO 9000#, 2.5"-4" 3000#
	1	505	Fitting Size(INCH) Visible to C&P	0.124	2	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
	2	505	Fitting Size(INCH) Visible to C&P	2.5	4	
	2	506	Fitting Rating(LBS) Visible to C&P	2000	3000	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
6. Supplier Code - Name		H172 - HILTON METAL FORGING LIMITED [Thane]				
Item Remarks:-		066055053055				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	upto 3"; 3000# TO 9000#, Stub ends upto 24"
	1	505	Fitting Size(INCH) Visible to C&P	0.124	3	
	1	506	Fitting Rating(LBS) Visible to C&P	3000	9000	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE			

* IR - Interpretation Required

Item	71AC	Description FITTING BLOCK FORGED-STAINLESS STEEL				
7. Supplier Code - Name		I604 - ITM S.R.L.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	Upto 2" Upto 9000 Cl; Upto 3" Upto 6000 Cl
	1	505	Fitting Size(INCH) Visible to C&P	0.124	2	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
	2	505	Fitting Size(INCH) Visible to C&P	0.124	3	
	2	506	Fitting Rating(LBS) Visible to C&P	2000	6000	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
8. Supplier Code - Name		K645 - KEONSAE HIGH PRESSURE CO.LTD. [GYEONGNAM]				
Item Remarks:-		066055053055				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	1/8-2" UPTO 9000#, 2.5-4" 3000#
	1	505	Fitting Size(INCH) Visible to C&P	0.124	2	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
	2	505	Fitting Size(INCH) Visible to C&P	2.5	4	
	2	506	Fitting Rating(LBS) Visible to C&P	2000	3000	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		

* IR - Interpretation Required

Item	71AC	Description FITTING BLOCK FORGED-STAINLESS STEEL				
9. Supplier Code - Name		L004 - LEADER VALVES LTD [JALANDHAR]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	UPTO 1.5" 3000# TO 9000#
	1	505	Fitting Size(INCH) Visible to C&P	0.124	1.5	
	1	506	Fitting Rating(LBS) Visible to C&P	3000	9000	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
10. Supplier Code - Name		M057 - M.S. FITTINGS MFG. CO PVT LTD [KOLKATA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	UPTO 1.5" UPTO 9000#, 2-4" 3000# TO 6000#
	1	505	Fitting Size(INCH) Visible to C&P	0.124	1.5	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
	2	505	Fitting Size(INCH) Visible to C&P	2	4	
	2	506	Fitting Rating(LBS) Visible to C&P	3000	6000	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		

* IR - Interpretation Required

Item	71AC	Description FITTING BLOCK FORGED-STAINLESS STEEL				
11. Supplier Code - Name		M507 - MUNRO & MILLER FITTINGS LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	0.124	4	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
12. Supplier Code - Name		M731 - M.E.G.A SPA				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	.5	2	Upto 9000#.
	1	505	Fitting Size(INCH) Visible to C&P	0.5	2	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		
13. Supplier Code - Name		T746 - TK CORPORATION [BUSAN]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	0.5-4"
	1	505	Fitting Size(INCH) Visible to C&P	0.5	4	
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE		

* IR - Interpretation Required

Item	71AC	Description					FITTING BLOCK FORGED-STAINLESS STEEL
14. Supplier Code - Name		W510 - WILH SCHULZ GmbH [KREFELD]					
Item Remarks:-							
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	263	Standard(INCH) Visible to C&P	1	1	Upto 2";Upto 9000#.	
	1	505	Fitting Size(INCH) Visible to C&P	0.124	2		
	1	506	Fitting Rating(LBS) Visible to C&P	2000	9000		
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	FORGE			
Item	71AD	Description					WELDOLETS/SOCKOLETS/ELBOWLET
1. Supplier Code - Name		27434 - VIAR S.P.A [SUMIRAGO, ITALY]					
Item Remarks:- As per details below:							
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	296	Weldolet Visible to C&P	All Range		Also covers Sweepolets, Latrolets & Thredolets; Material: CS/AS/SS/Duplex SS (A182 F51 (UNS S31803) & A182 F60 (UNS S32205))	
	1	321	ELBOWLET Visible to C&P	All Range	All Range	Also covers Sweepolets, Latrolets & Thredolets; Material: CS/AS/SS/Duplex SS (A182 F51 (UNS S31803) & A182 F60 (UNS S32205))	
	1	259	Sockolet Visible to C&P	All Range		Also covers Sweepolets, Latrolets & Thredolets; Material: CS/AS/SS/Duplex SS (A182 F51 (UNS S31803) & A182 F60 (UNS S32205))	
	1	189	Nippolet Visible to C&P	All Range		Also covers Sweepolets, Latrolets & Thredolets; Material: CS/AS/SS/Duplex SS (A182 F51 (UNS S31803) & A182 F60 (UNS S32205))	
	1	123	Elbow-S.R.(INCH) Visible to C&P	All Range	All Range	Also covers Sweepolets, Latrolets & Thredolets; Material: CS/AS/SS/Duplex SS (A182 F51 (UNS S31803) & A182 F60 (UNS S32205))	

* IR - Interpretation Required

Item	71AD	Description WELDOLETS/SOCKOLETS/ELBOWLET				
2. Supplier Code - Name		C209 - CSA FITTINGS				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	296	Weldolet Visible to C&P	.5	12	Material CS/AS/SS; PROOF TEST CONDUCTED ON (BRANCH x RUN PIPE) 2"Sch80X6"Sch40 & 1"Sch160X2"Sch40 & 6"X8" SCH 40 ;Other Param.viz. Thk,Run/Branch ratio,Qualification range to be cal.as per MSS SP 97
	1	259	Sockolet Visible to C&P	.5	2	Material CS/AS/SS; PROOF TEST CONDUCTED ON (BRANCH x RUN PIPE) 1"6000#X3"Sch40 & 1"6000#X2"Sch40;Other Param.viz. Thk,Run/Branch ratio,Qualification range to be cal.as per MSS SP 97
	2	321	ELBOWLET Visible to C&P	0	0	
	2	296	Weldolet Visible to C&P	.5	2	THREADOLET: 0.5-2"Material CS/AS/SS; PROOF TEST CONDUCTED ON (RUN x BRANCH PIPE) 2" X1"Sch40 3000CL;Oher Param.viz. Thk,Run/Branch ratio,Qualification range to be cal.as per MSS SP 97
	2	259	Sockolet Visible to C&P	0	0	
	2	189	Nippolet Visible to C&P	0	0	
3. Supplier Code - Name		C724 - CHERO PIPING SPA				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	321	ELBOWLET Visible to C&P	0	0	
	1	296	Weldolet Visible to C&P	1	32	Proof test conducted on (Run Pipe X Branch): 18"WT12.7 x 16"WT 12.7; 8"WT12.7 x 6"WT 10.97; 3"WT7.62 x 2"WT 5.54;Other Param.viz Thk,Run/Branch ratio & Qualification range to be cal. as per MSS SP97
	1	259	Sockolet Visible to C&P	0	0	
	1	189	Nippolet Visible to C&P	0	0	

* IR - Interpretation Required

Item	71AD	Description WELDOLETS/SOCKOLETS/ELBOWLET				
4. Supplier Code - Name		E060 - EBY FASTENERS [MAHARASHTRA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	296	Weldolet Visible to C&P	.5	8	CS/AS/SS;Proof Test conducted on(Branch x Run Pipe)1"Sch40x2"Sch40,1 1/2"Sch80x8"Sch80,3"Sch40x4"Sch40,4"Sch40x8"Sch40,Other Param.vizThk,Run/Branch ratio,Qualification range to be cal. per MSS SP 97
	1	259	Sockolet Visible to C&P	.5	2	CS/AS/SS; Proof test conducted on (Branch x Run Pipe)1" 3000# x 2" SCH. 80,Other Param.viz.Thk,Run/Branch ratio, Qualification range to be cal. as per MSS SP 97
5. Supplier Code - Name		F130 - FLASH FORGE PVT LTD [VISAKHAPATNAM]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	321	ELBOWLET Visible to C&P	0	0	
	1	296	Weldolet Visible to C&P	1 066055053055	14	CS/AS/SS;Proof Test conduct.on (BranchxRun Pipe)368x368mm Thk6.2mm;324x324mm Thk5.2mm;267X267mm Thk4.2mm;2"x5" SchXS ;Other Param.viz. Thk,Run/Branch ratio,Qualificn. range to be cal. as per MSS SP 97
	1	259	Sockolet Visible to C&P	.25	.75	CS/AS/SS;Proof Test conducted on (BranchxRun Pipe)15X150mm Thk2.5mm;Other Param.viz. Thk,Run/Branch ratio,Qualification range to be cal. as per MSS SP 97
	1	189	Nippolet Visible to C&P	0	0	

* IR - Interpretation Required

Item	71AD	Description WELDOLETS/SOCKOLETS/ELBOWLET				
6. Supplier Code - Name		F624 - FITTINOX SRL				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	296	Weldolet Visible to C&P	.75	8	Proof Test conducted on 8" Sch160 X 1.5" Sch80, 4" Sch120 X 4" Sch80 & 6" Sch120 X 3" Sch80 (Run pipe x Branch); Other param.viz Thk,Run/Branch ratio, Qualification range to be cal.as per MSS-SP-97.
	1	321	ELBOWLET Visible to C&P	0	0	
	1	259	Sockolet Visible to C&P	0	0	
	1	189	Nippolet Visible to C&P	0	0	
7. Supplier Code - Name		K645 - KEONSAE HIGH PRESSURE CO.LTD. [GYEONGNAM]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	296	Weldolet Visible to C&P	.5	16	Proof Test conducted on 2" Sch80 X 1" Sch80, 8" Sch80 X 4" Sch80 & 16" Sch40 X 8" Sch80 (Run pipe x Branch), Other param.viz Thk,Run/Branch ratio, Qualification range to be cal. as per MSS-SP-97
	1	321	ELBOWLET Visible to C&P	0	0	
	1	259	Sockolet Visible to C&P	0	0	
	1	189	Nippolet Visible to C&P	0	0	
8. Supplier Code - Name		M057 - M.S. FITTINGS MFG. CO PVT LTD [KOLKATA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	321	ELBOWLET Visible to C&P	0	0	
	1	296	Weldolet Visible to C&P	.5	8	Proof test conducted on 4"X1" Sch 80 & 12"X6" Sch 40
	1	259	Sockolet Visible to C&P	.5	2	Proof test conducted on 4"X1" Sch 80, 3000 Class; Thredolet:: 0.5-2" Proof test conducted on 4"X1" Sch 80, 3000 Class
	1	189	Nippolet Visible to C&P	0	0	

* IR - Interpretation Required

Item	71AD	Description WELDOLETS/SOCKOLETS/ELBOWLET				
9. Supplier Code - Name		M731 - M.E.G.A SPA				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	296	Weldolet Visible to C&P	.75	40	Material CS/AS/SS; PROOF TEST CONDUCTED ON (BRANCH x RUN PIPE) 1.5"SchXS X 2"SchStd; 6"SchStdX6"SchStd;20"SchX24"Std other Param.viz Thk,Run/Branch ratio,Qualification range to be cal.as per MSS SP 97
	1	321	ELBOWLET Visible to C&P	0	0	
	1	259	Sockolet Visible to C&P	0	0	
	1	189	Nippolet Visible to C&P	0	0	
10. Supplier Code - Name		P708 - PROMAT BD LTD MIDDLE EAST [WALSALL, UK]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	296	Weldolet Visible to C&P	1 066055053055	14	CS/AS/SS: Proof Test condtd. on Run Pipe X Branch: 4" Sch 80 X 2" Sch 80;8" Sch 80 X 6" Sch 80; 14" Sch 80 X 12" Sch 80.Other Param viz Thk, Run/Branch ratio & Qual. Range to be cal. as per MSS-SP-97
	1	321	ELBOWLET Visible to C&P	0	0	
	1	259	Sockolet Visible to C&P	0	0	
	1	189	Nippolet Visible to C&P	0	0	
11. Supplier Code - Name		T746 - TK CORPORATION [BUSAN]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	296	Weldolet Visible to C&P	2	8	Material CS/AS/SS; PROOF TEST CONDUCTED ON (BRANCH x RUN PIPE) .5"X 2"SchXS;4X8"SchXS;4X8"Sch10S;2 X24"Sch160/80;
	2	321	ELBOWLET Visible to C&P	0	0	
	2	296	Weldolet Visible to C&P	2	8	12X24"SchStd;2X36"Sch160/40;3X3 6"Sch80/40'6X36Sch40;10X36"Sch16 0/XS other Param.viz Thk,Run/Branch ratio,Qualification range to be cal.as per MSS SP 97.
	2	259	Sockolet Visible to C&P	0	0	
	2	189	Nippolet Visible to C&P	0	0	

* IR - Interpretation Required

Item	71AE	Description					FITTINGS BLOCK FORGED-EXOTIC MATLS.
1. Supplier Code - Name		F624 - FITTINOX SRL					
Item Remarks:-							
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	263	Standard(INCH) Visible to C&P	1	1	UPTO 1.5" UPTO 9000 LBS; DSS FITTINGS A182 F60/A815 (UNS 32205);Raw Matl Source: M/s Cogne Acciai Speciali S.r.l	



066055053055