

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
1. Supplier Code - Name		3637 - FITTECH INDUSTRIES PVT. LTD. [DIST-THANE]				
Item Remarks:-		Block covered:2-8" elbow(LR/SR)/Reducer(Con/Ecc)/Tee				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	12	THICKNESS UPTO SCHEDULE 160
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	12	THICKNESS UPTO SCHEDULE 160
	1	237	Return Bend.(INCH) Visible to C&P	NOT CAPABLE	NOT CAPABLE	THICKNESS UPTO SCHEDULE 160
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	12	THICKNESS UPTO SCHEDULE 160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	12	THICKNESS UPTO SCHEDULE 160
	1	272	Tee.(INCH) Visible to C&P	2	12	THICKNESS UPTO SCHEDULE 160
	1	268	Stub-End.(INCH) Visible to C&P	NOT CAPABLE	NOT CAPABLE	
	1	188	Nipple.(INCH) Visible to C&P	NOT CAPABLE	NOT CAPABLE	
	1	505	Fitting Size(INCH) Visible to C&P	2	12	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	2	12	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
2	511	Fitting Description Visible to C&P	ELBOW-SR			

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	3	505	Fitting Size(INCH) Visible to C&P	2	12	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511	Fitting Description Visible to C&P	REDUCER-CONC		
	4	505	Fitting Size(INCH) Visible to C&P	2	12	
	4	509	Fitting Schedule Visible to C&P	0	160	
	4	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	4	507	Fitting Material Visible to C&P	CS		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511	Fitting Description Visible to C&P	REDUCER-ECC		
	5	505	Fitting Size(INCH) Visible to C&P	0	0	
	5	509	Fitting Schedule Visible to C&P	0	0	
	5	510	Fitting Thickness(MM) Visible to C&P	0	0	
	5	507	Fitting Material Visible to C&P	CS		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511	Fitting Description Visible to C&P	RETURN BEND		
	6	505	Fitting Size(INCH) Visible to C&P	2	12	
	6	509	Fitting Schedule Visible to C&P	0	160	
	6	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	6	507	Fitting Material Visible to C&P	CS		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511	Fitting Description Visible to C&P	TEE		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	7	505	Fitting Size(INCH) Visible to C&P	0	0	
	7	509	Fitting Schedule Visible to C&P	0	0	
	7	510	Fitting Thickness(MM) Visible to C&P	0	0	
	7	507	Fitting Material Visible to C&P	CS		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511	Fitting Description Visible to C&P	STUB END		
	8	505	Fitting Size(INCH) Visible to C&P	0	0	
	8	509	Fitting Schedule Visible to C&P	0	0	
	8	510	Fitting Thickness(MM) Visible to C&P	0	0	
	8	507	Fitting Material Visible to C&P	CS		
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511	Fitting Description Visible to C&P	NIPPLE 066055053055		

* IR - Interpretation Required

Item	72AA	Description FITTINGS FROM SEAMLESS PIPE-CARBON STEEL				
2. Supplier Code - Name		A687 - AWAJI MATERIA (THAILAND) CO. LTD.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.5	24	
	1	123	Elbow-S.R.(INCH) Visible to C&P	.5	24	
	1	237	Return Bend.(INCH) Visible to C&P	.5	24	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	.5	24	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	.5	24	
	1	272	Tee.(INCH) Visible to C&P	.5	24	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507 Fitting Material Visible to C&P	CS		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	0.5	24	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0.5	24	
	5	509 Fitting Schedule Visible to C&P	0	160	
	5	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	0.5	24	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	7	507 Fitting Material Visible to C&P	CS		
	7	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511 Fitting Description Visible to C&P	STUB END		
	8	505 Fitting Size(INCH) Visible to C&P	0	6	
	8	509 Fitting Schedule Visible to C&P	0	XXS	
	8	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	8	507 Fitting Material Visible to C&P	CS		
	8	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511 Fitting Description Visible to C&P	NIPPLE		

066055053055

* IR - Interpretation Required

Item	72AA	Description FITTINGS FROM SEAMLESS PIPE-CARBON STEEL				
3. Supplier Code - Name		A732 - ALLIED INTERNATIONAL S.R.L. [PIACENZA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.5	24	.5" Upto Sch160;.75-6" Upto SchXXS;8-24"Upto Sch160,MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	123	Elbow-S.R.(INCH) Visible to C&P	.5	24	.5" Upto Sch160;.75-6" Upto SchXXS;8-24"Upto Sch160,MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	.5	24	.5" Upto Sch160;.75-6" Upto SchXXS;8-24"Upto Sch160,MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	272	Tee.(INCH) Visible to C&P	.5	24	.5" Upto Sch160;.75-6" Upto SchXXS;8-24"Upto Sch160,MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	.5" Upto Sch160;.75-6" Upto SchXXS;8-24"Upto Sch160,MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	505	Fitting Size(INCH) Visible to C&P	0.5	0.5	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	4.78	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0.75	6	
	2	509	Fitting Schedule Visible to C&P	0	XXS	
	2	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	2	507	Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	2	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511 Fitting Description Visible to C&P	ELBOW-LR		
	3	505 Fitting Size(INCH) Visible to C&P	8	24	
	3	509 Fitting Schedule Visible to C&P	0	160	
	3	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507 Fitting Material Visible to C&P	CS		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	ELBOW-LR		
	4	505 Fitting Size(INCH) Visible to C&P	0.5	0.5	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	4.78	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	ELBOW-SR		
	5	505 Fitting Size(INCH) Visible to C&P	0.75	6	
	5	509 Fitting Schedule Visible to C&P	0	XXS	
	5	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	ELBOW-SR		
	6	505 Fitting Size(INCH) Visible to C&P	8	24	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	CS		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	ELBOW-SR	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	CS	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	REDUCER-CONC	
	8	505	Fitting Size(INCH) Visible to C&P	0.5	0.5
	8	509	Fitting Schedule Visible to C&P	0	160
	8	510	Fitting Thickness(MM) Visible to C&P	0	4.78
	8	507	Fitting Material Visible to C&P	CS	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	REDUCER-ECC	
	9	505	Fitting Size(INCH) Visible to C&P	0.75	6
	9	509	Fitting Schedule Visible to C&P	0	XXS
	9	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	9	507	Fitting Material Visible to C&P	CS	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	REDUCER-ECC	
	10	505	Fitting Size(INCH) Visible to C&P	8	24
	10	509	Fitting Schedule Visible to C&P	0	160
	10	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	10	507	Fitting Material Visible to C&P	CS	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	REDUCER-ECC	
	11	505	Fitting Size(INCH) Visible to C&P	0	0
	11	509	Fitting Schedule Visible to C&P	0	0
	11	510	Fitting Thickness(MM) Visible to C&P	0	0
	11	507	Fitting Material Visible to C&P	CS	
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	11	511	Fitting Description Visible to C&P	STUB END	
	12	505	Fitting Size(INCH) Visible to C&P	0.5	0.5
	12	509	Fitting Schedule Visible to C&P	0	160
	12	510	Fitting Thickness(MM) Visible to C&P	0	4.78
	12	507	Fitting Material Visible to C&P	CS	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	12	511	Fitting Description Visible to C&P	TEE	
	13	505	Fitting Size(INCH) Visible to C&P	0.75	6
	13	509	Fitting Schedule Visible to C&P	0	XXS
	13	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	13	507	Fitting Material Visible to C&P	CS	
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	13	511	Fitting Description Visible to C&P	TEE	
	14	505	Fitting Size(INCH) Visible to C&P	8	24
	14	509	Fitting Schedule Visible to C&P	0	160
	14	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	14	507	Fitting Material Visible to C&P	CS	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
14	511	Fitting Description Visible to C&P	TEE		
15	505	Fitting Size(INCH) Visible to C&P	0	0	
15	509	Fitting Schedule Visible to C&P	0	0	
15	510	Fitting Thickness(MM) Visible to C&P	0	0	
15	507	Fitting Material Visible to C&P	CS		
15	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
15	511	Fitting Description Visible to C&P	NIPPLE		

066055053055

* IR - Interpretation Required

Item	72AA	Description FITTINGS FROM SEAMLESS PIPE-CARBON STEEL				
4. Supplier Code - Name		A755 - APCO PIPE FITTINGS CO LTD [Yingkou]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.5	16	UPTO SCH160
	1	123	Elbow-S.R.(INCH) Visible to C&P	.5	16	UPTO SCH160
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	.5	16	UPTO SCH160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	.5	16	UPTO SCH160
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	0.5	16	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	40.49	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0.5	16	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	40.49	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	0	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507	Fitting Material Visible to C&P	CS	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-ECC	
	4	505	Fitting Size(INCH) Visible to C&P	0.5	16
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	40.49
	4	507	Fitting Material Visible to C&P	CS	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-CONC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	CS	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	0.5	16
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	40.49
	6	507	Fitting Material Visible to C&P	CS	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
5. Supplier Code - Name		C209 - CSA FITTINGS				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.5	16	thk upto Sch 160 (40.49mm)
	1	123	Elbow-S.R.(INCH) Visible to C&P	.5	16	thk upto Sch 160 (40.49mm)
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	.5	14	0.5-1.5" Upto Sch XXS; 2-6" upto SchXXS, 8" upto Sch160 & 10-14" upto Sch XS
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	.5	14	0.5-1.5" Upto Sch XXS; 2-6" upto SchXXS, 8" upto Sch160 & 10-14" upto Sch XS
	1	272	Tee.(INCH) Visible to C&P	.5	14	0.5-1.5" Upto Sch XXS; 2-6" upto SchXXS, 8" upto Sch160 & 10-14" upto Sch XS
	1	188	Nipple.(INCH) Visible to C&P	.5	4	0.5-4" Upto Sch XXS
	1	505	Fitting Size(INCH) Visible to C&P	0.5	16	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	40.49	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0.5	16	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	40.49	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0.5	1.5	
	3	509	Fitting Schedule Visible to C&P	0	XXS	
	3	510	Fitting Thickness(MM) Visible to C&P	0	10.15	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507	Fitting Material Visible to C&P	CS	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	2	6
	4	509	Fitting Schedule Visible to C&P	0	XXS
	4	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	4	507	Fitting Material Visible to C&P	CS	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-CONC	
	5	505	Fitting Size(INCH) Visible to C&P	8	8
	5	509	Fitting Schedule Visible to C&P	0	160
	5	510	Fitting Thickness(MM) Visible to C&P	0	23.01
	5	507	Fitting Material Visible to C&P	CS	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	REDUCER-CONC	
	6	505	Fitting Size(INCH) Visible to C&P	10	14
	6	509	Fitting Schedule Visible to C&P	0	XS
	6	510	Fitting Thickness(MM) Visible to C&P	0	12.7
	6	507	Fitting Material Visible to C&P	CS	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	REDUCER-CONC	
	7	505	Fitting Size(INCH) Visible to C&P	0.5	1.5
	7	509	Fitting Schedule Visible to C&P	0	XXS
	7	510	Fitting Thickness(MM) Visible to C&P	0	10.15

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	7	507 Fitting Material Visible to C&P	CS		
	7	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511 Fitting Description Visible to C&P	REDUCER-ECC		
	8	505 Fitting Size(INCH) Visible to C&P	2	6	
	8	509 Fitting Schedule Visible to C&P	0	XXS	
	8	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	8	507 Fitting Material Visible to C&P	CS		
	8	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511 Fitting Description Visible to C&P	REDUCER-ECC		
	9	505 Fitting Size(INCH) Visible to C&P	8	8	
	9	509 Fitting Schedule Visible to C&P	0	160	
	9	510 Fitting Thickness(MM) Visible to C&P	0	23.01	
	9	507 Fitting Material Visible to C&P	CS		
	9	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	9	511 Fitting Description Visible to C&P	REDUCER-ECC		
	10	505 Fitting Size(INCH) Visible to C&P	10	14	
	10	509 Fitting Schedule Visible to C&P	0	XS	
	10	510 Fitting Thickness(MM) Visible to C&P	0	12.7	
	10	507 Fitting Material Visible to C&P	CS		
	10	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	10	511 Fitting Description Visible to C&P	REDUCER-ECC		
	11	505 Fitting Size(INCH) Visible to C&P	0	0	
	11	509 Fitting Schedule Visible to C&P	0	0	
	11	510 Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	11	507	Fitting Material Visible to C&P	CS		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	11	511	Fitting Description Visible to C&P	RETURN BEND		
	12	505	Fitting Size(INCH) Visible to C&P	0.5	1.5	
	12	509	Fitting Schedule Visible to C&P	0	XXS	
	12	510	Fitting Thickness(MM) Visible to C&P	0	10.15	
	12	507	Fitting Material Visible to C&P	CS		
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	12	511	Fitting Description Visible to C&P	TEE		
	13	505	Fitting Size(INCH) Visible to C&P	2	6	
	13	509	Fitting Schedule Visible to C&P	0	XXS	
	13	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	13	507	Fitting Material Visible to C&P	CS		
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	13	511	Fitting Description Visible to C&P	TEE		
	14	505	Fitting Size(INCH) Visible to C&P	8	8	
	14	509	Fitting Schedule Visible to C&P	0	160	
	14	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	14	507	Fitting Material Visible to C&P	CS		
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	14	511	Fitting Description Visible to C&P	TEE		
	15	505	Fitting Size(INCH) Visible to C&P	10	14	
	15	509	Fitting Schedule Visible to C&P	0	XS	
	15	510	Fitting Thickness(MM) Visible to C&P	0	12.7	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	15	507	Fitting Material Visible to C&P	CS		
	15	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	15	511	Fitting Description Visible to C&P	TEE		
	16	505	Fitting Size(INCH) Visible to C&P	0	0	
	16	509	Fitting Schedule Visible to C&P	0	0	
	16	510	Fitting Thickness(MM) Visible to C&P	0	0	
	16	507	Fitting Material Visible to C&P	CS		
	16	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	16	511	Fitting Description Visible to C&P	STUB END		
	17	505	Fitting Size(INCH) Visible to C&P	0.5	4	
	17	509	Fitting Schedule Visible to C&P	0	XXS	
	17	510	Fitting Thickness(MM) Visible to C&P	0	17.12	
	17	507	Fitting Material Visible to C&P	CS		
	17	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	17	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
6. Supplier Code - Name		D111 - DEE DEVELOPMENT ENGINEERS LIMITED [PALWAL]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	28	2-6" UPTO SCHXXS, 8"-12" UPTO SCH160, 14-26" UPTO 99 mm thk & 28" UPTO 80 mm thk
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	28	2-6" UPTO SCHXXS, 8"-12" UPTO SCH160, 14-26" UPTO 99 mm thk & 28" UPTO 80 mm thk
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	28	2-6" UPTO SCHXXS, 8"-12" UPTO SCH160, 14-26" UPTO 99 mm thk & 28" UPTO 80 mm thk
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	28	2-6" UPTO SCHXXS, 8"-12" UPTO SCH160, 14-26" UPTO 99 mm thk & 28" UPTO 80 mm thk
	1	272	Tee.(INCH) Visible to C&P	2	28	2-6" UPTO SCHXXS, 8"-12" UPTO SCH160, 14-26" UPTO 99 mm thk & 28" UPTO 80 mm thk
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	2 066055053055	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	12	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	14	26	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	3	509	Fitting Schedule Visible to C&P			
	3	510	Fitting Thickness(MM) Visible to C&P	0	99	
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511	Fitting Description Visible to C&P	ELBOW-LR		
	4	505	Fitting Size(INCH) Visible to C&P	28	28	
	4	509	Fitting Schedule Visible to C&P			
	4	510	Fitting Thickness(MM) Visible to C&P	0	80	
	4	507	Fitting Material Visible to C&P	CS		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511	Fitting Description Visible to C&P	ELBOW-LR		
	5	505	Fitting Size(INCH) Visible to C&P	2	6	
	5	509	Fitting Schedule Visible to C&P	0	XXS	
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	5	507	Fitting Material Visible to C&P	CS		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511	Fitting Description Visible to C&P	ELBOW-SR		
	6	505	Fitting Size(INCH) Visible to C&P	8	12	
	6	509	Fitting Schedule Visible to C&P	0	160	
	6	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	6	507	Fitting Material Visible to C&P	CS		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511	Fitting Description Visible to C&P	ELBOW-SR		
	7	505	Fitting Size(INCH) Visible to C&P	14	26	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	7	509	Fitting Schedule Visible to C&P			
	7	510	Fitting Thickness(MM) Visible to C&P	0	99	
	7	507	Fitting Material Visible to C&P	CS		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511	Fitting Description Visible to C&P	ELBOW-SR		
	8	505	Fitting Size(INCH) Visible to C&P	28	28	
	8	509	Fitting Schedule Visible to C&P			
	8	510	Fitting Thickness(MM) Visible to C&P	0	80	
	8	507	Fitting Material Visible to C&P	CS		
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511	Fitting Description Visible to C&P	ELBOW-SR		
	9	505	Fitting Size(INCH) Visible to C&P	2	6	
	9	509	Fitting Schedule Visible to C&P	0	XXS	
	9	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	9	507	Fitting Material Visible to C&P	CS		
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	9	511	Fitting Description Visible to C&P	REDUCER-CONC		
	10	505	Fitting Size(INCH) Visible to C&P	8	12	
	10	509	Fitting Schedule Visible to C&P	0	160	
	10	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	10	507	Fitting Material Visible to C&P	CS		
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	10	511	Fitting Description Visible to C&P	REDUCER-CONC		
	11	505	Fitting Size(INCH) Visible to C&P	14	26	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	11	509	Fitting Schedule Visible to C&P			
	11	510	Fitting Thickness(MM) Visible to C&P	0	99	
	11	507	Fitting Material Visible to C&P	CS		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	11	511	Fitting Description Visible to C&P	REDUCER-CONC		
	12	505	Fitting Size(INCH) Visible to C&P	28	28	
	12	509	Fitting Schedule Visible to C&P			
	12	510	Fitting Thickness(MM) Visible to C&P	0	80	
	12	507	Fitting Material Visible to C&P	CS		
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	12	511	Fitting Description Visible to C&P	REDUCER-CONC		
	13	505	Fitting Size(INCH) Visible to C&P	2	6	
	13	509	Fitting Schedule Visible to C&P	0	XXS	
	13	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	13	507	Fitting Material Visible to C&P	CS		
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	13	511	Fitting Description Visible to C&P	REDUCER-ECC		
	14	505	Fitting Size(INCH) Visible to C&P	8	12	
	14	509	Fitting Schedule Visible to C&P	0	160	
	14	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	14	507	Fitting Material Visible to C&P	CS		
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	14	511	Fitting Description Visible to C&P	REDUCER-ECC		
	15	505	Fitting Size(INCH) Visible to C&P	14	26	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
15	509	Fitting Schedule Visible to C&P				
15	510	Fitting Thickness(MM) Visible to C&P	0	99		
15	507	Fitting Material Visible to C&P	CS			
15	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
15	511	Fitting Description Visible to C&P	REDUCER-ECC			
16	505	Fitting Size(INCH) Visible to C&P	28	28		
16	509	Fitting Schedule Visible to C&P				
16	510	Fitting Thickness(MM) Visible to C&P	0	80		
16	507	Fitting Material Visible to C&P	CS			
16	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
16	511	Fitting Description Visible to C&P	REDUCER-ECC			
17	505	Fitting Size(INCH) Visible to C&P	0	0		
17	509	Fitting Schedule Visible to C&P	0	0		
17	510	Fitting Thickness(MM) Visible to C&P	0	0		
17	507	Fitting Material Visible to C&P	CS			
17	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
17	511	Fitting Description Visible to C&P	RETURN BEND			
18	505	Fitting Size(INCH) Visible to C&P	2	6		
18	509	Fitting Schedule Visible to C&P	0	XXS		
18	510	Fitting Thickness(MM) Visible to C&P	0	21.95		
18	507	Fitting Material Visible to C&P	CS			
18	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
18	511	Fitting Description Visible to C&P	TEE			
19	505	Fitting Size(INCH) Visible to C&P	8	12		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	19	509	Fitting Schedule Visible to C&P	0	160	
	19	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	19	507	Fitting Material Visible to C&P	CS		
	19	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	19	511	Fitting Description Visible to C&P	TEE		
	20	505	Fitting Size(INCH) Visible to C&P	14	26	
	20	509	Fitting Schedule Visible to C&P			
	20	510	Fitting Thickness(MM) Visible to C&P	0	99	
	20	507	Fitting Material Visible to C&P	CS		
	20	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	20	511	Fitting Description Visible to C&P	TEE		
	21	505	Fitting Size(INCH) Visible to C&P	28	28	
	21	509	Fitting Schedule Visible to C&P	066055053055		
	21	510	Fitting Thickness(MM) Visible to C&P	0	80	
	21	507	Fitting Material Visible to C&P	CS		
	21	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	21	511	Fitting Description Visible to C&P	TEE		
	22	505	Fitting Size(INCH) Visible to C&P	0	0	
	22	509	Fitting Schedule Visible to C&P	0	0	
	22	510	Fitting Thickness(MM) Visible to C&P	0	0	
	22	507	Fitting Material Visible to C&P	CS		
	22	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	22	511	Fitting Description Visible to C&P	STUB END		
	23	505	Fitting Size(INCH) Visible to C&P	0	6	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	23	509	Fitting Schedule Visible to C&P	0	XXS	
	23	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	23	507	Fitting Material Visible to C&P	CS		
	23	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	23	511	Fitting Description Visible to C&P	NIPPLE		



066055053055

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
7. Supplier Code - Name		E060 - EBY FASTENERS [MAHARASHTRA]				
Item Remarks:-		As per details below:				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	0	0	
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0.5	2	from pipe
	1	505	Fitting Size(INCH) Visible to C&P	0	0	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	0	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	0	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	0	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	0	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507	Fitting Material Visible to C&P	CS	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0	0
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	0
	4	507	Fitting Material Visible to C&P	CS	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	CS	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	0	0
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	0
	6	507	Fitting Material Visible to C&P	CS	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
8. Supplier Code - Name		E588 - ERNE FITTINGS GMBH				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.5	36	Schlins works: 0.5-36" & Murzzuschlag works 0.5-8".Test Certificates from Schlins only.
	1	123	Elbow-S.R.(INCH) Visible to C&P	.5	36	Schlins works: 0.5-36" & Murzzuschlag works 0.5-8".Test Certificates from Schlins only.
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	.5	12	Murzzuschlag works only.Test Certificates from Schlins only.
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	.5	12	Murzzuschlag works only.Test Certificates from Schlins only.
	1	272	Tee.(INCH) Visible to C&P	.5	12	Murzzuschlag works only.Test Certificates from Schlins only.
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	0.5	36	
	1	509	Fitting Schedule Visible to C&P	-	-	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0.5	36	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0.5	12	
	3	509	Fitting Schedule Visible to C&P	0	160	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	3	507	Fitting Material Visible to C&P	CS	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0.5	12
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	4	507	Fitting Material Visible to C&P	CS	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	CS	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	0.5	12
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	6	507	Fitting Material Visible to C&P	CS	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	7	510	Fitting Thickness(MM) Visible to C&P	0	0	
	7	507	Fitting Material Visible to C&P	CS		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511	Fitting Description Visible to C&P	STUB END		
	8	505	Fitting Size(INCH) Visible to C&P	0	0	
	8	509	Fitting Schedule Visible to C&P	0	0	
	8	510	Fitting Thickness(MM) Visible to C&P	0	0	
	8	507	Fitting Material Visible to C&P	CS		
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511	Fitting Description Visible to C&P	NIPPLE		
				066055053055		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
9. Supplier Code - Name		E630 - EZEFLOW INC. [Quebec]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	0	0	
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	12	2-4" UPTO SCH120, 6-12" UPTO SCH160/XXS
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	0	0	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	0	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	0	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	0	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	2	4	
	3	509	Fitting Schedule Visible to C&P	0	120	
	3	510	Fitting Thickness(MM) Visible to C&P	0	11.13	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511	Fitting Description Visible to C&P	REDUCER-CONC		
	4	505	Fitting Size(INCH) Visible to C&P	6	12	
	4	509	Fitting Schedule Visible to C&P	0	160	
	4	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	4	507	Fitting Material Visible to C&P	CS		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511	Fitting Description Visible to C&P	REDUCER-CONC		
	5	505	Fitting Size(INCH) Visible to C&P	0	0	
	5	509	Fitting Schedule Visible to C&P	0	0	
	5	510	Fitting Thickness(MM) Visible to C&P	0	0	
	5	507	Fitting Material Visible to C&P	CS		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511	Fitting Description Visible to C&P	REDUCER-ECC		
	6	505	Fitting Size(INCH) Visible to C&P	0	0	
	6	509	Fitting Schedule Visible to C&P	0	0	
	6	510	Fitting Thickness(MM) Visible to C&P	0	0	
	6	507	Fitting Material Visible to C&P	CS		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511	Fitting Description Visible to C&P	RETURN BEND		
	7	505	Fitting Size(INCH) Visible to C&P	0	0	
	7	509	Fitting Schedule Visible to C&P	0	0	
	7	510	Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	7	507	Fitting Material Visible to C&P	CS		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511	Fitting Description Visible to C&P	TEE		
	8	505	Fitting Size(INCH) Visible to C&P	0	0	
	8	509	Fitting Schedule Visible to C&P	0	0	
	8	510	Fitting Thickness(MM) Visible to C&P	0	0	
	8	507	Fitting Material Visible to C&P	CS		
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511	Fitting Description Visible to C&P	STUB END		
	9	505	Fitting Size(INCH) Visible to C&P	0	0	
	9	509	Fitting Schedule Visible to C&P	0	0	
	9	510	Fitting Thickness(MM) Visible to C&P	0	0	
	9	507	Fitting Material Visible to C&P	CS		
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	9	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
10. Supplier Code - Name		G125 - GUJRAT INFRAPIPES PVT. LIMITED [VADODARA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	2-6"upto SchXXS,8-24"upto Sch160
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	24	2-6"upto SchXXS,8-24"upto Sch160
	1	237	Return Bend.(INCH) Visible to C&P	2	8	180 DEG; 2-6"upto SchXXS,8"upto Sch160
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	24	2-6"upto SchXXS,8-24"upto Sch160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	24	2-6"upto SchXXS,8-24"upto Sch160
	1	272	Tee.(INCH) Visible to C&P	2	24	2-6" Upto Sch XXS,8-24"upto Sch160;Cross:Thk- 2-3" upto Sch 160;4-6" upto Sch XXS;8" Upto Sch 160
	1	188	Nipple.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	2	6	
	3	509	Fitting Schedule Visible to C&P	0	XXS	
	3	510	Fitting Thickness(MM) Visible to C&P	0	21.95	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507	Fitting Material Visible to C&P	CS	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	ELBOW-SR	
	4	505	Fitting Size(INCH) Visible to C&P	8	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	CS	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	ELBOW-SR	
	5	505	Fitting Size(INCH) Visible to C&P	2	6
	5	509	Fitting Schedule Visible to C&P	0	XXS
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	5	507	Fitting Material Visible to C&P	CS	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	REDUCER-CONC	
	6	505	Fitting Size(INCH) Visible to C&P	8	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	CS	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	REDUCER-CONC	
	7	505	Fitting Size(INCH) Visible to C&P	2	6
	7	509	Fitting Schedule Visible to C&P	0	XXS
	7	510	Fitting Thickness(MM) Visible to C&P	0	21.95

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	7	507	Fitting Material Visible to C&P	CS		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511	Fitting Description Visible to C&P	REDUCER-ECC		
	8	505	Fitting Size(INCH) Visible to C&P	8	24	
	8	509	Fitting Schedule Visible to C&P	0	160	
	8	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	8	507	Fitting Material Visible to C&P	CS		
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511	Fitting Description Visible to C&P	REDUCER-ECC		
	9	505	Fitting Size(INCH) Visible to C&P	2	6	
	9	509	Fitting Schedule Visible to C&P	0	XXS	
	9	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	9	507	Fitting Material Visible to C&P	CS		
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	9	511	Fitting Description Visible to C&P	RETURN BEND		
	10	505	Fitting Size(INCH) Visible to C&P	8	8	
	10	509	Fitting Schedule Visible to C&P	0	160	
	10	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	10	507	Fitting Material Visible to C&P	CS		
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	10	511	Fitting Description Visible to C&P	RETURN BEND		
	11	505	Fitting Size(INCH) Visible to C&P	2	6	
	11	509	Fitting Schedule Visible to C&P	0	XXS	
	11	510	Fitting Thickness(MM) Visible to C&P	0	21.95	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	11	507	Fitting Material Visible to C&P	CS	
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	11	511	Fitting Description Visible to C&P	TEE	
	12	505	Fitting Size(INCH) Visible to C&P	8	24
	12	509	Fitting Schedule Visible to C&P	0	160
	12	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	12	507	Fitting Material Visible to C&P	CS	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	12	511	Fitting Description Visible to C&P	TEE	
	13	505	Fitting Size(INCH) Visible to C&P	0	0
	13	509	Fitting Schedule Visible to C&P	0	0
	13	510	Fitting Thickness(MM) Visible to C&P	0	0
	13	507	Fitting Material Visible to C&P	CS	
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	13	511	Fitting Description Visible to C&P	STUB END	
	14	505	Fitting Size(INCH) Visible to C&P	0	6
	14	509	Fitting Schedule Visible to C&P	0	XXS
	14	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	14	507	Fitting Material Visible to C&P	CS	
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	14	511	Fitting Description Visible to C&P	NIPPLE	
	15	505	Fitting Size(INCH) Visible to C&P	2	3
	15	509	Fitting Schedule Visible to C&P	0	160
	15	510	Fitting Thickness(MM) Visible to C&P	0	11.13

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
15	507	Fitting Material Visible to C&P	CS		
15	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
15	511	Fitting Description Visible to C&P	CROSS		
16	505	Fitting Size(INCH) Visible to C&P	4	6	
16	509	Fitting Schedule Visible to C&P	0	XXS	
16	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
16	507	Fitting Material Visible to C&P	CS		
16	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
16	511	Fitting Description Visible to C&P	CROSS		
17	505	Fitting Size(INCH) Visible to C&P	8	8	
17	509	Fitting Schedule Visible to C&P	0	160	
17	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
17	507	Fitting Material Visible to C&P	CS		
17	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
17	511	Fitting Description Visible to C&P	CROSS		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL						
11. Supplier Code - Name		H644 - HEBEI CANGZHOU HENGTONG TUBING CO.LTD [CANGZHOU CITY]							
Item Remarks:-									
	Code	Holiday Desc	Remarks	Client Specific	Clients		IR *	From	To
	01D	HOLIDAY-CONSTRAINTS ON MEN & MACHINERIES	HOLIDAY-CONSTRAINTS ON MEN & MACHINERIES	N			N	13/01/2014	
	02F	HOLIDAY-MGMT DISPUTE & QUALITY LAPSES	HOLIDAY-MGMT DISPUTE & QUALITY LAPSES	N			N	28/12/2011	27/06/2012
Capabilities									
	Group	Param	Description (UOM)	From	To	Remarks			
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	UPTO SCH160/XXS			
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	24	UPTO SCH160/XXS			
	1	237	Return Bend.(INCH) Visible to C&P	2	24	UPTO SCH160/XXS			
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	24	UPTO SCH160/XXS			
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	24	UPTO SCH160/XXS			
	1	272	Tee.(INCH) Visible to C&P	2	24	UPTO SCH160/XXS			
	1	268	Stub-End.(INCH) Visible to C&P	0	0				
	1	188	Nipple.(INCH) Visible to C&P	1	1				
	1	505	Fitting Size(INCH) Visible to C&P	2	24				
	1	509	Fitting Schedule Visible to C&P	0	160				
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54				
	1	507	Fitting Material Visible to C&P	CS					
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS					
	1	511	Fitting Description Visible to C&P	ELBOW-LR					
	2	505	Fitting Size(INCH) Visible to C&P	2	24				
	2	509	Fitting Schedule Visible to C&P	0	160				
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54				
	2	507	Fitting Material Visible to C&P	CS					
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS					

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	2	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511	Fitting Description Visible to C&P	REDUCER-CONC		
	4	505	Fitting Size(INCH) Visible to C&P	2	24	
	4	509	Fitting Schedule Visible to C&P	0	160	
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507	Fitting Material Visible to C&P	CS		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511	Fitting Description Visible to C&P	REDUCER-ECC		
	5	505	Fitting Size(INCH) Visible to C&P	2	24	
	5	509	Fitting Schedule Visible to C&P	0	160	
	5	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	5	507	Fitting Material Visible to C&P	CS		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511	Fitting Description Visible to C&P	RETURN BEND		
	6	505	Fitting Size(INCH) Visible to C&P	2	24	
	6	509	Fitting Schedule Visible to C&P	0	160	
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507	Fitting Material Visible to C&P	CS		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	6	511	Fitting Description Visible to C&P	TEE		
	7	505	Fitting Size(INCH) Visible to C&P	0	0	
	7	509	Fitting Schedule Visible to C&P	0	0	
	7	510	Fitting Thickness(MM) Visible to C&P	0	0	
	7	507	Fitting Material Visible to C&P	CS		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511	Fitting Description Visible to C&P	STUB END		
	8	505	Fitting Size(INCH) Visible to C&P	0	6	
	8	509	Fitting Schedule Visible to C&P	0	XXS	
	8	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	8	507	Fitting Material Visible to C&P	CS		
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
12. Supplier Code - Name		I597 - IBF S P A				
Item Remarks:-						
Capabilities						
Group	Param	Description (UOM)	From	To	Remarks	
1	121	Elbow-L.R.(INCH) Visible to C&P	2	8	2-6" UPTO SCHXXS, 8" UPTO SCH160	
1	123	Elbow-S.R.(INCH) Visible to C&P	2	8	2-6" UPTO SCHXXS, 8" UPTO SCH160	
1	237	Return Bend.(INCH) Visible to C&P	0	0		
1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	8	2-3" UPTO SCH160,4-6" UPTO SCHXXS, 8" UPTO SCH160	
1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	8	2-6" UPTO SCHXXS, 8" UPTO SCH160	
1	272	Tee.(INCH) Visible to C&P	2	8	2-6" UPTO SCHXXS, 8" UPTO SCH160	
1	268	Stub-End.(INCH) Visible to C&P	0	0		
1	188	Nipple.(INCH) Visible to C&P	0	0		
1	505	Fitting Size(INCH) Visible to C&P	2	6		
1	509	Fitting Schedule Visible to C&P	0	XXS		
1	510	Fitting Thickness(MM) Visible to C&P	0	21.95		
1	507	Fitting Material Visible to C&P	CS			
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
1	511	Fitting Description Visible to C&P	ELBOW-LR			
2	505	Fitting Size(INCH) Visible to C&P	8	8		
2	509	Fitting Schedule Visible to C&P	0	160		
2	510	Fitting Thickness(MM) Visible to C&P	0	23.01		
2	507	Fitting Material Visible to C&P	CS			
2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
2	511	Fitting Description Visible to C&P	ELBOW-LR			
3	505	Fitting Size(INCH) Visible to C&P	2	6		
3	509	Fitting Schedule Visible to C&P	0	XXS		
3	510	Fitting Thickness(MM) Visible to C&P	0	21.95		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507 Fitting Material Visible to C&P	CS		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	ELBOW-SR		
	4	505 Fitting Size(INCH) Visible to C&P	8	8	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	23.01	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	ELBOW-SR		
	5	505 Fitting Size(INCH) Visible to C&P	2	3	
	5	509 Fitting Schedule Visible to C&P	0	160	
	5	510 Fitting Thickness(MM) Visible to C&P	0	11.13	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	REDUCER-CONC		
	6	505 Fitting Size(INCH) Visible to C&P	4	6	
	6	509 Fitting Schedule Visible to C&P	0	XXS	
	6	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	REDUCER-CONC		
	7	505 Fitting Size(INCH) Visible to C&P	8	8	
	7	509 Fitting Schedule Visible to C&P	0	160	
	7	510 Fitting Thickness(MM) Visible to C&P	0	23.01	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	7	507 Fitting Material Visible to C&P	CS		
	7	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511 Fitting Description Visible to C&P	REDUCER-CONC		
	8	505 Fitting Size(INCH) Visible to C&P	2	6	
	8	509 Fitting Schedule Visible to C&P	0	XXS	
	8	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	8	507 Fitting Material Visible to C&P	CS		
	8	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511 Fitting Description Visible to C&P	REDUCER-ECC		
	9	505 Fitting Size(INCH) Visible to C&P	8	8	
	9	509 Fitting Schedule Visible to C&P	0	160	
	9	510 Fitting Thickness(MM) Visible to C&P	0	23.01	
	9	507 Fitting Material Visible to C&P	CS		
	9	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	9	511 Fitting Description Visible to C&P	REDUCER-ECC		
	10	505 Fitting Size(INCH) Visible to C&P	0	0	
	10	509 Fitting Schedule Visible to C&P	0	0	
	10	510 Fitting Thickness(MM) Visible to C&P	0	0	
	10	507 Fitting Material Visible to C&P	CS		
	10	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	10	511 Fitting Description Visible to C&P	RETURN BEND		
	11	505 Fitting Size(INCH) Visible to C&P	2	6	
	11	509 Fitting Schedule Visible to C&P	0	XXS	
	11	510 Fitting Thickness(MM) Visible to C&P	0	21.95	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	11	507	Fitting Material Visible to C&P	CS		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	11	511	Fitting Description Visible to C&P	TEE		
	12	505	Fitting Size(INCH) Visible to C&P	8	8	
	12	509	Fitting Schedule Visible to C&P	0	160	
	12	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	12	507	Fitting Material Visible to C&P	CS		
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	12	511	Fitting Description Visible to C&P	TEE		
	13	505	Fitting Size(INCH) Visible to C&P	0	0	
	13	509	Fitting Schedule Visible to C&P	0	0	
	13	510	Fitting Thickness(MM) Visible to C&P	0	0	
	13	507	Fitting Material Visible to C&P	CS		
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	13	511	Fitting Description Visible to C&P	STUB END		
	14	505	Fitting Size(INCH) Visible to C&P	0	0	
	14	509	Fitting Schedule Visible to C&P	0	0	
	14	510	Fitting Thickness(MM) Visible to C&P	0	0	
	14	507	Fitting Material Visible to C&P	CS		
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	14	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
13. Supplier Code - Name		I604 - ITM S.R.L.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	0	0	
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	10	14	Upto Sch 160
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	0	0	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	0	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	0	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	0	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	0	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507 Fitting Material Visible to C&P	CS		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	0	0	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	0	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	10	14	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	35.71	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
14. Supplier Code - Name		J614 - JIANGYIN TIANNING METAL PIPE FITTING CO				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	12	2-6" UPTO SCHXXS, 8-12" UPTO SCH160
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	12	2-6" UPTO SCHXXS, 8-12" UPTO SCH160
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	12	2-6" UPTO SCHXXS, 8-12" UPTO SCH160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	12	2-6" UPTO SCHXXS, 8-12" UPTO SCH160
	1	272	Tee.(INCH) Visible to C&P	2	12	2-6" UPTO SCHXXS, 8-12" UPTO SCH160
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	12	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	2	6	
	3	509	Fitting Schedule Visible to C&P	0	XXS	
	3	510	Fitting Thickness(MM) Visible to C&P	0	21.95	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507	Fitting Material Visible to C&P	CS	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	ELBOW-SR	
	4	505	Fitting Size(INCH) Visible to C&P	8	12
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	4	507	Fitting Material Visible to C&P	CS	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	ELBOW-SR	
	5	505	Fitting Size(INCH) Visible to C&P	2	6
	5	509	Fitting Schedule Visible to C&P	0	XXS
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	5	507	Fitting Material Visible to C&P	CS	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	REDUCER-CONC	
	6	505	Fitting Size(INCH) Visible to C&P	8	12
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	6	507	Fitting Material Visible to C&P	CS	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	REDUCER-CONC	
	7	505	Fitting Size(INCH) Visible to C&P	2	6
	7	509	Fitting Schedule Visible to C&P	0	XXS
	7	510	Fitting Thickness(MM) Visible to C&P	0	21.95

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	7	507 Fitting Material Visible to C&P	CS		
	7	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511 Fitting Description Visible to C&P	REDUCER-ECC		
	8	505 Fitting Size(INCH) Visible to C&P	8	12	
	8	509 Fitting Schedule Visible to C&P	0	160	
	8	510 Fitting Thickness(MM) Visible to C&P	0	33.32	
	8	507 Fitting Material Visible to C&P	CS		
	8	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511 Fitting Description Visible to C&P	REDUCER-ECC		
	9	505 Fitting Size(INCH) Visible to C&P	0	0	
	9	509 Fitting Schedule Visible to C&P	0	0	
	9	510 Fitting Thickness(MM) Visible to C&P	0	0	
	9	507 Fitting Material Visible to C&P	CS		
	9	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	9	511 Fitting Description Visible to C&P	RETURN BEND		
	10	505 Fitting Size(INCH) Visible to C&P	2	6	
	10	509 Fitting Schedule Visible to C&P	0	XXS	
	10	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	10	507 Fitting Material Visible to C&P	CS		
	10	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	10	511 Fitting Description Visible to C&P	TEE		
	11	505 Fitting Size(INCH) Visible to C&P	8	12	
	11	509 Fitting Schedule Visible to C&P	0	160	
	11	510 Fitting Thickness(MM) Visible to C&P	0	33.32	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	11	507	Fitting Material Visible to C&P	CS		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	11	511	Fitting Description Visible to C&P	TEE		
	12	505	Fitting Size(INCH) Visible to C&P	0	0	
	12	509	Fitting Schedule Visible to C&P	0	0	
	12	510	Fitting Thickness(MM) Visible to C&P	0	0	
	12	507	Fitting Material Visible to C&P	CS		
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	12	511	Fitting Description Visible to C&P	STUB END		
	13	505	Fitting Size(INCH) Visible to C&P	0	0	
	13	509	Fitting Schedule Visible to C&P	0	0	
	13	510	Fitting Thickness(MM) Visible to C&P	0	0	
	13	507	Fitting Material Visible to C&P	CS		
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	13	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
15. Supplier Code - Name		J615 - LONGSHAN PIPE SOLUTIONS CO. LTD. [..]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	Upto Sch 160
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	24	Upto Sch 160
	1	237	Return Bend.(INCH) Visible to C&P	Not Approved	Not Appr oved	
	1	231	Reducer-Conc. -NB(INCH) Visible to C&P	2	24	Upto Sch 160
	1	232	Reducer-Ecc. -NB(INCH) Visible to C&P	2	24	Upto Sch 160
	1	272	Tee.(INCH) Visible to C&P	2	24	Upto Sch 160
	1	268	Stub-End.(INCH) Visible to C&P	Not Approved	Not Appr oved	
	1	188	Nipple.(INCH) Visible to C&P	Not Approved	Not Appr oved	
	1	505	Fitting Size(INCH) Visible to C&P	2	24	
	1	509	Fitting Schedule Visible to C&P	0 066055053055	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	2	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
2	511	Fitting Description Visible to C&P	ELBOW-SR			
3	505	Fitting Size(INCH) Visible to C&P	2	24		
3	509	Fitting Schedule Visible to C&P	0	160		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	3	507	Fitting Material Visible to C&P	CS	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	2	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	CS	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	CS	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	2	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	CS	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL
	7	510 Fitting Thickness(MM) Visible to C&P	0
	7	507 Fitting Material Visible to C&P	CS
	7	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS
	7	511 Fitting Description Visible to C&P	STUB END
	8	505 Fitting Size(INCH) Visible to C&P	0
	8	509 Fitting Schedule Visible to C&P	0
	8	510 Fitting Thickness(MM) Visible to C&P	0
	8	507 Fitting Material Visible to C&P	CS
	8	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS
	8	511 Fitting Description Visible to C&P	NIPPLE

* **IR** - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
16. Supplier Code - Name		K218 - K.S.PIPE FITTINGS (P) LTD [PALWAL]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	Thk upto Sch160
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	24	Thk upto Sch160
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	24	Thk upto Sch160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	24	Thk upto Sch160
	1	272	Tee.(INCH) Visible to C&P	2	24	Thk upto Sch160
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	2	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	2	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	2	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507 Fitting Material Visible to C&P	CS		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	2	24	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	2	24	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
17. Supplier Code - Name		M057 - M.S. FITTINGS MFG. CO PVT LTD [KOLKATA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.5	12	2-6" UPTO SCHXXS, 8" UPTO SCH160;10-12" UPTO SCH140.
	1	123	Elbow-S.R.(INCH) Visible to C&P	.5	12	2-6" UPTO SCHXXS, 8" UPTO SCH160;10-12" UPTO SCH140.
	1	237	Return Bend.(INCH) Visible to C&P	.5	8	2" UPTO SCHXXS,3" UPTO SCH160,4-8" UPTOSCHXXS.
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	.5	20	2-6" UPTO SCHXXS, 8" UPTO SCH160;10-20" UPTO SCH140.
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	.5	20	2-4" UPTO SCH160, 6" UPTO SCHXXS, 8" UPTO SCH160;10-20" UPTO SCH140.
	1	272	Tee.(INCH) Visible to C&P	.5	14	2-6" UPTO SCHXXS, 8" UPTO SCH160, 10-14" UPTO SCH160.
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0 066055053055	21.95	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	8	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	10	12	
	3	509	Fitting Schedule Visible to C&P	0	140	
	3	510	Fitting Thickness(MM) Visible to C&P	0	28.58	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507	Fitting Material Visible to C&P	CS	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	ELBOW-LR	
	4	505	Fitting Size(INCH) Visible to C&P	2	6
	4	509	Fitting Schedule Visible to C&P	0	XXS
	4	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	4	507	Fitting Material Visible to C&P	CS	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	ELBOW-SR	
	5	505	Fitting Size(INCH) Visible to C&P	8	8
	5	509	Fitting Schedule Visible to C&P	0	160
	5	510	Fitting Thickness(MM) Visible to C&P	0	23.01
	5	507	Fitting Material Visible to C&P	CS	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	ELBOW-SR	
	6	505	Fitting Size(INCH) Visible to C&P	10	12
	6	509	Fitting Schedule Visible to C&P	0	140
	6	510	Fitting Thickness(MM) Visible to C&P	0	28.58
	6	507	Fitting Material Visible to C&P	CS	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	ELBOW-SR	
	7	505	Fitting Size(INCH) Visible to C&P	2	6
	7	509	Fitting Schedule Visible to C&P	0	XXS
	7	510	Fitting Thickness(MM) Visible to C&P	0	21.95

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	7	507	Fitting Material Visible to C&P	CS		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511	Fitting Description Visible to C&P	REDUCER-CONC		
	8	505	Fitting Size(INCH) Visible to C&P	8	8	
	8	509	Fitting Schedule Visible to C&P	0	160	
	8	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	8	507	Fitting Material Visible to C&P	CS		
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511	Fitting Description Visible to C&P	REDUCER-CONC		
	9	505	Fitting Size(INCH) Visible to C&P	10	20	
	9	509	Fitting Schedule Visible to C&P	0	140	
	9	510	Fitting Thickness(MM) Visible to C&P	0	44.45	
	9	507	Fitting Material Visible to C&P	CS		
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	9	511	Fitting Description Visible to C&P	REDUCER-CONC		
	10	505	Fitting Size(INCH) Visible to C&P	2	4	
	10	509	Fitting Schedule Visible to C&P	0	160	
	10	510	Fitting Thickness(MM) Visible to C&P	0	13.49	
	10	507	Fitting Material Visible to C&P	CS		
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	10	511	Fitting Description Visible to C&P	REDUCER-ECC		
	11	505	Fitting Size(INCH) Visible to C&P	6	6	
	11	509	Fitting Schedule Visible to C&P	0	XXS	
	11	510	Fitting Thickness(MM) Visible to C&P	0	21.95	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	11	507	Fitting Material Visible to C&P	CS	
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	11	511	Fitting Description Visible to C&P	REDUCER-ECC	
	12	505	Fitting Size(INCH) Visible to C&P	8	8
	12	509	Fitting Schedule Visible to C&P	0	160
	12	510	Fitting Thickness(MM) Visible to C&P	0	23.01
	12	507	Fitting Material Visible to C&P	CS	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	12	511	Fitting Description Visible to C&P	REDUCER-ECC	
	13	505	Fitting Size(INCH) Visible to C&P	10	20
	13	509	Fitting Schedule Visible to C&P	0	140
	13	510	Fitting Thickness(MM) Visible to C&P	0	44.45
	13	507	Fitting Material Visible to C&P	CS	
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	13	511	Fitting Description Visible to C&P	REDUCER-ECC	
	14	505	Fitting Size(INCH) Visible to C&P	2	2
	14	509	Fitting Schedule Visible to C&P	0	XXS
	14	510	Fitting Thickness(MM) Visible to C&P	0	11.07
	14	507	Fitting Material Visible to C&P	CS	
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	14	511	Fitting Description Visible to C&P	RETURN BEND	
	15	505	Fitting Size(INCH) Visible to C&P	3	3
	15	509	Fitting Schedule Visible to C&P	0	160
	15	510	Fitting Thickness(MM) Visible to C&P	0	11.13

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
15	507	Fitting Material Visible to C&P	CS		
15	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
15	511	Fitting Description Visible to C&P	RETURN BEND		
16	505	Fitting Size(INCH) Visible to C&P	4	8	
16	509	Fitting Schedule Visible to C&P	0	XXS	
16	510	Fitting Thickness(MM) Visible to C&P	0	22.23	
16	507	Fitting Material Visible to C&P	CS		
16	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
16	511	Fitting Description Visible to C&P	RETURN BEND		
17	505	Fitting Size(INCH) Visible to C&P	2	6	
17	509	Fitting Schedule Visible to C&P	0	XXS	
17	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
17	507	Fitting Material Visible to C&P	CS		
17	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
17	511	Fitting Description Visible to C&P	TEE		
18	505	Fitting Size(INCH) Visible to C&P	8	8	
18	509	Fitting Schedule Visible to C&P	0	160	
18	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
18	507	Fitting Material Visible to C&P	CS		
18	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
18	511	Fitting Description Visible to C&P	TEE		
19	505	Fitting Size(INCH) Visible to C&P	10	14	
19	509	Fitting Schedule Visible to C&P	0	160	
19	510	Fitting Thickness(MM) Visible to C&P	0	35.71	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	19	507	Fitting Material Visible to C&P	CS		
	19	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	19	511	Fitting Description Visible to C&P	TEE		
	20	505	Fitting Size(INCH) Visible to C&P	0	0	
	20	509	Fitting Schedule Visible to C&P	0	0	
	20	510	Fitting Thickness(MM) Visible to C&P	0	0	
	20	507	Fitting Material Visible to C&P	CS		
	20	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	20	511	Fitting Description Visible to C&P	STUB END		
	21	505	Fitting Size(INCH) Visible to C&P	0	6	
	21	509	Fitting Schedule Visible to C&P	0	XXS	
	21	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	21	507	Fitting Material Visible to C&P	CS		
	21	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	21	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
18. Supplier Code - Name		M507 - MUNRO & MILLER FITTINGS LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	1	1	
	1	123	Elbow-S.R.(INCH) Visible to C&P	1	1	
	1	237	Return Bend.(INCH) Visible to C&P	1	1	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	1	1	
	1	272	Tee.(INCH) Visible to C&P	1	1	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	0	96	
	1	509	Fitting Schedule Visible to C&P	-	-	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	96	
	2	509	Fitting Schedule Visible to C&P	-	-	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	96	
	3	509	Fitting Schedule Visible to C&P	-	-	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507 Fitting Material Visible to C&P	CS		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	0	96	
	4	509 Fitting Schedule Visible to C&P	-	-	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	96	
	5	509 Fitting Schedule Visible to C&P	-	-	
	5	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	0	96	
	6	509 Fitting Schedule Visible to C&P	-	-	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
19. Supplier Code - Name		P315 - P.K.TUBES & FITTINGS PVT.LTD.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	Upto sch 160
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	24	Upto sch 160
	1	237	Return Bend.(INCH) Visible to C&P	2	24	Upto 38.89mm thk , 2-12" upto 9D
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	24	Upto sch 160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	24	Upto sch 160
	1	272	Tee.(INCH) Visible to C&P	2	24	Upto sch 160
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	.25	4	Upto sch 160
	1	505	Fitting Size(INCH) Visible to C&P	2	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	2	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	2	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507	Fitting Material Visible to C&P	CS	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	2	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	CS	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	2	24
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	38.89
	5	507	Fitting Material Visible to C&P	CS	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	2	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	CS	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
20. Supplier Code - Name		P325 - PETRO CHEM INDUSTRIES [VADODARA]				
Item Remarks:-		As per details below:				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	8	
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	8	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	8	
	1	272	Tee.(INCH) Visible to C&P	2	8	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	2	8	
	1	509	Fitting Schedule Visible to C&P	0	80	
	1	510	Fitting Thickness(MM) Visible to C&P	0	12.7	
	1	507	Fitting Material Visible to C&P	CS Material		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	121	Elbow-L.R.(INCH) Visible to C&P	2	8	
	2	123	Elbow-S.R.(INCH) Visible to C&P	0	0	
	2	237	Return Bend.(INCH) Visible to C&P	0	0	
	2	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	8	
	2	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	8	
	2	272	Tee.(INCH) Visible to C&P	2	8	
	2	268	Stub-End.(INCH) Visible to C&P	0	0	
	2	188	Nipple.(INCH) Visible to C&P	0	0	
	2	505	Fitting Size(INCH) Visible to C&P	2	8	
	2	509	Fitting Schedule Visible to C&P	0	80	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	2	510	Fitting Thickness(MM) Visible to C&P	0	12.70
	2	507	Fitting Material Visible to C&P	CS Material	
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	2	511	Fitting Description Visible to C&P	ELBOW-LR	
	3	121	Elbow-L.R.(INCH) Visible to C&P	2	8
	3	123	Elbow-S.R.(INCH) Visible to C&P	0	0
	3	237	Return Bend.(INCH) Visible to C&P	0	0
	3	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	8
	3	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	8
	3	272	Tee.(INCH) Visible to C&P	2	8
	3	268	Stub-End.(INCH) Visible to C&P	0	0
	3	188	Nipple.(INCH) Visible to C&P	0	0
	3	505	Fitting Size(INCH) Visible to C&P	2 066055053055	8
	3	509	Fitting Schedule Visible to C&P	0	80
	3	510	Fitting Thickness(MM) Visible to C&P	0	12.70
	3	507	Fitting Material Visible to C&P	CS Material	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	ELBOW-LR	
	4	121	Elbow-L.R.(INCH) Visible to C&P	2	8
	4	123	Elbow-S.R.(INCH) Visible to C&P	0	0
	4	237	Return Bend.(INCH) Visible to C&P	0	0
	4	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	8
	4	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	8
	4	272	Tee.(INCH) Visible to C&P	2	8
	4	268	Stub-End.(INCH) Visible to C&P	0	0

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
21. Supplier Code - Name		P340 - PATTECH FITWELL TUBE COMPONENTS				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	6	UPTO SCH 80
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	6	UPTO SCH 80
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	6	UPTO SCH 80
	1	272	Tee.(INCH) Visible to C&P	2	6	UPTO SCH 80
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	80	
	1	510	Fitting Thickness(MM) Visible to C&P	0	10.97	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	0	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	0	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	2	6	
	3	509	Fitting Schedule Visible to C&P	0	80	
	3	510	Fitting Thickness(MM) Visible to C&P	0	10.97	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507 Fitting Material Visible to C&P	CS		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	2	6	
	4	509 Fitting Schedule Visible to C&P	0	80	
	4	510 Fitting Thickness(MM) Visible to C&P	0	10.97	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	2	6	
	6	509 Fitting Schedule Visible to C&P	0	80	
	6	510 Fitting Thickness(MM) Visible to C&P	0	10.97	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
22. Supplier Code - Name		P694 - PIANA S.P.A [PAVIA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.5	24	UPTO SCH 160/XXS
	1	123	Elbow-S.R.(INCH) Visible to C&P	.5	24	UPTO SCH 160/XXS
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	.5	24	UPTO SCH 160/XXS
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	.5	24	UPTO SCH 160/XXS
	1	272	Tee.(INCH) Visible to C&P	.5	24	UPTO SCH 160/XXS
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507	Fitting Material Visible to C&P	CS	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0.5	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	CS	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	CS	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	0.5	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	CS	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
23. Supplier Code - Name		R607 - RACCORTUBI SPA [SARMATO (Pc)]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.5	24	0.5-6" Upto SchXXS,8-12" upto Sch160,14-16"UptoSch120,18-24"Up toSch20-140;MANUFACTURER:TE CNINOX
	1	123	Elbow-S.R.(INCH) Visible to C&P	.5	24	0.5-6" Upto SchXXS,8-12" upto Sch160,14-16"UptoSch120,18-24"Up toSch20-140;MANUFACTURER:TE CNINOX
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	.5	24	0.5" upto Sch160,0.75-6" Upto SchXXS,8-10"UptoSch160,12-16"Up toSch120,18-24"UptoSch20-140;MA NUFACTURER:TECNINOX
	1	272	Tee.(INCH) Visible to C&P	.5	24	0.5" upto Sch160,0.75-6" Upto SchXXS,8-10"UptoSch160,12-16"Up toSch120,18-24"UptoSch20-140;MA NUFACTURER:TECNINOX
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	1	1	MANUFACTURER:TECNINOX
	1	505	Fitting Size(INCH) Visible to C&P	0.5	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	12	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	14	16	
	3	509	Fitting Schedule Visible to C&P	0	120	
	3	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511	Fitting Description Visible to C&P	ELBOW-LR		
	4	505	Fitting Size(INCH) Visible to C&P	18	24	
	4	509	Fitting Schedule Visible to C&P	20	140	
	4	510	Fitting Thickness(MM) Visible to C&P	7.92	52.37	
	4	507	Fitting Material Visible to C&P	CS		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511	Fitting Description Visible to C&P	ELBOW-LR		
	5	505	Fitting Size(INCH) Visible to C&P	0.5	6	
	5	509	Fitting Schedule Visible to C&P	0	XXS	
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	5	507	Fitting Material Visible to C&P	CS		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511	Fitting Description Visible to C&P	ELBOW-SR		
	6	505	Fitting Size(INCH) Visible to C&P	8	12	
	6	509	Fitting Schedule Visible to C&P	0	160	
	6	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	6	507	Fitting Material Visible to C&P	CS		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	6	511	Fitting Description Visible to C&P	ELBOW-SR		
	7	505	Fitting Size(INCH) Visible to C&P	14	16	
	7	509	Fitting Schedule Visible to C&P	0	120	
	7	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	7	507	Fitting Material Visible to C&P	CS		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511	Fitting Description Visible to C&P	ELBOW-SR		
	8	505	Fitting Size(INCH) Visible to C&P	18	24	
	8	509	Fitting Schedule Visible to C&P	20	140	
	8	510	Fitting Thickness(MM) Visible to C&P	7.92	52.37	
	8	507	Fitting Material Visible to C&P	CS		
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511	Fitting Description Visible to C&P	ELBOW-SR		
	9	505	Fitting Size(INCH) Visible to C&P	0	0	
	9	509	Fitting Schedule Visible to C&P	0	0	
	9	510	Fitting Thickness(MM) Visible to C&P	0	0	
	9	507	Fitting Material Visible to C&P	CS		
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	9	511	Fitting Description Visible to C&P	REDUCER-CONC		
	10	505	Fitting Size(INCH) Visible to C&P	0.5	0.5	
	10	509	Fitting Schedule Visible to C&P	0	160	
	10	510	Fitting Thickness(MM) Visible to C&P	0	4.78	
	10	507	Fitting Material Visible to C&P	CS		
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	10	511	Fitting Description Visible to C&P	REDUCER-ECC		
	11	505	Fitting Size(INCH) Visible to C&P	0.75	6	
	11	509	Fitting Schedule Visible to C&P	0	XXS	
	11	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	11	507	Fitting Material Visible to C&P	CS		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	11	511	Fitting Description Visible to C&P	REDUCER-ECC		
	12	505	Fitting Size(INCH) Visible to C&P	8	10	
	12	509	Fitting Schedule Visible to C&P	0	160	
	12	510	Fitting Thickness(MM) Visible to C&P	0	28.58	
	12	507	Fitting Material Visible to C&P	CS		
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	12	511	Fitting Description Visible to C&P	REDUCER-ECC		
	13	505	Fitting Size(INCH) Visible to C&P	12	16	
	13	509	Fitting Schedule Visible to C&P	0	120	
	13	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	13	507	Fitting Material Visible to C&P	CS		
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	13	511	Fitting Description Visible to C&P	REDUCER-ECC		
	14	505	Fitting Size(INCH) Visible to C&P	18	24	
	14	509	Fitting Schedule Visible to C&P	20	140	
	14	510	Fitting Thickness(MM) Visible to C&P	7.92	52.37	
	14	507	Fitting Material Visible to C&P	CS		
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
14	511	Fitting Description Visible to C&P	REDUCER-ECC		
15	505	Fitting Size(INCH) Visible to C&P	0.5	0.5	
15	509	Fitting Schedule Visible to C&P	0	160	
15	510	Fitting Thickness(MM) Visible to C&P	0	4.78	
15	507	Fitting Material Visible to C&P	CS		
15	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
15	511	Fitting Description Visible to C&P	TEE		
16	505	Fitting Size(INCH) Visible to C&P	0.75	6	
16	509	Fitting Schedule Visible to C&P	0	XXS	
16	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
16	507	Fitting Material Visible to C&P	CS		
16	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
16	511	Fitting Description Visible to C&P	TEE		
17	505	Fitting Size(INCH) Visible to C&P	8	10	
17	509	Fitting Schedule Visible to C&P	0	160	
17	510	Fitting Thickness(MM) Visible to C&P	0	28.58	
17	507	Fitting Material Visible to C&P	CS		
17	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
17	511	Fitting Description Visible to C&P	TEE		
18	505	Fitting Size(INCH) Visible to C&P	12	16	
18	509	Fitting Schedule Visible to C&P	0	120	
18	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
18	507	Fitting Material Visible to C&P	CS		
18	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	18	511	Fitting Description Visible to C&P	TEE	
	19	505	Fitting Size(INCH) Visible to C&P	18	24
	19	509	Fitting Schedule Visible to C&P	20	140
	19	510	Fitting Thickness(MM) Visible to C&P	7.92	52.37
	19	507	Fitting Material Visible to C&P	CS	
	19	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	19	511	Fitting Description Visible to C&P	TEE	
	20	505	Fitting Size(INCH) Visible to C&P	0	0
	20	509	Fitting Schedule Visible to C&P	0	0
	20	510	Fitting Thickness(MM) Visible to C&P	0	0
	20	507	Fitting Material Visible to C&P	CS	
	20	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	20	511	Fitting Description Visible to C&P	RETURN BEND	
	21	505	Fitting Size(INCH) Visible to C&P	0	0
	21	509	Fitting Schedule Visible to C&P	0	0
	21	510	Fitting Thickness(MM) Visible to C&P	0	0
	21	507	Fitting Material Visible to C&P	CS	
	21	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	21	511	Fitting Description Visible to C&P	STUB END	
	22	505	Fitting Size(INCH) Visible to C&P	0	6
	22	509	Fitting Schedule Visible to C&P	0	XXS
	22	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	22	507	Fitting Material Visible to C&P	CS	
	22	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL
	22	511	Fitting Description Visible to C&P
			NIPPLE
			066055053055

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
24. Supplier Code - Name		S102 - SAWAN ENGINEERS PVT LTD [VADODARA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	SIZE: 2-6" Upto Sch XXS; 8-24" upto Sch 160 (UNIT I & II)
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	24	SIZE: 2-6" Upto Sch XXS; 8-24" upto Sch 160 (UNIT I & II)
	1	237	Return Bend.(INCH) Visible to C&P	2	10	SIZE: 2-6" Upto Sch XXS; 8-10" upto Sch 160 (UNIT I & II)
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	24	SIZE: 2-6" Upto Sch XXS; 8-24" upto Sch 160 (UNIT I & II)
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	24	SIZE: 2-6" Upto Sch XXS; 8-24" upto Sch 160 (UNIT I & II)
	1	272	Tee.(INCH) Visible to C&P	2	24	SIZE: 2-6" Upto Sch XXS; 8-24" upto Sch 160 (UNIT I & II)
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	2	6	
	3	509	Fitting Schedule Visible to C&P	0	XXS	
	3	510	Fitting Thickness(MM) Visible to C&P	0	21.95	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507 Fitting Material Visible to C&P	CS		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	ELBOW-SR		
	4	505 Fitting Size(INCH) Visible to C&P	8	24	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	ELBOW-SR		
	5	505 Fitting Size(INCH) Visible to C&P	2	6	
	5	509 Fitting Schedule Visible to C&P	0	XXS	
	5	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	REDUCER-CONC		
	6	505 Fitting Size(INCH) Visible to C&P	8	24	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	REDUCER-CONC		
	7	505 Fitting Size(INCH) Visible to C&P	2	6	
	7	509 Fitting Schedule Visible to C&P	0	XXS	
	7	510 Fitting Thickness(MM) Visible to C&P	0	21.95	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	7	507 Fitting Material Visible to C&P	CS		
	7	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511 Fitting Description Visible to C&P	REDUCER-ECC		
	8	505 Fitting Size(INCH) Visible to C&P	8	24	
	8	509 Fitting Schedule Visible to C&P	0	160	
	8	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	8	507 Fitting Material Visible to C&P	CS		
	8	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511 Fitting Description Visible to C&P	REDUCER-ECC		
	9	505 Fitting Size(INCH) Visible to C&P	2	6	
	9	509 Fitting Schedule Visible to C&P	0	XXS	
	9	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	9	507 Fitting Material Visible to C&P	CS		
	9	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	9	511 Fitting Description Visible to C&P	TEE		
	10	505 Fitting Size(INCH) Visible to C&P	8	24	
	10	509 Fitting Schedule Visible to C&P	0	160	
	10	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	10	507 Fitting Material Visible to C&P	CS		
	10	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	10	511 Fitting Description Visible to C&P	TEE		
	11	505 Fitting Size(INCH) Visible to C&P	2	6	
	11	509 Fitting Schedule Visible to C&P	0	XXS	
	11	510 Fitting Thickness(MM) Visible to C&P	0	21.95	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	11	507	Fitting Material Visible to C&P	CS		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	11	511	Fitting Description Visible to C&P	RETURN BEND		
	12	505	Fitting Size(INCH) Visible to C&P	8	10	
	12	509	Fitting Schedule Visible to C&P	0	160	
	12	510	Fitting Thickness(MM) Visible to C&P	0	28.58	
	12	507	Fitting Material Visible to C&P	CS		
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	12	511	Fitting Description Visible to C&P	RETURN BEND		
	13	505	Fitting Size(INCH) Visible to C&P	0	0	
	13	509	Fitting Schedule Visible to C&P	0	0	
	13	510	Fitting Thickness(MM) Visible to C&P	0	0	
	13	507	Fitting Material Visible to C&P	CS		
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	13	511	Fitting Description Visible to C&P	STUB END		
	14	505	Fitting Size(INCH) Visible to C&P	0	0	
	14	509	Fitting Schedule Visible to C&P	0	0	
	14	510	Fitting Thickness(MM) Visible to C&P	0	0	
	14	507	Fitting Material Visible to C&P	CS		
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	14	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
25. Supplier Code - Name		S265 - SIDHARTH & GAUTAM ENGINEERS				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	2-6" upto SchXXS, 8-14"upto Sch160,16" upto Sch120,18-24" upto Sch140
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	24	2-6" upto SchXXS, 8-14"upto Sch160,16" upto Sch120,18-24" upto Sch140
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	24	2-6" upto SchXXS, 8-14"upto Sch160,16" upto Sch120,18-24" upto Sch140
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	24	2-6" Upto Sch XXS; 8-14" Upto Sch 160;16-24" Sch 60-Sch 160
	1	272	Tee.(INCH) Visible to C&P	2	20	2-6" upto SchXXS,8-14" upto Sch160, 16-20" upto Sch140
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0 066055053055	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	14	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	35.71	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	16	16	
	3	509	Fitting Schedule Visible to C&P	0	120	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	510	Fitting Thickness(MM) Visible to C&P	0	30.96
	3	507	Fitting Material Visible to C&P	CS	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	ELBOW-LR	
	4	505	Fitting Size(INCH) Visible to C&P	18	24
	4	509	Fitting Schedule Visible to C&P	0	140
	4	510	Fitting Thickness(MM) Visible to C&P	0	52.37
	4	507	Fitting Material Visible to C&P	CS	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	ELBOW-LR	
	5	505	Fitting Size(INCH) Visible to C&P	2	6
	5	509	Fitting Schedule Visible to C&P	0	XXS
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	5	507	Fitting Material Visible to C&P	CS	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	ELBOW-SR	
	6	505	Fitting Size(INCH) Visible to C&P	8	14
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	35.71
	6	507	Fitting Material Visible to C&P	CS	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	ELBOW-SR	
	7	505	Fitting Size(INCH) Visible to C&P	16	16
	7	509	Fitting Schedule Visible to C&P	0	120

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	7	510	Fitting Thickness(MM) Visible to C&P	0	30.96
	7	507	Fitting Material Visible to C&P	CS	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	ELBOW-SR	
	8	505	Fitting Size(INCH) Visible to C&P	18	24
	8	509	Fitting Schedule Visible to C&P	0	140
	8	510	Fitting Thickness(MM) Visible to C&P	0	52.37
	8	507	Fitting Material Visible to C&P	CS	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	ELBOW-SR	
	9	505	Fitting Size(INCH) Visible to C&P	2	6
	9	509	Fitting Schedule Visible to C&P	0	XXS
	9	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	9	507	Fitting Material Visible to C&P	CS	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	REDUCER-CONC	
	10	505	Fitting Size(INCH) Visible to C&P	8	14
	10	509	Fitting Schedule Visible to C&P	0	160
	10	510	Fitting Thickness(MM) Visible to C&P	0	35.71
	10	507	Fitting Material Visible to C&P	CS	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	REDUCER-CONC	
	11	505	Fitting Size(INCH) Visible to C&P	16	16
	11	509	Fitting Schedule Visible to C&P	0	120

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
11	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
11	507	Fitting Material Visible to C&P	CS		
11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
11	511	Fitting Description Visible to C&P	REDUCER-CONC		
12	505	Fitting Size(INCH) Visible to C&P	18	24	
12	509	Fitting Schedule Visible to C&P	0	140	
12	510	Fitting Thickness(MM) Visible to C&P	0	52.37	
12	507	Fitting Material Visible to C&P	CS		
12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
12	511	Fitting Description Visible to C&P	REDUCER-CONC		
13	505	Fitting Size(INCH) Visible to C&P	2	6	
13	509	Fitting Schedule Visible to C&P	0	XXS	
13	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
13	507	Fitting Material Visible to C&P	CS		
13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
13	511	Fitting Description Visible to C&P	REDUCER-ECC		
14	505	Fitting Size(INCH) Visible to C&P	8	14	
14	509	Fitting Schedule Visible to C&P	0	160	
14	510	Fitting Thickness(MM) Visible to C&P	0	35.71	
14	507	Fitting Material Visible to C&P	CS		
14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
14	511	Fitting Description Visible to C&P	REDUCER-ECC		
15	505	Fitting Size(INCH) Visible to C&P	18	24	
15	509	Fitting Schedule Visible to C&P	0	140	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
15	510	Fitting Thickness(MM) Visible to C&P	0	52.37	
15	507	Fitting Material Visible to C&P	CS		
15	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
15	511	Fitting Description Visible to C&P	REDUCER-ECC		
16	505	Fitting Size(INCH) Visible to C&P	2	6	
16	509	Fitting Schedule Visible to C&P	0	XXS	
16	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
16	507	Fitting Material Visible to C&P	CS		
16	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
16	511	Fitting Description Visible to C&P	TEE		
17	505	Fitting Size(INCH) Visible to C&P	8	14	
17	509	Fitting Schedule Visible to C&P	0	160	
17	510	Fitting Thickness(MM) Visible to C&P	0	35.71	
17	507	Fitting Material Visible to C&P	CS		
17	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
17	511	Fitting Description Visible to C&P	TEE		
18	505	Fitting Size(INCH) Visible to C&P	16	20	
18	509	Fitting Schedule Visible to C&P	0	140	
18	510	Fitting Thickness(MM) Visible to C&P	0	44.45	
18	507	Fitting Material Visible to C&P	CS		
18	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
18	511	Fitting Description Visible to C&P	TEE		
19	505	Fitting Size(INCH) Visible to C&P	0	0	
19	509	Fitting Schedule Visible to C&P	0	0	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	19	510	Fitting Thickness(MM) Visible to C&P	0	0	
	19	507	Fitting Material Visible to C&P	CS		
	19	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	19	511	Fitting Description Visible to C&P	RETURN BEND		
	20	505	Fitting Size(INCH) Visible to C&P	0	0	
	20	509	Fitting Schedule Visible to C&P	0	0	
	20	510	Fitting Thickness(MM) Visible to C&P	0	0	
	20	507	Fitting Material Visible to C&P	CS		
	20	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	20	511	Fitting Description Visible to C&P	STUB END		
	21	505	Fitting Size(INCH) Visible to C&P	0	6	
	21	509	Fitting Schedule Visible to C&P	0	XXS	
	21	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	21	507	Fitting Material Visible to C&P	CS		
	21	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	21	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
26. Supplier Code - Name		S810 - SUNGKWANG BEND CO. LTD [Busan]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	1	1	
	1	123	Elbow-S.R.(INCH) Visible to C&P	1	1	
	1	237	Return Bend.(INCH) Visible to C&P	1	1	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	1	1	
	1	272	Tee.(INCH) Visible to C&P	1	1	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507 Fitting Material Visible to C&P	CS		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	0.5	24	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0.5	24	
	5	509 Fitting Schedule Visible to C&P	0	160	
	5	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	0.5	24	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
27. Supplier Code - Name		T019 - TEEKAY TUBES PVT LTD [NEW MUMBAI]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.5	20	
	1	123	Elbow-S.R.(INCH) Visible to C&P	1	14	
	1	237	Return Bend.(INCH) Visible to C&P	.5	16	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	.5	24	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	.5	24	
	1	272	Tee.(INCH) Visible to C&P	1	24	
	1	268	Stub-End.(INCH) Visible to C&P	1	12	
	1	188	Nipple.(INCH) Visible to C&P	.25	4	
	1	505	Fitting Size(INCH) Visible to C&P	0.5	20	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	50.01	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	1	14	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	35.71	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507	Fitting Material Visible to C&P	CS	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0.5	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	CS	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0.5	16
	5	509	Fitting Schedule Visible to C&P	0	160
	5	510	Fitting Thickness(MM) Visible to C&P	0	40.49
	5	507	Fitting Material Visible to C&P	CS	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	0.5	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	CS	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	1	12
	7	509	Fitting Schedule Visible to C&P	0	160
	7	510	Fitting Thickness(MM) Visible to C&P	0	33.32

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
28. Supplier Code - Name		T050 - TUBE BEND (CALCUTTA) PVT LTD [HOWRAH (W.B)]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	1	1	SIZE: 2-14" UPTO SCH 160
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1	SIZE: 2-14" UPTO SCH 160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	1	1	SIZE: 2-14" UPTO SCH 160
	1	272	Tee.(INCH) Visible to C&P	1	1	SIZE: 2-14" UPTO SCH 160
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	2	14	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	35.71	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	0	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	0	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	2	14	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	35.71	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507 Fitting Material Visible to C&P	CS		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	2	14	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	35.71	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	2	14	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	35.71	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	7	507 Fitting Material Visible to C&P	CS		
	7	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511 Fitting Description Visible to C&P	STUB END		
	8	505 Fitting Size(INCH) Visible to C&P	0	0	
	8	509 Fitting Schedule Visible to C&P	0	0	
	8	510 Fitting Thickness(MM) Visible to C&P	0	0	
	8	507 Fitting Material Visible to C&P	CS		
	8	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511 Fitting Description Visible to C&P	NIPPLE		
			066055053055		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
29. Supplier Code - Name		T221 - TOPAZ PIPING INDUSTRIES [Vadodara]				
Item Remarks:-		Blocks covered: FTSELLCS001,FTSELLCS002 ,FTSELSCS001,FTSELSCS002,FTSREECS001,FTSREECS002 FTSRECCS002 FTSRECCS001,FTSTECS001, FTSTECS002,				
Capabilities						
Group	Param	Description (UOM)	From	To	Remarks	
1	121	Elbow-L.R.(INCH) Visible to C&P	0.5	14	0.5-6" Upto Sch.XXS, 8-14" Sch. 160	
1	123	Elbow-S.R.(INCH) Visible to C&P	0.5	14	0.5-6" Upto Sch.XXS, 8-14" Sch. 160	
1	237	Return Bend.(INCH) Visible to C&P	0	0		
1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0.5	14	0.5-6" Upto Sch.XXS, 8-14" Sch. 160	
1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0.5	14	0.5-6" Upto Sch.XXS, 8-14" Sch. 160	
1	272	Tee.(INCH) Visible to C&P	0.5	14	0.5-6" Upto Sch.XXS, 8-14" Sch. 160	
1	268	Stub-End.(INCH) Visible to C&P	0	0		
1	188	Nipple.(INCH) Visible to C&P	0	0		
1	505	Fitting Size(INCH) Visible to C&P	0.5	6		
1	509	Fitting Schedule Visible to C&P	0	XXS		
1	510	Fitting Thickness(MM) Visible to C&P	0 066055053055	21.95		
1	507	Fitting Material Visible to C&P	CS			
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
1	511	Fitting Description Visible to C&P	ELBOW-LR			
2	505	Fitting Size(INCH) Visible to C&P	8	14		
2	509	Fitting Schedule Visible to C&P	0	160		
2	510	Fitting Thickness(MM) Visible to C&P	0	35.71		
2	507	Fitting Material Visible to C&P	CS			
2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
2	511	Fitting Description Visible to C&P	ELBOW-LR			
3	505	Fitting Size(INCH) Visible to C&P	0.5	6		
3	509	Fitting Schedule Visible to C&P	0	XXS		
3	510	Fitting Thickness(MM) Visible to C&P	0	21.95		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507 Fitting Material Visible to C&P	CS		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	ELBOW-SR		
	4	505 Fitting Size(INCH) Visible to C&P	8	14	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	35.71	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	ELBOW-SR		
	5	505 Fitting Size(INCH) Visible to C&P	0.5	6	
	5	509 Fitting Schedule Visible to C&P	0	XXS	
	5	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	REDUCER-CONC		
	6	505 Fitting Size(INCH) Visible to C&P	8	14	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	35.71	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	REDUCER-CONC		
	7	505 Fitting Size(INCH) Visible to C&P	0.5	6	
	7	509 Fitting Schedule Visible to C&P	0	XXS	
	7	510 Fitting Thickness(MM) Visible to C&P	0	21.95	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	7	507	Fitting Material Visible to C&P	CS	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	REDUCER-ECC	
	8	505	Fitting Size(INCH) Visible to C&P	8	14
	8	509	Fitting Schedule Visible to C&P	0	160
	8	510	Fitting Thickness(MM) Visible to C&P	0	35.71
	8	507	Fitting Material Visible to C&P	CS	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	REDUCER-ECC	
	9	505	Fitting Size(INCH) Visible to C&P	0	0
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	0
	9	507	Fitting Material Visible to C&P	CS	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	RETURN BEND	
	10	505	Fitting Size(INCH) Visible to C&P	0.5	6
	10	509	Fitting Schedule Visible to C&P	0	XXS
	10	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	10	507	Fitting Material Visible to C&P	CS	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	TEE	
	11	505	Fitting Size(INCH) Visible to C&P	8	14
	11	509	Fitting Schedule Visible to C&P	0	160
	11	510	Fitting Thickness(MM) Visible to C&P	0	35.71

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	11	507	Fitting Material Visible to C&P	CS	
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	11	511	Fitting Description Visible to C&P	TEE	
	12	505	Fitting Size(INCH) Visible to C&P	0	0
	12	509	Fitting Schedule Visible to C&P	0	0
	12	510	Fitting Thickness(MM) Visible to C&P	0	0
	12	507	Fitting Material Visible to C&P	CS	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	12	511	Fitting Description Visible to C&P	STUB END	
	13	505	Fitting Size(INCH) Visible to C&P	0	0
	13	509	Fitting Schedule Visible to C&P	0	0
	13	510	Fitting Thickness(MM) Visible to C&P	0	0
	13	507	Fitting Material Visible to C&P	CS	
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	13	511	Fitting Description Visible to C&P	NIPPLE	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL						
30. Supplier Code - Name		T226 - TUBE TURN (INDIA) PVT LTD [NAVI MUMBAI]							
Item Remarks:-									
	Code	Holiday Desc	Remarks	Client Specific	Clients		IR *	From	To
	01J	HOLIDAY-MATERIAL FAILURE AT SITE	HOLIDAY-MATERIAL FAILURE AT SITE	N			N	03/05/2013	02/11/2013
Capabilities									
	Group	Param	Description (UOM)	From	To	Remarks			
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	UPTO SCH160/XXS			
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0				
	1	237	Return Bend.(INCH) Visible to C&P	0	0				
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	24	UPTO SCH160/XXS			
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	24	UPTO SCH160/XXS			
	1	272	Tee.(INCH) Visible to C&P	2	24	UPTO SCH160/XXS			
	1	268	Stub-End.(INCH) Visible to C&P	0	0				
	1	188	Nipple.(INCH) Visible to C&P	0	0				
	1	505	Fitting Size(INCH) Visible to C&P	2	24				
	1	509	Fitting Schedule Visible to C&P	0	160				
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54				
	1	507	Fitting Material Visible to C&P	CS					
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS					
	1	511	Fitting Description Visible to C&P	ELBOW-LR					
	2	505	Fitting Size(INCH) Visible to C&P	0	0				
	2	509	Fitting Schedule Visible to C&P	0	0				
	2	510	Fitting Thickness(MM) Visible to C&P	0	0				
	2	507	Fitting Material Visible to C&P	CS					
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS					
	2	511	Fitting Description Visible to C&P	ELBOW-SR					
	3	505	Fitting Size(INCH) Visible to C&P	2	24				

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511	Fitting Description Visible to C&P	REDUCER-CONC		
	4	505	Fitting Size(INCH) Visible to C&P	2	24	
	4	509	Fitting Schedule Visible to C&P	0	160	
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507	Fitting Material Visible to C&P	CS		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511	Fitting Description Visible to C&P	REDUCER-ECC		
	5	505	Fitting Size(INCH) Visible to C&P	0	0	
	5	509	Fitting Schedule Visible to C&P	0	0	
	5	510	Fitting Thickness(MM) Visible to C&P	0	0	
	5	507	Fitting Material Visible to C&P	CS		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511	Fitting Description Visible to C&P	RETURN BEND		
	6	505	Fitting Size(INCH) Visible to C&P	2	24	
	6	509	Fitting Schedule Visible to C&P	0	160	
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507	Fitting Material Visible to C&P	CS		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511	Fitting Description Visible to C&P	TEE		
	7	505	Fitting Size(INCH) Visible to C&P	0	0	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	7	509	Fitting Schedule Visible to C&P	0	0	
	7	510	Fitting Thickness(MM) Visible to C&P	0	0	
	7	507	Fitting Material Visible to C&P	CS		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511	Fitting Description Visible to C&P	STUB END		
	8	505	Fitting Size(INCH) Visible to C&P	0	0	
	8	509	Fitting Schedule Visible to C&P	0	0	
	8	510	Fitting Thickness(MM) Visible to C&P	0	0	
	8	507	Fitting Material Visible to C&P	CS		
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511	Fitting Description Visible to C&P	NIPPLE		
				066055053055		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
31. Supplier Code - Name		T746 - TK CORPORATION [BUSAN]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	8	24	Thk:8-12" Upto Sch160;14-20"Upto Sch160;22-24"UptoSch120.
	1	123	Elbow-S.R.(INCH) Visible to C&P	8	24	Thk:8-12" Upto Sch160;14-20"Upto Sch160;22-24"UptoSch120.
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	16	24	Thk:16-20" UptoSch160;22-24"UptoSch40.
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	10	24	Thk:10-12"UptoSch160;14-24"UptoSch160.
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	8	12	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	14	20	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	50.01	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	22	24	
	3	509	Fitting Schedule Visible to C&P	0	120	
	3	510	Fitting Thickness(MM) Visible to C&P	0	46.02	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507 Fitting Material Visible to C&P	CS		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	ELBOW-LR		
	4	505 Fitting Size(INCH) Visible to C&P	8	12	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	33.32	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	ELBOW-SR		
	5	505 Fitting Size(INCH) Visible to C&P	14	20	
	5	509 Fitting Schedule Visible to C&P	0	160	
	5	510 Fitting Thickness(MM) Visible to C&P	0	50.01	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	ELBOW-SR		
	6	505 Fitting Size(INCH) Visible to C&P	20	22	
	6	509 Fitting Schedule Visible to C&P	0	120	
	6	510 Fitting Thickness(MM) Visible to C&P	0	41.28	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	ELBOW-SR		
	7	505 Fitting Size(INCH) Visible to C&P	16	20	
	7	509 Fitting Schedule Visible to C&P	0	160	
	7	510 Fitting Thickness(MM) Visible to C&P	0	50.01	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	7	507 Fitting Material Visible to C&P	CS		
	7	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511 Fitting Description Visible to C&P	REDUCER-CONC		
	8	505 Fitting Size(INCH) Visible to C&P	22	24	
	8	509 Fitting Schedule Visible to C&P	0	40	
	8	510 Fitting Thickness(MM) Visible to C&P	0	17.48	
	8	507 Fitting Material Visible to C&P	CS		
	8	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511 Fitting Description Visible to C&P	REDUCER-CONC		
	9	505 Fitting Size(INCH) Visible to C&P	0	0	
	9	509 Fitting Schedule Visible to C&P	0	0	
	9	510 Fitting Thickness(MM) Visible to C&P	0	0	
	9	507 Fitting Material Visible to C&P	CS		
	9	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	9	511 Fitting Description Visible to C&P	REDUCER-ECC		
	10	505 Fitting Size(INCH) Visible to C&P	0	0	
	10	509 Fitting Schedule Visible to C&P	0	0	
	10	510 Fitting Thickness(MM) Visible to C&P	0	0	
	10	507 Fitting Material Visible to C&P	CS		
	10	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	10	511 Fitting Description Visible to C&P	RETURN BEND		
	11	505 Fitting Size(INCH) Visible to C&P	10	12	
	11	509 Fitting Schedule Visible to C&P	0	160	
	11	510 Fitting Thickness(MM) Visible to C&P	0	33.32	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	11	507	Fitting Material Visible to C&P	CS		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	11	511	Fitting Description Visible to C&P	TEE		
	12	505	Fitting Size(INCH) Visible to C&P	14	24	
	12	509	Fitting Schedule Visible to C&P	0	160	
	12	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	12	507	Fitting Material Visible to C&P	CS		
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	12	511	Fitting Description Visible to C&P	TEE		
	13	505	Fitting Size(INCH) Visible to C&P	0	0	
	13	509	Fitting Schedule Visible to C&P	0	0	
	13	510	Fitting Thickness(MM) Visible to C&P	0	0	
	13	507	Fitting Material Visible to C&P	CS		
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	13	511	Fitting Description Visible to C&P	STUB END		
	14	505	Fitting Size(INCH) Visible to C&P	0	0	
	14	509	Fitting Schedule Visible to C&P	0	0	
	14	510	Fitting Thickness(MM) Visible to C&P	0	0	
	14	507	Fitting Material Visible to C&P	CS		
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	14	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
32. Supplier Code - Name		U144 - U I PIPE FITTINGS PVT LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	8	UNIT I & II : 2-8" UPTO SCH 160
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	8	UNIT I : 2-8" UPTO SCH 160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	2	8	UNIT I : 2-8" UPTO SCH 160
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	2	8	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	0	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	0	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	2	8	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	23.01	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507 Fitting Material Visible to C&P	CS		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	0	0	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	0	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	2	24	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
33. Supplier Code - Name		V594 - VIRGILIO CENA & FIGLI S.p.A.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.75	24	
	1	123	Elbow-S.R.(INCH) Visible to C&P	.75	24	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	0.75	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0.75	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	0	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507	Fitting Material Visible to C&P	CS	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0	0
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	0
	4	507	Fitting Material Visible to C&P	CS	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	CS	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	0	0
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	0
	6	507	Fitting Material Visible to C&P	CS	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
34. Supplier Code - Name		V608A - VALVITALIA SPA-TECNOFORGE DIVISION				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	Thk:2-6" Upto Sch XXS;8-24" Upto Sch160.(Arena Do Plant)
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	24	Thk:2-6" Upto Sch XXS;8-24" Upto Sch160.(Arena Do Plant)
	1	237	Return Bend.(INCH) Visible to C&P	2	12	Thk:2-6" Upto Sch XXS;8-12" Upto Sch160.(Arena Do Plant)
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	12	Thk:2-6" Upto Sch XXS;8-12" Upto Sch160.(Arena Do Plant)
	1	272	Tee.(INCH) Visible to C&P	2	12	Thk:2-6" Upto Sch XXS;8-12" Upto Sch160.(Arena Do Plant)
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	2	6	
	3	509	Fitting Schedule Visible to C&P	0	XXS	
	3	510	Fitting Thickness(MM) Visible to C&P	0	21.95	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507 Fitting Material Visible to C&P	CS		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	ELBOW-SR		
	4	505 Fitting Size(INCH) Visible to C&P	8	24	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	ELBOW-SR		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	CS		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	REDUCER-CONC		
	6	505 Fitting Size(INCH) Visible to C&P	2	6	
	6	509 Fitting Schedule Visible to C&P	0	XXS	
	6	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	6	507 Fitting Material Visible to C&P	CS		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	REDUCER-ECC		
	7	505 Fitting Size(INCH) Visible to C&P	8	12	
	7	509 Fitting Schedule Visible to C&P	0	160	
	7	510 Fitting Thickness(MM) Visible to C&P	0	33.32	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	7	507 Fitting Material Visible to C&P	CS		
	7	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511 Fitting Description Visible to C&P	REDUCER-ECC		
	8	505 Fitting Size(INCH) Visible to C&P	2	6	
	8	509 Fitting Schedule Visible to C&P	0	XXS	
	8	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	8	507 Fitting Material Visible to C&P	CS		
	8	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511 Fitting Description Visible to C&P	RETURN BEND		
	9	505 Fitting Size(INCH) Visible to C&P	8	12	
	9	509 Fitting Schedule Visible to C&P	0	160	
	9	510 Fitting Thickness(MM) Visible to C&P	0	33.32	
	9	507 Fitting Material Visible to C&P	CS		
	9	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	9	511 Fitting Description Visible to C&P	RETURN BEND		
	10	505 Fitting Size(INCH) Visible to C&P	2	6	
	10	509 Fitting Schedule Visible to C&P	0	XXS	
	10	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	10	507 Fitting Material Visible to C&P	CS		
	10	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	10	511 Fitting Description Visible to C&P	TEE		
	11	505 Fitting Size(INCH) Visible to C&P	8	12	
	11	509 Fitting Schedule Visible to C&P	0	160	
	11	510 Fitting Thickness(MM) Visible to C&P	0	33.32	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	11	507	Fitting Material Visible to C&P	CS		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	11	511	Fitting Description Visible to C&P	TEE		
	12	505	Fitting Size(INCH) Visible to C&P	0	0	
	12	509	Fitting Schedule Visible to C&P	0	0	
	12	510	Fitting Thickness(MM) Visible to C&P	0	0	
	12	507	Fitting Material Visible to C&P	CS		
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	12	511	Fitting Description Visible to C&P	STUB END		
	13	505	Fitting Size(INCH) Visible to C&P	0	6	
	13	509	Fitting Schedule Visible to C&P	0	XXS	
	13	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	13	507	Fitting Material Visible to C&P	CS		
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	13	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
35. Supplier Code - Name		W510 - WILH SCHULZ GmbH [KREFELD]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	20	Thickness:2-6" Upto SchXXS;8" Upto Sch160;10-14" Sch30-Sch160;16-20" Sch40-Sch160.
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	20	Thickness:2-6" Upto SchXXS;8" Upto Sch160;10-14" Sch30-Sch160;16-20" Sch40-Sch160.
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	20	Thickness:2-6" Upto SchXXS;8" Upto Sch160;10-14" Sch30-Sch160;16-20" Sch40-Sch160.
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	20	Thickness:2-6" Upto SchXXS;8" Upto Sch160;10-14" Sch30-Sch160;16-20" Sch40-Sch160.
	1	272	Tee.(INCH) Visible to C&P	2	20	Thickness:2-6" Upto SchXXS;8" Upto Sch160;10-14" Sch30-Sch160;16-20" Sch40-Sch160.
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	2 066055053055	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	8	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	10	14	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	3	509	Fitting Schedule Visible to C&P	30	160	
	3	510	Fitting Thickness(MM) Visible to C&P	7.8	35.71	
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511	Fitting Description Visible to C&P	ELBOW-LR		
	4	505	Fitting Size(INCH) Visible to C&P	16	20	
	4	509	Fitting Schedule Visible to C&P	40	160	
	4	510	Fitting Thickness(MM) Visible to C&P	12.7	50.01	
	4	507	Fitting Material Visible to C&P	CS		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511	Fitting Description Visible to C&P	ELBOW-LR		
	5	505	Fitting Size(INCH) Visible to C&P	2	6	
	5	509	Fitting Schedule Visible to C&P	0	XXS	
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	5	507	Fitting Material Visible to C&P	CS		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511	Fitting Description Visible to C&P	ELBOW-SR		
	6	505	Fitting Size(INCH) Visible to C&P	8	8	
	6	509	Fitting Schedule Visible to C&P	0	160	
	6	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	6	507	Fitting Material Visible to C&P	CS		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511	Fitting Description Visible to C&P	ELBOW-SR		
	7	505	Fitting Size(INCH) Visible to C&P	10	14	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	7	509	Fitting Schedule Visible to C&P	30	160	
	7	510	Fitting Thickness(MM) Visible to C&P	7.8	35.71	
	7	507	Fitting Material Visible to C&P	CS		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511	Fitting Description Visible to C&P	ELBOW-SR		
	8	505	Fitting Size(INCH) Visible to C&P	16	20	
	8	509	Fitting Schedule Visible to C&P	40	160	
	8	510	Fitting Thickness(MM) Visible to C&P	12.7	50.01	
	8	507	Fitting Material Visible to C&P	CS		
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511	Fitting Description Visible to C&P	ELBOW-SR		
	9	505	Fitting Size(INCH) Visible to C&P	2	6	
	9	509	Fitting Schedule Visible to C&P	0	XXS	
	9	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	9	507	Fitting Material Visible to C&P	CS		
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	9	511	Fitting Description Visible to C&P	REDUCER-CONC		
	10	505	Fitting Size(INCH) Visible to C&P	8	8	
	10	509	Fitting Schedule Visible to C&P	0	160	
	10	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	10	507	Fitting Material Visible to C&P	CS		
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	10	511	Fitting Description Visible to C&P	REDUCER-CONC		
	11	505	Fitting Size(INCH) Visible to C&P	10	14	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	11	509	Fitting Schedule Visible to C&P	30	160	
	11	510	Fitting Thickness(MM) Visible to C&P	7.8	35.71	
	11	507	Fitting Material Visible to C&P	CS		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	11	511	Fitting Description Visible to C&P	REDUCER-CONC		
	12	505	Fitting Size(INCH) Visible to C&P	16	20	
	12	509	Fitting Schedule Visible to C&P	40	160	
	12	510	Fitting Thickness(MM) Visible to C&P	12.7	50.01	
	12	507	Fitting Material Visible to C&P	CS		
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	12	511	Fitting Description Visible to C&P	REDUCER-CONC		
	13	505	Fitting Size(INCH) Visible to C&P	2	6	
	13	509	Fitting Schedule Visible to C&P	0	XXS	
	13	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	13	507	Fitting Material Visible to C&P	CS		
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	13	511	Fitting Description Visible to C&P	REDUCER-ECC		
	14	505	Fitting Size(INCH) Visible to C&P	8	8	
	14	509	Fitting Schedule Visible to C&P	0	160	
	14	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	14	507	Fitting Material Visible to C&P	CS		
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	14	511	Fitting Description Visible to C&P	REDUCER-ECC		
	15	505	Fitting Size(INCH) Visible to C&P	10	14	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
15	509	Fitting Schedule Visible to C&P	30	160		
15	510	Fitting Thickness(MM) Visible to C&P	7.8	35.71		
15	507	Fitting Material Visible to C&P	CS			
15	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
15	511	Fitting Description Visible to C&P	REDUCER-ECC			
16	505	Fitting Size(INCH) Visible to C&P	16	20		
16	509	Fitting Schedule Visible to C&P	40	160		
16	510	Fitting Thickness(MM) Visible to C&P	12.7	50.01		
16	507	Fitting Material Visible to C&P	CS			
16	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
16	511	Fitting Description Visible to C&P	REDUCER-ECC			
17	505	Fitting Size(INCH) Visible to C&P	2	6		
17	509	Fitting Schedule Visible to C&P	0	XXS		
17	510	Fitting Thickness(MM) Visible to C&P	0	21.95		
17	507	Fitting Material Visible to C&P	CS			
17	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
17	511	Fitting Description Visible to C&P	TEE			
18	505	Fitting Size(INCH) Visible to C&P	8	8		
18	509	Fitting Schedule Visible to C&P	0	160		
18	510	Fitting Thickness(MM) Visible to C&P	0	23.01		
18	507	Fitting Material Visible to C&P	CS			
18	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
18	511	Fitting Description Visible to C&P	TEE			
19	505	Fitting Size(INCH) Visible to C&P	10	14		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	19	509	Fitting Schedule Visible to C&P	30	160	
	19	510	Fitting Thickness(MM) Visible to C&P	7.8	35.71	
	19	507	Fitting Material Visible to C&P	CS		
	19	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	19	511	Fitting Description Visible to C&P	TEE		
	20	505	Fitting Size(INCH) Visible to C&P	16	20	
	20	509	Fitting Schedule Visible to C&P	40	160	
	20	510	Fitting Thickness(MM) Visible to C&P	12.7	50.01	
	20	507	Fitting Material Visible to C&P	CS		
	20	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	20	511	Fitting Description Visible to C&P	TEE		
	21	505	Fitting Size(INCH) Visible to C&P	0	0	
	21	509	Fitting Schedule Visible to C&P	0	0	
	21	510	Fitting Thickness(MM) Visible to C&P	0	0	
	21	507	Fitting Material Visible to C&P	CS		
	21	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	21	511	Fitting Description Visible to C&P	RETURN BEND		
	22	505	Fitting Size(INCH) Visible to C&P	0	0	
	22	509	Fitting Schedule Visible to C&P	0	0	
	22	510	Fitting Thickness(MM) Visible to C&P	0	0	
	22	507	Fitting Material Visible to C&P	CS		
	22	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	22	511	Fitting Description Visible to C&P	STUB END		
	23	505	Fitting Size(INCH) Visible to C&P	0	0	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	23	509	Fitting Schedule Visible to C&P	0	0	
	23	510	Fitting Thickness(MM) Visible to C&P	0	0	
	23	507	Fitting Material Visible to C&P	CS		
	23	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	23	511	Fitting Description Visible to C&P	NIPPLE		



066055053055

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
36. Supplier Code - Name		W615 - WEIFANG HUODA PIPE FITTINGS MANUFACTURE				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	6	24	6-8" UPTO SCH120; 10-24" UPTO SCH140; GR. WPB
	1	123	Elbow-S.R.(INCH) Visible to C&P	6	24	6-8" UPTO SCH120; 10-24" UPTO SCH140; GR. WPB
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	12	24	UPTO SCH140; GR. WPB
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	6	8	
	1	509	Fitting Schedule Visible to C&P	0	120	
	1	510	Fitting Thickness(MM) Visible to C&P	0	18.26	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	10	24	
	2	509	Fitting Schedule Visible to C&P	0	140	
	2	510	Fitting Thickness(MM) Visible to C&P	0	52.37	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	6	8	
	3	509	Fitting Schedule Visible to C&P	0	120	
	3	510	Fitting Thickness(MM) Visible to C&P	0	18.26	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507	Fitting Material Visible to C&P	CS	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	ELBOW-SR	
	4	505	Fitting Size(INCH) Visible to C&P	10	24
	4	509	Fitting Schedule Visible to C&P	0	140
	4	510	Fitting Thickness(MM) Visible to C&P	0	52.37
	4	507	Fitting Material Visible to C&P	CS	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	ELBOW-SR	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	CS	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	REDUCER-CONC	
	6	505	Fitting Size(INCH) Visible to C&P	0	0
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	0
	6	507	Fitting Material Visible to C&P	CS	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	REDUCER-ECC	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
	7	507	Fitting Material Visible to C&P	CS		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511	Fitting Description Visible to C&P	RETURN BEND		
	8	505	Fitting Size(INCH) Visible to C&P	12	24	
	8	509	Fitting Schedule Visible to C&P	0	140	
	8	510	Fitting Thickness(MM) Visible to C&P	0	52.37	
	8	507	Fitting Material Visible to C&P	CS		
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511	Fitting Description Visible to C&P	TEE		
	9	505	Fitting Size(INCH) Visible to C&P	0	0	
	9	509	Fitting Schedule Visible to C&P	0	0	
	9	510	Fitting Thickness(MM) Visible to C&P	0	0	
	9	507	Fitting Material Visible to C&P	CS		
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	9	511	Fitting Description Visible to C&P	STUB END		
	10	505	Fitting Size(INCH) Visible to C&P	0	0	
	10	509	Fitting Schedule Visible to C&P	0	0	
	10	510	Fitting Thickness(MM) Visible to C&P	0	0	
	10	507	Fitting Material Visible to C&P	CS		
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	10	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL			
37. Supplier Code - Name		Y634 - YINGKOU LIAOHE PIPE FITTINGS CO. LTD [LIAONING]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	1	1	2"-24" Thk upto Sch 160.
	1	123	Elbow-S.R.(INCH) Visible to C&P	1	1	2"-24" Thk upto Sch 160.
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1	2"-14" Thk upto Sch 160 & 16" Thk upto Sch 140
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	1	1	2"-14" Thk upto Sch 160 & 16" Thk upto Sch 140
	1	272	Tee.(INCH) Visible to C&P	1	1	2"-14" Thk upto Sch 160 & 16"-24" Thk upto Sch 120
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	2	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	2	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	2	14	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	35.71	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	3	507 Fitting Material Visible to C&P	CS		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	16	16	
	4	509 Fitting Schedule Visible to C&P	0	140	
	4	510 Fitting Thickness(MM) Visible to C&P	0	36.53	
	4	507 Fitting Material Visible to C&P	CS		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	REDUCER-CONC		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	CS		
	7	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511 Fitting Description Visible to C&P	RETURN BEND		
	8	505 Fitting Size(INCH) Visible to C&P	2	14	
	8	509 Fitting Schedule Visible to C&P	0	160	
	8	510 Fitting Thickness(MM) Visible to C&P	0	35.71	
	8	507 Fitting Material Visible to C&P	CS		
	8	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511 Fitting Description Visible to C&P	TEE		
	9	505 Fitting Size(INCH) Visible to C&P	16	24	
	9	509 Fitting Schedule Visible to C&P	0	120	
	9	510 Fitting Thickness(MM) Visible to C&P	0	46.02	

* IR - Interpretation Required

Item	72AA	Description	FITTINGS FROM SEAMLESS PIPE-CARBON STEEL		
	9	507	Fitting Material Visible to C&P	CS	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	TEE	
	10	505	Fitting Size(INCH) Visible to C&P	0	0
	10	509	Fitting Schedule Visible to C&P	0	0
	10	510	Fitting Thickness(MM) Visible to C&P	0	0
	10	507	Fitting Material Visible to C&P	CS	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	STUB END	
	11	505	Fitting Size(INCH) Visible to C&P	0	0
	11	509	Fitting Schedule Visible to C&P	0	0
	11	510	Fitting Thickness(MM) Visible to C&P	0	0
	11	507	Fitting Material Visible to C&P	CS	
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	11	511	Fitting Description Visible to C&P	NIPPLE	
Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
1. Supplier Code - Name		A732 - ALLIED INTERNATIONAL S.R.L. [PIACENZA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.5	24	.5" Upto Sch160;.75-6" Upto SchXXS;8-24"Upto Sch160,MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	123	Elbow-S.R.(INCH) Visible to C&P	.5	24	.5" Upto Sch160;.75-6" Upto SchXXS;8-24"Upto Sch160,MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	.5	24	.5" Upto Sch160;.75-6" Upto SchXXS;8-24"Upto Sch160,MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	272	Tee.(INCH) Visible to C&P	.5	24	.5" Upto Sch160;.75-6" Upto SchXXS;8-24"Upto Sch160,MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	0.5	0.5	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	4.78	
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0.75	6	
	2	509	Fitting Schedule Visible to C&P	0	XXS	
	2	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	8	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511	Fitting Description Visible to C&P	ELBOW-LR		
	4	505	Fitting Size(INCH) Visible to C&P	0.5	0.5	
	4	509	Fitting Schedule Visible to C&P	0	160	
	4	510	Fitting Thickness(MM) Visible to C&P	0	4.78	
	4	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511	Fitting Description Visible to C&P	ELBOW-SR		
	5	505	Fitting Size(INCH) Visible to C&P	0.75	6	
	5	509	Fitting Schedule Visible to C&P	0	XXS	
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	5	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511	Fitting Description Visible to C&P	ELBOW-SR		
	6	505	Fitting Size(INCH) Visible to C&P	8	24	
	6	509	Fitting Schedule Visible to C&P	0	160	
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
	6	511	Fitting Description Visible to C&P	ELBOW-SR		
	7	505	Fitting Size(INCH) Visible to C&P	0	0	
	7	509	Fitting Schedule Visible to C&P	0	0	
	7	510	Fitting Thickness(MM) Visible to C&P	0	0	
	7	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511	Fitting Description Visible to C&P	REDUCER-CONC		
	8	505	Fitting Size(INCH) Visible to C&P	0.5	0.5	
	8	509	Fitting Schedule Visible to C&P	0	160	
	8	510	Fitting Thickness(MM) Visible to C&P	0	4.78	
	8	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511	Fitting Description Visible to C&P	REDUCER-ECC		
	9	505	Fitting Size(INCH) Visible to C&P	0.75	6	
	9	509	Fitting Schedule Visible to C&P	0	XXS	
	9	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	9	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	9	511	Fitting Description Visible to C&P	REDUCER-ECC		
	10	505	Fitting Size(INCH) Visible to C&P	8	24	
	10	509	Fitting Schedule Visible to C&P	0	160	
	10	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	10	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	10	511 Fitting Description Visible to C&P	REDUCER-ECC		
	11	505 Fitting Size(INCH) Visible to C&P	0	0	
	11	509 Fitting Schedule Visible to C&P	0	0	
	11	510 Fitting Thickness(MM) Visible to C&P	0	0	
	11	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	11	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	11	511 Fitting Description Visible to C&P	RETURN BEND		
	12	505 Fitting Size(INCH) Visible to C&P	0.5	0.5	
	12	509 Fitting Schedule Visible to C&P	0	160	
	12	510 Fitting Thickness(MM) Visible to C&P	0	4.78	
	12	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	12	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	12	511 Fitting Description Visible to C&P	TEE		
	13	505 Fitting Size(INCH) Visible to C&P	0.75	6	
	13	509 Fitting Schedule Visible to C&P	0	XXS	
	13	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	13	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	13	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	13	511 Fitting Description Visible to C&P	TEE		
	14	505 Fitting Size(INCH) Visible to C&P	8	24	
	14	509 Fitting Schedule Visible to C&P	0	160	
	14	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	14	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	14	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	14	511	Fitting Description Visible to C&P	TEE	
	15	505	Fitting Size(INCH) Visible to C&P	0	0
	15	509	Fitting Schedule Visible to C&P	0	0
	15	510	Fitting Thickness(MM) Visible to C&P	0	0
	15	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	15	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	15	511	Fitting Description Visible to C&P	STUB END	
	16	505	Fitting Size(INCH) Visible to C&P	0	0
	16	509	Fitting Schedule Visible to C&P	0	0
	16	510	Fitting Thickness(MM) Visible to C&P	0	0
	16	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	16	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	16	511	Fitting Description Visible to C&P	NIPPLE	

* IR - Interpretation Required

Item	72AB	Description FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL				
2. Supplier Code - Name		C209 - CSA FITTINGS				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.5	16	thk upto Sch 160 (40.49MM)
	1	123	Elbow-S.R.(INCH) Visible to C&P	.5	16	thk upto Sch 160 (40.49MM)
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	.5	14	0.5-1.5" Upto Sch XXS; 2-6" upto SchXXS, 8" upto Sch160 & 10-14" upto Sch XS
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	.5	14	0.5-1.5" Upto Sch XXS; 2-6" upto SchXXS, 8" upto Sch160 & 10-14" upto Sch XS
	1	272	Tee.(INCH) Visible to C&P	.5	14	0.5-1.5" Upto Sch XXS; 2-6" upto SchXXS, 8" upto Sch160 & 10-14" upto Sch XS
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	.5	4	0.5-4" Upto Sch XXS
	1	505	Fitting Size(INCH) Visible to C&P	0.5	16	
	1	509	Fitting Schedule Visible to C&P	0 066055053055	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	40.49	
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0.5	16	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	40.49	
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0.5	1.5	
	3	509	Fitting Schedule Visible to C&P	0	XXS	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
	3	510	Fitting Thickness(MM) Visible to C&P	0	10.15	
	3	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511	Fitting Description Visible to C&P	REDUCER-CONC		
	4	505	Fitting Size(INCH) Visible to C&P	2	6	
	4	509	Fitting Schedule Visible to C&P	0	XXS	
	4	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	4	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511	Fitting Description Visible to C&P	REDUCER-CONC		
	5	505	Fitting Size(INCH) Visible to C&P	8	8	
	5	509	Fitting Schedule Visible to C&P	0	160	
	5	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	5	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511	Fitting Description Visible to C&P	REDUCER-CONC		
	6	505	Fitting Size(INCH) Visible to C&P	10	14	
	6	509	Fitting Schedule Visible to C&P	0	XS	
	6	510	Fitting Thickness(MM) Visible to C&P	0	12.7	
	6	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511	Fitting Description Visible to C&P	REDUCER-CONC		
	7	505	Fitting Size(INCH) Visible to C&P	0.5	1.5	
	7	509	Fitting Schedule Visible to C&P	0	XXS	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	7	510	Fitting Thickness(MM) Visible to C&P	0	10.15
	7	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	REDUCER-ECC	
	8	505	Fitting Size(INCH) Visible to C&P	2	6
	8	509	Fitting Schedule Visible to C&P	0	XXS
	8	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	8	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	REDUCER-ECC	
	9	505	Fitting Size(INCH) Visible to C&P	8	8
	9	509	Fitting Schedule Visible to C&P	0	160
	9	510	Fitting Thickness(MM) Visible to C&P	0	23.01
	9	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	REDUCER-ECC	
	10	505	Fitting Size(INCH) Visible to C&P	10	14
	10	509	Fitting Schedule Visible to C&P	0	XS
	10	510	Fitting Thickness(MM) Visible to C&P	0	12.7
	10	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	REDUCER-ECC	
	11	505	Fitting Size(INCH) Visible to C&P	0	0
	11	509	Fitting Schedule Visible to C&P	0	0

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	11	510	Fitting Thickness(MM) Visible to C&P	0	0
	11	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	11	511	Fitting Description Visible to C&P	RETURN BEND	
	12	505	Fitting Size(INCH) Visible to C&P	0.5	1.5
	12	509	Fitting Schedule Visible to C&P	0	XXS
	12	510	Fitting Thickness(MM) Visible to C&P	0	10.15
	12	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	12	511	Fitting Description Visible to C&P	TEE	
	13	505	Fitting Size(INCH) Visible to C&P	2	6
	13	509	Fitting Schedule Visible to C&P	0	XXS
	13	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	13	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	13	511	Fitting Description Visible to C&P	TEE	
	14	505	Fitting Size(INCH) Visible to C&P	8	8
	14	509	Fitting Schedule Visible to C&P	0	160
	14	510	Fitting Thickness(MM) Visible to C&P	0	23.01
	14	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	14	511	Fitting Description Visible to C&P	TEE	
	15	505	Fitting Size(INCH) Visible to C&P	10	14
	15	509	Fitting Schedule Visible to C&P	0	XS

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	15	510	Fitting Thickness(MM) Visible to C&P	0	12.7
	15	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	15	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	15	511	Fitting Description Visible to C&P	TEE	
	16	505	Fitting Size(INCH) Visible to C&P	0	0
	16	509	Fitting Schedule Visible to C&P	0	0
	16	510	Fitting Thickness(MM) Visible to C&P	0	0
	16	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	16	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	16	511	Fitting Description Visible to C&P	STUB END	
	17	505	Fitting Size(INCH) Visible to C&P	0.5	4
	17	509	Fitting Schedule Visible to C&P	0	XXS
	17	510	Fitting Thickness(MM) Visible to C&P	0	17.12
	17	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	17	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	17	511	Fitting Description Visible to C&P	NIPPLE	

* IR - Interpretation Required

Item	72AB	Description FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL				
3. Supplier Code - Name		D111 - DEE DEVELOPMENT ENGINEERS LIMITED [PALWAL]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	28	2-6" UPTO SCHXXS, 8"-12" UPTO SCH160, 14-26" UPTO 99 mm thk & 28" UPTO 80 mm thk
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	28	2-6" UPTO SCHXXS, 8"-12" UPTO SCH160, 14-26" UPTO 99 mm thk & 28" UPTO 80 mm thk
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	20	2-6" UPTO SCHXXS, 8"-12" UPTO SCH160, 14-26" UPTO 99 mm thk & 28" UPTO 80 mm thk
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	28	2-6" UPTO SCHXXS, 8"-12" UPTO SCH160, 14-26" UPTO 99 mm thk & 28" UPTO 80 mm thk
	1	272	Tee.(INCH) Visible to C&P	2	20	2-6" UPTO SCHXXS, 8"-12" UPTO SCH160, 14-26" UPTO 99 mm thk & 28" UPTO 80 mm thk
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	2 066055053055	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	12	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	14	26	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	99	
	3	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511	Fitting Description Visible to C&P	ELBOW-LR		
	4	505	Fitting Size(INCH) Visible to C&P	28	28	
	4	509	Fitting Schedule Visible to C&P	0	0	
	4	510	Fitting Thickness(MM) Visible to C&P	0	80	
	4	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511	Fitting Description Visible to C&P	ELBOW-LR		
	5	505	Fitting Size(INCH) Visible to C&P	2	6	
	5	509	Fitting Schedule Visible to C&P	0	XXS	
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	5	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511	Fitting Description Visible to C&P	ELBOW-SR		
	6	505	Fitting Size(INCH) Visible to C&P	8	12	
	6	509	Fitting Schedule Visible to C&P	0	160	
	6	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	6	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511	Fitting Description Visible to C&P	ELBOW-SR		
	7	505	Fitting Size(INCH) Visible to C&P	14	26	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	99
	7	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	ELBOW-SR	
	8	505	Fitting Size(INCH) Visible to C&P	28	28
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	80
	8	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	ELBOW-SR	
	9	505	Fitting Size(INCH) Visible to C&P	2	6
	9	509	Fitting Schedule Visible to C&P	0	XXS
	9	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	9	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	REDUCER-CONC	
	10	505	Fitting Size(INCH) Visible to C&P	8	12
	10	509	Fitting Schedule Visible to C&P	0	160
	10	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	10	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	REDUCER-CONC	
	11	505	Fitting Size(INCH) Visible to C&P	14	26

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	11	509	Fitting Schedule Visible to C&P	0	0
	11	510	Fitting Thickness(MM) Visible to C&P	0	99
	11	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	11	511	Fitting Description Visible to C&P	REDUCER-CONC	
	12	505	Fitting Size(INCH) Visible to C&P	28	28
	12	509	Fitting Schedule Visible to C&P	0	0
	12	510	Fitting Thickness(MM) Visible to C&P	0	80
	12	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	12	511	Fitting Description Visible to C&P	REDUCER-CONC	
	13	505	Fitting Size(INCH) Visible to C&P	2	6
	13	509	Fitting Schedule Visible to C&P	0	XXS
	13	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	13	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	13	511	Fitting Description Visible to C&P	REDUCER-ECC	
	14	505	Fitting Size(INCH) Visible to C&P	8	12
	14	509	Fitting Schedule Visible to C&P	0	160
	14	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	14	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	14	511	Fitting Description Visible to C&P	REDUCER-ECC	
	15	505	Fitting Size(INCH) Visible to C&P	14	26

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
	15	509	Fitting Schedule Visible to C&P	0	0	
	15	510	Fitting Thickness(MM) Visible to C&P	0	99	
	15	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	15	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	15	511	Fitting Description Visible to C&P	REDUCER-ECC		
	16	505	Fitting Size(INCH) Visible to C&P	28	28	
	16	509	Fitting Schedule Visible to C&P	0	0	
	16	510	Fitting Thickness(MM) Visible to C&P	0	80	
	16	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	16	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	16	511	Fitting Description Visible to C&P	REDUCER-ECC		
	17	505	Fitting Size(INCH) Visible to C&P	0	0	
	17	509	Fitting Schedule Visible to C&P	0	0	
	17	510	Fitting Thickness(MM) Visible to C&P	0	0	
	17	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	17	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	17	511	Fitting Description Visible to C&P	RETURN BEND		
	18	505	Fitting Size(INCH) Visible to C&P	2	6	
	18	509	Fitting Schedule Visible to C&P	0	XXS	
	18	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	18	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	18	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	18	511	Fitting Description Visible to C&P	TEE		
	19	505	Fitting Size(INCH) Visible to C&P	8	12	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
	19	509	Fitting Schedule Visible to C&P	0	160	
	19	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	19	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	19	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	19	511	Fitting Description Visible to C&P	TEE		
	20	505	Fitting Size(INCH) Visible to C&P	14	26	
	20	509	Fitting Schedule Visible to C&P	0	0	
	20	510	Fitting Thickness(MM) Visible to C&P	0	99	
	20	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	20	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	20	511	Fitting Description Visible to C&P	TEE		
	21	505	Fitting Size(INCH) Visible to C&P	28	28	
	21	509	Fitting Schedule Visible to C&P	0	0	
	21	510	Fitting Thickness(MM) Visible to C&P	0	80	
	21	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	21	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	21	511	Fitting Description Visible to C&P	TEE		
	22	505	Fitting Size(INCH) Visible to C&P	0	0	
	22	509	Fitting Schedule Visible to C&P	0	0	
	22	510	Fitting Thickness(MM) Visible to C&P	0	0	
	22	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	22	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	22	511	Fitting Description Visible to C&P	STUB END		
	23	505	Fitting Size(INCH) Visible to C&P	0	6	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
	23	509	Fitting Schedule Visible to C&P	0	XXS	
	23	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	23	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	23	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	23	511	Fitting Description Visible to C&P	NIPPLE		



066055053055

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
4. Supplier Code - Name		E060 - EBY FASTENERS [MAHARASHTRA]				
Item Remarks:-		As per details below:				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	0	0	
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	.5	2	From Pipe
	1	505	Fitting Size(INCH) Visible to C&P	0	0	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	0	
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	0	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	0	
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	0	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	3	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0	0
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	0
	4	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	0	0
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	0
	6	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AB	Description FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL				
5. Supplier Code - Name		E588 - ERNE FITTINGS GMBH				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.5	36	Schlins works: 0.5-36" & Murzzuschlag works 0.5-8".Test Certificates from Schlins only.
	1	123	Elbow-S.R.(INCH) Visible to C&P	.5	36	Schlins works: 0.5-36" & Murzzuschlag works 0.5-8".Test Certificates from Schlins only.
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	.5	12	Murzzuschlag works only.Test Certificates from Schlins only.
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	.5	12	Murzzuschlag works only.Test Certificates from Schlins only.
	1	272	Tee.(INCH) Visible to C&P	.5	12	Murzzuschlag works only.Test Certificates from Schlins only.
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	0.5	36	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0.5	36	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0.5	12	
	3	509	Fitting Schedule Visible to C&P	0	160	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	3	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	3	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0.5	12
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	4	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	0.5	12
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	6	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	0	0
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	0
	8	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	NIPPLE	
				066055053055	

* IR - Interpretation Required

Item	72AB	Description FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL				
6. Supplier Code - Name		E630 - EZEFLOW INC. [Quebec]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	0	0	
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	12	2-4" UPTO SCH120, 6-12" UPTO SCH160/XXS
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	0	0	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	0	
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	0	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	0	
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	2	4	
	3	509	Fitting Schedule Visible to C&P	0	120	
	3	510	Fitting Thickness(MM) Visible to C&P	0	11.13	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	3	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	6	12	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	33.32	
	4	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	REDUCER-CONC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	REDUCER-ECC		
	6	505 Fitting Size(INCH) Visible to C&P	0	0	
	6	509 Fitting Schedule Visible to C&P	0	0	
	6	510 Fitting Thickness(MM) Visible to C&P	0	0	
	6	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	RETURN BEND		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	7	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	TEE	
	8	505	Fitting Size(INCH) Visible to C&P	0	0
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	0
	8	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	STUB END	
	9	505	Fitting Size(INCH) Visible to C&P	0	0
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	0
	9	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	NIPPLE	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
7. Supplier Code - Name		G125 - GUJRAT INFRAPIPES PVT. LIMITED [VADODARA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	2-6"upto SchXXS,8-24"upto Sch160
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	24	2-6"upto SchXXS,8-24"upto Sch160
	1	237	Return Bend.(INCH) Visible to C&P	2	8	180 DEG; 2-6"upto SchXXS,8"upto Sch160
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	24	2-6"upto SchXXS,8-24"upto Sch160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	24	2-6"upto SchXXS,8-24"upto Sch160
	1	272	Tee.(INCH) Visible to C&P	2	24	2-6" Upto Sch XXS,8-24"Upto Sch160;Cross:Thk- 2-3" upto Sch 160;4-6" upto Sch XXS;8" Upto Sch 160
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	2	6	
	3	509	Fitting Schedule Visible to C&P	0	XXS	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	3	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	3	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	ELBOW-SR	
	4	505	Fitting Size(INCH) Visible to C&P	8	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	ELBOW-SR	
	5	505	Fitting Size(INCH) Visible to C&P	2	6
	5	509	Fitting Schedule Visible to C&P	0	XXS
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	5	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	REDUCER-CONC	
	6	505	Fitting Size(INCH) Visible to C&P	8	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	REDUCER-CONC	
	7	505	Fitting Size(INCH) Visible to C&P	2	6
	7	509	Fitting Schedule Visible to C&P	0	XXS

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	7	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	7	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	REDUCER-ECC	
	8	505	Fitting Size(INCH) Visible to C&P	8	24
	8	509	Fitting Schedule Visible to C&P	0	160
	8	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	8	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	REDUCER-ECC	
	9	505	Fitting Size(INCH) Visible to C&P	2	6
	9	509	Fitting Schedule Visible to C&P	0	XXS
	9	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	9	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	RETURN BEND	
	10	505	Fitting Size(INCH) Visible to C&P	8	8
	10	509	Fitting Schedule Visible to C&P	0	160
	10	510	Fitting Thickness(MM) Visible to C&P	0	23.01
	10	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	RETURN BEND	
	11	505	Fitting Size(INCH) Visible to C&P	2	6
	11	509	Fitting Schedule Visible to C&P	0	XXS

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	11	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	11	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	11	511	Fitting Description Visible to C&P	TEE	
	12	505	Fitting Size(INCH) Visible to C&P	8	24
	12	509	Fitting Schedule Visible to C&P	0	160
	12	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	12	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	12	511	Fitting Description Visible to C&P	TEE	
	13	505	Fitting Size(INCH) Visible to C&P	2	3
	13	509	Fitting Schedule Visible to C&P	0	160
	13	510	Fitting Thickness(MM) Visible to C&P	0	11.13
	13	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	13	511	Fitting Description Visible to C&P	CROSS	
	14	505	Fitting Size(INCH) Visible to C&P	4	6
	14	509	Fitting Schedule Visible to C&P	0	XXS
	14	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	14	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	14	511	Fitting Description Visible to C&P	CROSS	
	15	505	Fitting Size(INCH) Visible to C&P	8	8
	15	509	Fitting Schedule Visible to C&P	0	160

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	15	510	Fitting Thickness(MM) Visible to C&P	0	23.01
	15	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	15	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	15	511	Fitting Description Visible to C&P	CROSS	
	16	505	Fitting Size(INCH) Visible to C&P	0	0
	16	509	Fitting Schedule Visible to C&P	0	0
	16	510	Fitting Thickness(MM) Visible to C&P	0	0
	16	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	16	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	16	511	Fitting Description Visible to C&P	STUB END	
	17	505	Fitting Size(INCH) Visible to C&P	0	6
	17	509	Fitting Schedule Visible to C&P	0	XXS
	17	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	17	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	17	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	17	511	Fitting Description Visible to C&P	NIPPLE	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL						
8. Supplier Code - Name		H644 - HEBEI CANGZHOU HENGTONG TUBING CO.LTD [CANGZHOU CITY]							
Item Remarks:-									
	Code	Holiday Desc	Remarks	Client Specific	Clients		IR *	From	To
	01D	HOLIDAY-CONSTRAINTS ON MEN & MACHINERIES	HOLIDAY-CONSTRAINTS ON MEN & MACHINERIES	N			N	13/01/2014	
	02F	HOLIDAY-MGMT DISPUTE & QUALITY LAPSES	HOLIDAY-MGMT DISPUTE & QUALITY LAPSES	N			N	28/12/2011	27/06/2012
Capabilities									
	Group	Param	Description (UOM)	From	To	Remarks			
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	UPTO SCH160/XXS			
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	24	UPTO SCH160/XXS			
	1	237	Return Bend.(INCH) Visible to C&P	2	24	UPTO SCH160/XXS			
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	24	UPTO SCH160/XXS			
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	24	UPTO SCH160/XXS			
	1	272	Tee.(INCH) Visible to C&P	2	24	UPTO SCH160/XXS			
	1	268	Stub-End.(INCH) Visible to C&P	0	0				
	1	188	Nipple.(INCH) Visible to C&P	1	1				
	1	505	Fitting Size(INCH) Visible to C&P	2	24				
	1	509	Fitting Schedule Visible to C&P	0	160				
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54				
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9					
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS					
	1	511	Fitting Description Visible to C&P	ELBOW-LR					
	2	505	Fitting Size(INCH) Visible to C&P	2	24				
	2	509	Fitting Schedule Visible to C&P	0	160				
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54				
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9					
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS					

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	2	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511	Fitting Description Visible to C&P	REDUCER-CONC		
	4	505	Fitting Size(INCH) Visible to C&P	2	24	
	4	509	Fitting Schedule Visible to C&P	0	160	
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511	Fitting Description Visible to C&P	REDUCER-ECC		
	5	505	Fitting Size(INCH) Visible to C&P	2	24	
	5	509	Fitting Schedule Visible to C&P	0	160	
	5	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	5	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511	Fitting Description Visible to C&P	RETURN BEND		
	6	505	Fitting Size(INCH) Visible to C&P	2	24	
	6	509	Fitting Schedule Visible to C&P	0	160	
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
	6	511	Fitting Description Visible to C&P	TEE		
	7	505	Fitting Size(INCH) Visible to C&P	0	0	
	7	509	Fitting Schedule Visible to C&P	0	0	
	7	510	Fitting Thickness(MM) Visible to C&P	0	0	
	7	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511	Fitting Description Visible to C&P	STUB END		
	8	505	Fitting Size(INCH) Visible to C&P	0	6	
	8	509	Fitting Schedule Visible to C&P	0	XXS	
	8	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	8	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AB	Description FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL				
9. Supplier Code - Name		I597 - IBF S P A				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	8	2-6" UPTO SCHXXS, 8" UPTO SCH160
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	8	2-6" UPTO SCHXXS, 8" UPTO SCH160
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	8	2-3" UPTO SCH160, 4-6" UPTO SCHXXS, 8" UPTO SCH160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	8	2-6" UPTO SCHXXS, 8" UPTO SCH160
	1	272	Tee.(INCH) Visible to C&P	2	8	2-6" UPTO SCHXXS, 8" UPTO SCH160
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	8	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	2	6	
	3	509	Fitting Schedule Visible to C&P	0	XXS	
	3	510	Fitting Thickness(MM) Visible to C&P	0	21.95	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	3	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	ELBOW-SR		
	4	505 Fitting Size(INCH) Visible to C&P	8	8	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	23.01	
	4	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	ELBOW-SR		
	5	505 Fitting Size(INCH) Visible to C&P	2	3	
	5	509 Fitting Schedule Visible to C&P	0	160	
	5	510 Fitting Thickness(MM) Visible to C&P	0	11.13	
	5	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	REDUCER-CONC		
	6	505 Fitting Size(INCH) Visible to C&P	4	6	
	6	509 Fitting Schedule Visible to C&P	0	XXS	
	6	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	6	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	REDUCER-CONC		
	7	505 Fitting Size(INCH) Visible to C&P	8	8	
	7	509 Fitting Schedule Visible to C&P	0	160	
	7	510 Fitting Thickness(MM) Visible to C&P	0	23.01	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	7	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	REDUCER-CONC	
	8	505	Fitting Size(INCH) Visible to C&P	2	6
	8	509	Fitting Schedule Visible to C&P	0	XXS
	8	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	8	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	REDUCER-ECC	
	9	505	Fitting Size(INCH) Visible to C&P	8	8
	9	509	Fitting Schedule Visible to C&P	0	160
	9	510	Fitting Thickness(MM) Visible to C&P	0	23.01
	9	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	REDUCER-ECC	
	10	505	Fitting Size(INCH) Visible to C&P	0	0
	10	509	Fitting Schedule Visible to C&P	0	0
	10	510	Fitting Thickness(MM) Visible to C&P	0	0
	10	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	RETURN BEND	
	11	505	Fitting Size(INCH) Visible to C&P	2	6
	11	509	Fitting Schedule Visible to C&P	0	XXS
	11	510	Fitting Thickness(MM) Visible to C&P	0	21.95

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
	11	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	11	511	Fitting Description Visible to C&P	TEE		
	12	505	Fitting Size(INCH) Visible to C&P	8	8	
	12	509	Fitting Schedule Visible to C&P	0	160	
	12	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	12	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	12	511	Fitting Description Visible to C&P	TEE		
	13	505	Fitting Size(INCH) Visible to C&P	0	0	
	13	509	Fitting Schedule Visible to C&P	0	0	
	13	510	Fitting Thickness(MM) Visible to C&P	0	0	
	13	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	13	511	Fitting Description Visible to C&P	STUB END		
	14	505	Fitting Size(INCH) Visible to C&P	0	0	
	14	509	Fitting Schedule Visible to C&P	0	0	
	14	510	Fitting Thickness(MM) Visible to C&P	0	0	
	14	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	14	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
10. Supplier Code - Name		J614 - JIANGYIN TIANNING METAL PIPE FITTING CO				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	12	2-6" UPTO SCHXXS, 8-12" UPTO SCH160
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	12	2-6" UPTO SCHXXS, 8-12" UPTO SCH160
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	12	2-6" UPTO SCHXXS, 8-12" UPTO SCH160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	12	2-6" UPTO SCHXXS, 8-12" UPTO SCH160
	1	272	Tee.(INCH) Visible to C&P	2	12	2-6" UPTO SCHXXS, 8-12" UPTO SCH160
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	12	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	2	6	
	3	509	Fitting Schedule Visible to C&P	0	XXS	
	3	510	Fitting Thickness(MM) Visible to C&P	0	21.95	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	3	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	ELBOW-SR		
	4	505 Fitting Size(INCH) Visible to C&P	8	12	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	33.32	
	4	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	ELBOW-SR		
	5	505 Fitting Size(INCH) Visible to C&P	2	6	
	5	509 Fitting Schedule Visible to C&P	0	XXS	
	5	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	5	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	REDUCER-CONC		
	6	505 Fitting Size(INCH) Visible to C&P	8	12	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	33.32	
	6	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	REDUCER-CONC		
	7	505 Fitting Size(INCH) Visible to C&P	2	6	
	7	509 Fitting Schedule Visible to C&P	0	XXS	
	7	510 Fitting Thickness(MM) Visible to C&P	0	21.95	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	7	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	7	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511 Fitting Description Visible to C&P	REDUCER-ECC		
	8	505 Fitting Size(INCH) Visible to C&P	8	12	
	8	509 Fitting Schedule Visible to C&P	0	160	
	8	510 Fitting Thickness(MM) Visible to C&P	0	33.32	
	8	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	8	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511 Fitting Description Visible to C&P	REDUCER-ECC		
	9	505 Fitting Size(INCH) Visible to C&P	0	0	
	9	509 Fitting Schedule Visible to C&P	0	0	
	9	510 Fitting Thickness(MM) Visible to C&P	0	0	
	9	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	9	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	9	511 Fitting Description Visible to C&P	RETURN BEND		
	10	505 Fitting Size(INCH) Visible to C&P	2	6	
	10	509 Fitting Schedule Visible to C&P	0	XXS	
	10	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	10	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	10	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	10	511 Fitting Description Visible to C&P	TEE		
	11	505 Fitting Size(INCH) Visible to C&P	8	12	
	11	509 Fitting Schedule Visible to C&P	0	160	
	11	510 Fitting Thickness(MM) Visible to C&P	0	33.32	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	11	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	11	511	Fitting Description Visible to C&P	TEE	
	12	505	Fitting Size(INCH) Visible to C&P	0	0
	12	509	Fitting Schedule Visible to C&P	0	0
	12	510	Fitting Thickness(MM) Visible to C&P	0	0
	12	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	12	511	Fitting Description Visible to C&P	STUB END	
	13	505	Fitting Size(INCH) Visible to C&P	0	0
	13	509	Fitting Schedule Visible to C&P	0	0
	13	510	Fitting Thickness(MM) Visible to C&P	0	0
	13	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	13	511	Fitting Description Visible to C&P	NIPPLE	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
11. Supplier Code - Name		J615 - LONGSHAN PIPE SOLUTIONS CO. LTD. [..]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	Upto Sch 160
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	24	Upto Sch 160
	1	237	Return Bend.(INCH) Visible to C&P	Not Approved	Not Appr oved	
	1	231	Reducer-Conc. -NB(INCH) Visible to C&P	2	24	Upto Sch 160
	1	232	Reducer-Ecc. -NB(INCH) Visible to C&P	2	24	Upto Sch 160
	1	272	Tee.(INCH) Visible to C&P	2	24	Upto Sch 160
	1	268	Stub-End.(INCH) Visible to C&P	Not Approved	Not Appr oved	
	1	188	Nipple.(INCH) Visible to C&P	Not Approved	Not Appr oved	
	1	505	Fitting Size(INCH) Visible to C&P	2	24	
	1	509	Fitting Schedule Visible to C&P	0 066055053055	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	2	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
3	505	Fitting Size(INCH) Visible to C&P	2	24		
3	509	Fitting Schedule Visible to C&P	0	160		

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	3	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	2	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	2	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	0	0
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	0
	8	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	NIPPLE	
				066055053055	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
12. Supplier Code - Name		M507 - MUNRO & MILLER FITTINGS LTD				
Item Remarks:-						
Capabilities						
Group	Param	Description (UOM)	From	To	Remarks	
1	121	Elbow-L.R.(INCH) Visible to C&P	1	1		
1	123	Elbow-S.R.(INCH) Visible to C&P	1	1		
1	237	Return Bend.(INCH) Visible to C&P	1	1		
1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1		
1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	1	1		
1	272	Tee.(INCH) Visible to C&P	1	1		
1	268	Stub-End.(INCH) Visible to C&P	0	0		
1	188	Nipple.(INCH) Visible to C&P	1	1		
1	505	Fitting Size(INCH) Visible to C&P	0	24		
1	509	Fitting Schedule Visible to C&P	0	160		
1	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
1	507	Fitting Material Visible to C&P	Gr11,22,5,9			
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
1	511	Fitting Description Visible to C&P	ELBOW-LR			
2	505	Fitting Size(INCH) Visible to C&P	0	24		
2	509	Fitting Schedule Visible to C&P	0	160		
2	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
2	507	Fitting Material Visible to C&P	Gr11,22,5,9			
2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
2	511	Fitting Description Visible to C&P	ELBOW-SR			
3	505	Fitting Size(INCH) Visible to C&P	0	24		
3	509	Fitting Schedule Visible to C&P	0	160		
3	510	Fitting Thickness(MM) Visible to C&P	0	59.54		

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	3	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	0	24	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	24	
	5	509 Fitting Schedule Visible to C&P	0	160	
	5	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	5	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	0	24	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
13. Supplier Code - Name		P315 - P.K.TUBES & FITTINGS PVT.LTD.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	upto sch 160
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	24	upto sch 160
	1	237	Return Bend.(INCH) Visible to C&P	2	12	upto 9D
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	24	upto sch 160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	24	upto sch 160
	1	272	Tee.(INCH) Visible to C&P	2	24	upto sch 160
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	.25	4	upto sch 160
	1	505	Fitting Size(INCH) Visible to C&P	2	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	2	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	2	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	3	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	2	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	2	12
	5	509	Fitting Schedule Visible to C&P	0	160
	5	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	5	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	2	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
14. Supplier Code - Name		P694 - PIANA S.P.A [PAVIA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.5	24	UPTO SCH 160/XXS
	1	123	Elbow-S.R.(INCH) Visible to C&P	.5	24	UPTO SCH 160/XXS
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	.5	24	UPTO SCH 160/XXS
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	.5	24	UPTO SCH 160/XXS
	1	272	Tee.(INCH) Visible to C&P	.5	24	UPTO SCH 160/XXS
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	3	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	0.5	24	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	0.5	24	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
15. Supplier Code - Name		R607 - RACCORTUBI SPA [SARMATO (Pc)]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.5	24	0.5-6" Upto SchXXS,8-12" upto Sch160,14-16"UptoSch120,18-24"Up toSch20-140;MANUFACTURER:TE CNINOX
	1	123	Elbow-S.R.(INCH) Visible to C&P	.5	24	0.5-6" Upto SchXXS,8-12" upto Sch160,14-16"UptoSch120,18-24"Up toSch20-140;MANUFACTURER:TE CNINOX
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	0
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	.5	24	0.5" upto Sch160,0.75-6" Upto SchXXS,8-10"UptoSch160,12-16"Up toSch120,18-24"UptoSch20-140;MA NUFACTURER:TECNINOX
	1	272	Tee.(INCH) Visible to C&P	.5	24	0.5" upto Sch160,0.75-6" Upto SchXXS,8-10"UptoSch160,12-16"Up toSch120,18-24"UptoSch20-140;MA NUFACTURER:TECNINOX
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	1	1	MANUFACTURER:TECNINOX
	1	505	Fitting Size(INCH) Visible to C&P	0.5	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	12	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	14	16	
	3	509	Fitting Schedule Visible to C&P	0	120	
	3	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	3	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511	Fitting Description Visible to C&P	ELBOW-LR		
	4	505	Fitting Size(INCH) Visible to C&P	18	24	
	4	509	Fitting Schedule Visible to C&P	20	140	
	4	510	Fitting Thickness(MM) Visible to C&P	7.92	52.37	
	4	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511	Fitting Description Visible to C&P	ELBOW-LR		
	5	505	Fitting Size(INCH) Visible to C&P	0.5	6	
	5	509	Fitting Schedule Visible to C&P	0	XXS	
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	5	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511	Fitting Description Visible to C&P	ELBOW-SR		
	6	505	Fitting Size(INCH) Visible to C&P	8	12	
	6	509	Fitting Schedule Visible to C&P	0	160	
	6	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	6	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	6	511	Fitting Description Visible to C&P	ELBOW-SR	
	7	505	Fitting Size(INCH) Visible to C&P	14	16
	7	509	Fitting Schedule Visible to C&P	0	120
	7	510	Fitting Thickness(MM) Visible to C&P	0	30.96
	7	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	ELBOW-SR	
	8	505	Fitting Size(INCH) Visible to C&P	18	24
	8	509	Fitting Schedule Visible to C&P	20	140
	8	510	Fitting Thickness(MM) Visible to C&P	7.92	52.37
	8	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	ELBOW-SR	
	9	505	Fitting Size(INCH) Visible to C&P	0	0
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	0
	9	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	REDUCER-CONC	
	10	505	Fitting Size(INCH) Visible to C&P	0.5	0.5
	10	509	Fitting Schedule Visible to C&P	0	160
	10	510	Fitting Thickness(MM) Visible to C&P	0	4.78
	10	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	10	511 Fitting Description Visible to C&P	REDUCER-ECC		
	11	505 Fitting Size(INCH) Visible to C&P	0.75	6	
	11	509 Fitting Schedule Visible to C&P	0	XXS	
	11	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	11	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	11	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	11	511 Fitting Description Visible to C&P	REDUCER-ECC		
	12	505 Fitting Size(INCH) Visible to C&P	8	10	
	12	509 Fitting Schedule Visible to C&P	0	160	
	12	510 Fitting Thickness(MM) Visible to C&P	0	28.58	
	12	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	12	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	12	511 Fitting Description Visible to C&P	REDUCER-ECC		
	13	505 Fitting Size(INCH) Visible to C&P	12	16	
	13	509 Fitting Schedule Visible to C&P	0	120	
	13	510 Fitting Thickness(MM) Visible to C&P	0	30.96	
	13	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	13	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	13	511 Fitting Description Visible to C&P	REDUCER-ECC		
	14	505 Fitting Size(INCH) Visible to C&P	18	24	
	14	509 Fitting Schedule Visible to C&P	20	140	
	14	510 Fitting Thickness(MM) Visible to C&P	7.92	52.37	
	14	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	14	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	14	511 Fitting Description Visible to C&P	REDUCER-ECC		
	15	505 Fitting Size(INCH) Visible to C&P	0	0	
	15	509 Fitting Schedule Visible to C&P	0	0	
	15	510 Fitting Thickness(MM) Visible to C&P	0	0	
	15	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	15	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	15	511 Fitting Description Visible to C&P	RETURN BEND		
	16	505 Fitting Size(INCH) Visible to C&P	0.5	0.5	
	16	509 Fitting Schedule Visible to C&P	0	160	
	16	510 Fitting Thickness(MM) Visible to C&P	0	4.78	
	16	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	16	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	16	511 Fitting Description Visible to C&P	TEE		
	17	505 Fitting Size(INCH) Visible to C&P	0.75	6	
	17	509 Fitting Schedule Visible to C&P	0	XXS	
	17	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	17	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	17	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	17	511 Fitting Description Visible to C&P	TEE		
	18	505 Fitting Size(INCH) Visible to C&P	8	10	
	18	509 Fitting Schedule Visible to C&P	0	160	
	18	510 Fitting Thickness(MM) Visible to C&P	0	28.58	
	18	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	18	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	18	511	Fitting Description Visible to C&P	TEE	
	19	505	Fitting Size(INCH) Visible to C&P	12	16
	19	509	Fitting Schedule Visible to C&P	0	120
	19	510	Fitting Thickness(MM) Visible to C&P	0	30.96
	19	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	19	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	19	511	Fitting Description Visible to C&P	TEE	
	20	505	Fitting Size(INCH) Visible to C&P	18	24
	20	509	Fitting Schedule Visible to C&P	20	140
	20	510	Fitting Thickness(MM) Visible to C&P	7.92	52.37
	20	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	20	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	20	511	Fitting Description Visible to C&P	TEE	
	21	505	Fitting Size(INCH) Visible to C&P	0	0
	21	509	Fitting Schedule Visible to C&P	0	0
	21	510	Fitting Thickness(MM) Visible to C&P	0	0
	21	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	21	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	21	511	Fitting Description Visible to C&P	STUB END	
	22	505	Fitting Size(INCH) Visible to C&P	0	6
	22	509	Fitting Schedule Visible to C&P	0	XXS
	22	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	22	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	22	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL
	22	511	Fitting Description Visible to C&P
			NIPPLE
			066055053055

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
16. Supplier Code - Name		S102 - SAWAN ENGINEERS PVT LTD [VADODARA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	SIZE: 2-6" Upto Sch XXS; 8-24" upto Sch 160 (UNIT I & II)
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	24	SIZE: 2-6" Upto Sch XXS; 8-24" upto Sch 160 (UNIT I & II)
	1	237	Return Bend.(INCH) Visible to C&P	2	10	SIZE: 2-6" Upto Sch XXS; 8-10" upto Sch 160 (UNIT I & II)
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	24	SIZE: 2-6" Upto Sch XXS; 8-24" upto Sch 160 (UNIT I & II)
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	24	SIZE: 2-6" Upto Sch XXS; 8-24" upto Sch 160 (UNIT I & II)
	1	272	Tee.(INCH) Visible to C&P	2	24	SIZE: 2-6" Upto Sch XXS; 8-24" upto Sch 160 (UNIT I & II)
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	2	6	
	3	509	Fitting Schedule Visible to C&P	0	XXS	
	3	510	Fitting Thickness(MM) Visible to C&P	0	21.95	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	3	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	ELBOW-SR		
	4	505 Fitting Size(INCH) Visible to C&P	8	24	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	ELBOW-SR		
	5	505 Fitting Size(INCH) Visible to C&P	2	6	
	5	509 Fitting Schedule Visible to C&P	0	XXS	
	5	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	5	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	REDUCER-CONC		
	6	505 Fitting Size(INCH) Visible to C&P	8	24	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	REDUCER-CONC		
	7	505 Fitting Size(INCH) Visible to C&P	2	6	
	7	509 Fitting Schedule Visible to C&P	0	160	
	7	510 Fitting Thickness(MM) Visible to C&P	0	18.26	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	7	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	7	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511 Fitting Description Visible to C&P	REDUCER-ECC		
	8	505 Fitting Size(INCH) Visible to C&P	8	24	
	8	509 Fitting Schedule Visible to C&P	0	160	
	8	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	8	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	8	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511 Fitting Description Visible to C&P	REDUCER-ECC		
	9	505 Fitting Size(INCH) Visible to C&P	2	6	
	9	509 Fitting Schedule Visible to C&P	0	XXS	
	9	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	9	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	9	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	9	511 Fitting Description Visible to C&P	RETURN BEND		
	10	505 Fitting Size(INCH) Visible to C&P	8	10	
	10	509 Fitting Schedule Visible to C&P	0	160	
	10	510 Fitting Thickness(MM) Visible to C&P	0	28.58	
	10	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	10	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	10	511 Fitting Description Visible to C&P	RETURN BEND		
	11	505 Fitting Size(INCH) Visible to C&P	2	6	
	11	509 Fitting Schedule Visible to C&P	0	XXS	
	11	510 Fitting Thickness(MM) Visible to C&P	0	21.95	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
	11	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	11	511	Fitting Description Visible to C&P	TEE		
	12	505	Fitting Size(INCH) Visible to C&P	8	24	
	12	509	Fitting Schedule Visible to C&P	0	160	
	12	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	12	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	12	511	Fitting Description Visible to C&P	TEE		
	13	505	Fitting Size(INCH) Visible to C&P	0	0	
	13	509	Fitting Schedule Visible to C&P	0	0	
	13	510	Fitting Thickness(MM) Visible to C&P	0	0	
	13	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	13	511	Fitting Description Visible to C&P	STUB END		
	14	505	Fitting Size(INCH) Visible to C&P	0	0	
	14	509	Fitting Schedule Visible to C&P	0	0	
	14	510	Fitting Thickness(MM) Visible to C&P	0	0	
	14	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	14	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
17. Supplier Code - Name		S265 - SIDHARTH & GAUTAM ENGINEERS				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	2-6" upto SchXXS, 8-14"upto Sch160,16" upto Sch120,18-24" upto Sch140
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	24	2-6" upto SchXXS, 8-14"upto Sch160,16" upto Sch120,18-24" upto Sch140
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	24	2-6" upto SchXXS, 8-14"upto Sch160,16" upto Sch120,18-24" upto Sch140
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	24	2-6" Upto Sch XXS; 8-14" Upto Sch 160; 16-24" Sch 60-Sch 160
	1	272	Tee.(INCH) Visible to C&P	2	20	2-6" upto SchXXS, 8-14" upto Sch160, 16-20" upto Sch140
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0 066055053055	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	14	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	35.71	
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	16	16	
	3	509	Fitting Schedule Visible to C&P	0	120	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	3	510	Fitting Thickness(MM) Visible to C&P	0	30.96
	3	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	ELBOW-LR	
	4	505	Fitting Size(INCH) Visible to C&P	18	24
	4	509	Fitting Schedule Visible to C&P	0	140
	4	510	Fitting Thickness(MM) Visible to C&P	0	52.37
	4	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	ELBOW-LR	
	5	505	Fitting Size(INCH) Visible to C&P	2	6
	5	509	Fitting Schedule Visible to C&P	0	XXS
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	5	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	ELBOW-SR	
	6	505	Fitting Size(INCH) Visible to C&P	8	14
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	35.71
	6	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	ELBOW-SR	
	7	505	Fitting Size(INCH) Visible to C&P	16	16
	7	509	Fitting Schedule Visible to C&P	0	120

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	7	510	Fitting Thickness(MM) Visible to C&P	0	30.96
	7	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	ELBOW-SR	
	8	505	Fitting Size(INCH) Visible to C&P	18	24
	8	509	Fitting Schedule Visible to C&P	0	140
	8	510	Fitting Thickness(MM) Visible to C&P	0	52.37
	8	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	ELBOW-SR	
	9	505	Fitting Size(INCH) Visible to C&P	2	6
	9	509	Fitting Schedule Visible to C&P	0	XXS
	9	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	9	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	REDUCER-CONC	
	10	505	Fitting Size(INCH) Visible to C&P	8	14
	10	509	Fitting Schedule Visible to C&P	0	160
	10	510	Fitting Thickness(MM) Visible to C&P	0	35.71
	10	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	REDUCER-CONC	
	11	505	Fitting Size(INCH) Visible to C&P	16	16
	11	509	Fitting Schedule Visible to C&P	0	120

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
11	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
11	507	Fitting Material Visible to C&P	Gr11,22,5,9		
11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
11	511	Fitting Description Visible to C&P	REDUCER-CONC		
12	505	Fitting Size(INCH) Visible to C&P	18	24	
12	509	Fitting Schedule Visible to C&P	0	140	
12	510	Fitting Thickness(MM) Visible to C&P	0	52.37	
12	507	Fitting Material Visible to C&P	Gr11,22,5,9		
12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
12	511	Fitting Description Visible to C&P	REDUCER-CONC		
13	505	Fitting Size(INCH) Visible to C&P	2	6	
13	509	Fitting Schedule Visible to C&P	0	XXS	
13	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
13	507	Fitting Material Visible to C&P	Gr11,22,5,9		
13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
13	511	Fitting Description Visible to C&P	REDUCER-ECC		
14	505	Fitting Size(INCH) Visible to C&P	8	14	
14	509	Fitting Schedule Visible to C&P	0	160	
14	510	Fitting Thickness(MM) Visible to C&P	0	35.71	
14	507	Fitting Material Visible to C&P	Gr11,22,5,9		
14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
14	511	Fitting Description Visible to C&P	REDUCER-ECC		
15	505	Fitting Size(INCH) Visible to C&P	16	24	
15	509	Fitting Schedule Visible to C&P	60	160	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
15	510	Fitting Thickness(MM) Visible to C&P	16.66	59.54	
15	507	Fitting Material Visible to C&P	Gr11,22,5,9		
15	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
15	511	Fitting Description Visible to C&P	REDUCER-ECC		
16	505	Fitting Size(INCH) Visible to C&P	0	0	
16	509	Fitting Schedule Visible to C&P	0	0	
16	510	Fitting Thickness(MM) Visible to C&P	0	0	
16	507	Fitting Material Visible to C&P	Gr11,22,5,9		
16	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
16	511	Fitting Description Visible to C&P	RETURN BEND		
17	505	Fitting Size(INCH) Visible to C&P	2	6	
17	509	Fitting Schedule Visible to C&P	0	XXS	
17	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
17	507	Fitting Material Visible to C&P	Gr11,22,5,9		
17	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
17	511	Fitting Description Visible to C&P	TEE		
18	505	Fitting Size(INCH) Visible to C&P	8	14	
18	509	Fitting Schedule Visible to C&P	0	160	
18	510	Fitting Thickness(MM) Visible to C&P	0	35.71	
18	507	Fitting Material Visible to C&P	Gr11,22,5,9		
18	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
18	511	Fitting Description Visible to C&P	TEE		
19	505	Fitting Size(INCH) Visible to C&P	16	20	
19	509	Fitting Schedule Visible to C&P	0	140	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
	19	510	Fitting Thickness(MM) Visible to C&P	0	44.45	
	19	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	19	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	19	511	Fitting Description Visible to C&P	TEE		
	20	505	Fitting Size(INCH) Visible to C&P	0	0	
	20	509	Fitting Schedule Visible to C&P	0	0	
	20	510	Fitting Thickness(MM) Visible to C&P	0	0	
	20	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	20	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	20	511	Fitting Description Visible to C&P	STUB END		
	21	505	Fitting Size(INCH) Visible to C&P	0	6	
	21	509	Fitting Schedule Visible to C&P	0	XXS	
	21	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	21	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	21	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	21	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
18. Supplier Code - Name		S810 - SUNGKWANG BEND CO. LTD [Busan]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	1	1	
	1	123	Elbow-S.R.(INCH) Visible to C&P	1	1	
	1	237	Return Bend.(INCH) Visible to C&P	1	1	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	1	1	
	1	272	Tee.(INCH) Visible to C&P	1	1	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	0	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	3	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	24
	5	509	Fitting Schedule Visible to C&P	0	160
	5	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	5	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	0	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
19. Supplier Code - Name		T019 - TEEKAY TUBES PVT LTD [NEW MUMBAI]				
Item Remarks:-						
Capabilities						
Group	Param	Description (UOM)	From	To	Remarks	
1	121	Elbow-L.R.(INCH) Visible to C&P	.5	20		
1	123	Elbow-S.R.(INCH) Visible to C&P	1	14		
1	237	Return Bend.(INCH) Visible to C&P	.5	16		
1	231	Reducer-Conc.-NB(INCH) Visible to C&P	.5	24		
1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	.5	24		
1	272	Tee.(INCH) Visible to C&P	1	24		
1	268	Stub-End.(INCH) Visible to C&P	1	12		
1	188	Nipple.(INCH) Visible to C&P	.25	4		
1	505	Fitting Size(INCH) Visible to C&P	0.5	20		
1	509	Fitting Schedule Visible to C&P	0	160		
1	510	Fitting Thickness(MM) Visible to C&P	0	50.01		
1	507	Fitting Material Visible to C&P	Gr11,22,5,9			
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
1	511	Fitting Description Visible to C&P	ELBOW-LR			
2	505	Fitting Size(INCH) Visible to C&P	1	14		
2	509	Fitting Schedule Visible to C&P	0	160		
2	510	Fitting Thickness(MM) Visible to C&P	0	35.71		
2	507	Fitting Material Visible to C&P	Gr11,22,5,9			
2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
2	511	Fitting Description Visible to C&P	ELBOW-SR			
3	505	Fitting Size(INCH) Visible to C&P	0.5	24		
3	509	Fitting Schedule Visible to C&P	0	160		
3	510	Fitting Thickness(MM) Visible to C&P	0	59.54		

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	3	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0.5	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0.5	16
	5	509	Fitting Schedule Visible to C&P	0	160
	5	510	Fitting Thickness(MM) Visible to C&P	0	40.49
	5	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	1	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	1	12
	7	509	Fitting Schedule Visible to C&P	0	160
	7	510	Fitting Thickness(MM) Visible to C&P	0	33.32

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
20. Supplier Code - Name		T221 - TOPAZ PIPING INDUSTRIES [Vadodara]				
Item Remarks:-		Blocks covered: FTSELLAS001,FTSELLAS002,FTSELSAS001, FTSELSAS002,FTSRECAS001, FTSRECAS002 FTSREEAS001,FTSREEAS002,FTSTEEAS001, FTSTEEAS002				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	0.5	14	0.5-6" Upto Sch.XXS, 8-14" Upto Sch. 160
	1	123	Elbow-S.R.(INCH) Visible to C&P	0.5	14	0.5-6" Upto Sch.XXS, 8-14" Upto Sch. 160
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0.5	14	0.5-6" Upto Sch.XXS, 8-14" Upto Sch. 160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0.5	14	0.5-6" Upto Sch.XXS, 8-14" Upto Sch. 160
	1	272	Tee.(INCH) Visible to C&P	0.5	14	0.5-6" Upto Sch.XXS, 8-14" Upto Sch. 160
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	0.5	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	14	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	35.71	
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	0.5	6	
	3	509	Fitting Schedule Visible to C&P	0	XXS	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	3	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	3	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	ELBOW-SR	
	4	505	Fitting Size(INCH) Visible to C&P	8	14
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	35.71
	4	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	ELBOW-SR	
	5	505	Fitting Size(INCH) Visible to C&P	0.5	6
	5	509	Fitting Schedule Visible to C&P	0	XXS
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	5	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	REDUCER-CONC	
	6	505	Fitting Size(INCH) Visible to C&P	8	14
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	35.71
	6	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	REDUCER-CONC	
	7	505	Fitting Size(INCH) Visible to C&P	0.5	6
	7	509	Fitting Schedule Visible to C&P	0	XXS

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	7	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	7	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	REDUCER-ECC	
	8	505	Fitting Size(INCH) Visible to C&P	8	14
	8	509	Fitting Schedule Visible to C&P	0	160
	8	510	Fitting Thickness(MM) Visible to C&P	0	35.71
	8	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	REDUCER-ECC	
	9	505	Fitting Size(INCH) Visible to C&P	0	0
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	0
	9	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	RETURN BEND	
	10	505	Fitting Size(INCH) Visible to C&P	0.5	6
	10	509	Fitting Schedule Visible to C&P	0	XXS
	10	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	10	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	TEE	
	11	505	Fitting Size(INCH) Visible to C&P	8	14
	11	509	Fitting Schedule Visible to C&P	0	160

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
11	510	Fitting Thickness(MM) Visible to C&P	0	35.71	
11	507	Fitting Material Visible to C&P	Gr11,22,5,9		
11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
11	511	Fitting Description Visible to C&P	TEE		
12	505	Fitting Size(INCH) Visible to C&P	0	0	
12	509	Fitting Schedule Visible to C&P	0	0	
12	510	Fitting Thickness(MM) Visible to C&P	0	0	
12	507	Fitting Material Visible to C&P	Gr11,22,5,9		
12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
12	511	Fitting Description Visible to C&P	STUB END		
13	505	Fitting Size(INCH) Visible to C&P	0	0	
13	509	Fitting Schedule Visible to C&P	0	0	
13	510	Fitting Thickness(MM) Visible to C&P	0	0	
13	507	Fitting Material Visible to C&P	Gr11,22,5,9		
13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
13	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL						
21. Supplier Code - Name		T226 - TUBE TURN (INDIA) PVT LTD [NAVI MUMBAI]							
Item Remarks:-									
	Code	Holiday Desc	Remarks	Client Specific	Clients		IR *	From	To
	01J	HOLIDAY-MATERIAL FAILURE AT SITE	HOLIDAY-MATERIAL FAILURE AT SITE	N			N	03/05/2013	02/11/2013
Capabilities									
	Group	Param	Description (UOM)	From	To	Remarks			
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	UPTO SCH160/XXS			
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0				
	1	237	Return Bend.(INCH) Visible to C&P	0	0				
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	24	UPTO SCH160/XXS			
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	24	UPTO SCH160/XXS			
	1	272	Tee.(INCH) Visible to C&P	2	24	UPTO SCH160/XXS			
	1	268	Stub-End.(INCH) Visible to C&P	0	0				
	1	188	Nipple.(INCH) Visible to C&P	0	0				
	1	505	Fitting Size(INCH) Visible to C&P	2	24				
	1	509	Fitting Schedule Visible to C&P	0	160				
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54				
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9					
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS					
	1	511	Fitting Description Visible to C&P	ELBOW-LR					
	2	505	Fitting Size(INCH) Visible to C&P	0	0				
	2	509	Fitting Schedule Visible to C&P	0	0				
	2	510	Fitting Thickness(MM) Visible to C&P	0	0				
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9					
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS					
	2	511	Fitting Description Visible to C&P	ELBOW-SR					
	3	505	Fitting Size(INCH) Visible to C&P	2	24				

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511	Fitting Description Visible to C&P	REDUCER-CONC		
	4	505	Fitting Size(INCH) Visible to C&P	2	24	
	4	509	Fitting Schedule Visible to C&P	0	160	
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511	Fitting Description Visible to C&P	REDUCER-ECC		
	5	505	Fitting Size(INCH) Visible to C&P	0	0	
	5	509	Fitting Schedule Visible to C&P	0	0	
	5	510	Fitting Thickness(MM) Visible to C&P	0	0	
	5	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511	Fitting Description Visible to C&P	RETURN BEND		
	6	505	Fitting Size(INCH) Visible to C&P	2	24	
	6	509	Fitting Schedule Visible to C&P	0	160	
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511	Fitting Description Visible to C&P	TEE		
	7	505	Fitting Size(INCH) Visible to C&P	0	0	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	0	0
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	0
	8	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	NIPPLE	
				066055053055	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
22. Supplier Code - Name		T746 - TK CORPORATION [BUSAN]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	8	12	Thk:8-12" Upto Sch160.
	1	123	Elbow-S.R.(INCH) Visible to C&P	8	12	Thk:8-12" Upto Sch160.
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	10	12	Thk:10-12" Upto Sch160.
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	8	12	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	12	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	0	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	3	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	0	0	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	0	
	4	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	10	12	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	33.32	
	6	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
23. Supplier Code - Name		V594 - VIRGILIO CENA & FIGLI S.p.A.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.75	24	
	1	123	Elbow-S.R.(INCH) Visible to C&P	.75	24	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	0.75	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0.75	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	0	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	3	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	0	0	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	0	
	4	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	0	0	
	6	509 Fitting Schedule Visible to C&P	0	0	
	6	510 Fitting Thickness(MM) Visible to C&P	0	0	
	6	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
24. Supplier Code - Name		V608A - VALVITALIA SPA-TECNOFORGE DIVISION				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	Thk:2-6" Upto Sch XXS;8-24" Upto Sch160.(Arena Do Plant)
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	24	Thk:2-6" Upto Sch XXS;8-24" Upto Sch160.(Arena Do Plant)
	1	237	Return Bend.(INCH) Visible to C&P	2	12	Thk:2-6" Upto Sch XXS;8-12" Upto Sch160.(Arena Do Plant)
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	12	Thk:2-6" Upto Sch XXS;8-12" Upto Sch160.(Arena Do Plant)
	1	272	Tee.(INCH) Visible to C&P	2	12	Thk:2-6" Upto Sch XXS;8-12" Upto Sch160.(Arena Do Plant)
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	2	6	
	3	509	Fitting Schedule Visible to C&P	0	XXS	
	3	510	Fitting Thickness(MM) Visible to C&P	0	21.95	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	3	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	ELBOW-SR		
	4	505 Fitting Size(INCH) Visible to C&P	8	24	
	4	509 Fitting Schedule Visible to C&P	0	160	
	4	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	ELBOW-SR		
	5	505 Fitting Size(INCH) Visible to C&P	2	6	
	5	509 Fitting Schedule Visible to C&P	0	XXS	
	5	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	5	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	REDUCER-ECC		
	6	505 Fitting Size(INCH) Visible to C&P	8	12	
	6	509 Fitting Schedule Visible to C&P	0	160	
	6	510 Fitting Thickness(MM) Visible to C&P	0	33.32	
	6	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	REDUCER-ECC		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	7	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	7	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511 Fitting Description Visible to C&P	REDUCER-CONC		
	8	505 Fitting Size(INCH) Visible to C&P	2	6	
	8	509 Fitting Schedule Visible to C&P	0	XXS	
	8	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	8	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	8	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511 Fitting Description Visible to C&P	RETURN BEND		
	9	505 Fitting Size(INCH) Visible to C&P	8	12	
	9	509 Fitting Schedule Visible to C&P	0	160	
	9	510 Fitting Thickness(MM) Visible to C&P	0	33.32	
	9	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	9	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	9	511 Fitting Description Visible to C&P	RETURN BEND		
	10	505 Fitting Size(INCH) Visible to C&P	2	6	
	10	509 Fitting Schedule Visible to C&P	0	XXS	
	10	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	10	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	10	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	10	511 Fitting Description Visible to C&P	TEE		
	11	505 Fitting Size(INCH) Visible to C&P	8	12	
	11	509 Fitting Schedule Visible to C&P	0	160	
	11	510 Fitting Thickness(MM) Visible to C&P	0	33.32	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	11	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	11	511	Fitting Description Visible to C&P	TEE	
	12	505	Fitting Size(INCH) Visible to C&P	0	0
	12	509	Fitting Schedule Visible to C&P	0	0
	12	510	Fitting Thickness(MM) Visible to C&P	0	0
	12	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	12	511	Fitting Description Visible to C&P	STUB END	
	13	505	Fitting Size(INCH) Visible to C&P	0	6
	13	509	Fitting Schedule Visible to C&P	0	XXS
	13	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	13	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	13	511	Fitting Description Visible to C&P	NIPPLE	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
25. Supplier Code - Name		W510 - WILH SCHULZ GmbH [KREFELD]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	20	Thickness:2-6" Upto SchXXS;8" Upto Sch160;10-14" Sch30-Sch160;16-20" Sch40-Sch160.
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	20	Thickness:2-6" Upto SchXXS;8" Upto Sch160;10-14" Sch30-Sch160;16-20" Sch40-Sch160.
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	20	Thickness:2-6" Upto SchXXS;8" Upto Sch160;10-14" Sch30-Sch160;16-20" Sch40-Sch160.
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	20	Thickness:2-6" Upto SchXXS;8" Upto Sch160;10-14" Sch30-Sch160;16-20" Sch40-Sch160.
	1	272	Tee.(INCH) Visible to C&P	2	20	Thickness:2-6" Upto SchXXS;8" Upto Sch160;10-14" Sch30-Sch160;16-20" Sch40-Sch160.
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	2 066055053055	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	8	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	10	14	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
	3	509	Fitting Schedule Visible to C&P	30	160	
	3	510	Fitting Thickness(MM) Visible to C&P	7.8	35.71	
	3	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511	Fitting Description Visible to C&P	ELBOW-LR		
	4	505	Fitting Size(INCH) Visible to C&P	16	20	
	4	509	Fitting Schedule Visible to C&P	40	160	
	4	510	Fitting Thickness(MM) Visible to C&P	12.7	50.01	
	4	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511	Fitting Description Visible to C&P	ELBOW-LR		
	5	505	Fitting Size(INCH) Visible to C&P	2	6	
	5	509	Fitting Schedule Visible to C&P	0	XXS	
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	5	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511	Fitting Description Visible to C&P	ELBOW-SR		
	6	505	Fitting Size(INCH) Visible to C&P	8	8	
	6	509	Fitting Schedule Visible to C&P	0	160	
	6	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	6	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511	Fitting Description Visible to C&P	ELBOW-SR		
	7	505	Fitting Size(INCH) Visible to C&P	10	14	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
	7	509	Fitting Schedule Visible to C&P	30	160	
	7	510	Fitting Thickness(MM) Visible to C&P	7.8	35.71	
	7	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511	Fitting Description Visible to C&P	ELBOW-SR		
	8	505	Fitting Size(INCH) Visible to C&P	16	20	
	8	509	Fitting Schedule Visible to C&P	40	160	
	8	510	Fitting Thickness(MM) Visible to C&P	12.7	50.01	
	8	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511	Fitting Description Visible to C&P	ELBOW-SR		
	9	505	Fitting Size(INCH) Visible to C&P	2	6	
	9	509	Fitting Schedule Visible to C&P	0	XXS	
	9	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	9	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	9	511	Fitting Description Visible to C&P	REDUCER-CONC		
	10	505	Fitting Size(INCH) Visible to C&P	8	8	
	10	509	Fitting Schedule Visible to C&P	0	160	
	10	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	10	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	10	511	Fitting Description Visible to C&P	REDUCER-CONC		
	11	505	Fitting Size(INCH) Visible to C&P	10	14	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
	11	509	Fitting Schedule Visible to C&P	30	160	
	11	510	Fitting Thickness(MM) Visible to C&P	7.8	35.71	
	11	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	11	511	Fitting Description Visible to C&P	REDUCER-CONC		
	12	505	Fitting Size(INCH) Visible to C&P	16	20	
	12	509	Fitting Schedule Visible to C&P	40	160	
	12	510	Fitting Thickness(MM) Visible to C&P	12.7	50.01	
	12	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	12	511	Fitting Description Visible to C&P	REDUCER-CONC		
	13	505	Fitting Size(INCH) Visible to C&P	2	6	
	13	509	Fitting Schedule Visible to C&P	0	XXS	
	13	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	13	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	13	511	Fitting Description Visible to C&P	REDUCER-ECC		
	14	505	Fitting Size(INCH) Visible to C&P	8	8	
	14	509	Fitting Schedule Visible to C&P	0	160	
	14	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	14	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	14	511	Fitting Description Visible to C&P	REDUCER-ECC		
	15	505	Fitting Size(INCH) Visible to C&P	10	14	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
15	509	Fitting Schedule Visible to C&P	30	160		
15	510	Fitting Thickness(MM) Visible to C&P	7.8	35.71		
15	507	Fitting Material Visible to C&P	Gr11,22,5,9			
15	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
15	511	Fitting Description Visible to C&P	REDUCER-ECC			
16	505	Fitting Size(INCH) Visible to C&P	16	20		
16	509	Fitting Schedule Visible to C&P	40	160		
16	510	Fitting Thickness(MM) Visible to C&P	12.7	50.01		
16	507	Fitting Material Visible to C&P	Gr11,22,5,9			
16	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
16	511	Fitting Description Visible to C&P	REDUCER-ECC			
17	505	Fitting Size(INCH) Visible to C&P	0	0		
17	509	Fitting Schedule Visible to C&P	0	0		
17	510	Fitting Thickness(MM) Visible to C&P	0	0		
17	507	Fitting Material Visible to C&P	Gr11,22,5,9			
17	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
17	511	Fitting Description Visible to C&P	RETURN BEND			
18	505	Fitting Size(INCH) Visible to C&P	2	6		
18	509	Fitting Schedule Visible to C&P	0	XXS		
18	510	Fitting Thickness(MM) Visible to C&P	0	21.95		
18	507	Fitting Material Visible to C&P	Gr11,22,5,9			
18	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
18	511	Fitting Description Visible to C&P	TEE			
19	505	Fitting Size(INCH) Visible to C&P	8	8		

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
	19	509	Fitting Schedule Visible to C&P	0	160	
	19	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	19	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	19	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	19	511	Fitting Description Visible to C&P	TEE		
	20	505	Fitting Size(INCH) Visible to C&P	10	14	
	20	509	Fitting Schedule Visible to C&P	30	160	
	20	510	Fitting Thickness(MM) Visible to C&P	7.8	35.71	
	20	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	20	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	20	511	Fitting Description Visible to C&P	TEE		
	21	505	Fitting Size(INCH) Visible to C&P	16	20	
	21	509	Fitting Schedule Visible to C&P	40	160	
	21	510	Fitting Thickness(MM) Visible to C&P	12.7	50.01	
	21	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	21	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	21	511	Fitting Description Visible to C&P	TEE		
	22	505	Fitting Size(INCH) Visible to C&P	0	0	
	22	509	Fitting Schedule Visible to C&P	0	0	
	22	510	Fitting Thickness(MM) Visible to C&P	0	0	
	22	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	22	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	22	511	Fitting Description Visible to C&P	STUB END		
	23	505	Fitting Size(INCH) Visible to C&P	0	0	

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
26. Supplier Code - Name		W615 - WEIFANG HUODA PIPE FITTINGS MANUFACTURE				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	6	24	6-8" UPTO SCH120; 10-24" UPTO SCH140; GR. WP11/22/91
	1	123	Elbow-S.R.(INCH) Visible to C&P	6	24	6-8" UPTO SCH120; 10-24" UPTO SCH140; GR. WP11/22/91
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	12	24	UPTO SCH140; GR. WP11/22/91
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	6	8	
	1	509	Fitting Schedule Visible to C&P	0	120	
	1	510	Fitting Thickness(MM) Visible to C&P	0	18.26	
	1	507	Fitting Material Visible to C&P	Gr11,22		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	6	8	
	2	509	Fitting Schedule Visible to C&P	0	120	
	2	510	Fitting Thickness(MM) Visible to C&P	0	18.26	
	2	507	Fitting Material Visible to C&P	Gr91		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	10	24	
	3	509	Fitting Schedule Visible to C&P	0	140	
	3	510	Fitting Thickness(MM) Visible to C&P	0	52.37	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	3	507 Fitting Material Visible to C&P	Gr11,22		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	ELBOW-LR		
	4	505 Fitting Size(INCH) Visible to C&P	10	24	
	4	509 Fitting Schedule Visible to C&P	0	140	
	4	510 Fitting Thickness(MM) Visible to C&P	0	52.37	
	4	507 Fitting Material Visible to C&P	Gr91		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	ELBOW-LR		
	5	505 Fitting Size(INCH) Visible to C&P	6	8	
	5	509 Fitting Schedule Visible to C&P	0	120	
	5	510 Fitting Thickness(MM) Visible to C&P	0	18.26	
	5	507 Fitting Material Visible to C&P	Gr11,22		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	ELBOW-SR		
	6	505 Fitting Size(INCH) Visible to C&P	6	8	
	6	509 Fitting Schedule Visible to C&P	0	120	
	6	510 Fitting Thickness(MM) Visible to C&P	0	18.26	
	6	507 Fitting Material Visible to C&P	Gr91		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	ELBOW-SR		
	7	505 Fitting Size(INCH) Visible to C&P	10	24	
	7	509 Fitting Schedule Visible to C&P	0	140	
	7	510 Fitting Thickness(MM) Visible to C&P	0	52.37	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	7	507	Fitting Material Visible to C&P	Gr11,22	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	ELBOW-SR	
	8	505	Fitting Size(INCH) Visible to C&P	10	24
	8	509	Fitting Schedule Visible to C&P	0	140
	8	510	Fitting Thickness(MM) Visible to C&P	0	52.37
	8	507	Fitting Material Visible to C&P	Gr91	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	ELBOW-SR	
	9	505	Fitting Size(INCH) Visible to C&P	0	0
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	0
	9	507	Fitting Material Visible to C&P	Gr11,22	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	REDUCER-CONC	
	10	505	Fitting Size(INCH) Visible to C&P	0	0
	10	509	Fitting Schedule Visible to C&P	0	0
	10	510	Fitting Thickness(MM) Visible to C&P	0	0
	10	507	Fitting Material Visible to C&P	Gr91	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	REDUCER-CONC	
	11	505	Fitting Size(INCH) Visible to C&P	0	0
	11	509	Fitting Schedule Visible to C&P	0	0
	11	510	Fitting Thickness(MM) Visible to C&P	0	0

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	11	507	Fitting Material Visible to C&P	Gr11,22	
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	11	511	Fitting Description Visible to C&P	REDUCER-ECC	
	12	505	Fitting Size(INCH) Visible to C&P	0	0
	12	509	Fitting Schedule Visible to C&P	0	0
	12	510	Fitting Thickness(MM) Visible to C&P	0	0
	12	507	Fitting Material Visible to C&P	Gr91	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	12	511	Fitting Description Visible to C&P	REDUCER-ECC	
	13	505	Fitting Size(INCH) Visible to C&P	0	0
	13	509	Fitting Schedule Visible to C&P	0	0
	13	510	Fitting Thickness(MM) Visible to C&P	0	0
	13	507	Fitting Material Visible to C&P	Gr11,22	
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	13	511	Fitting Description Visible to C&P	RETURN BEND	
	14	505	Fitting Size(INCH) Visible to C&P	0	0
	14	509	Fitting Schedule Visible to C&P	0	0
	14	510	Fitting Thickness(MM) Visible to C&P	0	0
	14	507	Fitting Material Visible to C&P	Gr91	
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	14	511	Fitting Description Visible to C&P	RETURN BEND	
	15	505	Fitting Size(INCH) Visible to C&P	12	24
	15	509	Fitting Schedule Visible to C&P	0	140
	15	510	Fitting Thickness(MM) Visible to C&P	0	52.37

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	15	507	Fitting Material Visible to C&P	Gr11,22	
	15	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	15	511	Fitting Description Visible to C&P	TEE	
	16	505	Fitting Size(INCH) Visible to C&P	12	24
	16	509	Fitting Schedule Visible to C&P	0	140
	16	510	Fitting Thickness(MM) Visible to C&P	0	52.37
	16	507	Fitting Material Visible to C&P	Gr91	
	16	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	16	511	Fitting Description Visible to C&P	TEE	
	17	505	Fitting Size(INCH) Visible to C&P	0	0
	17	509	Fitting Schedule Visible to C&P	0	0
	17	510	Fitting Thickness(MM) Visible to C&P	0	0
	17	507	Fitting Material Visible to C&P	Gr11,22	
	17	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	17	511	Fitting Description Visible to C&P	STUB END	
	18	505	Fitting Size(INCH) Visible to C&P	0	0
	18	509	Fitting Schedule Visible to C&P	0	0
	18	510	Fitting Thickness(MM) Visible to C&P	0	0
	18	507	Fitting Material Visible to C&P	Gr91	
	18	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	18	511	Fitting Description Visible to C&P	STUB END	
	19	505	Fitting Size(INCH) Visible to C&P	0	0
	19	509	Fitting Schedule Visible to C&P	0	0
	19	510	Fitting Thickness(MM) Visible to C&P	0	0

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL			
27. Supplier Code - Name		Y634 - YINGKOU LIAOHE PIPE FITTINGS CO. LTD [LIAONING]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	1	1	2"-24" Thk upto Sch 160
	1	123	Elbow-S.R.(INCH) Visible to C&P	1	1	2"-24" Thk upto Sch 160
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1	2"-14" Thk upto Sch 160 & 16" Thk upto Sch 140
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	1	1	2"-14" Thk upto Sch 160 & 16" Thk upto Sch 140
	1	272	Tee.(INCH) Visible to C&P	1	1	2"-14" Thk upto Sch 160 & 16"-24" Thk upto Sch 120
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	2	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	2	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr11,22,5,9		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	2	14	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	35.71	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	3	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	16	16	
	4	509 Fitting Schedule Visible to C&P	0	140	
	4	510 Fitting Thickness(MM) Visible to C&P	0	36.53	
	4	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	REDUCER-CONC		
	5	505 Fitting Size(INCH) Visible to C&P	2	14	
	5	509 Fitting Schedule Visible to C&P	0	160	
	5	510 Fitting Thickness(MM) Visible to C&P	0	35.71	
	5	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	REDUCER-ECC		
	6	505 Fitting Size(INCH) Visible to C&P	16	16	
	6	509 Fitting Schedule Visible to C&P	0	140	
	6	510 Fitting Thickness(MM) Visible to C&P	0	36.53	
	6	507 Fitting Material Visible to C&P	Gr11,22,5,9		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	REDUCER-ECC		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL		
	7	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	RETURN BEND	
	8	505	Fitting Size(INCH) Visible to C&P	2	14
	8	509	Fitting Schedule Visible to C&P	0	160
	8	510	Fitting Thickness(MM) Visible to C&P	0	35.71
	8	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	TEE	
	9	505	Fitting Size(INCH) Visible to C&P	16	24
	9	509	Fitting Schedule Visible to C&P	0	120
	9	510	Fitting Thickness(MM) Visible to C&P	0	46.02
	9	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	TEE	
	10	505	Fitting Size(INCH) Visible to C&P	0	0
	10	509	Fitting Schedule Visible to C&P	0	0
	10	510	Fitting Thickness(MM) Visible to C&P	0	0
	10	507	Fitting Material Visible to C&P	Gr11,22,5,9	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	STUB END	
	11	505	Fitting Size(INCH) Visible to C&P	0	0
	11	509	Fitting Schedule Visible to C&P	0	0
	11	510	Fitting Thickness(MM) Visible to C&P	0	0

* IR - Interpretation Required

Item	72AB	Description	FITTINGS FROM SEAMLESS PIPE- ALLOY STEEL
	11 507	Fitting Material Visible to C&P	Gr11,22,5,9
	11 508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS
	11 511	Fitting Description Visible to C&P	NIPPLE
Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.
 066055053055			

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
1. Supplier Code - Name		3637 - FITTECH INDUSTRIES PVT. LTD. [DIST-THANE]				
Item Remarks:-		Block covered:2-8" elbow(LR/SR)/Reducer(Con/Ecc)/Tee				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	12	THICKNESS UPTO SCHEDULE 160
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	12	THICKNESS UPTO SCHEDULE 160
	1	237	Return Bend.(INCH) Visible to C&P	NOT APPROVED	NOT APP ROV ED	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	12	THICKNESS UPTO SCHEDULE 160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	12	THICKNESS UPTO SCHEDULE 160
	1	272	Tee.(INCH) Visible to C&P	2	12	THICKNESS UPTO SCHEDULE 160
	1	268	Stub-End.(INCH) Visible to C&P	NOT APPROVED	NOT APP ROV ED	
	1	188	Nipple.(INCH) Visible to C&P	NOT APPROVED	NOT APP ROV ED	
	1	505	Fitting Size(INCH) Visible to C&P	2	12	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	2	12	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	505	Fitting Size(INCH) Visible to C&P	2	12
	3	509	Fitting Schedule Visible to C&P	0	160
	3	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	2	12
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	2	12
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
	7	505	Fitting Size(INCH) Visible to C&P	0	0	
	7	509	Fitting Schedule Visible to C&P	0	0	
	7	510	Fitting Thickness(MM) Visible to C&P	0	0	
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511	Fitting Description Visible to C&P	STUB END		
	8	505	Fitting Size(INCH) Visible to C&P	0	0	
	8	509	Fitting Schedule Visible to C&P	0	0	
	8	510	Fitting Thickness(MM) Visible to C&P	0	0	
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511	Fitting Description Visible to C&P	NIPPLE 066055053055		

* IR - Interpretation Required

Item	72AC	Description FITTINGS FROM SEAMLESS PIPE- S.S.				
2. Supplier Code - Name		A732 - ALLIED INTERNATIONAL S.R.L. [PIACENZA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.5	24	.5" Upto Sch160;.75-6" Upto SchXXS;8-24"Upto Sch160,MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	123	Elbow-S.R.(INCH) Visible to C&P	.5	24	.5" Upto Sch160;.75-6" Upto SchXXS;8-24"Upto Sch160,MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	.5	24	.5" Upto Sch160;.75-6" Upto SchXXS;8-24"Upto Sch160,MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	272	Tee.(INCH) Visible to C&P	.5	24	.5" Upto Sch160;.75-6" Upto SchXXS;8-24"Upto Sch160,MANUFACTURER: M/S TECTUBI RACCORDI SPA.
	1	268	Stub-End.(INCH) Visible to C&P	1	1	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	0.5	0.5	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	4.78	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0.75	6	
	2	509	Fitting Schedule Visible to C&P	0	XXS	
	2	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	8	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511	Fitting Description Visible to C&P	ELBOW-LR		
	4	505	Fitting Size(INCH) Visible to C&P	0.5	0.5	
	4	509	Fitting Schedule Visible to C&P	0	160	
	4	510	Fitting Thickness(MM) Visible to C&P	0	4.78	
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511	Fitting Description Visible to C&P	ELBOW-SR		
	5	505	Fitting Size(INCH) Visible to C&P	0.75	6	
	5	509	Fitting Schedule Visible to C&P	0	XXS	
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511	Fitting Description Visible to C&P	ELBOW-SR		
	6	505	Fitting Size(INCH) Visible to C&P	8	24	
	6	509	Fitting Schedule Visible to C&P	0	160	
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	6	511	Fitting Description Visible to C&P	ELBOW-SR	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	REDUCER-CONC	
	8	505	Fitting Size(INCH) Visible to C&P	0.5	0.5
	8	509	Fitting Schedule Visible to C&P	0	160
	8	510	Fitting Thickness(MM) Visible to C&P	0	4.78
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	REDUCER-ECC	
	9	505	Fitting Size(INCH) Visible to C&P	0.75	6
	9	509	Fitting Schedule Visible to C&P	0	XXS
	9	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	REDUCER-ECC	
	10	505	Fitting Size(INCH) Visible to C&P	8	24
	10	509	Fitting Schedule Visible to C&P	0	160
	10	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	10	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	10	511 Fitting Description Visible to C&P	REDUCER-ECC		
	11	505 Fitting Size(INCH) Visible to C&P	0	0	
	11	509 Fitting Schedule Visible to C&P	0	0	
	11	510 Fitting Thickness(MM) Visible to C&P	0	0	
	11	507 Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	11	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	11	511 Fitting Description Visible to C&P	RETURN BEND		
	12	505 Fitting Size(INCH) Visible to C&P	0.5	0.5	
	12	509 Fitting Schedule Visible to C&P	0	160	
	12	510 Fitting Thickness(MM) Visible to C&P	0	4.78	
	12	507 Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	12	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	12	511 Fitting Description Visible to C&P	TEE		
	13	505 Fitting Size(INCH) Visible to C&P	0.75	6	
	13	509 Fitting Schedule Visible to C&P	0	XXS	
	13	510 Fitting Thickness(MM) Visible to C&P	0	21.95	
	13	507 Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	13	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	13	511 Fitting Description Visible to C&P	TEE		
	14	505 Fitting Size(INCH) Visible to C&P	8	24	
	14	509 Fitting Schedule Visible to C&P	0	160	
	14	510 Fitting Thickness(MM) Visible to C&P	0	59.54	
	14	507 Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	14	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	14	511	Fitting Description Visible to C&P	TEE	
	15	505	Fitting Size(INCH) Visible to C&P	0.5	24
	15	509	Fitting Schedule Visible to C&P	0	160
	15	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	15	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	15	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	15	511	Fitting Description Visible to C&P	STUB END	
	16	505	Fitting Size(INCH) Visible to C&P	0	24
	16	509	Fitting Schedule Visible to C&P	0	160
	16	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	16	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	16	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	16	511	Fitting Description Visible to C&P	NIPPLE	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
3. Supplier Code - Name		C209 - CSA FITTINGS				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.5	16	thk upto Sch 160 (40.49MM)
	1	123	Elbow-S.R.(INCH) Visible to C&P	.5	16	thk upto Sch 160 (40.49MM)
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	.5	14	0.5-1.5" Upto Sch XXS; 2-6" upto SchXXS, 8" upto Sch160 & 10-14" upto Sch XS
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	.5	14	0.5-1.5" Upto Sch XXS; 2-6" upto SchXXS, 8" upto Sch160 & 10-14" upto Sch XS
	1	272	Tee.(INCH) Visible to C&P	.5	14	0.5-1.5" Upto Sch XXS; 2-6" upto SchXXS, 8" upto Sch160 & 10-14" upto Sch XS
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	.5	4	0.5-4" Upto Sch XXS
	1	505	Fitting Size(INCH) Visible to C&P	0.5	16	
	1	509	Fitting Schedule Visible to C&P	0 066055053055	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	40.49	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0.5	16	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	40.49	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0.5	1.5	
	3	509	Fitting Schedule Visible to C&P	0	XXS	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	510	Fitting Thickness(MM) Visible to C&P	0	10.15
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	2	6
	4	509	Fitting Schedule Visible to C&P	0	XXS
	4	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-CONC	
	5	505	Fitting Size(INCH) Visible to C&P	8	8
	5	509	Fitting Schedule Visible to C&P	0	160
	5	510	Fitting Thickness(MM) Visible to C&P	0	23.01
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	REDUCER-CONC	
	6	505	Fitting Size(INCH) Visible to C&P	10	14
	6	509	Fitting Schedule Visible to C&P	0	XS
	6	510	Fitting Thickness(MM) Visible to C&P	0	12.7
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	REDUCER-CONC	
	7	505	Fitting Size(INCH) Visible to C&P	0.5	1.5
	7	509	Fitting Schedule Visible to C&P	0	XXS

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	7	510	Fitting Thickness(MM) Visible to C&P	0	10.15
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	REDUCER-ECC	
	8	505	Fitting Size(INCH) Visible to C&P	2	6
	8	509	Fitting Schedule Visible to C&P	0	XXS
	8	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	REDUCER-ECC	
	9	505	Fitting Size(INCH) Visible to C&P	8	8
	9	509	Fitting Schedule Visible to C&P	0	160
	9	510	Fitting Thickness(MM) Visible to C&P	0	23.01
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	REDUCER-ECC	
	10	505	Fitting Size(INCH) Visible to C&P	10	14
	10	509	Fitting Schedule Visible to C&P	0	XS
	10	510	Fitting Thickness(MM) Visible to C&P	0	12.7
	10	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	REDUCER-ECC	
	11	505	Fitting Size(INCH) Visible to C&P	0	0
	11	509	Fitting Schedule Visible to C&P	0	0

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
11	510	Fitting Thickness(MM) Visible to C&P	0	0	
11	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
11	511	Fitting Description Visible to C&P	RETURN BEND		
12	505	Fitting Size(INCH) Visible to C&P	0.5	1.5	
12	509	Fitting Schedule Visible to C&P	0	XXS	
12	510	Fitting Thickness(MM) Visible to C&P	0	10.15	
12	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
12	511	Fitting Description Visible to C&P	TEE		
13	505	Fitting Size(INCH) Visible to C&P	2	6	
13	509	Fitting Schedule Visible to C&P	0	XXS	
13	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
13	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
13	511	Fitting Description Visible to C&P	TEE		
14	505	Fitting Size(INCH) Visible to C&P	8	8	
14	509	Fitting Schedule Visible to C&P	0	160	
14	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
14	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
14	511	Fitting Description Visible to C&P	TEE		
15	505	Fitting Size(INCH) Visible to C&P	10	14	
15	509	Fitting Schedule Visible to C&P	0	XS	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
15	510	Fitting Thickness(MM) Visible to C&P	0	12.7	
15	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
15	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
15	511	Fitting Description Visible to C&P	TEE		
16	505	Fitting Size(INCH) Visible to C&P	0	0	
16	509	Fitting Schedule Visible to C&P	0	0	
16	510	Fitting Thickness(MM) Visible to C&P	0	0	
16	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
16	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
16	511	Fitting Description Visible to C&P	STUB END		
17	505	Fitting Size(INCH) Visible to C&P	0.5	4	
17	509	Fitting Schedule Visible to C&P	0	XXS	
17	510	Fitting Thickness(MM) Visible to C&P	0	17.12	
17	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
17	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
17	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AC	Description FITTINGS FROM SEAMLESS PIPE- S.S.				
4. Supplier Code - Name		D111 - DEE DEVELOPMENT ENGINEERS LIMITED [PALWAL]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	28	2-6" UPTO SCHXXS, 8"-12" UPTO SCH160, 14-26" UPTO 99 mm thk & 28" UPTO 80 mm thk
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	28	2-6" UPTO SCHXXS, 8"-12" UPTO SCH160, 14-26" UPTO 99 mm thk & 28" UPTO 80 mm thk
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	28	2-6" UPTO SCHXXS, 8"-12" UPTO SCH160, 14-26" UPTO 99 mm thk & 28" UPTO 80 mm thk
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	28	2-6" UPTO SCHXXS, 8"-12" UPTO SCH160, 14-26" UPTO 99 mm thk & 28" UPTO 80 mm thk
	1	272	Tee.(INCH) Visible to C&P	2	28	2-6" UPTO SCHXXS, 8"-12" UPTO SCH160, 14-26" UPTO 99 mm thk & 28" UPTO 80 mm thk
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	2	6	066055053055
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	12	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	14	26	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	509	Fitting Schedule Visible to C&P	0	0
	3	510	Fitting Thickness(MM) Visible to C&P	0	99
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	ELBOW-LR	
	4	505	Fitting Size(INCH) Visible to C&P	28	28
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	80
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	ELBOW-LR	
	5	505	Fitting Size(INCH) Visible to C&P	2	6
	5	509	Fitting Schedule Visible to C&P	0	XXS
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	ELBOW-SR	
	6	505	Fitting Size(INCH) Visible to C&P	8	12
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	ELBOW-SR	
	7	505	Fitting Size(INCH) Visible to C&P	14	26

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	99
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	ELBOW-SR	
	8	505	Fitting Size(INCH) Visible to C&P	28	28
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	80
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	ELBOW-SR	
	9	505	Fitting Size(INCH) Visible to C&P	2	6
	9	509	Fitting Schedule Visible to C&P	0	XXS
	9	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	REDUCER-CONC	
	10	505	Fitting Size(INCH) Visible to C&P	8	12
	10	509	Fitting Schedule Visible to C&P	0	160
	10	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	10	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	REDUCER-CONC	
	11	505	Fitting Size(INCH) Visible to C&P	14	26

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	11	509	Fitting Schedule Visible to C&P	0	0
	11	510	Fitting Thickness(MM) Visible to C&P	0	99
	11	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	11	511	Fitting Description Visible to C&P	REDUCER-CONC	
	12	505	Fitting Size(INCH) Visible to C&P	28	28
	12	509	Fitting Schedule Visible to C&P	0	0
	12	510	Fitting Thickness(MM) Visible to C&P	0	80
	12	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	12	511	Fitting Description Visible to C&P	REDUCER-CONC	
	13	505	Fitting Size(INCH) Visible to C&P	2	6
	13	509	Fitting Schedule Visible to C&P	0	XXS
	13	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	13	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	13	511	Fitting Description Visible to C&P	REDUCER-ECC	
	14	505	Fitting Size(INCH) Visible to C&P	8	12
	14	509	Fitting Schedule Visible to C&P	0	160
	14	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	14	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	14	511	Fitting Description Visible to C&P	REDUCER-ECC	
	15	505	Fitting Size(INCH) Visible to C&P	14	26

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
15	509	Fitting Schedule Visible to C&P	0	0	
15	510	Fitting Thickness(MM) Visible to C&P	0	99	
15	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
15	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
15	511	Fitting Description Visible to C&P	REDUCER-ECC		
16	505	Fitting Size(INCH) Visible to C&P	28	28	
16	509	Fitting Schedule Visible to C&P	0	0	
16	510	Fitting Thickness(MM) Visible to C&P	0	80	
16	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
16	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
16	511	Fitting Description Visible to C&P	REDUCER-ECC		
17	505	Fitting Size(INCH) Visible to C&P	0	0	
17	509	Fitting Schedule Visible to C&P	0	0	
17	510	Fitting Thickness(MM) Visible to C&P	0	0	
17	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
17	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
17	511	Fitting Description Visible to C&P	RETURN BEND		
18	505	Fitting Size(INCH) Visible to C&P	2	6	
18	509	Fitting Schedule Visible to C&P	0	XXS	
18	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
18	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
18	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
18	511	Fitting Description Visible to C&P	TEE		
19	505	Fitting Size(INCH) Visible to C&P	8	12	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	19	509	Fitting Schedule Visible to C&P	0	160
	19	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	19	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	19	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	19	511	Fitting Description Visible to C&P	TEE	
	20	505	Fitting Size(INCH) Visible to C&P	14	26
	20	509	Fitting Schedule Visible to C&P	0	0
	20	510	Fitting Thickness(MM) Visible to C&P	0	99
	20	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	20	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	20	511	Fitting Description Visible to C&P	TEE	
	21	505	Fitting Size(INCH) Visible to C&P	28	28
	21	509	Fitting Schedule Visible to C&P	0	0
	21	510	Fitting Thickness(MM) Visible to C&P	0	80
	21	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	21	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	21	511	Fitting Description Visible to C&P	TEE	
	22	505	Fitting Size(INCH) Visible to C&P	0	0
	22	509	Fitting Schedule Visible to C&P	0	0
	22	510	Fitting Thickness(MM) Visible to C&P	0	0
	22	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	22	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	22	511	Fitting Description Visible to C&P	STUB END	
	23	505	Fitting Size(INCH) Visible to C&P	0	6

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
	23	509	Fitting Schedule Visible to C&P	0	XXS	
	23	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	23	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	23	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	23	511	Fitting Description Visible to C&P	NIPPLE		



066055053055

* IR - Interpretation Required

Item	72AC	Description FITTINGS FROM SEAMLESS PIPE- S.S.				
5. Supplier Code - Name		E060 - EBY FASTENERS [MAHARASHTRA]				
Item Remarks:-		As per details below:				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	0	0	
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	.5	2	From Pipe
	1	505	Fitting Size(INCH) Visible to C&P	0	0	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	0	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	0	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	0	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	0	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511 Fitting Description Visible to C&P	REDUCER-CONC		
	4	505 Fitting Size(INCH) Visible to C&P	0	0	
	4	509 Fitting Schedule Visible to C&P	0	0	
	4	510 Fitting Thickness(MM) Visible to C&P	0	0	
	4	507 Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	4	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511 Fitting Description Visible to C&P	REDUCER-ECC		
	5	505 Fitting Size(INCH) Visible to C&P	0	0	
	5	509 Fitting Schedule Visible to C&P	0	0	
	5	510 Fitting Thickness(MM) Visible to C&P	0	0	
	5	507 Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	5	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511 Fitting Description Visible to C&P	RETURN BEND		
	6	505 Fitting Size(INCH) Visible to C&P	0	0	
	6	509 Fitting Schedule Visible to C&P	0	0	
	6	510 Fitting Thickness(MM) Visible to C&P	0	0	
	6	507 Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	6	508 Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	6	511 Fitting Description Visible to C&P	TEE		
	7	505 Fitting Size(INCH) Visible to C&P	0	0	
	7	509 Fitting Schedule Visible to C&P	0	0	
	7	510 Fitting Thickness(MM) Visible to C&P	0	0	
	7	507 Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AC	Description FITTINGS FROM SEAMLESS PIPE- S.S.				
6. Supplier Code - Name		E588 - ERNE FITTINGS GMBH				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.5	36	Schlins works:0.5-36",Murzzuschlag works:0.5-8".Test Certificates from Schlins only.
	1	123	Elbow-S.R.(INCH) Visible to C&P	.5	36	Schlins works:0.5-36",Murzzuschlag works:0.5-8".Test Certificates from Schlins only.
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	.5	12	Murzzuschlag works only.Test Certificates from Schlins only.
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	.5	12	Murzzuschlag works only.Test Certificates from Schlins only.
	1	272	Tee.(INCH) Visible to C&P	.5	12	Murzzuschlag works only.Test Certificates from Schlins only.
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	0.5	36	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0.5	36	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0.5	12	
	3	509	Fitting Schedule Visible to C&P	0	160	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0.5	12
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	0.5	12
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AC	Description FITTINGS FROM SEAMLESS PIPE- S.S.				
7. Supplier Code - Name		E630 - EZEFLOW INC. [Quebec]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	0	0	
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	12	2-4" UPTO SCH120, 6-12" UPTO SCH160/XXS
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	0	0	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	0	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	0	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	0	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	2	4	
	3	509	Fitting Schedule Visible to C&P	0	120	
	3	510	Fitting Thickness(MM) Visible to C&P	0	11.13	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	6	12
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-CONC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	REDUCER-ECC	
	6	505	Fitting Size(INCH) Visible to C&P	0	0
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	0
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	RETURN BEND	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	TEE	
	8	505	Fitting Size(INCH) Visible to C&P	0	0
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	0
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	STUB END	
	9	505	Fitting Size(INCH) Visible to C&P	0	0
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	0
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	NIPPLE	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
8. Supplier Code - Name		G125 - GUJRAT INFRAPIPES PVT. LIMITED [VADODARA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	2-6"upto SchXXS,8-24"upto Sch160
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	24	2-6"upto SchXXS,8-24"upto Sch160
	1	237	Return Bend.(INCH) Visible to C&P	2	8	180Deg;2-6"upto SchXXS,8"upto Sch160
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	24	2-6"upto SchXXS,8-24"upto Sch160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	24	2-6"upto SchXXS,8-24"upto Sch160
	1	272	Tee.(INCH) Visible to C&P	2	24	2-6"upto Sch XXS,8-24"upto Sch160;Cross:Thk- 2-3" upto Sch 160;4-6" upto Sch XXS;8" Upto Sch 160
	1	268	Stub-End.(INCH) Visible to C&P	2	10	
	1	188	Nipple.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	2	6	
	3	509	Fitting Schedule Visible to C&P	0	XXS	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	ELBOW-SR	
	4	505	Fitting Size(INCH) Visible to C&P	8	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	ELBOW-SR	
	5	505	Fitting Size(INCH) Visible to C&P	2	6
	5	509	Fitting Schedule Visible to C&P	0	XXS
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	REDUCER-CONC	
	6	505	Fitting Size(INCH) Visible to C&P	8	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	REDUCER-CONC	
	7	505	Fitting Size(INCH) Visible to C&P	2	6
	7	509	Fitting Schedule Visible to C&P	0	XXS

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	7	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	REDUCER-ECC	
	8	505	Fitting Size(INCH) Visible to C&P	8	24
	8	509	Fitting Schedule Visible to C&P	0	160
	8	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	REDUCER-ECC	
	9	505	Fitting Size(INCH) Visible to C&P	2	6
	9	509	Fitting Schedule Visible to C&P	0	XXS
	9	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	RETURN BEND	
	10	505	Fitting Size(INCH) Visible to C&P	8	8
	10	509	Fitting Schedule Visible to C&P	0	160
	10	510	Fitting Thickness(MM) Visible to C&P	0	23.01
	10	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	RETURN BEND	
	11	505	Fitting Size(INCH) Visible to C&P	2	6
	11	509	Fitting Schedule Visible to C&P	0	XXS

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	11	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	11	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	11	511	Fitting Description Visible to C&P	TEE	
	12	505	Fitting Size(INCH) Visible to C&P	8	24
	12	509	Fitting Schedule Visible to C&P	0	160
	12	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	12	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	12	511	Fitting Description Visible to C&P	TEE	
	13	505	Fitting Size(INCH) Visible to C&P	2	10
	13	509	Fitting Schedule Visible to C&P	0	160
	13	510	Fitting Thickness(MM) Visible to C&P	0	28.58
	13	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	13	511	Fitting Description Visible to C&P	STUB END	
	14	505	Fitting Size(INCH) Visible to C&P	2	3
	14	509	Fitting Schedule Visible to C&P	0	160
	14	510	Fitting Thickness(MM) Visible to C&P	0	11.13
	14	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	14	511	Fitting Description Visible to C&P	CROSS	
	15	505	Fitting Size(INCH) Visible to C&P	4	6
	15	509	Fitting Schedule Visible to C&P	0	XXS

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
15	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
15	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
15	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
15	511	Fitting Description Visible to C&P	CROSS		
16	505	Fitting Size(INCH) Visible to C&P	8	8	
16	509	Fitting Schedule Visible to C&P	0	160	
16	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
16	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
16	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
16	511	Fitting Description Visible to C&P	CROSS		
17	505	Fitting Size(INCH) Visible to C&P	0	6	
17	509	Fitting Schedule Visible to C&P	0	XXS	
17	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
17	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
17	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
17	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AC	Description FITTINGS FROM SEAMLESS PIPE- S.S.							
9. Supplier Code - Name		H644 - HEBEI CANGZHOU HENGTONG TUBING CO.LTD [CANGZHOU CITY]							
Item Remarks:-									
	Code	Holiday Desc	Remarks	Client Specific	Clients		IR *	From	To
	02F	HOLIDAY-MGMT DISPUTE & QUALITY LAPSES	HOLIDAY-MGMT DISPUTE & QUALITY LAPSES	N			N	28/12/2011	27/06/2012
	01D	HOLIDAY-CONSTRAINTS ON MEN & MACHINERIES	HOLIDAY-CONSTRAINTS ON MEN & MACHINERIES	N			N	13/01/2014	
Capabilities									
	Group	Param	Description (UOM)	From		To	Remarks		
	1	121	Elbow-L.R.(INCH) Visible to C&P	2		24	UPTO SCH160/XXS		
	1	123	Elbow-S.R.(INCH) Visible to C&P	2		24	UPTO SCH160/XXS		
	1	237	Return Bend.(INCH) Visible to C&P	2		24	UPTO SCH160/XXS		
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2		24	UPTO SCH160/XXS		
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2		24	UPTO SCH160/XXS		
	1	272	Tee.(INCH) Visible to C&P	2		24	UPTO SCH160/XXS		
	1	268	Stub-End.(INCH) Visible to C&P	2		24	UPTO SCH160/XXS		
	1	188	Nipple.(INCH) Visible to C&P	1		1			
	1	505	Fitting Size(INCH) Visible to C&P	2		24			
	1	509	Fitting Schedule Visible to C&P	0		160			
	1	510	Fitting Thickness(MM) Visible to C&P	0		59.54			
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H					
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS					
	1	511	Fitting Description Visible to C&P	ELBOW-LR					
	2	505	Fitting Size(INCH) Visible to C&P	2		24			
	2	509	Fitting Schedule Visible to C&P	0		160			
	2	510	Fitting Thickness(MM) Visible to C&P	0		59.54			
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H					
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS					

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	2	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511	Fitting Description Visible to C&P	REDUCER-CONC		
	4	505	Fitting Size(INCH) Visible to C&P	2	24	
	4	509	Fitting Schedule Visible to C&P	0	160	
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511	Fitting Description Visible to C&P	REDUCER-ECC		
	5	505	Fitting Size(INCH) Visible to C&P	2	24	
	5	509	Fitting Schedule Visible to C&P	0	160	
	5	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511	Fitting Description Visible to C&P	RETURN BEND		
	6	505	Fitting Size(INCH) Visible to C&P	2	24	
	6	509	Fitting Schedule Visible to C&P	0	160	
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
	6	511	Fitting Description Visible to C&P	TEE		
	7	505	Fitting Size(INCH) Visible to C&P	2	24	
	7	509	Fitting Schedule Visible to C&P	0	160	
	7	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	7	511	Fitting Description Visible to C&P	STUB END		
	8	505	Fitting Size(INCH) Visible to C&P	0	6	
	8	509	Fitting Schedule Visible to C&P	0	XXS	
	8	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	8	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
10. Supplier Code - Name		I597 - IBF S P A				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	8	2-6" UPTO SCHXXS, 8" UPTO SCH160
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	8	2-6" UPTO SCHXXS, 8" UPTO SCH160
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	8	2-3" UPTO SCH160, 4-6" UPTO SCHXXS, 8" UPTO SCH160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	8	2-6" UPTO SCHXXS, 8" UPTO SCH160
	1	272	Tee.(INCH) Visible to C&P	2	8	2-6" UPTO SCHXXS, 8" UPTO SCH160
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	8	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	2	6	
	3	509	Fitting Schedule Visible to C&P	0	XXS	
	3	510	Fitting Thickness(MM) Visible to C&P	0	21.95	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	ELBOW-SR	
	4	505	Fitting Size(INCH) Visible to C&P	8	8
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	23.01
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	ELBOW-SR	
	5	505	Fitting Size(INCH) Visible to C&P	2	3
	5	509	Fitting Schedule Visible to C&P	0	160
	5	510	Fitting Thickness(MM) Visible to C&P	0	11.13
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	REDUCER-CONC	
	6	505	Fitting Size(INCH) Visible to C&P	4	6
	6	509	Fitting Schedule Visible to C&P	0	XXS
	6	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	REDUCER-CONC	
	7	505	Fitting Size(INCH) Visible to C&P	8	8
	7	509	Fitting Schedule Visible to C&P	0	160
	7	510	Fitting Thickness(MM) Visible to C&P	0	23.01

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	REDUCER-CONC	
	8	505	Fitting Size(INCH) Visible to C&P	2	6
	8	509	Fitting Schedule Visible to C&P	0	XXS
	8	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	REDUCER-ECC	
	9	505	Fitting Size(INCH) Visible to C&P	8	8
	9	509	Fitting Schedule Visible to C&P	0	160
	9	510	Fitting Thickness(MM) Visible to C&P	0	23.01
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	REDUCER-ECC	
	10	505	Fitting Size(INCH) Visible to C&P	0	0
	10	509	Fitting Schedule Visible to C&P	0	0
	10	510	Fitting Thickness(MM) Visible to C&P	0	0
	10	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	RETURN BEND	
	11	505	Fitting Size(INCH) Visible to C&P	2	6
	11	509	Fitting Schedule Visible to C&P	0	XXS
	11	510	Fitting Thickness(MM) Visible to C&P	0	21.95

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
	11	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	11	511	Fitting Description Visible to C&P	TEE		
	12	505	Fitting Size(INCH) Visible to C&P	8	8	
	12	509	Fitting Schedule Visible to C&P	0	160	
	12	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	12	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	12	511	Fitting Description Visible to C&P	TEE		
	13	505	Fitting Size(INCH) Visible to C&P	0	0	
	13	509	Fitting Schedule Visible to C&P	0	0	
	13	510	Fitting Thickness(MM) Visible to C&P	0	0	
	13	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	13	511	Fitting Description Visible to C&P	STUB END		
	14	505	Fitting Size(INCH) Visible to C&P	0	0	
	14	509	Fitting Schedule Visible to C&P	0	0	
	14	510	Fitting Thickness(MM) Visible to C&P	0	0	
	14	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	14	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
11. Supplier Code - Name		J614 - JIANGYIN TIANNING METAL PIPE FITTING CO				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	12	2-6" UPTO SCHXXS, 8-12" UPTO SCH160
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	12	2-6" UPTO SCHXXS, 8-12" UPTO SCH160
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	12	2-6" UPTO SCHXXS, 8-12" UPTO SCH160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	12	2-6" UPTO SCHXXS, 8-12" UPTO SCH160
	1	272	Tee.(INCH) Visible to C&P	2	12	2-6" UPTO SCHXXS, 8-12" UPTO SCH160
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	12	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	2	6	
	3	509	Fitting Schedule Visible to C&P	0	XXS	
	3	510	Fitting Thickness(MM) Visible to C&P	0	21.95	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	ELBOW-SR	
	4	505	Fitting Size(INCH) Visible to C&P	8	12
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	ELBOW-SR	
	5	505	Fitting Size(INCH) Visible to C&P	2	6
	5	509	Fitting Schedule Visible to C&P	0	XXS
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	REDUCER-CONC	
	6	505	Fitting Size(INCH) Visible to C&P	8	12
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	REDUCER-CONC	
	7	505	Fitting Size(INCH) Visible to C&P	2	6
	7	509	Fitting Schedule Visible to C&P	0	XXS
	7	510	Fitting Thickness(MM) Visible to C&P	0	21.95

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	REDUCER-ECC	
	8	505	Fitting Size(INCH) Visible to C&P	8	12
	8	509	Fitting Schedule Visible to C&P	0	160
	8	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	REDUCER-ECC	
	9	505	Fitting Size(INCH) Visible to C&P	0	0
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	0
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	RETURN BEND	
	10	505	Fitting Size(INCH) Visible to C&P	2	6
	10	509	Fitting Schedule Visible to C&P	0	XXS
	10	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	10	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	TEE	
	11	505	Fitting Size(INCH) Visible to C&P	8	12
	11	509	Fitting Schedule Visible to C&P	0	160
	11	510	Fitting Thickness(MM) Visible to C&P	0	33.32

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
12. Supplier Code - Name		J615 - LONGSHAN PIPE SOLUTIONS CO. LTD. [..]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	12	Upto Sch 80
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	12	Upto Sch 80
	1	237	Return Bend.(INCH) Visible to C&P	Not Approved	Not Appr oved	
	1	231	Reducer-Conc. -NB(INCH) Visible to C&P	2	12	Upto Sch 80
	1	232	Reducer-Ecc. -NB(INCH) Visible to C&P	2	12	Upto Sch 80
	1	272	Tee.(INCH) Visible to C&P	2	12	Upto Sch 80
	1	268	Stub-End.(INCH) Visible to C&P	Not Approved	Not Appr oved	
	1	188	Nipple.(INCH) Visible to C&P	Not Approved	Not Appr oved	
	1	505	Fitting Size(INCH) Visible to C&P	2	12	
	1	509	Fitting Schedule Visible to C&P	0 066055053055	80	
	1	510	Fitting Thickness(MM) Visible to C&P	0	17.48	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	2	12	
	2	509	Fitting Schedule Visible to C&P	0	80	
	2	510	Fitting Thickness(MM) Visible to C&P	0	17.48	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	2	12	
	3	509	Fitting Schedule Visible to C&P	0	80	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	510	Fitting Thickness(MM) Visible to C&P	0	17.48
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	2	12
	4	509	Fitting Schedule Visible to C&P	0	80
	4	510	Fitting Thickness(MM) Visible to C&P	0	17.48
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	2	12
	6	509	Fitting Schedule Visible to C&P	0	80
	6	510	Fitting Thickness(MM) Visible to C&P	0	17.48
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
13. Supplier Code - Name		K218 - K.S.PIPE FITTINGS (P) LTD [PALWAL]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	Thk upto Sch160
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	24	Thk upto Sch160
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	24	Thk upto Sch160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	24	Thk upto Sch160
	1	272	Tee.(INCH) Visible to C&P	2	24	Thk upto Sch160
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	2	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	2	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	2	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	2	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	2	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	0	0
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	0
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	NIPPLE	

066055053055

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.				
14. Supplier Code - Name		M057 - M.S. FITTINGS MFG. CO PVT LTD [KOLKATA]					
Item Remarks:-							
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	121	Elbow-L.R.(INCH) Visible to C&P	.5	8	2-6" UPTO SCHXXS, 8" UPTO SCH160	
	1	123	Elbow-S.R.(INCH) Visible to C&P	.5	8	2-6" UPTO SCHXXS, 8" UPTO SCH160	
	1	237	Return Bend.(INCH) Visible to C&P	0	0		
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	.5	8	2-6" UPTO SCHXXS, 8" UPTO SCH160	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	.5	8	2-4" UPTO SCH160, 6" UPTO SCHXXS, 8" UPTO SCH160	
	1	272	Tee.(INCH) Visible to C&P	.5	8	2-6" UPTO SCHXXS, 8" UPTO SCH160	
	1	268	Stub-End.(INCH) Visible to C&P	1	1		
	1	188	Nipple.(INCH) Visible to C&P	1	1		
	1	505	Fitting Size(INCH) Visible to C&P	0.5	6		
	1	509	Fitting Schedule Visible to C&P	0	XXS		
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95		
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
	1	511	Fitting Description Visible to C&P	ELBOW-LR			
	2	505	Fitting Size(INCH) Visible to C&P	8	8		
	2	509	Fitting Schedule Visible to C&P	0	160		
	2	510	Fitting Thickness(MM) Visible to C&P	0	23.01		
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
	2	511	Fitting Description Visible to C&P	ELBOW-LR			
	3	505	Fitting Size(INCH) Visible to C&P	2	6		
	3	509	Fitting Schedule Visible to C&P	0	XXS		
	3	510	Fitting Thickness(MM) Visible to C&P	0	21.95		

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	ELBOW-SR	
	4	505	Fitting Size(INCH) Visible to C&P	8	8
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	23.01
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	ELBOW-SR	
	5	505	Fitting Size(INCH) Visible to C&P	2	6
	5	509	Fitting Schedule Visible to C&P	0	XXS
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	REDUCER-CONC	
	6	505	Fitting Size(INCH) Visible to C&P	8	8
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	23.01
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	REDUCER-CONC	
	7	505	Fitting Size(INCH) Visible to C&P	2	4
	7	509	Fitting Schedule Visible to C&P	0	160
	7	510	Fitting Thickness(MM) Visible to C&P	0	13.49

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	REDUCER-ECC	
	8	505	Fitting Size(INCH) Visible to C&P	6	6
	8	509	Fitting Schedule Visible to C&P	0	XXS
	8	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	REDUCER-ECC	
	9	505	Fitting Size(INCH) Visible to C&P	8	8
	9	509	Fitting Schedule Visible to C&P	0	160
	9	510	Fitting Thickness(MM) Visible to C&P	0	23.01
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	REDUCER-ECC	
	10	505	Fitting Size(INCH) Visible to C&P	0	0
	10	509	Fitting Schedule Visible to C&P	0	0
	10	510	Fitting Thickness(MM) Visible to C&P	0	0
	10	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	RETURN BEND	
	11	505	Fitting Size(INCH) Visible to C&P	2	6
	11	509	Fitting Schedule Visible to C&P	0	XXS
	11	510	Fitting Thickness(MM) Visible to C&P	0	21.95

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
	11	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	11	511	Fitting Description Visible to C&P	TEE		
	12	505	Fitting Size(INCH) Visible to C&P	8	8	
	12	509	Fitting Schedule Visible to C&P	0	160	
	12	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	12	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	12	511	Fitting Description Visible to C&P	TEE		
	13	505	Fitting Size(INCH) Visible to C&P	0	8	
	13	509	Fitting Schedule Visible to C&P	0	160	
	13	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	13	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	13	511	Fitting Description Visible to C&P	STUB END		
	14	505	Fitting Size(INCH) Visible to C&P	0	6	
	14	509	Fitting Schedule Visible to C&P	0	XXS	
	14	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	14	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	14	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
15. Supplier Code - Name		M507 - MUNRO & MILLER FITTINGS LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	1	1	
	1	123	Elbow-S.R.(INCH) Visible to C&P	1	1	
	1	237	Return Bend.(INCH) Visible to C&P	1	1	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	1	1	
	1	272	Tee.(INCH) Visible to C&P	1	1	
	1	268	Stub-End.(INCH) Visible to C&P	1	1	
	1	188	Nipple.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	0	96	
	1	509	Fitting Schedule Visible to C&P	0	0	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0	96	
	2	509	Fitting Schedule Visible to C&P	0	0	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	96	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0	96
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	96
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	0	96
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	96
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	59.54

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	0	6
	8	509	Fitting Schedule Visible to C&P	0	XXS
	8	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	NIPPLE	

066055053055

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
16. Supplier Code - Name		P315 - P.K.TUBES & FITTINGS PVT.LTD.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	upto Sch 160
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	24	upto Sch 160
	1	237	Return Bend.(INCH) Visible to C&P	2	12	upto 9D; 2-10" upto Sch XXS
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	24	upto Sch 160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	24	upto Sch 160
	1	272	Tee.(INCH) Visible to C&P	2	24	upto Sch 160
	1	268	Stub-End.(INCH) Visible to C&P	2	24	
	1	188	Nipple.(INCH) Visible to C&P	.25	4	upto Sch 160
	1	505	Fitting Size(INCH) Visible to C&P	2	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	2	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	2	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	2	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	2	12
	5	509	Fitting Schedule Visible to C&P	0	XXS
	5	510	Fitting Thickness(MM) Visible to C&P	0	25.4
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	2	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	2	24
	7	509	Fitting Schedule Visible to C&P	0	160
	7	510	Fitting Thickness(MM) Visible to C&P	0	59.54

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.				
17. Supplier Code - Name		P325 - PETRO CHEM INDUSTRIES [VADODARA]					
Item Remarks:-		As per details below:					
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	8		
	1	123	Elbow-S.R.(INCH) Visible to C&P	0	0		
	1	237	Return Bend.(INCH) Visible to C&P	0	0		
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	8		
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	8		
	1	272	Tee.(INCH) Visible to C&P	2	8		
	1	268	Stub-End.(INCH) Visible to C&P	0	0		
	1	188	Nipple.(INCH) Visible to C&P	0	0		
	1	505	Fitting Size(INCH) Visible to C&P	2	8		
	1	509	Fitting Schedule Visible to C&P	0	40S		
	1	510	Fitting Thickness(MM) Visible to C&P	0	8.18		
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
	1	511	Fitting Description Visible to C&P	ELBOW-LR			
	2	121	Elbow-L.R.(INCH) Visible to C&P	2	8		
	2	123	Elbow-S.R.(INCH) Visible to C&P	0	0		
	2	237	Return Bend.(INCH) Visible to C&P	0	0		
	2	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	8		
	2	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	8		
	2	272	Tee.(INCH) Visible to C&P	2	8		
	2	268	Stub-End.(INCH) Visible to C&P	0	0		
	2	188	Nipple.(INCH) Visible to C&P	0	0		
	2	505	Fitting Size(INCH) Visible to C&P	2	8		
	2	509	Fitting Schedule Visible to C&P	0	40S		

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
18. Supplier Code - Name		P694 - PIANA S.P.A [PAVIA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.5	24	UPTO SCH 160/XXS
	1	123	Elbow-S.R.(INCH) Visible to C&P	.5	24	UPTO SCH 160/XXS
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	.5	24	UPTO SCH 160/XXS
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	.5	24	UPTO SCH 160/XXS
	1	272	Tee.(INCH) Visible to C&P	.5	24	UPTO SCH 160/XXS
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0.5	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	0.5	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
19. Supplier Code - Name		R607 - RACCORTUBI SPA [SARMATO (Pc)]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.5	24	0.5-6" Upto SchXXS,8-12" upto Sch160,14-16"UptoSch120,18-24"Up toSch20-140;MANUFACTURER:TE CNINOX
	1	123	Elbow-S.R.(INCH) Visible to C&P	.5	24	0.5-6" Upto SchXXS,8-12" upto Sch160,14-16"UptoSch120,18-24"Up toSch20-140;MANUFACTURER:TE CNINOX
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	.5	24	0.5" upto Sch160,0.75-6" Upto SchXXS,8-10"UptoSch160,12-16"Up toSch120,18-24"UptoSch20-140;MA NUFACTURER:TECNINOX
	1	272	Tee.(INCH) Visible to C&P	.5	24	0.5" upto Sch160,0.75-6" Upto SchXXS,8-10"UptoSch160,12-16"Up toSch120,18-24"UptoSch20-140;MA NUFACTURER:TECNINOX
	1	268	Stub-End.(INCH) Visible to C&P	.5	24	MANUFACTURER:TECNINOX
	1	188	Nipple.(INCH) Visible to C&P	1	1	MANUFACTURER:TECNINOX
	1	505	Fitting Size(INCH) Visible to C&P	0.5	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	12	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	14	16	
	3	509	Fitting Schedule Visible to C&P	0	120	
	3	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511	Fitting Description Visible to C&P	ELBOW-LR		
	4	505	Fitting Size(INCH) Visible to C&P	18	24	
	4	509	Fitting Schedule Visible to C&P	20	140	
	4	510	Fitting Thickness(MM) Visible to C&P	7.92	52.37	
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	4	511	Fitting Description Visible to C&P	ELBOW-LR		
	5	505	Fitting Size(INCH) Visible to C&P	0.5	6	
	5	509	Fitting Schedule Visible to C&P	0	XXS	
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	5	511	Fitting Description Visible to C&P	ELBOW-SR		
	6	505	Fitting Size(INCH) Visible to C&P	8	12	
	6	509	Fitting Schedule Visible to C&P	0	160	
	6	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	6	511	Fitting Description Visible to C&P	ELBOW-SR	
	7	505	Fitting Size(INCH) Visible to C&P	14	16
	7	509	Fitting Schedule Visible to C&P	0	120
	7	510	Fitting Thickness(MM) Visible to C&P	0	30.96
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	ELBOW-SR	
	8	505	Fitting Size(INCH) Visible to C&P	18	24
	8	509	Fitting Schedule Visible to C&P	20	140
	8	510	Fitting Thickness(MM) Visible to C&P	7.92	52.37
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	ELBOW-SR	
	9	505	Fitting Size(INCH) Visible to C&P	0	0
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	0
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	REDUCER-CONC	
	10	505	Fitting Size(INCH) Visible to C&P	0.5	0.5
	10	509	Fitting Schedule Visible to C&P	0	160
	10	510	Fitting Thickness(MM) Visible to C&P	0	4.78
	10	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	10	511	Fitting Description Visible to C&P	REDUCER-ECC	
	11	505	Fitting Size(INCH) Visible to C&P	0.75	6
	11	509	Fitting Schedule Visible to C&P	0	XXS
	11	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	11	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	11	511	Fitting Description Visible to C&P	REDUCER-ECC	
	12	505	Fitting Size(INCH) Visible to C&P	8	10
	12	509	Fitting Schedule Visible to C&P	0	160
	12	510	Fitting Thickness(MM) Visible to C&P	0	28.58
	12	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	12	511	Fitting Description Visible to C&P	REDUCER-ECC	
	13	505	Fitting Size(INCH) Visible to C&P	12	16
	13	509	Fitting Schedule Visible to C&P	0	120
	13	510	Fitting Thickness(MM) Visible to C&P	0	30.96
	13	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	13	511	Fitting Description Visible to C&P	REDUCER-ECC	
	14	505	Fitting Size(INCH) Visible to C&P	18	24
	14	509	Fitting Schedule Visible to C&P	20	140
	14	510	Fitting Thickness(MM) Visible to C&P	7.92	52.37
	14	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
14	511	Fitting Description Visible to C&P	REDUCER-ECC		
15	505	Fitting Size(INCH) Visible to C&P	0.5	0.5	
15	509	Fitting Schedule Visible to C&P	0	160	
15	510	Fitting Thickness(MM) Visible to C&P	0	4.78	
15	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
15	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
15	511	Fitting Description Visible to C&P	TEE		
16	505	Fitting Size(INCH) Visible to C&P	0.75	6	
16	509	Fitting Schedule Visible to C&P	0	XXS	
16	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
16	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
16	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
16	511	Fitting Description Visible to C&P	TEE		
17	505	Fitting Size(INCH) Visible to C&P	8	10	
17	509	Fitting Schedule Visible to C&P	0	160	
17	510	Fitting Thickness(MM) Visible to C&P	0	28.58	
17	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
17	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
17	511	Fitting Description Visible to C&P	TEE		
18	505	Fitting Size(INCH) Visible to C&P	12	16	
18	509	Fitting Schedule Visible to C&P	0	120	
18	510	Fitting Thickness(MM) Visible to C&P	0	30.96	
18	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
18	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	18	511	Fitting Description Visible to C&P	TEE	
	19	505	Fitting Size(INCH) Visible to C&P	18	24
	19	509	Fitting Schedule Visible to C&P	20	140
	19	510	Fitting Thickness(MM) Visible to C&P	7.92	52.37
	19	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	19	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	19	511	Fitting Description Visible to C&P	TEE	
	20	505	Fitting Size(INCH) Visible to C&P	0	0
	20	509	Fitting Schedule Visible to C&P	0	0
	20	510	Fitting Thickness(MM) Visible to C&P	0	0
	20	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	20	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	20	511	Fitting Description Visible to C&P	RETURN BEND	
	21	505	Fitting Size(INCH) Visible to C&P	0.5	24
	21	509	Fitting Schedule Visible to C&P	0	160
	21	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	21	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	21	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	21	511	Fitting Description Visible to C&P	STUB END	
	22	505	Fitting Size(INCH) Visible to C&P	0	6
	22	509	Fitting Schedule Visible to C&P	0	XXS
	22	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	22	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	22	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.
	22	511	Fitting Description Visible to C&P
			NIPPLE
			066055053055

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
20. Supplier Code - Name		S102 - SAWAN ENGINEERS PVT LTD [VADODARA]				
Item Remarks:-						
Capabilities						
Group	Param	Description (UOM)	From	To	Remarks	
1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	SIZE: 2-6" Upto Sch XXS; 8-24" upto Sch 160 (UNIT I & II)	
1	123	Elbow-S.R.(INCH) Visible to C&P	2	24	SIZE: 2-6" Upto Sch XXS; 8-24" upto Sch 160 (UNIT I & II)	
1	237	Return Bend.(INCH) Visible to C&P	2	10	SIZE: 2-6" Upto Sch XXS; 8-10" upto Sch 160 (UNIT I & II)	
1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	24	SIZE: 2-6" Upto Sch XXS; 8-24" upto Sch 160 (UNIT I & II)	
1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	24	SIZE: 2-6" Upto Sch XXS; 8-24" upto Sch 160 (UNIT I & II)	
1	272	Tee.(INCH) Visible to C&P	2	24	SIZE: 2-6" Upto Sch XXS; 8-24" upto Sch 160 (UNIT I & II)	
1	268	Stub-End.(INCH) Visible to C&P	2	24	upto Sch 80S	
1	188	Nipple.(INCH) Visible to C&P	0	0		
1	505	Fitting Size(INCH) Visible to C&P	2	6		
1	509	Fitting Schedule Visible to C&P	0	XXS		
1	510	Fitting Thickness(MM) Visible to C&P	0	21.95		
1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
1	511	Fitting Description Visible to C&P	ELBOW-LR			
2	505	Fitting Size(INCH) Visible to C&P	8	24		
2	509	Fitting Schedule Visible to C&P	0	160		
2	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
2	511	Fitting Description Visible to C&P	ELBOW-LR			
3	505	Fitting Size(INCH) Visible to C&P	2	6		
3	509	Fitting Schedule Visible to C&P	0	XXS		
3	510	Fitting Thickness(MM) Visible to C&P	0	21.95		

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	ELBOW-SR	
	4	505	Fitting Size(INCH) Visible to C&P	8	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	ELBOW-SR	
	5	505	Fitting Size(INCH) Visible to C&P	2	6
	5	509	Fitting Schedule Visible to C&P	0	XXS
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	REDUCER-CONC	
	6	505	Fitting Size(INCH) Visible to C&P	8	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	REDUCER-CONC	
	7	505	Fitting Size(INCH) Visible to C&P	2	6
	7	509	Fitting Schedule Visible to C&P	0	XXS
	7	510	Fitting Thickness(MM) Visible to C&P	0	21.95

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	REDUCER-ECC	
	8	505	Fitting Size(INCH) Visible to C&P	8	24
	8	509	Fitting Schedule Visible to C&P	0	160
	8	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	REDUCER-ECC	
	9	505	Fitting Size(INCH) Visible to C&P	2	6
	9	509	Fitting Schedule Visible to C&P	0	XXS
	9	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	TEE	
	10	505	Fitting Size(INCH) Visible to C&P	8	24
	10	509	Fitting Schedule Visible to C&P	0	160
	10	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	10	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	TEE	
	11	505	Fitting Size(INCH) Visible to C&P	2	6
	11	509	Fitting Schedule Visible to C&P	0	XXS
	11	510	Fitting Thickness(MM) Visible to C&P	0	21.95

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
11	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
11	511	Fitting Description Visible to C&P	RETURN BEND			
12	505	Fitting Size(INCH) Visible to C&P	8	10		
12	509	Fitting Schedule Visible to C&P	0	160		
12	510	Fitting Thickness(MM) Visible to C&P	0	28.58		
12	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
12	511	Fitting Description Visible to C&P	RETURN BEND			
13	505	Fitting Size(INCH) Visible to C&P	2	24		
13	509	Fitting Schedule Visible to C&P	0	80S		
13	510	Fitting Thickness(MM) Visible to C&P	0	12.7		
13	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
13	511	Fitting Description Visible to C&P	STUB END			
14	505	Fitting Size(INCH) Visible to C&P	0	0		
14	509	Fitting Schedule Visible to C&P	0	0		
14	510	Fitting Thickness(MM) Visible to C&P	0	0		
14	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
14	511	Fitting Description Visible to C&P	NIPPLE			

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
21. Supplier Code - Name		S265 - SIDHARTH & GAUTAM ENGINEERS				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	2-6" upto SchXXS, 8-14"upto Sch160,16" upto Sch120,18-24" upto Sch140
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	24	2-6" upto SchXXS, 8-14"upto Sch160,16" upto Sch120,18-24" upto Sch140
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	24	2-6" upto SchXXS, 8-14"upto Sch160,16" upto Sch120,18-24" upto Sch140
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	24	2-6" Upto Sch XXS; 8-14" Upto Sch 160; 16-24" Sch 60-Sch 160
	1	272	Tee.(INCH) Visible to C&P	2	20	2-6" upto SchXXS, 8-14" upto Sch160, 16-20" upto Sch140
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0 066055053055	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	14	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	35.71	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	16	16	
	3	509	Fitting Schedule Visible to C&P	0	120	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	510	Fitting Thickness(MM) Visible to C&P	0	30.96
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	ELBOW-LR	
	4	505	Fitting Size(INCH) Visible to C&P	18	24
	4	509	Fitting Schedule Visible to C&P	0	140
	4	510	Fitting Thickness(MM) Visible to C&P	0	52.37
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	ELBOW-LR	
	5	505	Fitting Size(INCH) Visible to C&P	2	6
	5	509	Fitting Schedule Visible to C&P	0	XXS
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	ELBOW-SR	
	6	505	Fitting Size(INCH) Visible to C&P	8	14
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	35.71
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	ELBOW-SR	
	7	505	Fitting Size(INCH) Visible to C&P	16	16
	7	509	Fitting Schedule Visible to C&P	0	120

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	7	510	Fitting Thickness(MM) Visible to C&P	0	30.96
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	ELBOW-SR	
	8	505	Fitting Size(INCH) Visible to C&P	18	24
	8	509	Fitting Schedule Visible to C&P	0	140
	8	510	Fitting Thickness(MM) Visible to C&P	0	52.37
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	ELBOW-SR	
	9	505	Fitting Size(INCH) Visible to C&P	2	6
	9	509	Fitting Schedule Visible to C&P	0	XXS
	9	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	REDUCER-CONC	
	10	505	Fitting Size(INCH) Visible to C&P	8	14
	10	509	Fitting Schedule Visible to C&P	0	160
	10	510	Fitting Thickness(MM) Visible to C&P	0	35.71
	10	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	REDUCER-CONC	
	11	505	Fitting Size(INCH) Visible to C&P	16	16
	11	509	Fitting Schedule Visible to C&P	0	120

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	11	510	Fitting Thickness(MM) Visible to C&P	0	30.96
	11	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	11	511	Fitting Description Visible to C&P	REDUCER-CONC	
	12	505	Fitting Size(INCH) Visible to C&P	18	24
	12	509	Fitting Schedule Visible to C&P	0	140
	12	510	Fitting Thickness(MM) Visible to C&P	0	52.37
	12	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	12	511	Fitting Description Visible to C&P	REDUCER-CONC	
	13	505	Fitting Size(INCH) Visible to C&P	2	6
	13	509	Fitting Schedule Visible to C&P	0	XXS
	13	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	13	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	13	511	Fitting Description Visible to C&P	REDUCER-ECC	
	14	505	Fitting Size(INCH) Visible to C&P	8	14
	14	509	Fitting Schedule Visible to C&P	0	160
	14	510	Fitting Thickness(MM) Visible to C&P	0	35.71
	14	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	14	511	Fitting Description Visible to C&P	REDUCER-ECC	
	15	505	Fitting Size(INCH) Visible to C&P	16	24
	15	509	Fitting Schedule Visible to C&P	60	160

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
15	510	Fitting Thickness(MM) Visible to C&P	16.66	59.54	
15	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
15	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
15	511	Fitting Description Visible to C&P	REDUCER-ECC		
16	505	Fitting Size(INCH) Visible to C&P	2	6	
16	509	Fitting Schedule Visible to C&P	0	XXS	
16	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
16	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
16	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
16	511	Fitting Description Visible to C&P	TEE		
17	505	Fitting Size(INCH) Visible to C&P	8	14	
17	509	Fitting Schedule Visible to C&P	0	160	
17	510	Fitting Thickness(MM) Visible to C&P	0	35.71	
17	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
17	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
17	511	Fitting Description Visible to C&P	TEE		
18	505	Fitting Size(INCH) Visible to C&P	16	20	
18	509	Fitting Schedule Visible to C&P	0	140	
18	510	Fitting Thickness(MM) Visible to C&P	0	44.45	
18	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
18	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
18	511	Fitting Description Visible to C&P	TEE		
19	505	Fitting Size(INCH) Visible to C&P	0	0	
19	509	Fitting Schedule Visible to C&P	0	0	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	19	510	Fitting Thickness(MM) Visible to C&P	0	0
	19	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	19	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	19	511	Fitting Description Visible to C&P	RETURN BEND	
	20	509	Fitting Schedule Visible to C&P	0	0
	20	510	Fitting Thickness(MM) Visible to C&P	0	0
	20	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	20	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	20	511	Fitting Description Visible to C&P	STUB END	
	21	505	Fitting Size(INCH) Visible to C&P	0	6
	21	509	Fitting Schedule Visible to C&P	0	XXS
	21	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	21	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	21	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	21	511	Fitting Description Visible to C&P	NIPPLE	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.				
22. Supplier Code - Name		S810 - SUNGKWANG BEND CO. LTD [Busan]					
Item Remarks:-							
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	121	Elbow-L.R.(INCH) Visible to C&P	1	1		
	1	123	Elbow-S.R.(INCH) Visible to C&P	1	1		
	1	237	Return Bend.(INCH) Visible to C&P	1	1		
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1		
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	1	1		
	1	272	Tee.(INCH) Visible to C&P	1	1		
	1	268	Stub-End.(INCH) Visible to C&P	1	1		
	1	188	Nipple.(INCH) Visible to C&P	1	1		
	1	505	Fitting Size(INCH) Visible to C&P	0.5	24		
	1	509	Fitting Schedule Visible to C&P	0	160		
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
	1	511	Fitting Description Visible to C&P	ELBOW-LR			
	2	505	Fitting Size(INCH) Visible to C&P	0.5	24		
	2	509	Fitting Schedule Visible to C&P	0	160		
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54		
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
	2	511	Fitting Description Visible to C&P	ELBOW-SR			
	3	505	Fitting Size(INCH) Visible to C&P	0.5	24		
	3	509	Fitting Schedule Visible to C&P	0	160		
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54		

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0.5	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0.5	24
	5	509	Fitting Schedule Visible to C&P	0	160
	5	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	0.5	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0.5	24
	7	509	Fitting Schedule Visible to C&P	0	160
	7	510	Fitting Thickness(MM) Visible to C&P	0	59.54

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	0	6
	8	509	Fitting Schedule Visible to C&P	0	XXS
	8	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	NIPPLE	

066055053055

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
23. Supplier Code - Name		T019 - TEEKAY TUBES PVT LTD [NEW MUMBAI]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.5	20	
	1	123	Elbow-S.R.(INCH) Visible to C&P	1	14	
	1	237	Return Bend.(INCH) Visible to C&P	.5	16	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	.5	24	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	.5	24	
	1	272	Tee.(INCH) Visible to C&P	1	24	
	1	268	Stub-End.(INCH) Visible to C&P	1	14	
	1	188	Nipple.(INCH) Visible to C&P	.25	4	
	1	505	Fitting Size(INCH) Visible to C&P	0.5	20	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	50.01	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	1	14	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	35.71	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0.5	24	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	59.54	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0.5	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0.5	16
	5	509	Fitting Schedule Visible to C&P	0	160
	5	510	Fitting Thickness(MM) Visible to C&P	0	40.49
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	1	24
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	1	14
	7	509	Fitting Schedule Visible to C&P	0	160
	7	510	Fitting Thickness(MM) Visible to C&P	0	35.71

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	0.25	4
	8	509	Fitting Schedule Visible to C&P	0	XXS
	8	510	Fitting Thickness(MM) Visible to C&P	0	17.12
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	NIPPLE	

066055053055

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
24. Supplier Code - Name		T221 - TOPAZ PIPING INDUSTRIES [Vadodara]				
Item Remarks:-		Recommended as below: FTSELLSS001,FTSELSSS001,FTSRECSS001, FTSREESS001,FTSTEES001,FTSSTBSS001				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	0.5	8	0.5-8" Upto Sch. 160
	1	123	Elbow-S.R.(INCH) Visible to C&P	0.5	8	0.5-8" Upto Sch. 160
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0.5	8	0.5-8" Upto Sch. 160
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0.5	8	0.5-8" Upto Sch. 160
	1	272	Tee.(INCH) Visible to C&P	0.5	8	0.5-8" Upto Sch. 160
	1	268	Stub-End.(INCH) Visible to C&P	0.5	8	0.5-8" Upto Sch. 160
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	0.5	8	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0 066055053055	23.01	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0.5	8	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0.5	8	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	23.01	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0.5	8
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	23.01
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	0.5	8
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	23.01
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0.5	8
	7	509	Fitting Schedule Visible to C&P	0	160
	7	510	Fitting Thickness(MM) Visible to C&P	0	23.01

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.				
25. Supplier Code - Name		T746 - TK CORPORATION [BUSAN]					
Item Remarks:-							
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	121	Elbow-L.R.(INCH) Visible to C&P	8	24	Thk:8-12" Upto Sch160;14-20"Upto Sch160;22-24"UptoSch120.	
	1	123	Elbow-S.R.(INCH) Visible to C&P	8	24	Thk:8-12" Upto Sch160;14-20"Upto Sch160;22-24"UptoSch120.	
	1	237	Return Bend.(INCH) Visible to C&P	0	0		
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	16	24	Thk:16-20" UptoSch160;22-24"UptoSch40.	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0		
	1	272	Tee.(INCH) Visible to C&P	10	24	Thk:10-12"UptoSch160;14-24"UptoSch160.	
	1	268	Stub-End.(INCH) Visible to C&P	1	1	Upto 8".	
	1	188	Nipple.(INCH) Visible to C&P	0	0		
	1	505	Fitting Size(INCH) Visible to C&P	8	12		
	1	509	Fitting Schedule Visible to C&P	0	160		
	1	510	Fitting Thickness(MM) Visible to C&P	0	33.32		
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
	1	511	Fitting Description Visible to C&P	ELBOW-LR			
	2	505	Fitting Size(INCH) Visible to C&P	14	20		
	2	509	Fitting Schedule Visible to C&P	0	160		
	2	510	Fitting Thickness(MM) Visible to C&P	0	50.01		
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
	2	511	Fitting Description Visible to C&P	ELBOW-LR			
	3	505	Fitting Size(INCH) Visible to C&P	22	24		
	3	509	Fitting Schedule Visible to C&P	0	120		
	3	510	Fitting Thickness(MM) Visible to C&P	0	46.02		

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	ELBOW-LR	
	4	505	Fitting Size(INCH) Visible to C&P	8	12
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	ELBOW-SR	
	5	505	Fitting Size(INCH) Visible to C&P	14	20
	5	509	Fitting Schedule Visible to C&P	0	160
	5	510	Fitting Thickness(MM) Visible to C&P	0	50.01
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	ELBOW-SR	
	6	505	Fitting Size(INCH) Visible to C&P	20	22
	6	509	Fitting Schedule Visible to C&P	0	120
	6	510	Fitting Thickness(MM) Visible to C&P	0	41.28
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	ELBOW-SR	
	7	505	Fitting Size(INCH) Visible to C&P	16	20
	7	509	Fitting Schedule Visible to C&P	0	160
	7	510	Fitting Thickness(MM) Visible to C&P	0	50.01

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	REDUCER-CONC	
	8	505	Fitting Size(INCH) Visible to C&P	22	24
	8	509	Fitting Schedule Visible to C&P	0	40
	8	510	Fitting Thickness(MM) Visible to C&P	0	17.48
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	REDUCER-CONC	
	9	505	Fitting Size(INCH) Visible to C&P	0	0
	9	509	Fitting Schedule Visible to C&P	0	0
	9	510	Fitting Thickness(MM) Visible to C&P	0	0
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	REDUCER-ECC	
	10	505	Fitting Size(INCH) Visible to C&P	0	0
	10	509	Fitting Schedule Visible to C&P	0	0
	10	510	Fitting Thickness(MM) Visible to C&P	0	0
	10	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	RETURN BEND	
	11	505	Fitting Size(INCH) Visible to C&P	10	12
	11	509	Fitting Schedule Visible to C&P	0	160
	11	510	Fitting Thickness(MM) Visible to C&P	0	33.32

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
11	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
11	511	Fitting Description Visible to C&P	TEE		
12	505	Fitting Size(INCH) Visible to C&P	14	24	
12	509	Fitting Schedule Visible to C&P	0	160	
12	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
12	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
12	511	Fitting Description Visible to C&P	TEE		
13	505	Fitting Size(INCH) Visible to C&P	0	8	
13	509	Fitting Schedule Visible to C&P	0	160	
13	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
13	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
13	511	Fitting Description Visible to C&P	STUB END		
14	505	Fitting Size(INCH) Visible to C&P	0	0	
14	509	Fitting Schedule Visible to C&P	0	0	
14	510	Fitting Thickness(MM) Visible to C&P	0	0	
14	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
14	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.				
26. Supplier Code - Name		T755 - TOPPER (SHANGHAI) PIPING MATERIALS CO LT					
Item Remarks:-							
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	121	Elbow-L.R.(INCH) Visible to C&P	4	20	UP TO SCH 40.	
	1	123	Elbow-S.R.(INCH) Visible to C&P	4	20	UP TO SCH 40.	
	1	237	Return Bend.(INCH) Visible to C&P	0	0		
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0		
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0		
	1	272	Tee.(INCH) Visible to C&P	4	20	UP TO SCH 40 EQ.TEE.	
	1	268	Stub-End.(INCH) Visible to C&P	0	0		
	1	188	Nipple.(INCH) Visible to C&P	0	0		
	1	505	Fitting Size(INCH) Visible to C&P	4	20		
	1	509	Fitting Schedule Visible to C&P	0	40		
	1	510	Fitting Thickness(MM) Visible to C&P	0	15.09		
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
	1	511	Fitting Description Visible to C&P	ELBOW-LR			
	2	505	Fitting Size(INCH) Visible to C&P	4	20		
	2	509	Fitting Schedule Visible to C&P	0	40		
	2	510	Fitting Thickness(MM) Visible to C&P	0	15.09		
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H			
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS			
	2	511	Fitting Description Visible to C&P	ELBOW-SR			
	3	505	Fitting Size(INCH) Visible to C&P	0	0		
	3	509	Fitting Schedule Visible to C&P	0	0		
	3	510	Fitting Thickness(MM) Visible to C&P	0	0		

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0	0
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	0
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	4	20
	5	509	Fitting Schedule Visible to C&P	0	40
	5	510	Fitting Thickness(MM) Visible to C&P	0	15.09
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	TEE	
	6	505	Fitting Size(INCH) Visible to C&P	0	0
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	0
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	RETURN BEND	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
27. Supplier Code - Name		V594 - VIRGILIO CENA & FIGLI S.p.A.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	.75	24	
	1	123	Elbow-S.R.(INCH) Visible to C&P	.75	24	
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	0	0	
	1	272	Tee.(INCH) Visible to C&P	0	0	
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	0.75	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	0.75	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	0	0	
	3	509	Fitting Schedule Visible to C&P	0	0	
	3	510	Fitting Thickness(MM) Visible to C&P	0	0	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	0	0
	4	509	Fitting Schedule Visible to C&P	0	0
	4	510	Fitting Thickness(MM) Visible to C&P	0	0
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-ECC	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	RETURN BEND	
	6	505	Fitting Size(INCH) Visible to C&P	0	0
	6	509	Fitting Schedule Visible to C&P	0	0
	6	510	Fitting Thickness(MM) Visible to C&P	0	0
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	TEE	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	STUB END	
	8	505	Fitting Size(INCH) Visible to C&P	0	0
	8	509	Fitting Schedule Visible to C&P	0	0
	8	510	Fitting Thickness(MM) Visible to C&P	0	0
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	NIPPLE	

066055053055

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
28. Supplier Code - Name		V608A - VALVITALIA SPA-TECNOFORGE DIVISION				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	24	Thk:2-6" Upto Sch XXS;8-24" Upto Sch160.(Arena Do Plant)
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	24	Thk:2-6" Upto Sch XXS;8-24" Upto Sch160.(Arena Do Plant)
	1	237	Return Bend.(INCH) Visible to C&P	2	12	Thk:2-6" Upto Sch XXS;8-12" Upto Sch160.(Arena Do Plant)
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	0	0	
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	12	Thk:2-6" Upto Sch XXS;8-12" Upto Sch160.(Arena Do Plant)
	1	272	Tee.(INCH) Visible to C&P	2	12	Thk:2-6" Upto Sch XXS;8-12" Upto Sch160.(Arena Do Plant)
	1	268	Stub-End.(INCH) Visible to C&P	1	1	
	1	188	Nipple.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	2	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	2	6	
	3	509	Fitting Schedule Visible to C&P	0	XXS	
	3	510	Fitting Thickness(MM) Visible to C&P	0	21.95	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	ELBOW-SR	
	4	505	Fitting Size(INCH) Visible to C&P	8	24
	4	509	Fitting Schedule Visible to C&P	0	160
	4	510	Fitting Thickness(MM) Visible to C&P	0	59.54
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	ELBOW-SR	
	5	505	Fitting Size(INCH) Visible to C&P	0	0
	5	509	Fitting Schedule Visible to C&P	0	0
	5	510	Fitting Thickness(MM) Visible to C&P	0	0
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	REDUCER-CONC	
	6	505	Fitting Size(INCH) Visible to C&P	2	6
	6	509	Fitting Schedule Visible to C&P	0	XXS
	6	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	REDUCER-ECC	
	7	505	Fitting Size(INCH) Visible to C&P	8	12
	7	509	Fitting Schedule Visible to C&P	0	160
	7	510	Fitting Thickness(MM) Visible to C&P	0	33.32

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	REDUCER-ECC	
	8	505	Fitting Size(INCH) Visible to C&P	2	6
	8	509	Fitting Schedule Visible to C&P	0	XXS
	8	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	RETURN BEND	
	9	505	Fitting Size(INCH) Visible to C&P	8	12
	9	509	Fitting Schedule Visible to C&P	0	160
	9	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	RETURN BEND	
	10	505	Fitting Size(INCH) Visible to C&P	2	6
	10	509	Fitting Schedule Visible to C&P	0	XXS
	10	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	10	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	TEE	
	11	505	Fitting Size(INCH) Visible to C&P	8	12
	11	509	Fitting Schedule Visible to C&P	0	160
	11	510	Fitting Thickness(MM) Visible to C&P	0	33.32

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
	11	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	11	511	Fitting Description Visible to C&P	TEE		
	12	505	Fitting Size(INCH) Visible to C&P	0	24	
	12	509	Fitting Schedule Visible to C&P	0	160	
	12	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	12	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	12	511	Fitting Description Visible to C&P	STUB END		
	13	505	Fitting Size(INCH) Visible to C&P	0	6	
	13	509	Fitting Schedule Visible to C&P	0	XXS	
	13	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	13	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	13	511	Fitting Description Visible to C&P	NIPPLE		

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
29. Supplier Code - Name		W510 - WILH SCHULZ GmbH [KREFELD]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	2	20	Thickness:2-6" Upto SchXXS;8" Upto Sch160;10-14" Sch30-Sch160;16-20" Sch40-Sch160.
	1	123	Elbow-S.R.(INCH) Visible to C&P	2	20	Thickness:2-6" Upto SchXXS;8" Upto Sch160;10-14" Sch30-Sch160;16-20" Sch40-Sch160.
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	2	20	Thickness:2-6" Upto SchXXS;8" Upto Sch160;10-14" Sch30-Sch160;16-20" Sch40-Sch160.
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	2	20	Thickness:2-6" Upto SchXXS;8" Upto Sch160;10-14" Sch30-Sch160;16-20" Sch40-Sch160.
	1	272	Tee.(INCH) Visible to C&P	2	20	Thickness:2-6" Upto SchXXS;8" Upto Sch160;10-14" Sch30-Sch160;16-20" Sch40-Sch160.
	1	268	Stub-End.(INCH) Visible to C&P	1	1	
	1	188	Nipple.(INCH) Visible to C&P	1	1	
	1	505	Fitting Size(INCH) Visible to C&P	2 066055053055	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	8	8	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-LR		
	3	505	Fitting Size(INCH) Visible to C&P	10	14	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	509	Fitting Schedule Visible to C&P	30	160
	3	510	Fitting Thickness(MM) Visible to C&P	7.8	35.71
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	ELBOW-LR	
	4	505	Fitting Size(INCH) Visible to C&P	16	20
	4	509	Fitting Schedule Visible to C&P	40	160
	4	510	Fitting Thickness(MM) Visible to C&P	12.7	50.01
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	ELBOW-LR	
	5	505	Fitting Size(INCH) Visible to C&P	2	6
	5	509	Fitting Schedule Visible to C&P	0	XXS
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	ELBOW-SR	
	6	505	Fitting Size(INCH) Visible to C&P	8	8
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	23.01
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	ELBOW-SR	
	7	505	Fitting Size(INCH) Visible to C&P	10	14

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	7	509	Fitting Schedule Visible to C&P	30	160
	7	510	Fitting Thickness(MM) Visible to C&P	7.8	35.71
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	ELBOW-SR	
	8	505	Fitting Size(INCH) Visible to C&P	16	20
	8	509	Fitting Schedule Visible to C&P	40	160
	8	510	Fitting Thickness(MM) Visible to C&P	12.7	50.01
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	ELBOW-SR	
	9	505	Fitting Size(INCH) Visible to C&P	2	6
	9	509	Fitting Schedule Visible to C&P	0	XXS
	9	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	REDUCER-CONC	
	10	505	Fitting Size(INCH) Visible to C&P	8	8
	10	509	Fitting Schedule Visible to C&P	0	160
	10	510	Fitting Thickness(MM) Visible to C&P	0	23.01
	10	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	REDUCER-CONC	
	11	505	Fitting Size(INCH) Visible to C&P	10	14

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	11	509	Fitting Schedule Visible to C&P	30	160
	11	510	Fitting Thickness(MM) Visible to C&P	7.8	35.71
	11	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	11	511	Fitting Description Visible to C&P	REDUCER-CONC	
	12	505	Fitting Size(INCH) Visible to C&P	16	20
	12	509	Fitting Schedule Visible to C&P	40	160
	12	510	Fitting Thickness(MM) Visible to C&P	12.7	50.01
	12	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	12	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	12	511	Fitting Description Visible to C&P	REDUCER-CONC	
	13	505	Fitting Size(INCH) Visible to C&P	2	6
	13	509	Fitting Schedule Visible to C&P	0	XXS
	13	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	13	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	13	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	13	511	Fitting Description Visible to C&P	REDUCER-ECC	
	14	505	Fitting Size(INCH) Visible to C&P	8	8
	14	509	Fitting Schedule Visible to C&P	0	160
	14	510	Fitting Thickness(MM) Visible to C&P	0	23.01
	14	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	14	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	14	511	Fitting Description Visible to C&P	REDUCER-ECC	
	15	505	Fitting Size(INCH) Visible to C&P	10	14

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
15	509	Fitting Schedule Visible to C&P	30	160	
15	510	Fitting Thickness(MM) Visible to C&P	7.8	35.71	
15	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
15	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
15	511	Fitting Description Visible to C&P	REDUCER-ECC		
16	505	Fitting Size(INCH) Visible to C&P	16	20	
16	509	Fitting Schedule Visible to C&P	40	160	
16	510	Fitting Thickness(MM) Visible to C&P	12.7	50.01	
16	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
16	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
16	511	Fitting Description Visible to C&P	REDUCER-ECC		
17	505	Fitting Size(INCH) Visible to C&P	2	6	
17	509	Fitting Schedule Visible to C&P	0	XXS	
17	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
17	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
17	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
17	511	Fitting Description Visible to C&P	TEE		
18	505	Fitting Size(INCH) Visible to C&P	8	8	
18	509	Fitting Schedule Visible to C&P	0	160	
18	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
18	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
18	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
18	511	Fitting Description Visible to C&P	TEE		
19	505	Fitting Size(INCH) Visible to C&P	10	14	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	19	509	Fitting Schedule Visible to C&P	30	160
	19	510	Fitting Thickness(MM) Visible to C&P	7.8	35.71
	19	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	19	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	19	511	Fitting Description Visible to C&P	TEE	
	20	505	Fitting Size(INCH) Visible to C&P	16	20
	20	509	Fitting Schedule Visible to C&P	40	160
	20	510	Fitting Thickness(MM) Visible to C&P	12.7	50.01
	20	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	20	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	20	511	Fitting Description Visible to C&P	TEE	
	21	505	Fitting Size(INCH) Visible to C&P	0	0
	21	509	Fitting Schedule Visible to C&P	0	0
	21	510	Fitting Thickness(MM) Visible to C&P	0	0
	21	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	21	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	21	511	Fitting Description Visible to C&P	RETURN BEND	
	22	505	Fitting Size(INCH) Visible to C&P	2	20
	22	509	Fitting Schedule Visible to C&P	0	160
	22	510	Fitting Thickness(MM) Visible to C&P	0	50.01
	22	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	22	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	22	511	Fitting Description Visible to C&P	STUB END	
	23	505	Fitting Size(INCH) Visible to C&P	0	6

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
	23	509	Fitting Schedule Visible to C&P	0	XXS	
	23	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	23	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	23	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	23	511	Fitting Description Visible to C&P	NIPPLE		



066055053055

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.			
30. Supplier Code - Name		Y634 - YINGKOU LIAOHE PIPE FITTINGS CO. LTD [LIAONING]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	121	Elbow-L.R.(INCH) Visible to C&P	1	1	2"-24" Thk upto Sch 160
	1	123	Elbow-S.R.(INCH) Visible to C&P	1	1	2"-24" Thk upto Sch 160
	1	237	Return Bend.(INCH) Visible to C&P	0	0	
	1	231	Reducer-Conc.-NB(INCH) Visible to C&P	1	1	2"-14" Thk upto Sch 160 & 16" Thk upto Sch 140
	1	232	Reducer-Ecc.-NB(INCH) Visible to C&P	1	1	2"-14" Thk upto Sch 160 & 16" Thk upto Sch 140
	1	272	Tee.(INCH) Visible to C&P	1	1	2"-14" Thk upto Sch 160 & 16"-24" Thk upto Sch 120
	1	268	Stub-End.(INCH) Visible to C&P	0	0	
	1	188	Nipple.(INCH) Visible to C&P	0	0	
	1	505	Fitting Size(INCH) Visible to C&P	2	24	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	1	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	ELBOW-LR		
	2	505	Fitting Size(INCH) Visible to C&P	2	24	
	2	509	Fitting Schedule Visible to C&P	0	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	59.54	
	2	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	ELBOW-SR		
	3	505	Fitting Size(INCH) Visible to C&P	2	14	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	35.71	

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	3	511	Fitting Description Visible to C&P	REDUCER-CONC	
	4	505	Fitting Size(INCH) Visible to C&P	16	16
	4	509	Fitting Schedule Visible to C&P	0	140
	4	510	Fitting Thickness(MM) Visible to C&P	0	36.53
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	REDUCER-CONC	
	5	505	Fitting Size(INCH) Visible to C&P	2	14
	5	509	Fitting Schedule Visible to C&P	0	160
	5	510	Fitting Thickness(MM) Visible to C&P	0	35.71
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	REDUCER-ECC	
	6	505	Fitting Size(INCH) Visible to C&P	16	16
	6	509	Fitting Schedule Visible to C&P	0	140
	6	510	Fitting Thickness(MM) Visible to C&P	0	36.53
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	REDUCER-ECC	
	7	505	Fitting Size(INCH) Visible to C&P	0	0
	7	509	Fitting Schedule Visible to C&P	0	0
	7	510	Fitting Thickness(MM) Visible to C&P	0	0

* IR - Interpretation Required

Item	72AC	Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	RETURN BEND	
	8	505	Fitting Size(INCH) Visible to C&P	2	14
	8	509	Fitting Schedule Visible to C&P	0	160
	8	510	Fitting Thickness(MM) Visible to C&P	0	35.71
	8	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	8	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	8	511	Fitting Description Visible to C&P	TEE	
	9	505	Fitting Size(INCH) Visible to C&P	16	24
	9	509	Fitting Schedule Visible to C&P	0	120
	9	510	Fitting Thickness(MM) Visible to C&P	0	46.02
	9	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	9	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	9	511	Fitting Description Visible to C&P	TEE	
	10	505	Fitting Size(INCH) Visible to C&P	0	0
	10	509	Fitting Schedule Visible to C&P	0	0
	10	510	Fitting Thickness(MM) Visible to C&P	0	0
	10	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	10	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	10	511	Fitting Description Visible to C&P	STUB END	
	11	505	Fitting Size(INCH) Visible to C&P	0	0
	11	509	Fitting Schedule Visible to C&P	0	0
	11	510	Fitting Thickness(MM) Visible to C&P	0	0

* IR - Interpretation Required

Item	72AC		Description	FITTINGS FROM SEAMLESS PIPE- S.S.		
	11	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	11	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	11	511	Fitting Description Visible to C&P	NIPPLE		
Item		72AD	Description	FITTINGS FROM S/LESS PIPES-EXOTIC MATLS		
1. Supplier Code - Name		A732 - ALLIED INTERNATIONAL S.R.L. [PIACENZA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	.5	24	Cu-Ni Alloys:.5" Upto Sch160;.75-6" Upto SchXXS;8-24"Upto Sch160,MANUFACTURER: M/S TECTUBI RACCORDI SPA.
2. Supplier Code - Name		E588 - ERNE FITTINGS GMBH				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	Schlins works: Elbows:.5-36"; Matl:Duplex Steel,Nickel Alooys,Copper Alloys, Aluminium Alloys and Titanium.
	2	263	Standard(INCH) Visible to C&P	1 066055053055	1	Murzzuschlag works: Elbows:.5-8",Tee:.5-12",Reducers:.5- 12"; Matl:Duplex Steel,Nickel Alooys,Copper Alloys, Aluminium Alloys and Titanium.Test Certificates from Schlins only.
3. Supplier Code - Name		G125 - GUJRAT INFRAPIPES PVT. LIMITED [VADODARA]				
Item Remarks:-		As per detail below:				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	0	8	Upto Sch 80S, Grades- A815 WP32205/31803 & ASTM B366 UNS N06625/N08825
4. Supplier Code - Name		R607 - RACCORTUBI SPA [SARMATO (Pc)]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	.5	24	MANUFACTURER:TECNINOX

* IR - Interpretation Required

Item	72AD	Description FITTINGS FROM S/LESS PIPES-EXOTIC MATLS				
5. Supplier Code - Name		S102 - SAWAN ENGINEERS PVT LTD [VADODARA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	ELBOWS (LR/SR), REDUCERS (CR/ER) & TEE: SIZE:2-8" Upto Sch 160 ;DUPLEX STAINLESS STEEL. RAW MATERIAL & CONSUMABLES TO BE PROCURED FROM EIL APPROVED SOURCE. (UNIT I & UNIT II)
6. Supplier Code - Name		S810 - SUNGKWANG BEND CO. LTD [Busan]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	INCONEL/HASTALLOY/MONEL/C UPRO NICKEL
7. Supplier Code - Name		W510 - WILH SCHULZ GmbH [KREFELD]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	Upto 6" OD.Thickness upto Sch 120. As per A815 UNS 31803/UNS 32205. Raw Matl Source M/s Sandvik Sweden.
Item	72AF	Description FITTINGS CROSS-SECTIONLESS PIPES				

* IR - Interpretation Required

Item	72AF	Description	FITTINGS CROSS-FROM SEAMLESS PIPES			
1. Supplier Code - Name		G125 - GUJRAT INFRAPIPES PVT. LIMITED [VADODARA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	72	Carbon Steel-NB(INCH) Visible to C&P	2	8	Thk- 2-3" upto Sch 160;4-6" upto Sch XXS;8" Upto Sch 160
	1	15	Alloy Steel-NB(INCH) Visible to C&P	2	8	Thk- 2-3" upto Sch 160;4-6" upto Sch XXS;8" Upto Sch 160
	1	243	S.S.-NB(INCH) Visible to C&P	2	8	Thk- 2-3" upto Sch 160;4-6" upto Sch XXS;8" Upto Sch 160
	1	505	Fitting Size(INCH) Visible to C&P	2	3	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	11.13	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	CROSS		
	2	505	Fitting Size(INCH) Visible to C&P	4	6	
	2	509	Fitting Schedule Visible to C&P	0 066055053055	XXS	
	2	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	CROSS		
	3	505	Fitting Size(INCH) Visible to C&P	8	8	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	23.01	
	3	507	Fitting Material Visible to C&P	CS		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511	Fitting Description Visible to C&P	CROSS		
	4	505	Fitting Size(INCH) Visible to C&P	2	3	
	4	509	Fitting Schedule Visible to C&P	0	160	

* IR - Interpretation Required

Item	72AF	Description	FITTINGS CROSS-FROM SEAMLESS PIPES		
	4	510	Fitting Thickness(MM) Visible to C&P	0	11.13
	4	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	CROSS	
	5	505	Fitting Size(INCH) Visible to C&P	4	6
	5	509	Fitting Schedule Visible to C&P	0	XXS
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	5	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	CROSS	
	6	505	Fitting Size(INCH) Visible to C&P	8	8
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	23.01
	6	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	CROSS	
	7	505	Fitting Size(INCH) Visible to C&P	2	3
	7	509	Fitting Schedule Visible to C&P	0	160
	7	510	Fitting Thickness(MM) Visible to C&P	0	11.13
	7	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	7	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	7	511	Fitting Description Visible to C&P	CROSS	
	8	505	Fitting Size(INCH) Visible to C&P	4	6
	8	509	Fitting Schedule Visible to C&P	0	XXS

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	72AF	Description FITTINGS CROSS-FROM SEAMLESS PIPES				
2. Supplier Code - Name		M057 - M.S. FITTINGS MFG. CO PVT LTD [KOLKATA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	72	Carbon Steel-NB(INCH) Visible to C&P	2	8	2-3" Upto Sch 160;4-8" Upto SchXXS.
	1	15	Alloy Steel-NB(INCH) Visible to C&P	0	0	
	1	243	S.S.-NB(INCH) Visible to C&P	2	8	2-3" Upto Sch 160;4-8" Upto SchXXS.
	1	505	Fitting Size(INCH) Visible to C&P	2	3	
	1	509	Fitting Schedule Visible to C&P	0	160	
	1	510	Fitting Thickness(MM) Visible to C&P	0	11.13	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	CROSS		
	2	505	Fitting Size(INCH) Visible to C&P	4	8	
	2	509	Fitting Schedule Visible to C&P	0 066055053055	XXS	
	2	510	Fitting Thickness(MM) Visible to C&P	0	22.23	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	CROSS		
	3	505	Fitting Size(INCH) Visible to C&P	2	3	
	3	509	Fitting Schedule Visible to C&P	0	160	
	3	510	Fitting Thickness(MM) Visible to C&P	0	11.13	
	3	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511	Fitting Description Visible to C&P	CROSS		
	4	505	Fitting Size(INCH) Visible to C&P	4	8	
	4	509	Fitting Schedule Visible to C&P	0	XXS	

* IR - Interpretation Required

Item	72AF	Description	FITTINGS CROSS-FROM SEAMLESS PIPES		
	4	510	Fitting Thickness(MM) Visible to C&P	0	22.23
	4	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	CROSS	



066055053055

* IR - Interpretation Required

Item	72AF	Description	FITTINGS CROSS-FROM SEAMLESS PIPES			
3. Supplier Code - Name		V608A - VALVITALIA SPA-TECNOFORGE DIVISION				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	72	Carbon Steel-NB(INCH) Visible to C&P	4	12	4-6" Upto Sch XXS;8-12" Upto Sch160.(Arena Do Plant)
	1	15	Alloy Steel-NB(INCH) Visible to C&P	4	12	4-6" Upto Sch XXS;8-12" Upto Sch160.(Arena Do Plant)
	1	243	S.S.-NB(INCH) Visible to C&P	4	12	4-6" Upto Sch XXS;8-12" Upto Sch160.(Arena Do Plant)
	1	505	Fitting Size(INCH) Visible to C&P	4	6	
	1	509	Fitting Schedule Visible to C&P	0	XXS	
	1	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	1	507	Fitting Material Visible to C&P	CS		
	1	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	1	511	Fitting Description Visible to C&P	CROSS		
	2	505	Fitting Size(INCH) Visible to C&P	8	12	
	2	509	Fitting Schedule Visible to C&P	0 066055053055	160	
	2	510	Fitting Thickness(MM) Visible to C&P	0	33.32	
	2	507	Fitting Material Visible to C&P	CS		
	2	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	2	511	Fitting Description Visible to C&P	CROSS		
	3	505	Fitting Size(INCH) Visible to C&P	4	6	
	3	509	Fitting Schedule Visible to C&P	0	XXS	
	3	510	Fitting Thickness(MM) Visible to C&P	0	21.95	
	3	507	Fitting Material Visible to C&P	Gr.11,22,5,9		
	3	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS		
	3	511	Fitting Description Visible to C&P	CROSS		
	4	505	Fitting Size(INCH) Visible to C&P	8	12	
	4	509	Fitting Schedule Visible to C&P	0	160	

* IR - Interpretation Required

Item	72AF	Description	FITTINGS CROSS-FROM SEAMLESS PIPES		
	4	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	4	507	Fitting Material Visible to C&P	Gr.11,22,5,9	
	4	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	4	511	Fitting Description Visible to C&P	CROSS	
	5	505	Fitting Size(INCH) Visible to C&P	4	6
	5	509	Fitting Schedule Visible to C&P	0	XXS
	5	510	Fitting Thickness(MM) Visible to C&P	0	21.95
	5	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	5	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	5	511	Fitting Description Visible to C&P	CROSS	
	6	505	Fitting Size(INCH) Visible to C&P	8	12
	6	509	Fitting Schedule Visible to C&P	0	160
	6	510	Fitting Thickness(MM) Visible to C&P	0	33.32
	6	507	Fitting Material Visible to C&P	Gr.304L, 304, 304H, 316L, 316, 316H, 321, 321H, 347, 347H	
	6	508	Fitting Type (Forge/Seamless/Fabricated) Visible to C&P	SEAMLESS	
	6	511	Fitting Description Visible to C&P	CROSS	

Item	72FA	Description		FITTINGS - FRP		
1. Supplier Code - Name		C023 - CHEMICAL PROCESS EQPTS. PVT. LTD. [BOMBAY]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	0	600	
2. Supplier Code - Name		C046A - CARBORUNDUM UNIVERSAL LTD-PRODORITE DIVN [TAMIL NADU]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	1	1	

* IR - Interpretation Required

Item	72FA	Description FITTINGS - FRP				
3. Supplier Code - Name		C747 - COMPOSITE PIPES INDUSTRY L.L.C [SULTANATE OF OMAN]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	.5	56	GRP/FRP:PIPE ,COMPLETE PIPING SYSTEM & INSTALLATION & CONSTRUCTION SUPERVISION , PRESSURE UPTO 65 KG/CM2
4. Supplier Code - Name		D066 - DOLF INDUSTRIES [GUJRAT]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	1	1	25mm to 60mm OD
5. Supplier Code - Name		E216 - EPP COMPOSITE PVT LTD [RAJKOT]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	1	1	COMPLETE PIPING SYSTEM/INSTALLATION ,UNIT I: SIZE 1-36" UPTO RATING PN12.5;38-48" UPTO RATING PN10;UNIT V: 24-36" UPTO RATING 12.5,38-48" UPTO RATING UPTO PN10.
6. Supplier Code - Name		G005 - GANDHI & ASSOCIATES				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	1	1	SIZE: 1-60"
7. Supplier Code - Name		I164 - INDUSTRIAL SERVICES				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	0	20	
8. Supplier Code - Name		P028 - POLY PLAST CHEMI-PLANT (I) LTD. [A-16 WAGLE IND EST]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	12	100	FRP / PVC+FRP / PP+FRP
9. Supplier Code - Name		S251 - SUNRISE INDUSTRIES (INDIA) LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	1	64	MATERIAL FRP, LINING PVDF/PP

* IR - Interpretation Required

Item	72FA	Description	FITTINGS - FRP			
10. Supplier Code - Name		S472 - STRATEGIC ENGINEERING (P) LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	0	50	

Item	72FB	Description	FITTING-GRE			
1. Supplier Code - Name		C747 - COMPOSITE PIPES INDUSTRY L.L.C [SULTANATE OF OMAN]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	GRE :PIPE ,COMPLETE PIPING SYSTEM & INSTALLATION & CONSTRUCTION SUPERVISION , SIZE: UPTO 56" PRESSURE UPTO 65 KG/CM2



066055053055

* IR - Interpretation Required