

Item	60AO	Description PIPES -SS WELDED TO A 358				
1. Supplier Code - Name		27457 - SEAH STEEL CORPORATION [CHANGWON,SOUTH KOREA]				
Item Remarks:-		As per detail below:				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	8	16	Gr.304L,304,316L,316
	1	278	Thickness(MM) Visible to C&P	4	12.7	Gr.304L,304,316L,316
2. Supplier Code - Name		27458 - SEAH STEEL CORPORATION [SUNCHEON,SOUTH KOREA]				
Item Remarks:-		As per details below:				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	8	64	Gr.304L,304,316L,316,321,347
	1	278	Thickness(MM) Visible to C&P	4.5	50	Gr.304L,304,316L,316,321,347
3. Supplier Code - Name		B194 - BHANDARI FOILS AND TUBES LTD. [DEWAS]				
Item Remarks:-		Blocks covered: A358- PIF\$4001 & PIF\$5001				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	10	20	TP 304/L/H, 316/L/H
	1	278	Thickness(MM) Visible to C&P	---	10	
4. Supplier Code - Name		E633 - EEW KOREA CO. LTD [II :SAME AS ENQUIRY]				
Item Remarks:-		066055053055				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	16	48	TP304/L,316/L,321,347
	1	278	Thickness(MM) Visible to C&P	0	50	
5. Supplier Code - Name		G624 - GIEMINOX TECTUBI RACCORDI SRL				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	10	66	TP 304/316/321/347.
	1	278	Thickness(MM) Visible to C&P	1	1	UPTO 23.8MM
6. Supplier Code - Name		H639 - H.BUTTING GMBH & CO.KG				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	8	72	TP304/L,316/L,321,347
	1	278	Thickness(MM) Visible to C&P	0	64	

* IR - Interpretation Required

Item	60AO		Description PIPES -SS WELDED TO A 358			
7. Supplier Code - Name			I583 - INOX TECH. SPA			
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	10	28	304/304H/304L,316/316L/316H,321.
	1	278	Thickness(MM) Visible to C&P	0	44	
8. Supplier Code - Name			J628 - JIANGSU WUJIN STAINLESS STEEL PIPE GROUP [..]			
Item Remarks:-			As per details below:			
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	6	24	304/304L/304H/316/316L/316H/321/347
	1	278	Thickness(MM) Visible to C&P	6.35	50	
9. Supplier Code - Name			O578 - OUTOKUMPU STAINLESS TUBULAR P.AB(FRMA553)			
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	1	1	
	1	278	Thickness(MM) Visible to C&P	1	1	
10. Supplier Code - Name			R066 - RATNAMANI METALS AND TUBES LTD [INDRAD,AHMEDABAD]			
Item Remarks:-			As per detail below: 066055053055			
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	8	42	KUTCH Works,Grades: 304/304L/304H/316/316L/316H/321/321H/347/347H
	1	278	Thickness(MM) Visible to C&P	0	38.1	
	2	258	Size-NB(INCH) Visible to C&P	44	48	KUTCH Works,Grades: 304/304L/304H/316/316L/316H
	2	278	Thickness(MM) Visible to C&P	0	38.1	
11. Supplier Code - Name			R127 - REMI EDELSTAHL TUBULARS LTD (FORM RMIL) [THANE]			
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	8	48	Grades: 304/L/H,310/H,316/L,321,347/H CLASS-1
	1	278	Thickness(MM) Visible to C&P	1	1	UPTO 22MM FOR 8", UPTO 30MM FOR 10-12"; UPTO 42MM FOR 14-18"; UPTO 45MM FOR 20-24", UPTO 36.53MM FOR 26-30",UPTO 15.88MM FOR 32-48".

* IR - Interpretation Required

Item	60AO	Description PIPES -SS WELDED TO A 358				
12. Supplier Code - Name		R620 - RIVIT SPA				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	1	1	16-18" thk upto 73.02mm, 20-24" thk upto 60mm, 26-36" thk upto 38.1mm, 38-48" thk upto 36.53mm & 50-96" thk upto 20.62mm; GRADES:TP 304/L,316/L,321
	1	278	Thickness(MM) Visible to C&P	1	1	
13. Supplier Code - Name		S499 - SCORODITE STAINLESS (INDIA) PVT. LTD. [343041]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	1	1	8" OD Upto Sch 40 S, 10-20" UPTO 10 MM THK : Gr. 304/L/H,316/L/H
	1	278	Thickness(MM) Visible to C&P	1	1	
14. Supplier Code - Name		S563 - Nippon Steel and Sumitomo Metal Corporation [OSAKA 541]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	1	1	
	1	278	Thickness(MM) Visible to C&P	1 066055053055	1	
15. Supplier Code - Name		S823 - SOSTA GMBH				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	1	1	UPTO 68"
	1	278	Thickness(MM) Visible to C&P	1	1	Upto 12.7 mm thk
16. Supplier Code - Name		Z515 - ZHEJIANG JIULI HI-TECH METALS CO., LTD. [P.R. CHINA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	1	1	upto 24" thk upto Sch 160 & 26- 72" thk upto 17.48mm / Zhenxi Town works for all SS Grades.
	1	278	Thickness(MM) Visible to C&P	1	1	
Item	60AP	Description DUPLEX/SUPER DUPLEX SS WELDED PIPES				

* IR - Interpretation Required

Item	60AP	Description DUPLEX/SUPER DUPLEX SS WELDED PIPES				
1. Supplier Code - Name		G624 - GIEMINOX TECTUBI RACCORDI SRL				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	252	Size(INCH) Visible to C&P	1	1	UNS 31803/UNS32205: UPTO 30"; SOURCE: PLATE-OUTOKUMPU, ELECTRODE-SANDVIK
	1	278	Thickness(MM) Visible to C&P	1	1	UNS 31803/UNS32205: UPTO 20MM
2. Supplier Code - Name		H639 - H.BUTTING GMBH & CO.KG				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	252	Size(INCH) Visible to C&P	1	1	Upto 26" ;Thk Upto 60MM.UNS32205(A928); Raw matl Source:M/s Industeel,France & Welding consumables from M/s Weir Minerals & Foundries,Manchestar.
	1	278	Thickness(MM) Visible to C&P	1	1	
3. Supplier Code - Name		R066 - RATNAMANI METALS AND TUBES LTD [INDRAD,AHMEDABAD]				
Item Remarks:-		As per detail below:				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	252	Size(INCH) Visible to C&P	8 066055053055	20	ASTM A928, Grades: UNS S31803,S32205,S32750
	1	278	Thickness(MM) Visible to C&P	0	13.1	
4. Supplier Code - Name		R620 - RIVIT SPA				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	252	Size(INCH) Visible to C&P	1	1	8-20" thk upto 55.83mm, 22-24"thp upto 35mm & 26-48" thk upto 38mm; GRADES: UNS31803/32205; RAW MATERIAL SOURCE:PLATE-OUTOKUMPU, ELECTRODE-SANDVIK
	1	278	Thickness(MM) Visible to C&P	1	1	
5. Supplier Code - Name		S823 - SOSTA GMBH				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	252	Size(INCH) Visible to C&P	2	60	UNS 31803/32205. RAW MATERIAL SOURCE: OUTOKUMPU
	1	278	Thickness(MM) Visible to C&P	0	17.4	
Item	60B-	Description PIPES- INDIAN STOCKIST				

* IR - Interpretation Required

Item	60B-	Description PIPES- INDIAN STOCKIST				
1. Supplier Code - Name		3609 - SHIB DASS AND SONS PRIVATE LIMITED [NEW DELHI]				
Item Remarks:-		As per detail below:				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	Refer remarks		Pipes shall be procured from EIL approved sources with EN10204 3.2 certificate.
2. Supplier Code - Name		E214 - EVERGREEN SEAMLESS PIPES & TUBES PVT. LT [PUNE]				
Item Remarks:-		As per detail below:				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	Refer remarks		Pipes shall be procured from EIL approved sources with EN10204 3.2 certificate.
Item	60C-	Description PIPE-CLADDED				
1. Supplier Code - Name		27411 - Cladtek Middle East FZC [INDONESIA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	refer remarks		2"-48" , Mfg & dispatch from "PT Cladtek BiMetal Manufacturing, Indonesia".Quotation from "Cladtek Middle East FZC,UAE"
2. Supplier Code - Name		27452 - FTV PROCLAD L.L.C. [DUBAI-UAE]				
Item Remarks:-		As per details below:				
Capabilities		066055053055				
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	6	48	Base:CS/LTCS, Clad: SS 304,304L,304H,316,316L & 316H and Inconel 625 / 825
3. Supplier Code - Name		E583 - NOBELCLAD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	
4. Supplier Code - Name		E627 - EISENBAU KRAMER GMBH				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	Refer remarks		SIZE: 10-60", THK UP TO 77MM .Clad material (All Austenetic 300 Series, Inconel 625/825 , Monel)
5. Supplier Code - Name		J502 - JAPAN STEEL WORKS LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	
Item	60NB	Description PIPE-WELDED ALLOY STEEL				

* IR - Interpretation Required

Item	60NB	Description PIPE-WELDED ALLOY STEEL				
1. Supplier Code - Name		E627 - EISENBAU KRAMER GMBH				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	10	60	Material Spec. A691 Grade 11,12,22,5,9,91
	1	246	Schedule Visible to C&P	NA		
	1	278	Thickness(MM) Visible to C&P	0	77	
	1	263	Standard(INCH) Visible to C&P	NA		
2. Supplier Code - Name		E633 - EEW KOREA CO. LTD [II :SAME AS ENQUIRY]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	1	1	1.25 Cr- 0.5 Mo: 16-48" THK UPTO 50MM, 2.25 Cr-1.0 Mo: 16-40" THK UPTO 50MM.: GERMANY WORKS; 16-28" 1.25 Cr-0.5 Mo : KOREA WORKS
	1	246	Schedule Visible to C&P			
	1	278	Thickness(MM) Visible to C&P	1	1	0-50 MM : GERMANY WORKS; 0-59 MM : KOREA WORKS
	1	263	Standard(INCH) Visible to C&P	066055053055		
3. Supplier Code - Name		H642 - HYUNDAI RB CO.LTD [GYEONGNAM]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	1	1	
	1	263	Standard(INCH) Visible to C&P	1	1	A691 (LSAW)
4. Supplier Code - Name		I583 - INOX TECH. SPA				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	16	48	A691 Gr. 1.25Cr.
	1	246	Schedule Visible to C&P	0	0	
	1	278	Thickness(MM) Visible to C&P	0	22	
	1	263	Standard(INCH) Visible to C&P	0	0	

* IR - Interpretation Required

Item	60NB	Description PIPE-WELDED ALLOY STEEL				
5. Supplier Code - Name		L061 - LALIT PIPES AND PIPES LTD. [THANE]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	16	48	THICKNESS UPTO 32 MM.GR. 1.25CR;2.25CR;5CR.
	1	246	Schedule Visible to C&P			
	1	278	Thickness(MM) Visible to C&P	0	32	
	1	263	Standard(INCH) Visible to C&P			
6. Supplier Code - Name		R066 - RATNAMANI METALS AND TUBES LTD [INDRAD,AHMEDABAD]				
Item Remarks:-		Refer remarks				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	16	48	CHHATRAL WORKS: A691:1.25 Cr, 2.25 Cr; CLASS 20,21,22,23,30,31,32,33,40,41,42 & 43 & 5 Cr, 9 Cr; CLASS 30,31,32,33,40,41,42 & 43
	1	246	Schedule Visible to C&P	Refer Remarks		
	1	278	Thickness(MM) Visible to C&P	5	26	
	1	263	Standard(INCH) Visible to C&P	Refer remarks		
7. Supplier Code - Name		R620 - RIVIT SPA				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	258	Size-NB(INCH) Visible to C&P	1	1	Gr. N00825,Size-upto 24"thk upto 72mm & 26-60"thk upto19.05mm,Gr.N04400,Size: upto 24"thk upto 38.89mm,Gr.N06600,Size-upto 10"thk upto18.26mm,Gr.N00625-Size: upto 8 upto Sch120 & 10-18 upto Sch40
	1	246	Schedule Visible to C&P	1	1	
	1	278	Thickness(MM) Visible to C&P	1	1	
Item	60WB	Description PIPE-PVDF/FRP				
1. Supplier Code - Name		G005 - GANDHI & ASSOCIATES				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	253	Size(MM) Visible to C&P	1	1	SIZE:1-60"

* IR - Interpretation Required

Item	60WB		Description PIPE-PVDF/FRP			
2. Supplier Code - Name		P218 - PRAVEEN REINFORCED PLASTICS PVT LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	253	Size(MM) Visible to C&P	0	300	
3. Supplier Code - Name		S251 - SUNRISE INDUSTRIES (INDIA) LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	253	Size(MM) Visible to C&P	0	1600	MATERIAL FRP, LINING PVDF
Item	60XA		Description PIPE-FRP			
1. Supplier Code - Name		C023 - CHEMICAL PROCESS EQPTS. PVT. LTD. [BOMBAY]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	0	600	
2. Supplier Code - Name		C046A - CARBORUNDUM UNIVERSAL LTD-PRODORITE DIVN [TAMIL NADU]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	1	1	
3. Supplier Code - Name		C154 - CARBON EVERFLOW LTD.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	600	1600	
4. Supplier Code - Name		C747 - COMPOSITE PIPES INDUSTRY L.L.C [SULTANATE OF OMAN]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	.5	56	GRP/FRP:PIPE ,COMPLETE PIPING SYSTEM & INSTALATION & CONSTRUCTION SUPERVISION , PRESSURE UPTO 65 KG/CM2
5. Supplier Code - Name		D066 - DOLF INDUSTRIES [GUJRAT]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	1	1	25MM TO 600MM OD

* IR - Interpretation Required

Item	60XA	Description PIPE-FRP				
6. Supplier Code - Name		E216 - EPP COMPOSITE PVT LTD [RAJKOT]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	1	1	COMPLETE PIPING SYSTEM/INSTALLATION ,UNIT I: SIZE 1-36" UPTO RATING PN12.5;38-48" UPTO RATING PN10;UNIT V: 24-36" UPTO RATING 12.5,38-48" UPTO RATING UPTO PN10.
7. Supplier Code - Name		G005 - GANDHI & ASSOCIATES				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	1	1	SIZE:1-60"
8. Supplier Code - Name		I164 - INDUSTRIAL SERVICES				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	0	20	
9. Supplier Code - Name		P028 - POLY PLAST CHEMI-PLANT (I) LTD. [A-16 WAGLE IND EST]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	25	2500	FRP / PVC+FRP / PP+FRP
10. Supplier Code - Name		P218 - PRAVEEN REINFORCED PLASTICS PVT LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	0	300	
11. Supplier Code - Name		R194 - RUIA CHEMICALS P. LTD. [KOLKATA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	1	1	Range: Upto 8"NB.
12. Supplier Code - Name		S251 - SUNRISE INDUSTRIES (INDIA) LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	25	1350	

* IR - Interpretation Required

Item	60XA		Description	PIPE-FRP		
13. Supplier Code - Name		S472 - STRATEGIC ENGINEERING (P) LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	108	Diameter(MM) Visible to C&P	0	1250	
Item	60XB		Description	PIPE-GRE		
1. Supplier Code - Name		C747 - COMPOSITE PIPES INDUSTRY L.L.C [SULTANATE OF OMAN]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	GRE:PIPE ,COMPLETE PIPING SYSTEM & INSTALLATION & CONSTRUCTION SUPERVISION ,SIZE : UPTO 56" PRESSURE UPTO 65 KG/CM2
Item	60YA		Description	PIPE-LEAD		
1. Supplier Code - Name		W033 - WALDIES INDUSTRIES				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	253	Size(MM) Visible to C&P	1	1	
Item	60YB		Description	PIPE-TITANIUM		
1. Supplier Code - Name		R620 - RIVIT SPA				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	244	SB 861-NB(INCH) Visible to C&P	1	1	upto 20" thk upto 19.4mm; Ti Gr.2
	1	312	SB 862-NB(INCH) Visible to C&P	0	0	
2. Supplier Code - Name		S861 - SHANGHAI HUAXIA INTERNATIONAL TRADING CO [China]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	244	SB 861-NB(INCH) Visible to C&P	1	1	3-4" SCH 10S GRADE 2
	1	312	SB 862-NB(INCH) Visible to C&P	0	0	
3. Supplier Code - Name		X663 - XUYI TITAN AND MATERIAL CO LTD [JIANGSU]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	244	SB 861-NB(INCH) Visible to C&P	1	1	upto 114.3 mm OD x 6.02mm thk for GR.2, upto 60.3 mm OD x 3.9mm thk for GR.12
	1	312	SB 862-NB(INCH) Visible to C&P	0	0	

* IR - Interpretation Required