

Item	02AA	Description GASKET NON-ASBESTOS				
1. Supplier Code - Name		3614 - SEALANT AND GASKET INDIA PVT.LTD. [DISTRICT PUNE]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Invisible to C&P	1	1	To be deleted after rationalization of remarks
	1	531	Gasket Size(INCH) Visible to C&P	0	999	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SHEET (RING & FULL FACE)		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	Non Asbestos /Butyl Rubber/PTFE		
2. Supplier Code - Name		C055 - CHAMPION JOINTINGS PVT LTD. [VAPI]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Invisible to C&P	1	1	To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0	999	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SHEET (RING & FULL FACE)		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	Non Asbestos /Butyl Rubber/PTFE		

* IR - Interpretation Required

Item	02AA	Description GASKET NON-ASBESTOS				
3. Supplier Code - Name		D161 - DAVE ENGINEERS PVT.LTD [Vadodara]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Invisible to C&P	1	1	To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0	999	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SHEET (RING & FULL FACE)		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	Non Asbestos /Butyl Rubber/PTFE		
4. Supplier Code - Name		F543 - FLEXITALLIC LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Invisible to C&P	1	1	To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0	999	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SHEET (RING & FULL FACE)		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	Non Asbestos /Butyl Rubber/PTFE		

* IR - Interpretation Required

Item	02AA	Description GASKET NON-ASBESTOS				
5. Supplier Code - Name		G132 - GOODRICH GASKET PVT LTD [CHENNAI]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Invisible to C&P	1	1	To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0	999	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SHEET (RING & FULL FACE)		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	Non Asbestos /Butyl Rubber/PTFE		
6. Supplier Code - Name		H176 - HEM ENGINEERING CORPORATION [THANE]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Invisible to C&P	1	1	To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0	999	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SHEET (RING & FULL FACE)		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	Non Asbestos /Butyl Rubber/PTFE		

* IR - Interpretation Required

Item	02AA	Description GASKET NON-ASBESTOS				
7. Supplier Code - Name		I001 - IGP ENGINEERS PVT. LIMITED [Chennai]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Invisible to C&P	1	1	KOTTIVAKKAM WORKS ONLY.To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0	999	KOTTIVAKKAM WORKS ONLY
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SHEET (RING & FULL FACE)		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	Non Asbestos /Butyl Rubber/PTFE		
8. Supplier Code - Name		J210 - JAMES WALKER INMARCO INDUSTREIS PVT. LTD [Dadra Nagar Haveli]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Invisible to C&P	1	1	To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0 066055053055	999	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SHEET (RING & FULL FACE)		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	Non Asbestos /Butyl Rubber/PTFE		

* IR - Interpretation Required

Item	02AA	Description GASKET NON-ASBESTOS							
9. Supplier Code - Name		J505 - JAMES WALKER & CO LTD							
Item Remarks:-									
	Code	Holiday Desc	Remarks	Client Specific	Clients		IR *	From	To
	05A	DORMANT (NOT TO BE CONSIDERED)	DORMANT	N			N	01/12/2014	
Capabilities									
	Group	Param	Description (UOM)	From		To	Remarks		
	1	263	Standard(INCH) Invisible to C&P	1		1	To be deleted after rationlization		
	1	531	Gasket Size(INCH) Visible to C&P	0		999			
	1	532	Gasket Rating(LBS) Visible to C&P	0		9999			
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SHEET (RING & FULL FACE)					
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	Non Asbestos /Butyl Rubber/PTFE					
10. Supplier Code - Name		M012 - MADRAS INDUSTRIAL PRODUCTS [CHENNAI]							
Item Remarks:-									
Capabilities									
	Group	Param	Description (UOM)	From		To	Remarks		
	1	263	Standard(INCH) Invisible to C&P	1		1	To be deleted after rationalization		
	1	531	Gasket Size(INCH) Visible to C&P	0		999			
	1	532	Gasket Rating(LBS) Visible to C&P	0		9999			
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SHEET (RING & FULL FACE)					
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	Non Asbestos /Butyl Rubber/PTFE					

* IR - Interpretation Required

Item	02AA	Description	GASKET NON-ASBESTOS			
11. Supplier Code - Name		M570 - MOORSIDE MACHINING CO LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Invisible to C&P	1	1	To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0	999	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SHEET (RING & FULL FACE)		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	Non Asbestos /Butyl Rubber/PTFE		
12. Supplier Code - Name		N175 - NEOSEAL ENGINEERING PRIVATE LIMITED [Gandhinagar]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Invisible to C&P	1	1	To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0	999	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SHEET (RING & FULL FACE)		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	Non Asbestos /Butyl Rubber/PTFE		

* IR - Interpretation Required

Item	02AA	Description GASKET NON-ASBESTOS							
13. Supplier Code - Name		S471 - STARFLEX SEALING INDIA PVT LTD [Goa]							
Item Remarks:-									
Capabilities									
	Group	Param	Description (UOM)	From		To	Remarks		
	1	263	Standard(INCH) Invisible to C&P	1		1	To be deleted after rationalization		
	1	531	Gasket Size(INCH) Visible to C&P	0		999			
	1	532	Gasket Rating(LBS) Visible to C&P	0		9999			
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SHEET (RING & FULL FACE)					
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	Non Asbestos /Butyl Rubber/PTFE					
14. Supplier Code - Name		T230 - TECHNO INDUSTRIES (DELETED) [KOTA]							
Item Remarks:-									
	Code	Holiday Desc	Remarks	Client Specific	Clients		IR *	From	To
	05A	DORMANT (NOT TO BE CONSIDERED)	DORMANT	N			N	11/03/2015	
	04T	HOLD ENQ/PO/BO- FIN.CONST/NEG. NET WORTH	HOLD ENQ/PO/BO- FIN.CONST/NEG. NET WORTH	N			N	18/01/2014	
Capabilities									
	Group	Param	Description (UOM)	From		To	Remarks		
	1	263	Standard(INCH) Invisible to C&P	1		1	To be deleted after rationalization		
	1	531	Gasket Size(INCH) Visible to C&P	0		999			
	1	532	Gasket Rating(LBS) Visible to C&P	0		9999			
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SHEET (RING & FULL FACE)					
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	Non Asbestos /Butyl Rubber/PTFE					

* IR - Interpretation Required

Item	02AA	DescriptionGASKET NON-ASBESTOS				
15. Supplier Code - Name		T244 - TEADIT PACKING AND GASKETS PVT LTD [Vadodara]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Invisible to C&P	0	60	To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0	60	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SHEET (RING & FULL FACE)		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	Non Asbestos /Butyl Rubber/PTFE		
16. Supplier Code - Name		U054 - UNI KLINGER LTD [Pune]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Invisible to C&P	1	1	To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0	999	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SHEET (RING & FULL FACE)		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	Non Asbestos /Butyl Rubber/PTFE		
Item	02AB	DescriptionGASKET METALLIC & SOFT IRON				

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	02AB	Description GASKET METALLIC & SOFT IRON				
2. Supplier Code - Name		G132 - GOODRICH GASKET PVT LTD [CHENNAI]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Invisible to C&P	1	1	UPTO 36" UPTO 900#, UPTO 24" UPTO 1500#, UPTO 12" UPTO 2500#..To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0.5	36	
	1	532	Gasket Rating(LBS) Visible to C&P	0	900	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	RTJ (OCT.RING)		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
	2	263	Standard(INCH) Invisible to C&P	1	1	UPTO 36" UPTO 900#, UPTO 24" UPTO 1500#, UPTO 12" UPTO 2500#.To be deleted after rationalization
	2	531	Gasket Size(INCH) Visible to C&P	0.5	24	
	2	532	Gasket Rating(LBS) Visible to C&P	1500	1500	
	2	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	RTJ (OCT.RING)		
	2	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
	3	263	Standard(INCH) Invisible to C&P	1	1	UPTO 36" UPTO 900#, UPTO 24" UPTO 1500#, UPTO 12" UPTO 2500#.To be deleted after rationalization
	3	531	Gasket Size(INCH) Visible to C&P	0.5	12	
	3	532	Gasket Rating(LBS) Visible to C&P	2500	2500	
	3	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	RTJ (OCT.RING)		
	3	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		

* IR - Interpretation Required

Item	02AB	Description GASKET METALLIC & SOFT IRON				
3. Supplier Code - Name		I001 - IGP ENGINEERS PVT. LIMITED [Chennai]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Invisible to C&P	1	1	CHENGALPATTU WORKS ONLY; SIZE: UP TO 72".To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0.5	72	CHENGALPATTU WORKS ONLY; SIZE: UP TO 72"
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	RTJ (OCT.RING)		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
4. Supplier Code - Name		J505 - JAMES WALKER & CO LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Invisible to C&P	1	1	To be deleted after rationlization
	1	531	Gasket Size(INCH) Visible to C&P	0 066055053055	999	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	RTJ (OCT.RING)		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		

* IR - Interpretation Required

Item	02AB	Description GASKET METALLIC & SOFT IRON				
5. Supplier Code - Name		M010 - MICRO PRECISION PRODUCTS PVT LTD [PALWAL]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Invisible to C&P	capable	capable	To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0	999	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Metal Jacketed) Visible to C&P	RTJ (OCT.RING)		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
6. Supplier Code - Name		M012 - MADRAS INDUSTRIAL PRODUCTS [CHENNAI]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Invisible to C&P	1	1	UPTO 34".To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0.5	34	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Metal Jacketed) Visible to C&P	RTJ (OCT.RING)		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		

* IR - Interpretation Required

Item	02AB	DescriptionGASKET METALLIC & SOFT IRON				
7. Supplier Code - Name		M570 - MOORSIDE MACHINING CO LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Invisible to C&P	1	1	To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0	999	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	RTJ (OCT.RING)		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
8. Supplier Code - Name		S471 - STARFLEX SEALING INDIA PVT LTD [Goa]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Invisible to C&P	1	1	SIZE UPTO 12" UPTO 2500#, 14-24" UPTO 1500#.To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0.5	12	
	1	532	Gasket Rating(LBS) Visible to C&P	0	2500	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	RTJ (OCT.RING)		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
	2	263	Standard(INCH) Invisible to C&P	1	1	SIZE UPTO 12" UPTO 2500#, 14-24" UPTO 1500#.To be deleted after rationalization
	2	531	Gasket Size(INCH) Visible to C&P	14	24	
	2	532	Gasket Rating(LBS) Visible to C&P	0	1500	
	2	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	RTJ (OCT.RING)		
	2	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
	Item	02AC	DescriptionGASKET METAL JACKETED			

* IR - Interpretation Required

Item	02AC	Description GASKET METAL JACKETED				
1. Supplier Code - Name		D161 - DAVE ENGINEERS PVT.LTD [Vadodara]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	0	100	To be deleted after rationlization
	1	531	Gasket Size(INCH) Visible to C&P	0.5	100	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	METAL JACKETED		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
2. Supplier Code - Name		F543 - FLEXITALLIC LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0	999	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	METAL JACKETED		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		

* IR - Interpretation Required

Item	02AC	Description GASKET METAL JACKETED				
3. Supplier Code - Name		G132 - GOODRICH GASKET PVT LTD [CHENNAI]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	SIZE UPTO 120".To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0	120	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	METAL JACKETED		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
4. Supplier Code - Name		H176 - HEM ENGINEERING CORPORATION [THANE]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	SIZE: UPTO 64".To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0.5	64	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	METAL JACKETED		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		

* IR - Interpretation Required

Item	02AC	Description GASKET METAL JACKETED				
5. Supplier Code - Name		I001 - IGP ENGINEERS PVT. LIMITED [Chennai]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	KOTTIVAKKAM WORKS ONLY; SIZE: UP TO 165"
	1	531	Gasket Size(INCH) Visible to C&P	0.5	165	KOTTIVAKKAM WORKS ONLY
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	METAL JACKETED		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
6. Supplier Code - Name		J505 - JAMES WALKER & CO LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	To be deleted after rationlization
	1	531	Gasket Size(INCH) Visible to C&P	0	999	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	METAL JACKETED		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		

* IR - Interpretation Required

Item	02AC	Description GASKET METAL JACKETED				
7. Supplier Code - Name		M012 - MADRAS INDUSTRIAL PRODUCTS [CHENNAI]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	UPTO 48".To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0.5	48	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	METAL JACKETED		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
8. Supplier Code - Name		M570 - MOORSIDE MACHINING CO LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0	999	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	METAL JACKETED		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		

* IR - Interpretation Required

Item	02AC	Description GASKET METAL JACKETED				
9. Supplier Code - Name		N175 - NEOSEAL ENGINEERING PRIVATE LIMITED [Gandhinagar]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	Size: Upto 40".To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0.5	40	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	METAL JACKETED		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
10. Supplier Code - Name		S471 - STARFLEX SEALING INDIA PVT LTD [Goa]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	SIZE UPTO 152".To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0.5	152	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	METAL JACKETED		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		

* IR - Interpretation Required

Item	02AC	Description GASKET METAL JACKETED				
11. Supplier Code - Name		T210 - TEEKAY FLOWFLEX PVT. LTD. [DIST RAIGAD]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	Upto 80" Upto ANSI Cl. 300; Gr. Soft Iron SS304/316,Monel.To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0.5	80	
	1	532	Gasket Rating(LBS) Visible to C&P	150	300	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	METAL JACKETED		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
12. Supplier Code - Name		T244 - TEADIT PACKING AND GASKETS PVT LTD [Vadodara]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	0	60	To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0 066055053055	60	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	METAL JACKETED		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		

* IR - Interpretation Required

Item	02AC		Description	GASKET METAL JACKETED		
13. Supplier Code - Name			U054 - UNI KLINGER LTD [Pune]			
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	SIZE UPTO 120".To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0.5	120	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	METAL JACKETED		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
Item	02AD		Description	GASKET SPIRAL WOUND		
1. Supplier Code - Name			B144 - BOMBAY CHEMICAL EQUIPMENTS [Mumbai]			
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	Size: 0.5-24" upto 600#.To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0.5	24	
	1	532	Gasket Rating(LBS) Visible to C&P	150	600	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		

* IR - Interpretation Required

Item	02AD	Description GASKET SPIRAL WOUND				
2. Supplier Code - Name		C055 - CHAMPION JOINTINGS PVT LTD. [VAPI]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	Upto 24" & Upto Cl. 300. To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0.5	24	
	1	532	Gasket Rating(LBS) Visible to C&P	150	300	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Metal Jacketed) Visible to C&P	SPIRAL WOUND		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		

066055053055

* IR - Interpretation Required

Item	02AD	Description	GASKET SPIRAL WOUND			
3. Supplier Code - Name		D161 - DAVE ENGINEERS PVT.LTD [Vadodara]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	SIZE: 1) 0.5"-56" 150 CLASS, 2) 0.5"-48" 300 CLASS AND 3) 0.5"-30" 600 CLASS : To be deleted after rationalition
	1	531	Gasket Size(INCH) Visible to C&P	0.5	56	
	1	532	Gasket Rating(LBS) Visible to C&P	150	150	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
	2	263	Standard(INCH) Visible to C&P	1	1	SIZE: 1) 0.5"-56" 150 CLASS, 2) 0.5"-48" 300 CLASS AND 3) 0.5"-30" 600 CLASS : To be deleted after rationalition
	2	531	Gasket Size(INCH) Visible to C&P	0.5	48	
	2	532	Gasket Rating(LBS) Visible to C&P	300	300	
	2	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND		
	2	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
	3	263	Standard(INCH) Visible to C&P	1	1	SIZE: 1) 0.5"-56" 150 CLASS, 2) 0.5"-48" 300 CLASS AND 3) 0.5"-30" 600 CLASS : To be deleted after rationalition
	3	531	Gasket Size(INCH) Visible to C&P	0.5	30	
	3	532	Gasket Rating(LBS) Visible to C&P	600	600	
	3	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND		
	3	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		

* IR - Interpretation Required

Item	02AD	Description GASKET SPIRAL WOUND				
4. Supplier Code - Name		F543 - FLEXITALLIC LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0	999	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		

066055053055

* IR - Interpretation Required

Item	02AD	Description	GASKET SPIRAL WOUND			
5. Supplier Code - Name		G132 - GOODRICH GASKET PVT LTD [CHENNAI]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	UPTO 60" UPTO 600#, UPTO 48" UPTO 900#, UPTO 24" UPTO 1500#, UPTO 12" UPTO 2500#.To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0.5	60	
	1	532	Gasket Rating(LBS) Visible to C&P	150	600	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
	2	263	Standard(INCH) Visible to C&P	1	1	UPTO 60" UPTO 600#, UPTO 48" UPTO 900#, UPTO 24" UPTO 1500#, UPTO 12" UPTO 2500#.To be deleted after rationalization
	2	531	Gasket Size(INCH) Visible to C&P	0.5	48	
	2	532	Gasket Rating(LBS) Visible to C&P	900	900	
	2	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND		
	2	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
	3	263	Standard(INCH) Visible to C&P	1	1	UPTO 60" UPTO 600#, UPTO 48" UPTO 900#, UPTO 24" UPTO 1500#, UPTO 12" UPTO 2500#.To be deleted after rationalization
	3	531	Gasket Size(INCH) Visible to C&P	0.5	24	
	3	532	Gasket Rating(LBS) Visible to C&P	1500	1500	
	3	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND		
	3	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		

* IR - Interpretation Required

Item	02AD	Description	GASKET SPIRAL WOUND			
	4	263	Standard(INCH) Visible to C&P	1	1	UPTO 60" UPTO 600#, UPTO 48" UPTO 900#, UPTO 24" UPTO 1500#, UPTO 12" UPTO 2500#.To be deleted after rationalization
	4	531	Gasket Size(INCH) Visible to C&P	0.5	12	
	4	532	Gasket Rating(LBS) Visible to C&P	2500	2500	
	4	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND		
	4	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
6. Supplier Code - Name H176 - HEM ENGINEERING CORPORATION [THANE]						
Item Remarks:-						
<i>Capabilities</i>						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	UPTO 44" UPTO 300#.To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0.5	44	
	1	532	Gasket Rating(LBS) Visible to C&P	150	300	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
7. Supplier Code - Name 1001 - IGP ENGINEERS PVT. LIMITED [Chennai]						
Item Remarks:-						
<i>Capabilities</i>						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	KOTTIVAKKAM WORKS ONLY; SIZE: UP TO 156".To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0.5	156	KOTTIVAKKAM WORKS ONLY; SIZE: UP TO 156"
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		

* IR - Interpretation Required

Item	02AD	Description	GASKET SPIRAL WOUND				
8. Supplier Code - Name		J210 - JAMES WALKER INMARCO INDUSTREIS PVT. LTD [Dadra Nagar Haveli]					
Item Remarks:-							
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	263	Standard(INCH) Visible to C&P	1	1	Size: upto 24"150#, upto 20" 300# & upto 12" 600#.To be deleted after rationalization	
	1	531	Gasket Size(INCH) Visible to C&P	0.5	24		
	1	532	Gasket Rating(LBS) Visible to C&P	150	150		
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND			
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL			
	2	263	Standard(INCH) Visible to C&P	1	1	Size: upto 24"150#, upto 20" 300# & upto 12" 600#.To be deleted after rationalization	
	2	531	Gasket Size(INCH) Visible to C&P	0.5	20		
	2	532	Gasket Rating(LBS) Visible to C&P	300	300		
	2	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND			
	2	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL			
	3	263	Standard(INCH) Visible to C&P	1	1	Size: upto 24"150#, upto 20" 300# & upto 12" 600#.To be deleted after rationalization	
	3	531	Gasket Size(INCH) Visible to C&P	0.5	12		
	3	532	Gasket Rating(LBS) Visible to C&P	600	600		
	3	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND			
	3	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL			

* IR - Interpretation Required

Item	02AD	Description GASKET SPIRAL WOUND				
9. Supplier Code - Name		J505 - JAMES WALKER & CO LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	To be deleted after rationlization
	1	531	Gasket Size(INCH) Visible to C&P	0	999	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
10. Supplier Code - Name		M012 - MADRAS INDUSTRIAL PRODUCTS [CHENNAI]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	UPTO 52".To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0.5	52	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		

* IR - Interpretation Required

Item	02AD	Description GASKET SPIRAL WOUND				
11. Supplier Code - Name		M570 - MOORSIDE MACHINING CO LTD				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0	999	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
12. Supplier Code - Name		N175 - NEOSEAL ENGINEERING PRIVATE LIMITED [Gandhinagar]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	Refer remarks	Refer remarks	SIZE; 0.5-24" Upto 600#.To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0.566055053055	24	
	1	532	Gasket Rating(LBS) Visible to C&P	150	600	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		

* IR - Interpretation Required

Item	02AD	Description	GASKET SPIRAL WOUND			
13. Supplier Code - Name		S471 - STARFLEX SEALING INDIA PVT LTD [Goa]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	SIZE: UPTO 12" UPTO 2500#, 14-24" UPTO 1500#, 26-48" UPTO 900#.To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0.5	12	
	1	532	Gasket Rating(LBS) Visible to C&P	0	2500	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
	2	263	Standard(INCH) Visible to C&P	1	1	SIZE: UPTO 12" UPTO 2500#, 14-24" UPTO 1500#, 26-48" UPTO 900#.To be deleted after rationalization
	2	531	Gasket Size(INCH) Visible to C&P	14	24	
	2	532	Gasket Rating(LBS) Visible to C&P	0	1500	
	2	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND		
	2	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		
	3	263	Standard(INCH) Visible to C&P	1	1	SIZE: UPTO 12" UPTO 2500#, 14-24" UPTO 1500#, 26-48" UPTO 900#.To be deleted after rationalization
	3	531	Gasket Size(INCH) Visible to C&P	26	48	
	3	532	Gasket Rating(LBS) Visible to C&P	0	900	
	3	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND		
	3	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		

* IR - Interpretation Required

Item	02AD	Description	GASKET SPIRAL WOUND				
14. Supplier Code - Name		T210 - TEEKAY FLOWFLEX PVT. LTD. [DIST RAIGAD]					
Item Remarks:-							
Capabilities							
	Group	Param	Description (UOM)	From	To	Remarks	
	1	263	Standard(INCH) Visible to C&P	1	1	0.5"-12" upto 2500#; 14"-24" upto 1500#; 26"-42" upto 900#; 44"-80" upto 300#.To be deleted after rationalization	
	1	531	Gasket Size(INCH) Visible to C&P	0.5	12		
	1	532	Gasket Rating(LBS) Visible to C&P	150	2500		
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND			
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL			
	2	263	Standard(INCH) Visible to C&P	1	1	0.5"-12" upto 2500#; 14"-24" upto 1500#; 26"-42" upto 900#; 44"-80" upto 300#.To be deleted after rationalization	
	2	531	Gasket Size(INCH) Visible to C&P	14	24		
	2	532	Gasket Rating(LBS) Visible to C&P	150	1500		
	2	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND			
	2	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL			
	3	263	Standard(INCH) Visible to C&P	1	1	0.5"-12" upto 2500#; 14"-24" upto 1500#; 26"-42" upto 900#; 44"-80" upto 300#.To be deleted after rationalization	
	3	531	Gasket Size(INCH) Visible to C&P	26	42		
	3	532	Gasket Rating(LBS) Visible to C&P	150	900		
	3	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND			
	3	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL			

* IR - Interpretation Required

Item	02AD	Description	GASKET SPIRAL WOUND
4	263	Standard(INCH) Visible to C&P	1
4	531	Gasket Size(INCH) Visible to C&P	44
4	532	Gasket Rating(LBS) Visible to C&P	150
4	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND
4	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL

15. Supplier Code - Name T230 - TECHNO INDUSTRIES (DELETED) [KOTA]

Item Remarks:-

Code	Holiday Desc	Remarks	Client Specific	Clients	IR *	From	To
04T	HOLD ENQ/PO/BO-FIN.CONST/NEG. NET WORTH	HOLD ENQ/PO/BO-FIN.CONST/NEG. NET WORTH	N		N	18/01/2014	
05A	DORMANT (NOT TO BE CONSIDERED)	DORMANT	N		N	11/03/2015	

Capabilities

Group	Param	Description (UOM)	From	To	Remarks
1	263	Standard(INCH) Visible to C&P	1	1	Upto 24" & Upto ANSI Class 600.To be deleted after rationalization
1	531	Gasket Size(INCH) Visible to C&P	0.5	24	
1	532	Gasket Rating(LBS) Visible to C&P	150	600	
1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND		
1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		

* IR - Interpretation Required

Item	02AD	DescriptionGASKET SPIRAL WOUND				
16. Supplier Code - Name		T244 - TEADIT PACKING AND GASKETS PVT LTD [Vadodara]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	0	60	To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0	60	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL		

066055053055

* IR - Interpretation Required

* **IR** - Interpretation Required

Item	02AD	Description	GASKET SPIRAL WOUND
4	263	Standard(INCH) Visible to C&P	1
4	531	Gasket Size(INCH) Visible to C&P	30
4	532	Gasket Rating(LBS) Visible to C&P	150
4	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SPIRAL WOUND
4	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	ALL

Item	02AG	Description	GASKET-PTFE(GLASS FILLED)
1. Supplier Code - Name		D097 - DIP-FLON ENGINEERING & CO. [CHHATRAL]	

Item Remarks:-						
Capabilities						
Group	Param	Description (UOM)	From	To	Remarks	
1	263	Standard(INCH) Visible to C&P	1	1	To be deleted after rationalization	
1	531	Gasket Size(INCH) Visible to C&P	0	999		
1	532	Gasket Rating(LBS) Visible to C&P	0 066055053055	9999		
1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SHEET (RING & FULL FACE)			
1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	PTFE-Glass Filled			

2. Supplier Code - Name		G132 - GOODRICH GASKET PVT LTD [CHENNAI]				
Item Remarks:-						

Capabilities						
Group	Param	Description (UOM)	From	To	Remarks	
1	263	Standard(INCH) Visible to C&P	1	1	SIZE UPTO 120".To be deleted after rationalization	
1	531	Gasket Size(INCH) Visible to C&P	0.5	120		
1	532	Gasket Rating(LBS) Visible to C&P	0	9999		
1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SHEET (RING & FULL FACE)			
1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	PTFE-Glass Filled			

* IR - Interpretation Required

Item	02AG	Description GASKET-PTFE(GLASS FILLED)				
3. Supplier Code - Name		S471 - STARFLEX SEALING INDIA PVT LTD [Goa]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	SIZE UPTO 80".To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0.5	80	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SHEET (RING & FULL FACE)		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	PTFE-Glass Filled		
4. Supplier Code - Name		T244 - TEADIT PACKING AND GASKETS PVT LTD [Vadodara]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	0	60	To be deleted after rationalization
	1	531	Gasket Size(INCH) Visible to C&P	0	60	
	1	532	Gasket Rating(LBS) Visible to C&P	0	9999	
	1	533	Gasket Type: (Spiral WD/RTJ/Sheet/KamProfile/Met al Jacketed) Visible to C&P	SHEET (RING & FULL FACE)		
	1	534	Gasket Material : All / (Non Asbestos /Butyl Rubber/PTFE) / PTFE-Glass Filled Visible to C&P	PTFE-Glass Filled		
Item	02AH	Description GASKET KAMPROFILE				
1. Supplier Code - Name		G132 - GOODRICH GASKET PVT LTD [CHENNAI]				
Item Remarks:- As per details below:						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	Circular:1-2500mm ,Rectangular:1-2800x725(LxB)mm
2. Supplier Code - Name		T210 - TEEKAY FLOWFLEX PVT. LTD. [DIST RAIGAD]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	SIZE: DIA UPTO 2 MTR & THK UPTO 4MM

* IR - Interpretation Required

Item	02AH	Description GASKET KAMPROFILE				
3. Supplier Code - Name T244 - TEADIT PACKING AND GASKETS PVT LTD [Vadodara]						
Item Remarks:- As per details below:						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	0	60	
Item	02BA	Description HOSE- RUBBER (STEAM/GAS/AIR/WATER/CHEM.)				
1. Supplier Code - Name D144 - DEWAS HYDROQUIP PVT LTD [DEWAS]						
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	265	Steam(INCH) Visible to C&P	1	1	0.5" TO 3"- RUBBER, 0.25" TO 2"- TEFLON
	1	147	Gas(INCH) Visible to C&P	1	1	0.5" TO 3"- RUBBER, 0.25" TO 2"- TEFLON
	1	13	Air Visible to C&P	1	1	0.5" TO 3"- RUBBER, 0.25" TO 2"- TEFLON
	1	290	Water(INCH) Visible to C&P	1	1	0.5" TO 3"- RUBBER, 0.25" TO 2"- TEFLON
	1	78	Chemical/Others Visible to C&P	1	1	0.5" TO 3"- RUBBER, 0.25" TO 2"- TEFLON
2. Supplier Code - Name G052 - GAYTRI INDUSTRIAL CORPORATION [Thane]						
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	265	Steam(INCH) Visible to C&P	.2566055053055	8	RUBBER
	1	147	Gas(INCH) Visible to C&P	.25	8	RUBBER
	1	13	Air Visible to C&P	.25	8	RUBBER
	1	290	Water(INCH) Visible to C&P	.25	8	RUBBER
	1	78	Chemical/Others Visible to C&P	.25	6	TEFLON
3. Supplier Code - Name H184 - HELIFLEX HYDRAULICS & ENGG.CO.						
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	265	Steam(INCH) Visible to C&P	.5	2	
	1	147	Gas(INCH) Visible to C&P	.5	2	
	1	13	Air Visible to C&P	.5	2	
	1	290	Water(INCH) Visible to C&P	.5	2	
	1	78	Chemical/Others Visible to C&P	.5	2	

* IR - Interpretation Required

Item	02BA	Description HOSE- RUBBER (STEAM/GAS/AIR/WATER/CHEM.)				
4. Supplier Code - Name		I207 - INSAP ENGINEERS PVT. LTD [CHENNAI]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	265	Steam(INCH) Visible to C&P	.25	4	
	1	147	Gas(INCH) Visible to C&P	.25	4	
	1	13	Air Visible to C&P	.25	4	
	1	290	Water(INCH) Visible to C&P	.25	4	
	1	78	Chemical/Others Visible to C&P	.25	4	
5. Supplier Code - Name		P316 - PIX TRANSMISSIONS LIMITED [NAGPUR]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	265	Steam(INCH) Visible to C&P	1	1	
	1	147	Gas(INCH) Visible to C&P	1	1	
	1	13	Air Visible to C&P	1	1	
	1	290	Water(INCH) Visible to C&P	1	1	
	1	78	Chemical/Others Visible to C&P	1	1	
6. Supplier Code - Name		R204 - RM APPLIED ENGINEERS [Mumbai]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	265	Steam(INCH) Visible to C&P	.25	10	
	1	147	Gas(INCH) Visible to C&P	.25	10	
	1	13	Air Visible to C&P	.25	10	
	1	290	Water(INCH) Visible to C&P	.25	10	
	1	78	Chemical/Others Visible to C&P	.25	10	
7. Supplier Code - Name		S254 - SRIDHAR ENGG. & RUBER PRODUCTS PVT LTD. [VIJAYAWADA]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	13	Air Visible to C&P	1	1	RANGE:0.5-8.0IN.NB;LENGTH 20 MTR
	1	290	Water(INCH) Visible to C&P	1	1	RANGE:0.5-8.0IN.NB;LENGTH 20 MTR
	1	78	Chemical/Others Visible to C&P	1	1	RANGE:0.5-8.0IN.NB;LENGTH 20 MTR

* IR - Interpretation Required

Item	02BA	Description HOSE- RUBBER (STEAM/GAS/AIR/WATER/CHEM.)							
8. Supplier Code - Name		S773 - SWAGELOK CO. [Solon OH]							
Item Remarks:-									
Capabilities									
	Group	Param	Description (UOM)	From		To	Remarks		
	1	265	Steam(INCH) Visible to C&P	1		1			
	1	147	Gas(INCH) Visible to C&P	1		1			
	1	13	Air Visible to C&P	1		1			
	1	290	Water(INCH) Visible to C&P	1		1			
	1	78	Chemical/Others Visible to C&P	1		1			
Item	02BC	Description HOSE METALLIC FLEXIBLE SS							
1. Supplier Code - Name		A326 - AEROFLEX INDUSTRIES PVT LTD							
Item Remarks:-									
	Code	Holiday Desc		Remarks	Client Specific	Clients		IR *	From To
	02R	HOLIDAY-FINANCIAL CRISIS/NEG. NET WORTH		HOLIDAY-FINANCIAL CRISIS/NEG. NET WORTH	N			N	28/12/2011
Capabilities									
	Group	Param	Description (UOM)	From		To	Remarks		
	1	263	Standard(INCH) Visible to C&P	1 066055053055		1	FLEXIBLE CORRUGATED HOSES WITH SINGLE,DOUBLE OR WITHOUT BRAIDING. SIZE: 3/4" TO 4" NB , MATERIAL - SS304,316,321		
2. Supplier Code - Name		B179 - BENGAL INDUSTRIES PVT LTD							
Item Remarks:-									
Capabilities									
	Group	Param	Description (UOM)	From		To	Remarks		
	1	263	Standard(INCH) Visible to C&P	1		1	SIZE - 1/4" TO 8" NB, SS304/316/321		
3. Supplier Code - Name		D144 - DEWAS HYDROQUIP PVT LTD [DEWAS]							
Item Remarks:-									
Capabilities									
	Group	Param	Description (UOM)	From		To	Remarks		
	1	263	Standard(INCH) Visible to C&P	1		1	0.5" TO 4"- 4mm Thk/Sch 40- 304,304L,316,316L (As per BS/JIS etc)		
4. Supplier Code - Name		G052 - GAYTRI INDUSTRIAL CORPORATION [Thane]							
Item Remarks:-									
Capabilities									
	Group	Param	Description (UOM)	From		To	Remarks		
	1	263	Standard(INCH) Visible to C&P	1		1	SIZE: 1/4" TO 6"		

* IR - Interpretation Required

Item	02BC	Description HOSE METALLIC FLEXIBLE SS				
5. Supplier Code - Name		H184 - HELIFLEX HYDRAULICS & ENGG.CO.				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	.25	3	
6. Supplier Code - Name		I197 - INDIA FLEX INDUSTRIES PVT.LTD. [NAVI MUMBAI]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	Size 0.25-4", Material SS304/L,316/L,321
7. Supplier Code - Name		I207 - INSAP ENGINEERS PVT. LTD [CHENNAI]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	1/4" to 8"
8. Supplier Code - Name		R204 - RM APPLIED ENGINEERS [Mumbai]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	SIZE: 0.25-8"
9. Supplier Code - Name		S421 - SENIOR INDIA PRIVATE LIMITED [Gurgaon]				
Item Remarks:-		066055053055				
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	SIZE 1/2" TO 8"
10. Supplier Code - Name		S773 - SWAGELOK CO. [Solon OH]				
Item Remarks:-						
Capabilities						
	Group	Param	Description (UOM)	From	To	Remarks
	1	263	Standard(INCH) Visible to C&P	1	1	

* IR - Interpretation Required