

Enq- 4101700027 dt 15.07.2017 for BW Fittings (CS, AS & SS)

Item list

Sl No	Material Code	Description	Quantity (nos)	Specification	Construction	Fitting D1 value	Drawing No (if any)
1	925247100000	BW LR 45DEG ELL 273 X 9.27A234WP22CL1	2	SA234WP22CL1	SEAMLESS	D254.5	
2	925241300000	BW LR 90DEG ELL 508 X 20 SA234WP22	6	SA234WP22	SEAMLESS	P-471.5	
3	925249110000	BW LR 45DEG ELL OD558.8X32 SA234WP22CL1	5	SA234WP22CL1	SEAMLESS	P499.6	
4	925244120000	BW LR 90DEG ELL OD609.6X20 SA234WP22CL1	1	SA234WP22CL1	SEAMLESS	P572.6	
5	925041520000	BW LR 90DEG ELBOW OD864X35-SA234WP22CL1	3	SA234WP22CL1	SEAMLESS	797.7	
6	925041550000	BW LR 60DEG ELBOW OD864X35-SA234WP22CL1	3	SA234WP22CL1	SEAMLESS	797.7	
7	925249560000	BW LR 90DEG ELL OD965X37 SA234WP22CL1	2	SA234WP22CL1	SEAMLESS	P/892.27	
8	925178920000	BW RED 73X5.16/60.3X5.54 SA234WP22CL1	3	SA234WP22CL1	SEAMLESS	D62.7/D49	
9	925274300000	BW RED 114.3X20/88.9X20 SA234WP22CL1	6	SA234WP22	SEAMLESS	P 77/P 51	
10	921172100000	BWCON RED 168.3X10.97/73X14.02/SA234WP22	3	SA234WP22CL1	SEAMLESS	D-147.4/D-47.7	
11	921176460000	BW RED 273X15.09/219.1X12.7 SA234WP22CL1	9	SA234WP22CL1	SEAMLESS	P/244.4/194.1	
12	925274320000	BW RED 273X16/114.3X8.56 SA234WP22CL1	1	SA234WP22CL1	SEAMLESS	P245 / D97.2	
13	925279170000	BW RED 323.9X9.53/219.1X6.35SA234WP22CL1	1	SA234WP22CL1	SEAMLESS	D-304.8/D-206.4	
14	921172090000	BW RED OD355.6X15.09/OD273X15.09-WP12	3	SA234WP12CL1	SEAMLESS	P-326.6/242.8	
15	925274700000	BWCONRED406.4X16/323.9X12.7 SA234WP22	3	SA234WP22	SEAMLESS	P - 376.21/ D - 304.8	
16	921171850000	BWCON RED 457X19.05/355.6X9.53/SA234WP22	3	SA234WP22CL1	SEAMLESS		
17	921177740000	BW RED 610X9.53/406.4X9.53 SA234WP22(W)	3	SA234WP22CL1	WELDED AS	D - D1=590.0 / 387.3	
18	921171950000	BW RED OD813X80/OD711.2X40 SA234WP22CL1	4	SA234WP22CL1	SEAMLESS	P 670/ P 635	
19	921172080000	BW RED OD965X37/OD660X28.58 SA234WP12CL1	3	SA234WP12CL1	SEAMLESS	P-892.77/607.4	
20	921171900000	BW RED OD965X37/OD914X50 SA234WP22CL1	2	SA234WP22CL1	SEAMLESS		
21	925256620000	BW UEQT 114.3X17.12/73X14.02SA234WP22CL1	8	SA234WP22	SEAMLESS	P83.2/D47.7	
22	925051460000	BW UNEQT OD168.3X10.97/OD73X14.02 WP22	9	SA234WP22CL1	SEAMLESS	D-147.4/D-47.7	
23	925254120000	BW EQT OD273X15.09 SA234WP22CL1	6	SA234WP22CL1	SEAMLESS	P/244.4	
24	925255930000	UEQT 323.9X9.53/219.1X12.7 SA234WP22CL1	1	SA234WP22CL1	SEAMLESS	D 304.8 / D 194.1	
25	925250050000	BW UEQTOD711.2X40/OD558.8X32SA234WP22CL1	4	SA234WP22CL1	SEAMLESS	P 635 / P 499.6	
26	925250060000	BW UEQT OD711.2X40/OD323.9X20 SA234WP22C	4	SA234WP22CL1	SEAMLESS	P 635 / P 288.3	
27	925250090000	BW UEQT OD711.2X40/OD610X39 SA234WP22CL1	2	SA234WP22CL1	SEAMLESS	STY P 635/535	
28	925051160000	BW UEQT 965X37/323.9X14.27 SA234WP22	2	SA234WP22	SEAMLESS	STY-P-894/298	
29	925051440000	BW UEQT OD965X37/OD508X30 SA234WP22CL1	2	SA234WP22CL1	SEAMLESS		
30	925243210000	BW LR 90DEG ELL OD219.1X12.7 SA234WPC	2	SA234WPC	SEAMLESS	D194.1	
31	925041450000	B16.9 BWLR 45DEG ELBOW OD219.1X42 234WPC	3	SA234WPC	SEAMLESS	138.1/STY-P	
32	925041800000	BW LR 30DEG ELBOW ID200X35-SA234WPC	12	SA234WPC	SEAMLESS	AS PER DRG	4-80-424-80923
33	925041810000	BW LR 90DEG ELBOW ID200X35-SA234WPC	57	SA234WPC	SEAMLESS	AS PER DRG	4-80-424-80912
34	925247920000	BW LR 90DEG ELL OD323.9X56 SA234WPC	12	SA234WPC	SEAMLESS	P/214.2	
35	925040620000	BW LR 90DEG ELL OD323.9X61 SA234WPC	45	SA234WPC	SEAMLESS	P 206	
36	925041440000	B16.9 BWLR 60DEG ELBOW OD323.9X61 234WPC	3	SA234WPC	SEAMLESS	206/STY-P	
37	925041710000	BW LR 90DEG ELBOW ID220X56-SA234WPC	12	SA234WPC	SEAMLESS	AS PER DRG	4-80-423-80909
38	925248640000	BW LR 45DEG ELL OD368X48 SA234WPC	1	SA234WPC	SEAMLESS	P281	
39	925041720000	BW LR 90DEG ELBOW ID290X50-SA234WPC	96	SA234WPC	SEAMLESS	AS PER DRG	4-80-423-80910
40	925041730000	BW LR 45DEG ELBOW ID290X50-SA234WPC	6	SA234WPC	SEAMLESS	AS PER DRG	4-80-423-80919
41	925041740000	BW LR 30DEG ELBOW ID290X50-SA234WPC	12	SA234WPC	SEAMLESS	AS PER DRG	4-80-423-80920
42	925041750000	BW LR 60DEG ELBOW ID290X50-SA234WPC	3	SA234WPC	SEAMLESS	AS PER DRG	4-80-423-80915
43	925041760000	BW LR 90DEG ELBOW ID305X53-SA234WPC	54	SA234WPC	SEAMLESS	AS PER DRG	4-80-423-80911
44	925041770000	BW LR 30DEG ELBOW ID305X53-SA234WPC	12	SA234WPC	SEAMLESS	AS PER DRG	4-80-423-80921
45	925041780000	BW LR 60DEG ELBOW ID305X53-SA234WPC	3	SA234WPC	SEAMLESS	AS PER DRG	4-80-423-80916
46	925041790000	BW LR 30DEG ELBOW ID312X54-SA234WPC	6	SA234WPC	SEAMLESS	AS PER DRG	4-80-424-80922
47	925041820000	BW LR 90DEG ELBOW ID312X54-SA234WPC	33	SA234WPC	SEAMLESS	AS PER DRG	4-80-424-80913
48	925041660000	BW LR 90DEG ELBOW ID285X71-SA234WPC	51	SA234WPC	SEAMLESS	AS PER DRG	4-80-423-80905
49	925041670000	BW LR 45DEG ELBOW ID285X71-SA234WPC	15	SA234WPC	SEAMLESS	AS PER DRG	4-80-423-80917
50	925242910300	BW SR 90DEG ELL OD457X10 SA234WPB	1	SA234WPB	SEAMLESS	D 438.1	
51	925041840000	BW LR 90DEG ELBOW OD508X20-SA234WPC	6	SA234WPC	SEAMLESS	471.5	
52	925249290000	BW LR 45DEG ELL OD508X64 SA234WPC	1	SA234WPC	SEAMLESS	392	
53	925041700000	BW LR 90DEG ELBOW ID402X68-SA234WPC	9	SA234WPC	SEAMLESS	AS PER DRG	4-80-423-80908
54	925049310000	BW LR 30DEG ELL OD559X72 SA234WPC	4	SA234WPC	SEAMLESS	P/422	
55	925041830000	BW LR 90DEG ELBOW ID440X75-SA234WPC	30	SA234WPC	SEAMLESS	AS PER DRG	4-80-425-80914
56	925041680000	BW LR 45DEG ELBOW ID402X100-SA234WPC	3	SA234WPC	SEAMLESS	AS PER DRG	4-80-423-80918
57	925041690000	BW LR 90DEG ELBOW ID402X100-SA234WPC	9	SA234WPC	SEAMLESS	AS PER DRG	4-80-423-80907
58	925041480000	BW 90DEG LR ELBOW ID460X77 SA234WPC	8	SA234WPC	SEAMLESS	STY P 460	4-80-425-80829
59	925041470000	BW 90DEG LR ELBOW OD660X29 SA234WPC	4	SA234WPC	SEAMLESS	P 606.6	
60	925048510000	BW LR 90DEG ELL OD660X116 SA234WPC	4	SA234WPC	SEAMLESS	P' D1=452.8	
61	925049030000	BW LR 90DEG ELL OD965X10 SA234WPB(W)	21	SA234WPB	WELDED CS	D/ D1/945	

Enq- 4101700027 dt 15.07.2017 for BW Fittings (CS, AS & SS)

Item list

Sl No	Material Code	Description	Quantity (nos)	Specification	Construction	Fitting D1 value	Drawing No (if any)
62	925041560000	BW LR 45DEG ELBOW OD1016X38 -SA234WPC	6	SA234WPC	SEAMLESS	943.3	
63	925041640000	BW LR 60DEG ELBOW OD1016X38 -SA234WPC	3	SA234WPC	SEAMLESS	943.3	
64	925041650000	BW LR 90DEG ELBOW OD1016X38-SA234WPC	15	SA234WPC	SEAMLESS	943.3	
65	925273420000	BWCONRED219.1X12.7/168.3X10.97 SA234WPC	6	SA234WPC	SEAMLESS	D-194.1/D-147.4	
66	925273890000	BW RED 219.1X30/168.3X22.2 SA234WPC	8	SA234WPC	SEAMLESS	P164.9/P127.8	
67	925273520000	BW RED 355.6X12.7/219.1X8.18 SA234WPB	3	SA234WPB	SEAMLESS	D 330.2/D 202.8	
68	921174310000	BW RED 368X48/273X32 SA234WPC	1	SA234WPC	SEAMLESS	281/214.5	
69	925178960000	BW RED 368X48/323.9X42 SA234WPC	10	SA234WPC	SEAMLESS	P281/246.3	
70	921172410000	BW REDUCER ID312X54/ID200X35-SA234WPC	12	SA234WPC	SEAMLESS	AS PER DRG	4-80-424-80926
71	921172430000	BW REDUCER ID312X54/ID245X43-SA234WPC	6	SA234WPC	SEAMLESS	AS PER DRG	4-80-424-81022
72	921175630000	BW RED 457X82/406.4X72 SA234WPC	4	SA234WPC	SEAMLESS	P' D1=314/P' D1=266.8	
73	925277520000	BW RED 508X12.7/406.4X12.7 SA234WPB	4	SA234WPB	SEAMLESS	D482.8/D381.3	
74	921176840000	BW RED 508X71/457X62 SA234WPC	1	SA234WPC	SEAMLESS	P/366/334.6	
75	921172400000	BW REDUCER ID402X68/ID290X50-SA234WPC	9	SA234WPC	SEAMLESS	AS PER DRG	4-80-423-80925
76	925277010000	BW RED 559X16/508X16 SA234WPB	2	SA234WPB	SEAMLESS	P528.8/P478.3	
77	921172420000	BW REDUCER ID440X75/ID312X54-SA234WPC	3	SA234WPC	SEAMLESS	AS PER DRG	4-80-425-80927
78	921172390000	BW REDUCER ID402X100/ID285X71-SA234WPC	3	SA234WPC	SEAMLESS	AS PER DRG	4-80-423-80906
79	925277040000	BW RED 609.6X9.53/355.6X7.92 SA234WPB	1	SA234WPB	SEAMLESS	D-591.0/D-339.8	
80	921177890000	BW RED 660X10/508X12.7 SA234WPB	3	SA234WPB	SEAMLESS	D-D1-640/D1-482.8	
81	921171980000	BW RED OD711.2X33/OD559X40 SA234WPC	4	SA234WPC	SEAMLESS	STY P 653/488.8	
82	925271750000	BW RED 762X12.7/406.4X12.7 SA234WPB	5	SA234WPB	SEAMLESS	D 736.6/ D 382.8	
83	921177950000	BW RED 965X34/660X22 SA234WPC	3	SA234WPC	SEAMLESS	P/D1-898.6/620	
84	925054060000	BW EQT OD219.1X8.18 SA234WPC	1	SA234WPC	SEAMLESS	D 202.7	
85	925253470000	BW EQT OD219.1X12.7 SA234WPC	4	SA234WPC	SEAMLESS	D194.1	
86	925253480000	BW UEQT 219.1X12.7/168.3X10.97 SA234WPC	2	SA234WPC	SEAMLESS	D-194.1/D-147.4	
87	925250190000	BW EQT ID312X54 -SA234WPC	6	SA234WPC	SEAMLESS	AS PER DRG	3-80-424-33547
88	925250220000	BW EQT ID402X68 -SA234WPC	6	SA234WPC	SEAMLESS	AS PER DRG	3-80-423-33546
89	925250240000	BW UEQT ID312X54/ID245X43 -SA234WPC	6	SA234WPC	SEAMLESS	AS PER DRG	3-80-424-33672
90	925250160000	BW UEQT ID402X68/ID220X56 -SA234WPC	3	SA234WPC	SEAMLESS	AS PER DRG	3-80-423-33549
91	925250180000	BW UEQT ID402X68/ID290X50 -SA234WPC	3	SA234WPC	SEAMLESS	AS PER DRG	3-80-423-33550
92	925250230000	BW UEQT ID402X68/OD168.3X26 -SA234WPC	3	SA234WPC	SEAMLESS	AS PER DRG	3-80-423-33671
93	925250200000	BW UEQT ID440X75/ID312X54 -SA234WPC	3	SA234WPC	SEAMLESS	AS PER DRG	3-80-425-33552
94	925250210000	BW UEQT ID440X75/ID290X50 -SA234WPC	6	SA234WPC	SEAMLESS	AS PER DRG	3-80-425-33579
95	925250150000	BW UEQT ID402X100/ID285X71 -SA234WPC	6	SA234WPC	SEAMLESS	AS PER DRG	3-80-423-33538
96	925250170000	BW UEQT ID402X100/ID220X56 -SA234WPC	6	SA234WPC	SEAMLESS	AS PER DRG	3-80-423-33548
97	925257040000	BW UEQT 609.6X9.53/355.6X9.53 SA234WPB	2	SA234WPB	SEAMLESS	D-591.0/D-336.5	
98	925250080000	BW UEQT OD660X29/OD610X31 SA234WPC	2	SA234WPC	SEAMLESS	P 606.6 / P 552	
99	925057800000	BW UEQT 711.2X20/406.4X12.7 SA234WPC	1	SA234WPC	SEAMLESS	673.6/381.3	
100	925250020000	BW UEQT OD711.2X33/OD660X29 SA234WPC	4	SA234WPC	SEAMLESS	P 653 / P 606	
101	925250040000	BW UEQT OD711.2X33/OD323.9X16 SA234WPC	4	SA234WPC	SEAMLESS	P 653 / P295	
102	921056620000	BW EQT OD965X9.53 SA234WPC(W)	4	SA234WPC	WELDED CS	D-D1-945.9	
103	925051430000	BW UNEQUAL TEE OD965X34/OD457.2X16 WPC	4	SA234WPC	SEAMLESS	P-898.6/427.7	
104	925250110000	BW UEQT OD1016X38/OD508X20-SA234WPC	6	SA234WPC	SEAMLESS	943.3/471.5	
105	925250120000	BW UEQT OD1016X38/OD355.6X15.09-SA234WPC	3	SA234WPC	SEAMLESS	943.3/328.2	
106	925250130000	BW UEQT OD1016X38/OD273X12.7-SA234WPC	3	SA234WPC	SEAMLESS	943.3/247.6	
107	925250140000	BW UEQT OD1016X38/OD406.4X16-SA234WPC	6	SA234WPC	SEAMLESS	943.3/377.2	
108	925246140000	BW LR 90DEG ELL OD33.4X3.38 SA403WP304H	213	SA403WP304H	SEAMLESS	D27.2	
109	925244520000	BW LR 90DEG ELL OD33.4X4.55 SA403WP304H	48	SA403WP304H	SEAMLESS	D25.2	
110	925246120000	BW LR 90DEG ELL OD60.3X3.91 SA403WP304H	394	SA403WP304H	SEAMLESS	D 53.2	
111	925244660000	BW LR 90DEG ELL OD114.3X3.05 SA403WP304H	51	SA403WP304H	SEAMLESS	D108.2	
112	925246260000	BW LR 45DEG ELL OD114.3X3.05 SA403WP304H	4	SA403WP304H	SEAMLESS	D 108.5	
113	925244850000	BW LR 90DEG ELL OD168.3X3.4 SA403WP304H	56	SA403WP304H	SEAMLESS	D161.5	
114	925246240000	BW LR 90DEG ELL OD168.3X3.4 SA403WP304H	21	SA403WP304H	SEAMLESS	D161.5	
115	925246230000	BW LR 90DEG ELL OD219.1X3.76 SA403WP304H	17	SA403WP304H	SEAMLESS	D 211.6	
116	925247500500	BW LR 45DEG ELL OD219.1X3.76 SA403WP304H	1	SA403WP304H	SEAMLESS	D-211.6	
117	925246220000	BW LR 90DEG ELL OD273X4.19 SA403WP304H	12	SA403WP304H	SEAMLESS	D264.6	
118	921178380000	BW RED 48.3X3.68/33.4X3.38 SA403WP304L	6	SA403WP304L	SEAMLESS	D-41.6/27.2	
119	921178360000	BW RED 60.3X3.91/48.3X3.68 SA403WP304L	1	SA403WP304L	SEAMLESS	D/D1 - 53.2/41.6	
120	925274760000	BW RED 88.9X4/60.3X3.91 SA403WP304H	2	SA403WP304H	SEAMLESS	D 80.9 / D 53.2	
121	925274490000	BW RED 88.9X5.49/60.3X5.54 SA403WP304H	14	SA403WP304H	SEAMLESS	D 79.1/ D 50.6	
122	925178680000	BW RED 114.3X3.05/60.3X2.77 SA403WP304H	8	SA403WP304H	SEAMLESS	D108.2/D54.8	

Enq- 4101700027 dt 15.07.2017 for BW Fittings (CS, AS & SS)

Item list

Sl No	Material Code	Description	Quantity (nos)	Specification	Construction	Fitting D1 value	Drawing No (if any)
123	925276270000	BW RED 114.3X3.05/88.9X3.05 SA403WP304H	4	SA403WP304H	SEAMLESS	D 108.2 /D 82.8	
124	925276860000	BW RED 168.3X5.4/114.3X3.05 SA403WP304H	2	SA403WP304H	SEAMLESS	D 158.4/ D 108.5	
125	921170960000	ECC RED 219.1X3.76/168.3X3.4 SA312TP304H	2	SA312TP304H	SEAMLESS	211.5/161.5	
126	925257180000	BW EQT OD33.4X3.38 SA403WP304H	24	SA403WP304H	SEAMLESS	D27.2	
127	925257630000	BW EQT OD48.3X5.08 SA403WP304H	6	SA403WP304H	SEAMLESS	D 39.2	
128	925257270100	BW UEQT 88.9X3.05/21.3X2.77 SA403WP304H	5	SA403WP304H	SEAMLESS	D 83.3/ D 16.5	
129	925259340000	BW EQT OD88.9X3.05 SA403WP304H	12	SA403WP304H	SEAMLESS	D82.8	
130	925254450000	BW UEQT 88.9X5.49/33.4X4.55 SA403WP304H	12	SA403WP304H	SEAMLESS	D79/D25.2	
131	925254440000	BW UEQT 88.9X5.49/60.3X5.54 SA403WP304H	16	SA403WP304H	SEAMLESS	D79/D49	
132	925254510100	BW UEQT 114.3X3.05/33.4X2.77 SA403WP304H	80	SA403WP304H	SEAMLESS	D 108.5/D 28.5	
133	925256180000	BW EQT OD114.3X3.05 SA403WP304H	3	SA403WP304H	SEAMLESS	D108.2	
134	925259260000	BW UEQT 114.3X3.05/60.3X3.91 SA403WP304H	19	SA403WP304H	SEAMLESS	D 108.5/ D 53.4	
135	925254520000	BW UEQT 114.3X4.5/48.3X4.5 SA403WP304H	20	SA403WP304H	SEAMLESS	D 106.8/D 40.4	
136	925256510000	BW UEQT 168.3X3.4/114.3X3.05 SA403WP304H	2	SA403WP304H	SEAMLESS	D 161.5 / D 108.2	
137	925256820000	BW EQT OD168.3X3.4 SA403WP304H	5	SA403WP304H	SEAMLESS	D161.5	
138	925257220100	BW UEQT 168.3X3.4/88.9X3.05 SA403WP304H	2	SA403WP304H	SEAMLESS	D 161.5 / D82.8	
139	925256830000	BW UEQT 168.3X3.4/88.9X5.49 SA403WP304H	22	SA403WP304H	SEAMLESS	D 161.7/ D 79.2	
140	925257230000	BWUEQT168.3X7.11/33.4X3.38 SA403WP304H	24	SA403WP304H	SEAMLESS	D 155.6/ D 27.5	
141	925259560000	BW EQT OD219.1X3.76 SA403WP304H	5	SA403WP304H	SEAMLESS	D 211.6	
142	925259360500	BW UEQT 323.9X4.57/273X4.18 SA403WP304H	1	SA403WP304H	SEAMLESS	D-314.8/D-264.7	