 BHARAT HEAVY ELECTRICALS LTD. (A GOVT. OF INDIA UNDERTAKING) P.O BHEL Jhansi - 284129, INDIA Tel.: 0510-277001/2412260 Fax: 2412120 Email : mmx@bheljhs.co.in JSC140/M2053	PURCHASE ENQUIRY	
	ENQ NO/DT: E0909001 15/07/20 REV NO/DT: 0 15/07/20	PAGE <u>1</u> 10

PLEASE SEND YOUR BEST QUOTATION AS PER TERMS & CONDITIONS AND REMARK MENTIONED UNDERNEATH.	
Enq Due on:	11-08-20 TUESDAY
Close at:	13:15 Open at:14:00
Matcat:	091001 CONTROL CABLES PVC (
Validity:	120 days from Technical bid opening date
IEM:	
TOP:	See Special Remarks
RA:	BHEL reserves the right to conduct RA
Est. Value:	Item wise
Bid Type:	TWO BID
Tot Item:	17
Delivery:	FOR Jhansi
E-Proc:	No

REQUIRED: TEST CERT/ GUARANTEE CERT/ CONFORMANCE CERT	
---	--

ITEM NO : 1	PSL QTY/UM: 100000.00 MR
MATL CODE : BP2855275016	PO QTY /UM:
DESTINATION: JS	

DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
MULTI CORE CABLES PVC SWA PVC WITH BASE ANNEALED COPPER WIRE TO IS- 1554-1976, VOLTAGE GRADE 1100V AND AS PER BP28575 REV-05 SIZE:- 2.5 SQ MM, 2 CORE, NO. OF STRANDS (MIN) 7/0.67 MM. WEIGHT OF COPPER= 0.044KG/MR	SEP-20	100000.00

ITEM NO : 2	PSL QTY/UM: 100000.00 MR
MATL CODE : BP2855275024	PO QTY /UM:
DESTINATION: JS	


DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
MULTI CORE CABLES PVC SWA PVC WITH BASE ANNEALED COPPER WIRE TO IS- 1554-1976, VOLTAGE GRADE 1100V AND AS PER BP28575 REV-05 SIZE:- 2.5 SQ MM, 3 CORE, NO. OF STRANDS (MIN) 7/0.67 MM. WEIGHT OF COPPER= 0.066KG/MR	SEP-20	100000.00

ITEM NO : 3	PSL QTY/UM: 25000.00 MR
MATL CODE : BP2855275032	PO QTY /UM:
DESTINATION: JS	

DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
MULTI CORE CABLES PVC SWA PVC WITH BASE ANNEALED COPPER WIRE TO IS- 1554-1976, VOLTAGE GRADE 1100 V AND AS PER BP28575 REV-05 SIZE:- 2.5 SQ MM, 4 CORE, NO. OF STRANDS (MIN) 7/0.67 MM. WEIGHT OF COPPER= 0.088KG/MR	SEP-20	25000.00

ITEM NO : 4	PSL QTY/UM: 10000.00 MR
MATL CODE : JS9006272660	PO QTY /UM:
DESTINATION: JS	

DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
1100 / 660 VOLTS GRADE PVC OR POLYTHENE INSULATED 4.0 SQ. MM X 2	SEP-20	10000.00



JSC140/M2053

BHARAT HEAVY ELECTRICALS LTD.
(A GOVT. OF INDIA UNDERTAKING)
P.O BHEL Jhansi - 284129, INDIA
Tel.:0510-277001/2412260 Fax: 2412120
Email : mmx@bheljhs.co.in

PURCHASE ENQUIRY

ENQ NO/DT: E0909001 15/07/20
REV NO/DT: 0 15/07/20

PAGE 2
10

CORE HAVING OVERALL DIA OF 16.5 MM
ARMoured COPPER CABLE SUITABLE FOR
TROPICAL CLIMATE,VERMIN PROOF WITH
FLAME RETARDENT LOW SMOKE (FRLS)
PROPERTIES AS PER TR24157C REV 01
CABLE SHOULD BE SUPPLIED IN
500/1000 MR DRUMS.
WEIGHT OF COPPER= 0.071KG/MR

ITEM NO : 5 PSL QTY/UM: 10000.00 MR
MATL CODE : JS9006272670 PO QTY /UM:
DESTINATION: JS

DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
1100 / 660 VOLTS GRADE PVC OR POLYTHENE INSULATED 4.0 SQ. MM X 3 CORE HAVING OVERALL DIA OF 17.5 MM ARMoured COPPER CABLE SUITABLE FOR TROPICAL CLIMATE, VERMIN PROOF WITH FLAME RETARDENT LOW SMOKE (FRLS) PROPERTIES AS PER TR24157C REV 01 CABLE SHOULD BE SUPPLIED IN 500/1000 MR DRUMS. WEIGHT OF COPPER= 0.106KG/MR	SEP-20	10000.00


ITEM NO : 6 PSL QTY/UM: 10000.00 MR
MATL CODE : JS9006272680 PO QTY /UM:
DESTINATION: JS


DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
1100 / 660 VOLTS GRADE PVC OR POLYTHENE INSULATED 4.0 SQ. MM X 4 CORE HAVING OVERALL DIA OF 18.5 MM ARMoured COPPER CABLE SUITABLE FOR TROPICAL CLIMATE, VERMIN PROOF WITH FLAME RETARDENT LOW SMOKE (FRLS) PROPERTIES AS PER TR24157C REV 01 CABLE SHOULD BE SULLIED IN 500/1000 MR DRUMS. WEIGHT OF COPPER= 0.142KG/MR	SEP-20	10000.00

ITEM NO : 7 PSL QTY/UM: 25000.00 MR
MATL CODE : AA2851244248 PO QTY /UM:

 BHEL JSC140/M2053	BHARAT HEAVY ELECTRICALS LTD. (A GOVT. OF INDIA UNDERTAKING) P.O BHEL Jhansi - 284129, INDIA Tel.:0510-277001/2412260 Fax: 2412120 Email : mmx@bheljhs.co.in	PURCHASE ENQUIRY	
	ENQ NO/DT: E0909001 15/07/20 REV NO/DT: 0 15/07/20	PAGE 3 10	

DESTINATION: JS		
DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
PVC INSULATED SINGLE CORE FLEXIBLE COPPER CABLE TO CPS:AA28544 REV 02 NORMAL AREA - 2.5 SQ MM. NO OF COND./DIA OF COND.-50//0.25MM RADIAL INUL. THICKNESS - 0.8 MM VOLTAGE GRADE-1100 VOLTS COLOUR - BLACK/RED/GREEN EXACT COLOR TO BE SPECIFIED IN PO WEIGHT OF COPPER= 0.022KG/MR	SEP-20	25000.00
ITEM NO : 8 MATL CODE : TR371441A602 DESTINATION: JS		PSL QTY/UM: 5000.00 MR PO QTY /UM:
DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
50 SQ.MM.(396//0.4)SINGLE CORE, HEAT RESISTANT, PVC INSULATED, 1.1KV GRADE FLEXBLE COPPER CABLE GENERALLY AS PER IS-694. CABLE SHOULD BE SUITABLE FOR OPERATING TEMPERATURES UPTO 105 DEGREE C. COLOUR:- BLACK WEIGHT OF COPPER= 0.444KG/MR	SEP-20	5000.00
ITEM NO : 9 MATL CODE : JS9006279430 DESTINATION: JS		PSL QTY/UM: 10000.00 MR PO QTY /UM:
DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
7 CORE 2.5 SQ.MM PVC CABLE AS PER SPEC.BP28575 WEIGHT OF COPPER= 0.154KG/MR	SEP-20	10000.00
ITEM NO : 10 MATL CODE : JS9006281050 DESTINATION: JS		PSL QTY/UM: 10000.00 MR PO QTY /UM:
DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
19 CORE 2.5 S.Q MM PVC CABLE AS PER SPEC. BP28575. WEIGHT OF COPPER= 0.418KG/MR	SEP-20	10000.00
ITEM NO : 11 MATL CODE : TR872067T401 DESTINATION: JS		PSL QTY/UM: 5000.00 MR PO QTY /UM:





JSC140/M2053

BHARAT HEAVY ELECTRICALS LTD.
(A GOVT. OF INDIA UNDERTAKING)
P.O BHEL Jhansi - 284129, INDIA
Tel.:0510-277001/2412260 Fax: 2412120
Email : mmx@bheljhs.co.in

PURCHASE ENQUIRY

ENQ NO/DT: E0909001 15/07/20
REV NO/DT: 0 15/07/20

PAGE 4
10

DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
4 CORE-1.5 sq.mm. (Pref.30//.25) 1.1 KV FLEXIBLE MULTISTRAND COPPER CABLE AS PER IS- 9968, PART- 1. CORE INSULATION TO BE SILICONE RUBBER (IE-5) & OUTER SHEATH TO BE SE-4 (HOFR) AS PER IS-6380-1984. WEIGHT OF COPPER= 0.053KG/MR (ARMOUR AND INNER SHEATH REQD)	SEP-20	5000.00
ITEM NO : 12 MATL CODE : AA2851244230 DESTINATION: JS	PSL QTY/UM: 5000.00 MR PO QTY /UM:	
DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
PVC INSULATED SINGLE CORE FLEX. COPPER CABLE (GRADE 1100V) TO CPS-AA28544,REV02. SIZE 1.5 SQ MM48//0.2 MM TINNED CPR .CONDUCTOR COLOUR - BLACK WEIGHT OF COPPER= 0.013KG/MR	SEP-20	5000.00
ITEM NO : 13 MATL CODE : JS9006274920 DESTINATION: JS	PSL QTY/UM: 1000.00 MR PO QTY /UM:	
DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
120 SQMM PVC BLACK INSULATED SINGLE CORE FLEXIBLE COPPER CABLE (GRADE 1100V) AS PER AA28544 REV 02 WEIGHT OF COPPER= 1.07KG/MR	SEP-20	1000.00
ITEM NO : 14 MATL CODE : JS9006279440 DESTINATION: JS	PSL QTY/UM: 10000.00 MR PO QTY /UM:	
DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
12 CORE 2.5 SQ.MM PVC CABLE AS PER SPEC.BP28575 WEIGHT OF COPPER= 0.264KG/MR	SEP-20	10000.00
ITEM NO : 15 MATL CODE : TRA70134A767 DESTINATION: JS	PSL QTY/UM: 5000.00 MR PO QTY /UM:	
DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
7 CORE-1.5 sq.mm. (Pref.30//.25) 1.1 KV FLEXIBLE MULTISTRAND COPPER	SEP-20	5000.00

 JSC140/M2053	BHARAT HEAVY ELECTRICALS LTD. (A GOVT. OF INDIA UNDERTAKING) P.O BHEL Jhansi - 284129, INDIA Tel.: 0510-277001/2412260 Fax: 2412120 Email : mmx@bheljhs.co.in	PURCHASE ENQUIRY	
	ENQ NO/DT: E0909001 15/07/20 REV NO/DT: 0 15/07/20	PAGE 5 10	

CABLE AS PER IS- 9968,PART- 1. CORE INSULATION TO BE SILICONE RUBBER (IE-5) & OUTER SHEATH TO BE SE-4 (HOFR) AS PER IS-6380-1984. WEIGHT OF COPPER= 0.092KG/MR (ARMOUR AND INNER SHEATH REQUIRED)		
--	--	--

ITEM NO : 16	PSL QTY/UM: 30000.00 MR
MATL CODE : JS9006281920	PO QTY /UM: 30000.00 MR
DESTINATION: JS	

DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
1.5mm SQ.12CORE FRLS CABLE. AS PER TR24157C STY. NO. 628192 WEIGHT OF COPPER = 0.165 KG/MR	SEP-20	30000.00


ITEM NO : 17	PSL QTY/UM: 30000.00 MR
MATL CODE : TR872067T402	PO QTY /UM:
DESTINATION: JS	

DESCRIPTION	DELIVERY	QUANTITY (PSL UM)
PVC INSULATED SINGLE CORE FLEX. COPPER CABLE (GRADE 1100V) TO CPS-AA28544,REV02.SIZE 0.75 SQ MM COLOUR- RED/WHITE/GREY/BROWN EXACT COLOR TO BE SPECIFIED IN PO WEIGH OF COPPER=0.0066KG/MTR	SEP-20	30000.00

SPECIAL REMARKS:

- ENQUIRY IS ISSUED TO ESTABLISH RATE CONTRACT FOR SUPPLY OF PVC CABLES FOR 2 YEARS.
- OFFER ARE TO BE SUBMITTED BY THE BIDDERS IN TWO BID AS PER TENDER DOCUMENTS ANNEXURE-I TO ANEEXURE-XXII (ATTACHED).
- DULY SIGNED AND SEALED COPY OF ANNEXURE I, II, III, IV & XXII SHALL BE SUBMITTED BY SUPPLIERS IN TECHNO-COMMERCIAL BID AS A TOKEN OF ACCEPTANCE OF OUR TERMS & CONDITIONS. IF ABOVE SAID SIGNED DOCUMENTS ARE NOT SUBMITTED, THE OFFER SHALL BE LIABLE FOR REJECTION. DULY SEALED & SIGNED COPY OF GTC REV-03 OF ENQUIRY & SPECIFICATIONS TR24157C REV.01, BP28575 REV.05 AND AA28544 REV.03 SHALL ALSO BE SUBMITTED ALONGWITH PART-I OF TENDER.
- INSPECTION SHALL BE DONE BY BHEL AT BHEL JHANSI.
- BIDDERS MUST HAVE TO SUBMIT AUTHENTICATED COPY OF ALL SUPPORTING DOCUMENTS DULY SIGNED AND SEALED ALONG WITH OFFER AS PER REQUIREMENT OF TENDER DOCUMENT.
- DELIVERY MENTIONED IS TENTATIVE AND ACTUAL DELIVERY WILL BE GIVEN IN PURCHASE ORDER AFTER ESTABLISHMENT OF RATE CONTRACT.
- SUPPLIER HAS TO SUBMIT THEIR OFFER ON FOR BHEL JHANSI BASIS INCLUSIVE OF PACKING, FORWARDING, FREIGHT & INSURANCE CHARGES.
- COLOUR CODIFICATION MUST BE PROVIDED FOR IDENTIFICATION OF DIFFERENT CORES AS SPECIFIED IN IS-1554.
- IDENTIFICATION IS TO BE PROVIDED ON EVERY 10 METERS OF CABLE.





BHARAT HEAVY ELECTRICALS LTD.
(A GOVT. OF INDIA UNDERTAKING)
P.O BHEL Jhansi - 284129, INDIA
Tel.:0510-277001/2412260 Fax: 2412120
Email : mmx@bheljhs.co.in

PURCHASE ENQUIRY

ENQ NO/DT: E0909001 15/07/20
REV NO/DT: 0 15/07/20

PAGE 6
10

10. GST SHALL BE LEVIED ON THE LD PORTION (IF ANY), AS APPLICABLE, FOR WHICH BHEL SHALL RAISE A GST RELATED TAX INVOICE ON THE SUPPLIER ACCORDINGLY.


THE QUOTATION MUST BE SEALED AND BE SENT IN DOUBLE ENVELOPE.
THE INNER ENVELOPE SHOULD BEAR ENQUIRY NUMBER & DUE DATE AT THE TOP.

In case the bidder has not submitted PAN No, TIN No. and E-mail ID, the bidder has to submit the same along with the copy of PAN No and TIN No. Else his offer will be liable to be rejected.

If you are not in a position to quote due to any reason, you must send regret letter titled enquiry no. etc, failing which you may not be considered for sending future enquiries.

ENCLOSERS:

FOR AND ON BEHALF OF
BHARAT HEAVY ELECTRICALS LTD


15/07/2020

KOMAL KUMAR
ASSISTANT ENGINEER GR I
Email:-komalk@bhel.in

***** END OF PURCHASE ENQUIRY *****

NOTE :

- * THE BIDDER IS INFORMED THAT THE GENERAL TERMS & CONDITIONS OF ENQUIRY (JHS 2055A Rev 02) WHICH ARE UPLOADED AT <https://www.bheljhs.co.in/apps/sip/index.php> AT (TERMS & CONDITION -> FOR ENQUIRY) LINK, ARE TO BE READ BY THE BIDDER BEFORE SUBMITTING QUOTE IN THE ENQUIRY. BHEL SHALL CONSTRUCT THE PARTICIPATION BY THE BIDDER IN ENQUIRY AS ACCEPTANCE TO THE GENERAL TERMS AND CONDITIONS OF ENQUIRY.
- * SUPPLIERS ARE REQUESTED TO INFORM US WITH VALID CERTIFICATE, IF THEY ARE REGISTERED UNDER MSMED ACT'2006. (APPLICABLE FOR INDIAN SUPPLIERS ONLY).
- * FOR SUPPLIERS SUPPLYING FROM OUTSIDE THE LOCAL AREA OF BHEL JHANSI, ENTRY TAX WILL BE APPLICABLE. SUPPLIERS SHOULD NECESSARILY INDICATE RATE OF ENTRY TAX SEPARATELY WHEREVER APPLICABLE. THEY SHOULD ALSO MENTION THE ENTRY TAX CHARGED SEPARATELY IN THE INVOICE.
- * FOR SUPPLIERS SUPPLYING FROM OUTSIDE UP, IN CASE THE OFFER IS SILENT ON ENTRY TAX, IT SHALL BE LOADED SUITABLY WITH THE APPLICABLE RATES
- * IN CASE IF THERE IS ANY DIFFERENCE BETWEEN THE 'SPECIAL REMARKS/ANNEXURES' OF THE ENQUIRY AND THE PREPRINTED TERMS & CONDITIONS (REF JSC140/M2053), THE REQUIREMENT GIVEN IN REMARKS WILL PREVAIL.