



BHARAT HEAVY ELECTRICALS LTD.  
(A GOVT. OF INDIA UNDERTAKING)  
P.O. BHEL Jhansi - 284129, INDIA  
Tel.: 0510-277001/2412260 Fax: 2412120  
Email : [munix@bheljhs.co.in](mailto:munix@bheljhs.co.in)

## PURCHASE ENQUIRY

ENQ NO/DI: E2400007 04/06/20  
REV NO/DI: 0 04/06/20

PAGE 1  
5

|                                                                                                                                                                                                          |          |                                                                                            |                                          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------------------------------------------------------------------------|------------------------------------------|
| REQUIRED: TEST CERT                                                                                                                                                                                      |          | PLEASE SEND YOUR BEST QUOTATION AS PER TERMS & CONDITIONS AND REMARK MENTIONED UNDERNEATH. |                                          |
|                                                                                                                                                                                                          |          | Enq Due on:                                                                                | 26-06-20 FRIDAY                          |
|                                                                                                                                                                                                          |          | Close at:                                                                                  | 13:15 Open at:14:00                      |
|                                                                                                                                                                                                          |          | Matcat:                                                                                    | 241001 RADIATOR FOR POWER                |
|                                                                                                                                                                                                          |          | Validity:                                                                                  | 120 days from Technical bid opening date |
|                                                                                                                                                                                                          |          | IEM:                                                                                       |                                          |
|                                                                                                                                                                                                          |          | TOP:                                                                                       | See Special Remarks                      |
|                                                                                                                                                                                                          |          | RA:BHEL reserves the right to conduct RA                                                   |                                          |
| Est. Value:                                                                                                                                                                                              |          | Item wise                                                                                  |                                          |
| Bid Type:                                                                                                                                                                                                |          | TWO BID                                                                                    | Delivery: FOR Jhansi                     |
| Tot Item:                                                                                                                                                                                                |          | 4                                                                                          | E-Proc: No                               |
| ITEM NO : 1                                                                                                                                                                                              |          | PSL QTY/UM: 2600.00 NO                                                                     |                                          |
| MATL CODE : TR171266A666                                                                                                                                                                                 |          | PO QTY /UM:                                                                                |                                          |
| DESTINATION: JS                                                                                                                                                                                          |          |                                                                                            |                                          |
| DESCRIPTION                                                                                                                                                                                              | DELIVERY | QUANTITY (PSL UM)                                                                          |                                          |
| RADIATOR 9 FLUTE-24FLUTE<br>PRESSED STEEL (RIPPLED) RADIATOR TO<br>SIZE 520mm x 1200mm - 3500mm VALVE<br>CENTER & UPTO 30 ELEMENTS IN<br>ACCORDANCE WITH BHEL DRG.<br>NO.04994300010 REV-9F<br>THICK=1MM | JUL-20   | 1300.00                                                                                    |                                          |
|                                                                                                                                                                                                          | JUL-21   | 1300.00                                                                                    |                                          |
| ITEM NO : 2                                                                                                                                                                                              |          | PSL QTY/UM: 1200.00 NO                                                                     |                                          |
| MATL CODE : TR171266A667                                                                                                                                                                                 |          | PO QTY /UM:                                                                                |                                          |
| DESTINATION: JS                                                                                                                                                                                          |          |                                                                                            |                                          |
| DESCRIPTION                                                                                                                                                                                              | DELIVERY | QUANTITY (PSL UM)                                                                          |                                          |
| RADIATOR 9 FLUTE-24FLUTE<br>PRESSED STEEL (RIPPLED) RADIATOR TO<br>SIZE 520mm x 1200mm - 3500mm VALVE<br>CENTER & UPTO 30 ELEMENTS IN<br>ACCORDANCE WITH BHEL DRG<br>NO.04994300010 REV-9F<br>THICK=1.2  | JUL-20   | 600.00                                                                                     |                                          |
|                                                                                                                                                                                                          | JUL-21   | 600.00                                                                                     |                                          |
| ITEM NO : 3                                                                                                                                                                                              |          | PSL QTY/UM: 250.00 NO                                                                      |                                          |
| MATL CODE : TR171266A668                                                                                                                                                                                 |          | PO QTY /UM:                                                                                |                                          |
| DESTINATION: JS                                                                                                                                                                                          |          |                                                                                            |                                          |
| DESCRIPTION                                                                                                                                                                                              | DELIVERY | QUANTITY (PSL UM)                                                                          |                                          |
| RADIATOR 5 FLUTE<br>PRESSED STEEL (RIPPLED) RADIATOR TO<br>SIZE 380 mm x 1200 mm-3500 mm VALVE<br>CENTER & UPTO 30 ELEMENTS IN<br>ACCORDANCE WITH BHEL DRG.<br>NO.04994300007,REV-19B<br>THICK=1MM       | JUL-20   | 125.00                                                                                     |                                          |
|                                                                                                                                                                                                          | JUL-21   | 125.00                                                                                     |                                          |
| ITEM NO : 4                                                                                                                                                                                              |          | PSL QTY/UM: 250.00 NO                                                                      |                                          |
| MATL CODE : TR171266A669                                                                                                                                                                                 |          | PO QTY /UM:                                                                                |                                          |
| DESTINATION: JS                                                                                                                                                                                          |          |                                                                                            |                                          |



BHARAT HEAVY ELECTRICALS LTD.  
(A GOVT. OF INDIA UNDERTAKING)  
P.O BHEL Jhansi - 284129, INDIA  
Tel.:0510-277001/2412260 Fax: 2412120  
Email : mmx@bheljhs.co.in

## PURCHASE ENQUIRY

|            |          |          |      |   |
|------------|----------|----------|------|---|
| ENQ NO/DT: | E2400007 | 04/06/20 | PAGE | 2 |
| REV NO/DT: | 0        | 04/06/20 |      | 6 |

| DESCRIPTION                                                                                                                                                                      | DELIVERY | QUANTITY (PSL UM) |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|
| RADIATOR 5 FLUTE                                                                                                                                                                 | JUL-20   | 125.00            |
| PRESSED STEEL (RIPPLED) RADIATOR TO<br>SIZE 380 mm x 1200 mm-3500 mm VALVE<br>CENTER & UPTO 30 ELEMENTS IN<br>ACCORDANCE WITH BHEL DRG.<br>NO.04994300007 REV-19B<br>THICK=1.2MM | JUL-21   | 125.00            |


### SPECIAL REMARKS:

1. THIS OPEN TENDER ENQUIRY IS BEING FLOATED IN TWO BID SYSTEM FOR FINALIZATION OF FRAME WORK AGREEMENT/RATE CONTRACT FOR RADIATORS OF POWER TRANSFORMER. THE VALIDITY OF RATE CONTRACT (RC) WILL 24 MONTHS FOR ORDERING & 27 MONTHS FOR SUPPLY FROM DATE OF AWARD OF RATE CONTRACT. THE RATE CONTRACT MAY BE EXTENDED FOR 1 YEAR ON SATISFACTORY PERFORMANCE BY VENDOR, SUBJECT TO MUTUAL WRITTEN CONSENT.
- SUPPLIERS HAVE TO QUOTE ON EX WORKS BASIS INCLUSIVE OF PACKING AND FORWARDING CHARGES. FREIGHT & INSURANCE SHALL BE PAID EXTRA AS PER CLAUSE NO 2. OF ANNEX IV.
- SUPPLIERS SHALL BE INSTRUCTED TO DESPATCH THE MATERIAL TO ANY SITE OR TO BHEL JHANSI STORES WHICH WILL BE MENTIONED IN INDIVIDUAL PO.
2. QUALIFYING REQUIREMENT, TENDER TERMS AND CONDITIONS SHALL BE AS PER ANNEXURE I TO X ( COPY ENCLOSED ).
3. ALL TENDER TERMS AND CONDITIONS SHALL STRICTLY BE ADHERED. ALSO PARTICIPATION BY THE BIDDERS IN THE TENDER SHALL BE BE CONSTRUED AS ACCEPTANCE OF THE BIDDER TO THE GTC JHS2055A-Rev03 UPLOADED AT [https://www.bheljhs.co.in/apps/sip/enq\\_terms/enq\\_tems\\_121118.pdf](https://www.bheljhs.co.in/apps/sip/enq_terms/enq_tems_121118.pdf)
4. PLEASE GO THROUGH ANNEXURE I TO X OF NIT AND QUOTE ACCORDINGLY.
5. ALL PAGES OF TENDER DOCUMENT INCLUDING INTEGRITY PACT ARE TO BE SUBMITTED ALONGWITH BID PART-I DULY SIGNED WITH COMPANY SEAL .
6. FA MAY BE FINALIZED ON MORE THAN 01 SOURCES LENT LIMITED TO 4 FOR SMOOTH SUPPLY CLAUSE 11 OF ANNEXURE IV TO BE REFERRED.
7. EVALUATION SHALL BE ON ITEM WISE BASIS. ORDERING ON SPECIFIC VENDOR WILL BE CONTROLLED BY TOTAL VALUE OF AWARD OF TOTAL ITEM VALUE & NOT BY NUMBER OF RADIATORS/ OR VALUE OF INDIVIDUAL ITEM.
8. INSPECTION BY CQX BHEL JHANSI OR CUSTOMER OR CUSTOMER/BHEL NOMINATED AGENCY AT SUPPLIER'S WORKS AS PER QC PLAN.
9. DELIVERY MENTIONED IS TENTATIVE AND ACTUAL DELIVERIES WILL BE GIVEN IN ORDERS DERIVED FROM THIS R/C.
10. THE ESTIMATED REQUIREMENT MAY VARY WITHIN PLUS/ MINUS 30%.
11. NO TENDER FEES SHALL BE APPLICABLE.
12. TENDER SHOULD BE SUBMITTED IN DOUBLE COVER UNDER TWO PART BID DEPICTED BELOW :-
- I- THE OUTER COVER SHOULD ONLY BEAR THE ADDRESS OF THIS OFFICE AND SHOULD NOT HAVE ANY INDICATION THAT A TENDER IS WITHIN:

TO,

DGM (MM)  
MATERIAL MANAGEMENT DEPARTMENT  
ADMINISTRATIVE BUILDING  
P.O. - BHEL, JHANSI (UP)  
PIN - 284129

- II- THE TWO INNER COVERS SHALL CONTAIN THE TECHN COMMERCIAL BID IN ONE AND THE PRICE BID IN ANOTHER. EACH COVER SHALL BE SUPER -



BHARAT HEAVY ELECTRICALS LTD.  
(A GOVT. OF INDIA UNDERTAKING)  
P.O BHEL Jhansi - 284129, INDIA  
Tel : 0510-277001/2412260 Fax: 2412120  
Email : mmx@bheljhs.co.in

## PURCHASE ENQUIRY

|            |          |          |      |   |
|------------|----------|----------|------|---|
| ENQ NO/DT: | E2400007 | 04/05/20 | PAGE | 3 |
| REV NO/DT: | 0        | 04/05/20 |      | 6 |

SCRIBED WITH THE BIDDER'S NAME, ADDRESS, TENDER NUMBER AND DUE DATE  
ON THE RESPECTIVE COVERS AS SHOWN BELOW :-

TECHNO-COMMERCIAL BID COVER (PART- I)  
TENDER NO. \_\_\_\_\_ DUE ON \_\_\_\_\_

TO,  
DGM (MM)  
MATERIAL MANAGEMENT DEPARTMENT  
ADMINISTRATIVE BUILDING  
P.O. - BHEL, JHANSI (UP)  
PIN - 284129

PRICE BID COVER (PART-II)  
TENDER NO. \_\_\_\_\_ DUE ON \_\_\_\_\_

TO,  
DGM (MM)  
MATERIAL MANAGEMENT DEPARTMENT  
ADMINISTRATIVE BUILDING  
P.O. - BHEL, JHANSI (UP)  
PIN - 284129

- III- THE TENDERS DULY FILLED IN AND COMPLETE IN ALL RESPECTS TO BE  
DROPPED IN THE TENDER BOX LOCATED AT CISF GATE OF OUR ADMINIST-  
RATIVE BUILDING TILL 13.15 HRS ON THE TENDER OPENING DATE AS  
NOTED IN THE COVERING LETTER.
- IV- ALL THE "TECHNO COMMERCIAL BID" TENDER RECEIVED SHALL BE OPENED  
FROM 1400 HRS IN THE TENDER ROOM LOCATED IN ADMINISTRATIVE BUILD-  
ING ON THE TENDER OPENING DATE IN PRESENCE OF BIDDERS OR THEIR  
REPRESENTATIVES AS MAY BE PRESENT.
- V- BIDDERS ARE ADVISED TO NOTE & STRICTLY FOLLOW THE TIME SCHEDULES  
AS NOTED AT PRECEDING PARA'S ABOVE TO AVOID INCONVENIENCE LATER  
AND POSSIBILITY OF NON ACCEPTANCE OF TENDER BY BHEL.
- VI- TENDER/QUOTATION MAY BE SENT THROUGH EMAIL ON BHEL DESIGNATED EMAIL  
ID ONLY WHICH IS TENDERBOX.JHS@BHEL.IN.
13. BHEL reserves the right to go for Reverse Auction (RA) (Guidelines  
as available on [www.bhel.com](http://www.bhel.com)) instead of opening the sealed  
pricebid, submitted by the bidder. This will be decided after  
techno-commercial valuation. Bidders to give their acceptance with  
the offer for participation in RA. Non-acceptance to participate  
in RA may result in non-consideration of their bids, in case BHEL  
decides to go for RA. Those bidders who have given their acceptance  
to participate in Reverse Auction will have to necessarily submit  
Process compliance form? (to the designated service provider) as  
well as 'Online sealed bid' in the Reverse Auction. Non-submission of  
Process compliance form? or 'Online sealed bid' by the agreed bidder  
(s) will be considered as tampering of the tender process and will  
invite action by BHEL as per extant guidelines for suspension of  
business dealings with suppliers/ contractors (as available on [www.bhel.com](http://www.bhel.com)). The bidders have to necessarily submit online sealed bid  
less than or equal to their sealed price bid already submitted to  
BHEL along with the offer. The sealed price bid (e-bid) of successful  
B1 bidder in RA, if conducted, shall also be opened after RA and the  
order will be placed on lower of the two bids (RA closing price and  
envelope sealed Bid) thus obtained. The bidder having submitted this  
offer specifically agrees to this condition and undertakes to  
execute the contract on thus awarded rates.

THE QUOTATION MUST BE SEALED AND BE SENT IN DOUBLE ENVELOPE.  
THE INNER ENVELOPE SHOULD BEAR ENQUIRY NUMBER & DUE DATE AT THE TOP.



BHARAT HEAVY ELECTRICALS LTD.  
(A GOVT. OF INDIA UNDERTAKING)  
P.O BHEL Jhansi - 284129, INDIA  
Tel.:0510-277001/2412260 Fax: 2412120  
Email : mmx@bheljhs.co.in

## PURCHASE ENQUIRY

ENQ NO/DT: E2400007 04/06/20  
REV NO/DT: 0 04/06/20

PAGE 4  
6

In case the bidder has not submitted PAN No, TIN No. and E-mail ID, the bidder has to submit the same along with the copy of PAN No and TIN No. Else his offer will be liable to be rejected.

If you are not in a position to quote due to any reason, you must send regret letter titled enquiry no. etc, failing which you may not be considered for sending future enquiries.

\*\*\*\*\*

ENCLOSERS:

FOR AND ON BEHALF OF  
BHARAT HEAVY ELECTRICALS LTD

*probat 04.06.20*  
P K PRIYADARSHI  
SR PURCHASE OFFICER  
Email:-pk.priyadarshi@bhel.in

\*\*\*\*\* END OF PURCHASE ENQUIRY \*\*\*\*\*

### NOTE :

- \* THE BIDDER IS INFORMED THAT THE GENERAL TERMS & CONDITIONS OF ENQUIRY (JHS 2055A Rev 02) WHICH ARE UPLOADED AT <https://www.bheljhs.co.in/apps/sip/index.php> AT (TERMS & CONDITION -> FOR ENQUIRY ) LINK, ARE TO BE READ BY THE BIDDER BEFORE SUBMITTING QUOTE IN THE ENQUIRY. BHEL SHALL CONSTRUCT THE PARTICIPATION BY THE BIDDER IN ENQUIRY AS ACCEPTANCE TO THE GENERAL TERMS AND CONDITIONS OF ENQUIRY.
- \* SUPPLIERS ARE REQUESTED TO INFORM US WITH VALID CERTIFICATE, IF THEY ARE REGISTERED UNDER MSMED ACT'2006. (APPLICABLE FOR INDIAN SUPPLIERS ONLY).
- \* FOR SUPPLIERS SUPPLYING FROM OUTSIDE THE LOCAL AREA OF BHEL JHANSI, ENTRY TAX WILL BE APPLICABLE. SUPPLIERS SHOULD NECESSARILY INDICATE RATE OF ENTRY TAX SEPARATELY WHEREVER APPLICABLE. THEY SHOULD ALSO MENTION THE ENTRY TAX CHARGED SEPARATELY IN THE INVOICE.
- \* FOR SUPPLIERS SUPPLYING FROM OUTSIDE UP, IN CASE THE OFFER IS SILENT ON ENTRY TAX, IT SHALL BE LOADED SUITABLY WITH THE APPLICABLE RATES
- \* IN CASE IF THERE IS ANY DIFFERENCE BETWEEN THE 'SPECIAL REMARKS/ANNEXURES' OF THE ENQUIRY AND THE PREPRINTED TERMS & CONDITIONS (REF JSC140/M2053), THE REQUIREMENT GIVEN IN REMARKS WILL PREVAIL.