

Domain :	bhel.abcpurchase.com		
Parent department:	BAP Ranipet		
Unit name	: BAP, Ranipet		
Purchase group	: ESP	RFQ/NIT/Enquiry Officer	: DEEPAK KUMAR PAL
Event ID	: 38419	RFQ/NIT/Enquiry no.	: 4291128E
Enquiry Date	: 14/12/2019 05:30:00		
Tender Description	: ELECTRICAL PANEL SPARES		
Terms & Conditions	: 1) ALL THE ITEMS TO BE PROCURED FROM SINGLE SOURCES 2)SUPPLIER TO QUOTE FOR ALL THE ITEMS IN CASE NOT QUOTED FOR ALL THE ITEMS THEIR OFFER MAY NOT BE CONSIDRE FOR THE TENDER 3)EVALUATION WILL BE DONE ON SET BASIS		
Product / service / work keywords	: panel board,		
No. of Bid Parts	: Multiple	Envelope	: Techno-commercial bid , Price bid
Type of contract	: Service	Project duration / delivery or completion period	: 60
Download document	: Before login	RFQ floated under the policy	: PP-PURCHASE POLICY
Estimated Category	: A	Delivery/Location At	: BHEL RANIPET STORES
Delivery Date	: 28/01/2020 05:30:00	Inspection by Agency	: BHEL/THIRD PARTY AGENCY
Inspection Location	: SUPPLIER'S WORKS	Min. bid required	: 1
Bid submission configuration			
Bid evaluation	: Grand Total Package	Bidding access	: Open Tender
Base currency	: INR	Bidding type	: NCB/Indigenous
Key configuration			
Pre-bid meeting	: Don't allow		
Dates configuration			
Document downloading start date	: 19/12/2019 14:43:00	Document downloading end date	: 31/12/2019 14:00:00
Bid submission start date	: 19/12/2019 14:43:00	Bid submission end date	: 31/12/2019 14:00:00

Bid opening date : 31/12/2019 14:01:00			
Document / EMD / Security fee detail			
Document fees : Not required EMD : Not required			
Bidding forms			
Price Bid			
Price Bid			
material code	Description	Quantity	Unit
R77912150001	POWER FUSE FOR RAPPING MOTOR, MODEL:CDFL 006, MAKE:C&S	6.00	NO
R77912150002	POWER FUSE FOR HOPPER HEATER, MODEL:CDFL 0032, MAKE:C&S	2.00	NO
R77912150003	POWER FUSE FOR SHAFT INSULATOR HEATER, M ODEL:CDFL0032, MAKE:C&S	2.00	NO
R77912150004	POWER FUSE FOR SUPPORT INSULATOR HEATER, MODEL:CDFL0063, MAKE:C&S	2.00	NO
R77912150005	RED LED INDICATING LAMP 22.5 DIA,240V AC , MAKE:BCH	4.00	NO
R77912150006	GREEN LED INDICATING LAMP 22.5 DIA,240V AC, MAKE:BCH	4.00	NO
R77912150007	AMBER LED INDICATING LAMP 22.5 DIA,240V AC, MAKE:BCH	4.00	NO
R77912150008	CONTROL TB, MODEL:M4C-2.5-10 SQMM STUD K BT-M4C, MAKE:ELMEX.	20.00	NO
R77912160001	POWER FUSE FOR RAPPING MOTOR, MODEL:CDFL 006, MAKE:C&S	5.00	NO
R77912160002	POWER FUSE FOR HOPPER HEATER, MODEL:CDFL 0032, MAKE:C&S	3.00	NO
R77912160003	POWER FUSE FOR SHAFT INSULATOR HEATER, M ODEL:CDFL0032, MAKE:C&S	1.00	NO
R77912160004	POWER FUSE FOR SUPPORT INSULATOR HEATER, MODEL:CDFL0063, MAKE:C&S	1.00	NO
R77912160005	RED LED INDICATING LAMP 22.5 DIA,240V AC , MAKE:BCH	4.00	NO
R77912160006	GREEN LED INDICATING LAMP 22.5 DIA,240V AC, MAKE:BCH	3.00	NO
R77912160007	AMBER LED INDICATING LAMP 22.5 DIA,240V AC, MAKE:BCH	3.00	NO
R77912160008	CONTROL TB, MODEL:M4C-2.5-10 SQMM STUD K BT-M4C, MAKE:ELMEX.	10.00	NO
R78928230000	BUSBAR ALUMINUM FLAT PIECES OF 2MTR LENG TH WITH DIMENSION 12MMX50MM	6.00	NO
R78928240001	INDICATING LAMPS 240V AC-RED	100.00	NO
R78928240002	INDICATING LAMPS 24V AC	400.00	NO
R79945380001	POWER CONTACTOR,L&T, CS94100B000+CS94114 : 16A 3P AC-3 DUTY, COIL VOLTAGE 240V AC , WITH 2NO+2NC ADD ON AUX. CONTACT	7.00	NO

R79945380002	POWER CONTACTOR, L&T, CS94980B000+CS9411 4: 32A 3P AC-3 DUTY, COIL VOLTAGE 240V A C, WITH 2NO+2NC ADD ON AUX. CONTACT	7.00	NO
R79945380003	POWER CONTACTOR, L&T, ST19002B000+CS9420 1 + CS94202: 70A 3P AC-3 DUTY, COIL VOLT AGE 240V AC, WITH 2NO+2NC ADD ON AUX. CO NTACT	6.00	NO
R79945380004	POWER CONTACTOR, L&T, CS94105: 32A SPARE CONTACTOR COIL	5.00	NO
R79945380005	POWER CONTACTOR, L&T, CS94192: 70A SPARE CONTACTOR COIL	5.00	NO
R79945380006	AUXILIARY CONTACTOR, L&T CS94020+CS94031 2NO+2NC AUX. CONTACTOR, 240V AC WITH 1NO+1NC ADDON BLOCK	4.00	NO
R79945380007	AUXILIARY CONTACTOR, L&T CS94019 +CS9403 1 3NO+1NC AUX. CONTACTOR, 240V AC WITH 1NO+1NC ADDON BLOCK	4.00	NO
R79945380008	AUXILIARY CONTACTOR, L&T CS94029 +CS9403 1 2NO+2NC AUX. CONTACTOR, 220V DC WITH 1NO+1NC ADDON BLOCK	4.00	NO
R79945380009	AUXILIARY CONTACTOR, L&T CS94027 +CS9403 1 4NO+0NC AUX. CONTACTOR, 220V DC WITH 2NO+2NC ADDON BLOCK	4.00	NO
R79945380010	AUXILIARY CONTACTOR, L&T CS94044 +CS9403 3 0NO+4NC AUX. CONTACTOR, 220V DC WITH 4NO+0NC ADDON BLOCK	4.00	NO
R79945380011	AUXILIARY CONTACTOR, L&T, 10A SPARE CON TACT KIT	25.00	NO
R79945380012	AUXILIARY CONTCTOR, L&T, 4A SPARE CONTA CTOR COIL	25.00	NO
R79945380013	MCB 6A SP 10KA, MAKE :L&T	3.00	NO
R79945380014	MCB 16A SP; MAKE:L&T	3.00	NO
R79945380015	MCB 32A SP;MAKE:L&T	3.00	NO
R79945380016	MCB 6A DP; MAKE:L&T	3.00	NO
R79945380017	MCB 10A DP;MAKE:L&T	3.00	NO
R79945380018	MCB 6A 3P;MAKE:L&T	3.00	NO
R79945380019	MCB 6A 4P;MAKE:L&T	3.00	NO
R79945380020	MCB 6A 4P WITH 1NO+1NC AUXILIARY CONTRAC T;MAKE:L&T	3.00	NO
R79945380021	MCB 6A DP 3KA, 220V DC;MAKE:L&T	3.00	NO
R79945380022	MCB 16A DP 3KA, 220V DC;MAKE:L&T	3.00	NO
R79945380023	CT METERING 800/1A,20VA,CL-0.5, RESIN CA ST; MAKE:PRAGATI	1.00	ST
R79945380024	CT METERING 75/1A,WPL TYPE,20VA,CL-0.5;R ESIN CAST;MAKE:L&T	1.00	ST
R79945380025	CT METERING 30/1A,WPL TYPE,20VA,CL-0.5;R ESIN CAST;MAKE:L&T	2.00	ST
R79945380026	CT PROTECTION 800/1A,20VA,CL-5P20;RESIN CAST;MAKE:L&T	1.00	ST
R79945380027	AMMETER, RISHABH 0-30A CTR:1A, 96X96SQMM CL:1 240 DEG SCALE.	3.00	NO

R79945380028	CONTROL TRANSFORMER, PRAGATI 415/24V AC, 250VA DRY TYPE RESIN CAST, CLASS B. PRIMARY TAPPING +/-5% IN STEP OF 2.5%	1.00	NO
R79945380029	CONTROL TRANSFORMER, PRAGATI 415/240V AC , 3KVA DRY TYPE RESIN CAST, CLASS B. PRIMARY TAPPING +/-5% IN STEP OF 2.5%	2.00	NO
R79945380030	MCCB, L&T SL975830000 +CM999180000 +SL97 0230000 : 1.6A, TP, 50KA, 4515V AC WITH MAGNETIC RELEASE (MOTOR DUTY) WITH ROTARY HANDLE AND 1NO+1NC	1.00	NO
R79945380031	MCCB, L&T SL975840000 +CM999180000 +SL97 0230000 : 2.5A, TP, 50KA, 4515V AC WITH MAGNETIC RELEASE (MOTOR DUTY) WITH ROTARY HANDLE AND 1NO+1NC	1.00	NO
R79945380032	MPCB 2.5A TP;MAKE:L&T	1.00	NO
R79945380033	MPCB 1.6A TP;MAKE:L&T	1.00	NO
R79945380034	MPCB 16A TP;MAKE:L&T	1.00	NO
R79945380035	MPCB 10A TP;MAKE:L&T	1.00	NO
R79945380036	PUSH BUTTON(ON/OFF)- RED, MUSHROOM HEAD WITH PUSH TO LOCK AND TURN TO RELEASE TYPE 1NO+1NC; MAKE:L&T;MODEL:THS1AB2+HC61A 2	5.00	NO
R79945380037	PUSH BUTTON(ON/OFF)- BLUE, 1NO+1NC;MODE: TD16AA2+HC61B2; MAKE:L&T	5.00	NO
R79945380038	LOCAL/REMOTE SELECTOR SWITCH 16A,4 POLE ,2 WAY 220V DC WITHOUT OFF, LOCKABLE IN EACH POSITION	15.00	NO
R79945380039	THERM. OVERLOAD RELAY 0.9-1.5A, OLR WITH BUILTIN SINGLE PHASING PREVENTER & 1NO+ 1NC CONTACTS	2.00	NO
R79945380040	THERM. OVERLOAD RELAY 2.0-3.3A, OLR WITH BUILTIN SINGLE PHASING PREVENTER & 1NO+ 1NC CONTACTS	2.00	NO
R79945380041	POWER TERMINAL BLOCK 2.5SQMM MELAMINE TYPE GREY COLOUR TB ;MAKE ELMEX	5.00	NO
R79945380042	POWER TERMINAL BLOCK 6SQMM MELAMINE TYPE GREY COLOUR TB; MAKE ELMEX	5.00	NO
R79945380043	POWER TERMINAL BLOCK 10SQMM MELAMINE TYPE GREY COLOUR TB; MAKE ELMEX	5.00	NO
R79945380044	POWER TERMINAL BLOCK 70SQMM MELAMINE TYPE GREY COLOUR TB; MAKE ELMEX	5.00	NO
R79945380045	POWER TERMINAL BLOCK 120SQMM MELAMINE TYPE GREY COLOUR TB; MAKE ELMEX	5.00	NO
R79945380046	SLIDING CONTACTS (FIXED&MOVING)	25.00	ST

Information for Online Participation

Bidder who wish to participate in this tender needs to procure Digital Certificate as per Information Technology Act-2000 using that they can digitally sign their electronic bids. Bidders can procure the same from any or the CCA approved certifying agencies, or they may contact e-Procurement Technologies Ltd. at below mentioned address and they will assist them in procuring the same. Bidders who already have a valid digital Certificate need not to procure the same. In case bidders need any clarification regarding online participation, they can contact,

[e-Procurement Technologies Ltd.](#)

Corporate Office:
Address : A-201/208, Wall Street - 2, Opp. Orient Club,
Nr. Gujarat College, Ellis Bridge,
Ahmedabad - 380006, Gujarat(INDIA)

Digital Certificate Contacts

Contact Person : Mr. Himalay Vaishnav
Cell : +91-9099090830
Phone Nos. : +91-9099090830
Fax No :
e-Mail : info@abcProcure.com

Support Team Contacts

Contact Person : BHEL Support Team Ahmedabad
Cell : +91-9265562819
Phone Nos. : +91-79-68136872/823/872/871
Fax No :
e-Mail : Bhel.Support@abcProcure.com

Bidder who wish to participate in e-Tender need to fill data in predefined forms of Price bid available in respective tender only. After filling data in predefined forms bidders need to click on final submission link to submit their encrypted bid. Bidder need to submit Document Fees, EMD & Reference Documents in hard copy if such instruction are given by tendering authority. As Per the new Inter-operability guidelines released by Controller of Certifying Authorities(CCA), the Secured Socket Layer(SSL) certificate for a e-procurement application is generated on a new algorithm, SHA2.

Also, the Digital Certificates that will be applicable for these platforms have to be SHA2 algorithm complaint. For the same, the users have to ensure that they have Windows XP(SP3)/Windows Vista/Windows7 installed in their respective PC/Laptop. In case of Windows XP Service pack - 3, if you get any issue you can install the SSL patch, which is available at our download section of our e-Tender/e-Auction Portal and also at our corporate website www.abcprocure.com just below the label of "Knowledge section".

Fraud Prevention

Bidder along with its associate/collaborators/sub-contractors/sub-vendors/consultants/service providers shall strictly adhere to BHEL Fraud Prevention Policy displayed on BHEL website <http://www.bhel.com> and shall immediately bring to the notice of BHEL Management about any fraud or suspected fraud as soon as it comes to their notice.

Preference to Make in India

For this procurement, Public Procurement (Preference to Make in India), order 2017 dated 15.06.2017 & 28.05.2018 and subsequent orders issued by the respective Nodal ministry shall be applicable even if issued after issue of this NIT but before finalization of contract/PO/WO against this NIT. In the event of any Nodal Ministry prescribing higher or lower percentage of purchase preference and/ or local content in respect of this procurement, same shall be applicable. Default margin of purchase preference shall be 20% to local suppliers with default minimum local content of 50%.