

Domain :	bhel.abcpurchase.com		
Parent department:	BHEL Trichy		
Unit name	: BHEL Trichy		
Purchase group	: FB Weld.Consumable	RFQ/NIT/Enquiry Officer	: MAYANKSHRIVASTAVA
Event ID	: 29414	RFQ/NIT/Enquiry no.	: 2611900027
Enquiry Date	: 05/06/2019 05:30:00		
Tender Description	: Tokin Arc Spares		
Terms & Conditions	: 1. The Enquiry is governed by terms and conditions as mentioned in Annexure-A. 2. Quantity variation up to -5% is only acceptable. Supply of extra quantity is not permissible		
Product / service / work keywords	: Welding Machine Spares,		
No. of Bid Parts	: Multiple	Envelope	: Techno-commercial bid , Price bid
Type of contract	: Goods	Project duration / delivery or completion period	: 30.08.2019
Download document	: Before login	RFQ floated under the policy	: PP-PURCHASE POLICY
Estimated Category	: E	No. of items already attached	: 6
Delivery/Location At	: BHEL Trichy Stores	Delivery Date	: 30/08/2019 05:30:00
Inspection by Agency	: BHEL Engineers	Inspection Location	: BHEL Trichy
Min. bid required	: 1		
Bid submission configuration			
Bid evaluation	: Item wise	Bidding access	: Open Tender
Base currency	: INR	Bidding type	: NCB/Indigenous
Key configuration			
Pre-bid meeting	: Don't allow		
Dates configuration			
Document downloading start date	: 05/06/2019 18:30:00	Document downloading end date	: 17/06/2019 14:00:00
Bid submission start date	: 05/06/2019 18:30:00	Bid submission end date	: 17/06/2019 14:00:00
Bid opening date	: 17/06/2019 14:30:00		
Document / EMD / Security fee detail			

Document fees : Not required EMD : Not required

Bidding forms

Price Bid

Price Bid

Item Code	Item Description	Unit of Measurement	Quantity
560011650000	CONTACT TIP WITH HOLE DIA 1.25(+0.05/-0.00) MM FOR FEEDING DRUM PACK SOLID WIRE DIA 1.2MM IN 20 TORCH MACHINE and as per DRG.NO.4M-10A61-28267/01 (Sl.No.01)TEST CERTIFICATE IN ENGLISH FOR CHEMICAL ANALYSIS IS REQUIRED WITH SUPPLY.	NO	12000
560150130000	NOZZLE NUT AS PER DRAWING Number 4M-10A61-28264.Material Test Certificate is Required along with supply.	NO	250
560150140000	NOZZLE SPACER WITH 'O' RINGS (For 20 Torch Machine) as per Drawing Number 4M-10A61-28263/01 and 'O' Ring material is NEOPRENE RUBBER.First O-RING DIMENSION: Thickness 2 mm and ID 15 mm to suit the 4M-10A-61-28263/01.Second O-RING DIMENSTION: Thickness 2 mm and ID 15 mm to suit the 4M-10A-61-28263/01Application: MAG welding Torch spares.SPECIAL Note: 400 Numbers NOZZLE SPACER with O-RINGS means400 numbers nozzle space, first o -ring 400 numbers and second o-ring 400 numbers.Material test certiifcate is required along with supply.	NO	400
560011530000	Ceramic nut AS PER Drawing number 4M-10A-6128266.Material test certificate is required along with supply.	NO	400
560011580000	20 TORCH WX451 ORIFICEAs Per Drawing number 4M-10A-6128268.Material Test Certificate is Required along with supply.	NO	400
560150150000	20 TORCH TIP ADAPTERAs Per Drawing number 4M-10A-6128265.Material Test Certificate is Required along with supply.	NO	400

Information for Online Participation

Bidder who wish to participate in this tender needs to procure Digital Certificate as per Information Technology Act-2000 using that they can digitally sign their electronic bids. Bidders can procure the same from any or the CCA approved certifying agencies, or they may contact e-Procurement Technologies Ltd. at below mentioned address and they will assist them in procuring the same. Bidders who already have a valid digital Certificate need not to procure the same. In case bidders need any clarification regarding online participation, they can contact,

e-Procurement Technologies Ltd.

Corporate Office:

Address : A-201/208, Wall Street - 2, Opp. Orient Club,
Nr. Gujarat College, Ellis Bridge,
Ahmedabad - 380006, Gujarat(INDIA)

Digital Certificate Contacts

Contact Person : Mr. Himalay Vaishnav
Cell : +91-9099090830
Phone Nos. : +91-9099090830
Fax No :
e-Mail : info@abcProcure.com

Support Team Contacts

Contact Person : BHEL Support Team Ahmedabad
Cell : +91-8160087732

Phone Nos. : +91-79-68136809/871/861/823/872

Fax No :

e-Mail : Bhel.Support@abcProcure.com

Bidder who wish to participate in e-Tender need to fill data in predefined forms of Price bid available in respective tender only. After filling data in predefined forms bidders need to click on final submission link to submit their encrypted bid. Bidder need to submit Document Fees, EMD & Reference Documents in hard copy if such instruction are given by tendering authority. As Per the new Inter-operability guidelines released by Controller of Certifying Authorities(CCA), the Secured Socket Layer(SSL) certificate for a e-procurement application is generated on a new algorithm, SHA2.

Also, the Digital Certificates that will be applicable for these platforms have to be SHA2 algorithm complaint. For the same, the users have to ensure that they have Windows XP(SP3)/Windows Vista/Windows7 installed in their respective PC/Laptop. In case of Windows XP Service pack - 3, if you get any issue you can install the SSL patch, which is available at our download section of our e-Tender/e-Auction Portal and also at our corporate website www.abcprocure.com just below the label of "Knowledge section".

Fraud Prevention

Bidder along with its associate/collaborators/sub-contractors/sub-vendors/consultants/service providers shall strictly adhere to BHEL Fraud Prevention Policy displayed on BHEL website <http://www.bhel.com> and shall immediately bring to the notice of BHEL Management about any fraud or suspected fraud as soon as it comes to their notice.

Preference to Make in India

For this procurement, Public Procurement (Preference to Make in India), order 2017 dated 15.06.2017 & 28.05.2018 and subsequent orders issued by the respective Nodal ministry shall be applicable even if issued after issue of this NIT but before finalization of contract/PO/WO against this NIT. In the event of any Nodal Ministry prescribing higher or lower percentage of purchase preference and/ or local content in respect of this procurement, same shall be applicable. Default margin of purchase preference shall be 20% to local suppliers with default minimum local content of 50%.