

### RA Document

| RA Details                                                   |                                                                                                                                                                                                                                    |
|--------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RA Technical End Date/Time                                   | 27-11-2020 14:00:00                                                                                                                                                                                                                |
| RA Opening Date/Time                                         | 27-11-2020 14:30:00                                                                                                                                                                                                                |
| RA Life Cycle (From Publish Date)                            | 90 (Days)                                                                                                                                                                                                                          |
| RA Offer Validity (From End Date)                            | 60 (Days)                                                                                                                                                                                                                          |
| Ministry/State Name                                          | Ministry Of Heavy Industries And Public Enterprises                                                                                                                                                                                |
| Department Name                                              | Department Of Heavy Industry                                                                                                                                                                                                       |
| Organisation Name                                            | Bharat Heavy Electricals Limited (bhel)                                                                                                                                                                                            |
| Office Name                                                  | 10250020-pem, Noida                                                                                                                                                                                                                |
| Total Quantity                                               | 41500                                                                                                                                                                                                                              |
| Item Category                                                | XLPE Cables, Category: C2-FR-LSH, for Working Voltages from 3.3 kV up to and Including 33 kV                                                                                                                                       |
| MSE Exemption for Years of Experience and Turnover           | No                                                                                                                                                                                                                                 |
| Startup Exemption for Years of Experience and Turnover       | No                                                                                                                                                                                                                                 |
| Document required from seller                                | Experience Criteria,Past Performance<br>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| Primary Product                                              | XLPE Cables, Category: C2-FR-LSH, for Working Voltages from 3.3 kV up to and Including 33 kV                                                                                                                                       |
| Past Performance                                             | 80 %                                                                                                                                                                                                                               |
| Inspection Required                                          | Yes                                                                                                                                                                                                                                |
| Inspection to be carried out by Buyers own empanelled agency | Yes                                                                                                                                                                                                                                |
| Type Of Inspection                                           | Pre Dispatch                                                                                                                                                                                                                       |
| Name of the Empanelled Inspection Agency/ Authority          | Board of Officers                                                                                                                                                                                                                  |
| Quality Assurance Plan document                              | <a href="#">1605165163.pdf</a>                                                                                                                                                                                                     |
| Estimated RA Value                                           | 30400000                                                                                                                                                                                                                           |

### EMD Detail

|          |    |
|----------|----|
| Required | No |
|----------|----|

**ePBG Detail**

|                                     |           |
|-------------------------------------|-----------|
| Advisory Bank                       | HDFC Bank |
| ePBG Percentage(%)                  | 5.00      |
| Duration of ePBG required (Months). | 18        |

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**Beneficiary:**

DY MANAGER

10250020-PEM, Noida, Department of Heavy Industry, Bharat Heavy Electricals Limited (BHEL),  
Ministry of Heavy Industries and Public Enterprises  
(Rajendra Prasad Yadav)

**Splitting**

RA splitting not applied.

1. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

**XLPE Cables, Category: C2-FR-LSH, For Working Voltages From 3.3 KV Up To And Including 33 KV ( 15000 meter )****Technical Specifications**

[\\* As per GeM Category Specification](#)

| Specification | Specification Name                                                                                                                          | Values                     | Bid Requirement (Allowed Values) |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|----------------------------------|
| GENERIC       | Crosslinked Polyethylene Insulated Thermoplastics Sheathed Cables, for Working Voltages from 3.3 kV up to and Including 33 kV conforming to | IS:7098-Part 2:2011 latest | *                                |

|                                                                                                                                                                                                                                                                                                       |                                                                                                     |                                     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-------------------------------------|
| ISI Marked                                                                                                                                                                                                                                                                                            | Yes                                                                                                 | *                                   |
| ISI Marked if "Yes"<br>BIS License Number<br>(CM/L Number) -<br>Must declare                                                                                                                                                                                                                          | -                                                                                                   | *                                   |
| Category of cable<br>with Improved fire<br>performance                                                                                                                                                                                                                                                | C2 - FR-LSH                                                                                         | *                                   |
| <b>Types of cable</b>                                                                                                                                                                                                                                                                                 | Three-core armoured,<br>screened                                                                    | Three-core armoured,<br>screened    |
| <b>Voltage Grade</b>                                                                                                                                                                                                                                                                                  | Unearthed system:<br>11/11kV                                                                        | Unearthed system:<br>11/11kV        |
| <b>Armoured cables<br/>upto 11 kV Grade<br/>specified in this<br/>standard are<br/>suitable for use in<br/>mines (as per Cl.<br/>1.3 , 4.1.1, Cl.<br/>17.5 and Cl.<br/>21.2.1 of IS:7098<br/>(Part 2):2011 (If<br/>"Yes"<br/>manufacturer<br/>shall have valid<br/>BIS License for<br/>the same )</b> | Yes                                                                                                 | Yes                                 |
| <b>Low temperature<br/>application (If<br/>"Yes"<br/>manufacturer<br/>shall have valid<br/>BIS License for<br/>the same )</b>                                                                                                                                                                         | Yes                                                                                                 | Yes                                 |
| <b>Conductor<br/>material (as per<br/>Cl.4 of IS:7098<br/>(Part 2):2011<br/>latest</b>                                                                                                                                                                                                                | Aluminium                                                                                           | Aluminium                           |
| <b>Outer sheath<br/>(Type ST2)</b>                                                                                                                                                                                                                                                                    | PVC                                                                                                 | PVC                                 |
| <b>"Nominal Cross<br/>Sectional Area of<br/>Conductor</b>                                                                                                                                                                                                                                             | 240                                                                                                 | 240                                 |
| CONSTRUCTION<br>AL                                                                                                                                                                                                                                                                                    | Insulation<br>(conforming to the<br>requiremnt as per<br>Table.1 of IS:7098<br>(Part 2):2011 latest | Cross linked<br>polyethylene        |
|                                                                                                                                                                                                                                                                                                       | <b>Armouring</b>                                                                                    | Galvanized formed<br>wires armoured |
|                                                                                                                                                                                                                                                                                                       |                                                                                                     | Galvanized formed<br>wires armoured |

|                |                                                                                                                                                                            |             |             |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------|
|                | <b>Cable packing type (Wound on drum) (as per Cl. 22.1 of I:7098 (Part 2):2011 latest</b>                                                                                  | Wooden drum | Wooden drum |
|                | Identification on cable as per Cl. 21 of IS:7098 (Part 2):2011 latest                                                                                                      | Yes         | *           |
|                | Marking on cable (as per Cl. 22.2 of I:7098 (Part 2):2011 latest                                                                                                           | Yes         | *           |
| CERTIFICATIONS | Availability of Type test report with improved fire performance category from Central government/ NABL/ILAC accredited laboratory to prove conformity to the specification | Yes         | *           |
|                | Test report number - Must declare                                                                                                                                          | -           | *           |
|                | Report date - Must declare                                                                                                                                                 | -           | *           |
|                | Name of lab - Must declare                                                                                                                                                 | -           | *           |
|                | Address of lab - Must declare                                                                                                                                              | -           | *           |
|                | All the test reports and certificates shall furnish by the supplier to the buyer/consignee on demand                                                                       | Yes         | *           |

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### Consignee/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address                                                                                                        | Quantity | Delivery Days |  |
|-------|-----------------------------|----------------------------------------------------------------------------------------------------------------|----------|---------------|--|
| 1     | Dinesh Kumar Vaishy         | 208020,Construction Manager, Bharat Heavy Electricals Limited c/o Chief Engineer (Projects), UPRVUNL PANKI TPS | 15000    | 90            |  |

EXTENSION Panki , Dist.  
Kanpur (U.P) Pin-208020  
(Uttar Pradesh)

## XLPE Cables, Category: C2-FR-LSH, For Working Voltages From 3.3 KV Up To And Including 33 KV ( 11500 meter )

### Technical Specifications

[\\* As per GeM Category Specification](#)

| Specification | Specification Name                                                                                                                                                                                                                            | Values                                       | Bid Requirement (Allowed Values)             |
|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|----------------------------------------------|
| GENERIC       | Crosslinked Polyethylene Insulated Thermoplastics Sheathed Cables, for Working Voltages from 3.3 kV up to and Including 33 kV conforming to                                                                                                   | IS:7098-Part 2:2011 latest                   | *                                            |
|               | ISI Marked                                                                                                                                                                                                                                    | Yes                                          | *                                            |
|               | ISI Marked if "Yes" BIS License Number (CM/L Number) - Must declare                                                                                                                                                                           | -                                            | *                                            |
|               | Category of cable with Improved fire performance                                                                                                                                                                                              | C2 - FR-LSH                                  | *                                            |
|               | <b>Types of cable</b>                                                                                                                                                                                                                         | Single-core armoured (non-magnetic) screened | Single-core armoured (non-magnetic) screened |
|               | <b>Voltage Grade</b>                                                                                                                                                                                                                          | Unearthed system: 11/11kV                    | Unearthed system: 11/11kV                    |
|               | <b>Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same )</b> | Yes                                          | Yes                                          |
|               | <b>Low temperature application (If</b>                                                                                                                                                                                                        | Yes                                          | Yes                                          |

|                    |                                                                                                                                                                            |                                  |                                  |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|----------------------------------|
|                    | <b>"Yes" manufacturer shall have valid BIS License for the same )</b>                                                                                                      |                                  |                                  |
|                    | <b>Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest</b>                                                                                                     | Aluminium                        | Aluminium                        |
|                    | <b>Outer sheath (Type ST2)</b>                                                                                                                                             | PVC                              | PVC                              |
|                    | <b>"Nominal Cross Sectional Area of Conductor</b>                                                                                                                          | 400                              | 400                              |
| CONSTRUCTION<br>AL | Insulation (conforming to the requiremnt as per Table.1 of IS:7098 (Part 2):2011 latest                                                                                    | Cross linked polyethylene        | *                                |
|                    | <b>Armouring</b>                                                                                                                                                           | Galvanized formed wires armoured | Galvanized formed wires armoured |
|                    | <b>Cable packing type (Wound on drum) (as per Cl. 22.1 of I:7098 (Part 2):2011 latest</b>                                                                                  | Wooden drum                      | Wooden drum                      |
|                    | Identification on cable as per Cl. 21 of IS:7098 (Part 2):2011 latest                                                                                                      | Yes                              | *                                |
|                    | Marking on cable (as per Cl. 22.2 of I:7098 (Part 2):2011 latest                                                                                                           | Yes                              | *                                |
|                    |                                                                                                                                                                            |                                  |                                  |
| CERTIFICATIONS     | Availability of Type test report with improved fire performance category from Central government/ NABL/ILAC accridiated laoratory to prove conformity to the specification | Yes                              | *                                |
|                    | Test report number - Must declare                                                                                                                                          | -                                | *                                |
|                    | Report date - Must declare                                                                                                                                                 | -                                | *                                |
|                    | Name of lab - Must                                                                                                                                                         | -                                | *                                |

|  |                                                                                                                     |     |   |
|--|---------------------------------------------------------------------------------------------------------------------|-----|---|
|  | declare                                                                                                             |     |   |
|  | Address of lab -<br>Must declare                                                                                    | -   | * |
|  | All the test reports<br>and certificates shall<br>furnish by the<br>supplier to the<br>buyer/consignee on<br>demand | Yes | * |

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

### Consignee/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address                                                                                                                                                                                             | Quantity | Delivery Days |  |
|-------|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------|--|
| 1     | Dinesh Kumar<br>Vaishy      | 208020,Construction<br>Manager, Bharat Heavy<br>Electricals Limited c/o Chief<br>Engineer (Projects),<br>UPRVUNL PANKI TPS<br>EXTENSION Panki , Dist.<br>Kanpur (U.P) Pin-208020<br>(Uttar Pradesh) | 11500    | 90            |  |

### **XLPE Cables, Category: C2-FR-LSH, For Working Voltages From 3.3 KV Up To And Including 33 KV ( 8500 meter )**

### Technical Specifications

[\\* As per GeM Category Specification](#)

| Specification | Specification Name                                                                                                                          | Values                     | Bid Requirement (Allowed Values) |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|----------------------------------|
| GENERIC       | Crosslinked Polyethylene Insulated Thermoplastics Sheathed Cables, for Working Voltages from 3.3 kV up to and Including 33 kV conforming to | IS:7098-Part 2:2011 latest | *                                |
|               | ISI Marked                                                                                                                                  | Yes                        | *                                |
|               | ISI Marked if "Yes"<br>BIS License Number (CM/L Number) -<br>Must declare                                                                   | -                          | *                                |
|               | Category of cable with Improved fire                                                                                                        | C2 - FR-LSH                | *                                |

|                    |                                                                                                                                                                                                                                               |                                              |                                              |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|----------------------------------------------|
|                    | performance                                                                                                                                                                                                                                   |                                              |                                              |
|                    | <b>Types of cable</b>                                                                                                                                                                                                                         | Single-core armoured (non-magnetic) screened | Single-core armoured (non-magnetic) screened |
|                    | <b>Voltage Grade</b>                                                                                                                                                                                                                          | Unearthed system: 11/11kV                    | Unearthed system: 11/11kV                    |
|                    | <b>Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same )</b> | Yes                                          | Yes                                          |
|                    | <b>Low temperature application (If "Yes" manufacturer shall have valid BIS License for the same )</b>                                                                                                                                         | Yes                                          | Yes                                          |
|                    | <b>Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest</b>                                                                                                                                                                        | Aluminium                                    | Aluminium                                    |
|                    | <b>Outer sheath (Type ST2)</b>                                                                                                                                                                                                                | PVC                                          | PVC                                          |
|                    | <b>"Nominal Cross Sectional Area of Conductor</b>                                                                                                                                                                                             | 630                                          | 630                                          |
| CONSTRUCTION<br>AL | Insulation (conforming to the requirement as per Table.1 of IS:7098 (Part 2):2011 latest                                                                                                                                                      | Cross linked polyethylene                    | *                                            |
|                    | <b>Armouring</b>                                                                                                                                                                                                                              | Galvanized formed wires armoured             | Galvanized formed wires armoured             |
|                    | <b>Cable packing type (Wound on drum) (as per Cl. 22.1 of I:7098 (Part 2):2011 latest</b>                                                                                                                                                     | Wooden drum                                  | Wooden drum                                  |

|                |                                                                                                                                                                            |     |   |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|
|                | Identification on cable as per Cl. 21 of IS:7098 (Part 2):2011 latest                                                                                                      | Yes | * |
|                | Marking on cable (as per Cl. 22.2 of I:7098 (Part 2):2011 latest                                                                                                           | Yes | * |
| CERTIFICATIONS | Availability of Type test report with improved fire performance category from Central government/ NABL/ILAC accridiated laoratory to prove conformity to the specification | Yes | * |
|                | Test report number - Must declare                                                                                                                                          | -   | * |
|                | Report date - Must declare                                                                                                                                                 | -   | * |
|                | Name of lab - Must declare                                                                                                                                                 | -   | * |
|                | Address of lab - Must declare                                                                                                                                              | -   | * |
|                | All the test reports and certificates shall furnish by the supplier to the buyer/consignee on demand                                                                       | Yes | * |

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### **Consignee/Reporting Officer and Quantity**

| S.No. | Consignee/Reporting Officer | Address                                                                                                                                                                        | Quantity | Delivery Days |  |
|-------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------|--|
| 1     | Dinesh Kumar Vaishy         | 208020,Construction Manager, Bharat Heavy Electricals Limited c/o Chief Engineer (Projects), UPRVUNL PANKI TPS EXTENSION Panki , Dist. Kanpur (U.P) Pin-208020 (Uttar Prades)h | 8500     | 90            |  |

**XLPE Cables, Category: C2-FR-LSH, For Working Voltages From 3.3 KV Up To And Including 33 KV ( 6500 meter )**

## Technical Specifications

[\\* As per GeM Category Specification](#)

| Specification | Specification Name                                                                                                                                                                                                                            | Values                        | Bid Requirement (Allowed Values) |
|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|----------------------------------|
| GENERIC       | Crosslinked Polyethylene Insulated Thermoplastics Sheathed Cables, for Working Voltages from 3.3 kV up to and Including 33 kV conforming to                                                                                                   | IS:7098-Part 2:2011 latest    | *                                |
|               | ISI Marked                                                                                                                                                                                                                                    | Yes                           | *                                |
|               | ISI Marked if "Yes" BIS License Number (CM/L Number) - Must declare                                                                                                                                                                           | -                             | *                                |
|               | Category of cable with Improved fire performance                                                                                                                                                                                              | C2 - FR-LSH                   | *                                |
|               | <b>Types of cable</b>                                                                                                                                                                                                                         | Three-core armoured, screened | Three-core armoured, screened    |
|               | <b>Voltage Grade</b>                                                                                                                                                                                                                          | Earthed systems: 3.8/6.6 kV   | Earthed systems: 3.8/6.6 kV      |
|               | <b>Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same )</b> | Yes                           | Yes                              |
|               | <b>Low temperature application (If "Yes" manufacturer shall have valid BIS License for the same )</b>                                                                                                                                         | Yes                           | Yes                              |
|               | <b>Conductor material (as per</b>                                                                                                                                                                                                             | Aluminium                     | Aluminium                        |

|                    |                                                                                                                                                                            |                                  |                                  |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|----------------------------------|
|                    | <b>Cl.4 of IS:7098 (Part 2):2011 latest</b>                                                                                                                                |                                  |                                  |
|                    | <b>Outer sheath (Type ST2)</b>                                                                                                                                             | PVC                              | PVC                              |
|                    | <b>"Nominal Cross Sectional Area of Conductor</b>                                                                                                                          | 240                              | 240                              |
| CONSTRUCTION<br>AL | Insulation (conforming to the requiremnt as per Table.1 of IS:7098 (Part 2):2011 latest                                                                                    | Cross linked polyethylene        | *                                |
|                    | <b>Armouring</b>                                                                                                                                                           | Galvanized formed wires armoured | Galvanized formed wires armoured |
|                    | <b>Cable packing type (Wound on drum) (as per Cl. 22.1 of I:7098 (Part 2):2011 latest</b>                                                                                  | Wooden drum                      | Wooden drum                      |
|                    | Identification on cable as per Cl. 21 of IS:7098 (Part 2):2011 latest                                                                                                      | Yes                              | *                                |
|                    | Marking on cable (as per Cl. 22.2 of I:7098 (Part 2):2011 latest                                                                                                           | Yes                              | *                                |
|                    |                                                                                                                                                                            |                                  |                                  |
| CERTIFICATIONS     | Availability of Type test report with improved fire performance category from Central government/ NABL/ILAC accridiated laoratory to prove conformity to the specification | Yes                              | *                                |
|                    | Test report number - Must declare                                                                                                                                          | -                                | *                                |
|                    | Report date - Must declare                                                                                                                                                 | -                                | *                                |
|                    | Name of lab - Must declare                                                                                                                                                 | -                                | *                                |
|                    | Address of lab - Must declare                                                                                                                                              | -                                | *                                |
|                    | All the test reports and certificates shall furnish by the                                                                                                                 | Yes                              | *                                |

|                                                 |  |  |
|-------------------------------------------------|--|--|
| supplier to the<br>buyer/consignee on<br>demand |  |  |
|-------------------------------------------------|--|--|

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

### Consignee/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address                                                                                                                                                                        | Quantity | Delivery Days |  |
|-------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------|--|
| 1     | Dinesh Kumar Vaishy         | 208020,Construction Manager, Bharat Heavy Electricals Limited c/o Chief Engineer (Projects), UPRVUNL PANKI TPS EXTENSION Panki , Dist. Kanpur (U.P) Pin-208020 (Uttar Pradesh) | 6500     | 90            |  |

### Bid Specific Additional Terms and Conditions

1. After award of contract – Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 7 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 10 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing– the delivery period shall be refixed without LD for the period of delay in approval of Drawing.
2. Scope of supply (Bid price to include all cost components) : Only supply of Goods
3. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 15 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.
4. **Nominated Inspection Agency:** On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:  
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC): AT VENDOR WORKS  
Post Receipt Inspection at consignee site before acceptance of stores: AT SITE
5. **Pre-dispatch inspection at Seller premises (Fee/Charges to be borne by the BUYER):** Before dispatch, the goods will be inspected by Buyer / Consignee or their Authorized Representative or by Nominated External Inspection Agency (independently or jointly with Buyer or Consignee as decided by the Buyer) at Seller premises (or at designated place for inspection as declared / communicated by the seller) for their compliance to the contract specifications. Fee/Charges taken by the External inspection Agency and any external laboratories testing charges shall be borne by the Buyer. For in-house testing, the

Sellers will provide necessary facilities free of cost. Seller shall notify the Buyer through e-mail about readiness of goods for pre-dispatch inspection and Buyer will notify the Seller about the Authorized Representative/ Nominated External Inspection Agency and the date for testing. The goods would be dispatched to consignee only after clearance in pre-dispatch inspection. Consignee's right of rejection as per GTC in respect of the goods finally received at his location shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by Buyer/ Consignee or its Nominated External Inspection Agency prior to the goods' shipment. While bidding, the sellers should take into account 7 days for inspection from the date of email offering the goods for inspection. Any delay in inspection beyond 7 days shall be on the part of the buyer and shall be regularised without Liquidated Damages.

When there is requirement of submission the advance sample, the seller shall inform the buyer promptly through emails about the date of submission of sample to the buyer nominated Inspection agency.

6. Bid reserved for Make In India products: Procurement under this bid is reserved for purchase from Class 1 local suppliers as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document 50%. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
7. Warranty period of the supplied products shall be 2 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid
8. For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:
  - a. Purchase Order copy along with Invoice(s) with self-certification by the bidder that supplies against the invoices have been executed.
  - b. Execution certificate by client with order value.
  - c. Any other document in support of order execution like Third Party Inspection release note, etc.
9. Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

[This RA is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---Thank You---**

