

Domain :	bhel.abcprocure.com		
Parent department:	Heavy Plates&Vessels Plant		
Unit name : Heavy Plates & Vessels Plant			
Purchase group	:	H09	RFQ/NIT/Enquiry Officer : ASHISH KUMAR
Event ID	:	22359	RFQ/NIT/Enquiry no. : H091900005
Enquiry Date	:	25/03/2019 05:30:00	
Tender Description	:	SUPPLY OF ROUND BAR	
Terms & Conditions	:	FOR MORE DETAIL PL. REFER ATTACHEMENTS	
Product / service / work keywords	:	Round Bar,	
No. of Bid Parts	:	Multiple	Envelope : Techno-commercial bid , Price bid
Type of contract	:	Goods	Project duration / delivery or completion period : 6 WEEKS
Download document	:	Before login	RFQ floated under the policy : PP-PURCHASE POLICY
Estimated Category	:	G	No. of items already attached : 157
Delivery/Location At	:	HPVP VIZAG	Delivery Date : 05/05/2019 05:30:00
Inspection by Agency	:		Inspection Location :
Min. bid required	:	1	
Bid submission configuration			
Distribution of PO	:	No	Bid evaluation : Item wise
Bidding access	:	Open Tender	Base currency : INR
Bidding type	:	ICB/Global	
Bidding currencies	:	YEN,EURO,USD,INR	
Key configuration			
Pre-bid meeting	:	Don't allow	
Dates configuration			
Document downloading start date	:	28/03/2019 15:52:00	Document downloading end date : 05/04/2019 14:00:00
Bid submission start date	:	28/03/2019 15:52:00	Bid submission end date : 05/04/2019 14:00:00

Bid opening date : 05/04/2019 15:00:00

Document / EMD / Security fee detail

Document fees : Not required EMD : Not required

Bidding forms

PRICE BID

PRICE BID

MATLCD	DESCRIPTION	UNIT OF MEASUREMENT	WEIGHT
153244240000	DIA 50 MM - SA182F304	KG	100
150262470000	ROUND DIA 10.0MM - EN48A	KG	501.4
150266550000	ROUND DIA 50 - ASTM A600T4	KG	541
150391180000	DIA 63.0 MM - SA193B7	KG	505
156275950000	DIA 63.0 MM - SA193B7	KG	100
150393600000	ROUND DIA 6 MM - SA182F12CL2(CERT)	KG	510.25
153394710000	ROUND-DIA 8 MM - SA182F12CL2	KG	100
150393610000	ROUND DIA 10 MM - SA182F12CL2(CERT)	KG	500
153393620000	ROUND DIA 25 - SA182F12CL2	KG	512
156276040000	ROUND DIA 25 - SA182F12CL2	KG	100
156275920000	ROUND DIA 40 - SA182F12CL2(Maitree)	KG	100
153392420000	ROUND DIA 50 - SA182F12CL2	KG	1007.58
156275720000	DIA 50.0 MM - SA182F12CL2(CERT)(Maitree)	KG	100
153392430000	ROUND DIA 63 - SA182F12CL2	KG	668.02
150392440000	DIA 80.0 MM - SA182F12CL2(CERT)	KG	500
150392450000	DIA 100.0 MM - SA182F12CL2(CERT)	KG	500
153392450000	ROUND DIA 100 - SA182F12CL2	KG	500
153393410000	DIA 25.0 MM - SA182F22CL3(ATTEST)	KG	100
153391730000	DIA 63.0 MM - SA182F22CL3	KG	500
153391940000	DIA 80.0 MM - SA182F22CL3	KG	500
153393700000	DIA 125 MM SA182F22CL3	KG	500
159393710000	ROD DIA 140X6000MMSA182F22CL3	KG	500

153392390000	DIA 200 SA182F22CL3	KG	500
153393520000	DIA 210 SA182F22CL3 (ATTEST)	KG	500
159396120000	DIA 200 MM SA182F91-1.5 to 3 mtr lo	KG	500
153390010000	ROUND DIA 10.0 MM - SA105	KG	657.66
156276100000	Rod dia 10 - SA105(Maitree)	KG	100
156272380000	ROUND 12MM SA 105	KG	519.77
150391380000	ROUND DIA 16 - SA105(CERT)	KG	1433.3
156275860000	ROUND DIA 16 - SA105(CERT)(Maitree)	KG	100
150393430000	ROUND DIA 22 - SA105(CERT)	KG	3023.67
156275890000	ROUND DIA 22 - SA105(CERT)(Maitree)	KG	100
150391390000	DIA 25 - SA105(CERT)-	KG	3450.49
156275750000	DIA 25 - SA105(CERT)-(Maitree)	KG	100
156272420000	ROUND 28MM SA 105	KG	500
153391400000	DIA 32mm-SA105	KG	2690.3
150392800000	ROUND DIA 36 - SA105(CERT)	KG	2566.09
156275700000	DIA 36.0 MM - SA105(Maitree)	KG	100
153391410000	DIA 40mm-SA105	KG	1780.88
153391420000	DIA 50.0 MM - SA105	KG	368.34
156272560000	ROUND 50MM SA105	KG	1076.15
156275910000	ROUND DIA 40 - SA105(CERT)(Maitree)	KG	100
153393800000	DIA 60 - SA105	KG	500
153391430000	DIA 63mm-SA105	KG	930.16
150391430000	ROUND DIA 63 - SA105(CERT)	KG	500
156272590000	ROUND 63MM SA 105	KG	500
156275990000	DIA 63mm-SA105	KG	428.82
153393810000	DIA 75mm-SA105	KG	706.56
153391440000	DIA 80.0 MM - SA105	KG	1023.66
156275740000	DIA 80.0 MM - SA105(Maitree)	KG	113.2
153391340000	DIA 100.0 MM - SA105	KG	2677.51
156275960000	DIA 100.0 MM - SA105	KG	100

150392810000	DIA 125 MM - SA105	KG	555
153392810000	DIA 125mm-SA105 -	KG	777.64
156276030000	DIA 125mm-SA105 -	KG	100
153391450000	DIA 140 - SA105 -	KG	521.05
156272690000	ROUND 140MM SA 105	KG	906.3
156274030000	ROUND DIA 160MM SA105	KG	1400
153392820000	DIA 165mm-SA105	KG	1325.11
153392830000	DIA 200 MM - SA105	KG	500
153392830000	DIA 200 MM - SA105	KG	177.47
153392940000	DIA 250mm-SA105	KG	575
153394330000	DIA 300mm-SA105	KG	1077.5
156272780000	ROUND BAR DIA300 MM SA105	KG	344
156275790000	DIA 75mm-SA105(Maitree)	KG	100
156275800000	ROD DIA 36MMSA105(Maitree)	KG	100
156275830000	ROUND 80MM SA 105(Maitree)	KG	100
156276090000	ROUND DIA 6mm - SA36 - CERTIFIED	KG	100
150040260000	ROD D 6.0 MM-IS2062GRA SAE1010/SAE1018	KG	1316.87
150041970000	DIA 8 MM - IS2062GRA SAE1010/SAE1018	KG	1010
150040420000	DIA 10mm-IS2062FE410GRA SAE1010/SAE1018	KG	2840.33
156275050000	CS ROUND BAR DIA 12 IS 2062 Gr.E250A/B	KG	1062.81
156290220000	ROUND 14MM IS 2062 GR A	KG	500
150041060000	DIA 16mm-IS2062FE410GRA SAE1010/SAE1018	KG	4363.27
150043410000	ROUND DIA 18 - IS2062GRA	KG	504
156275360000	Round Bar Dia 20MM -IS2062Gr.E250B	KG	1680
150040220000	C S ROUND DIA 22MM IS2062GRB	KG	1035.35
150040270000	DIA 25.0 MM - IS2062GRA	KG	6134.09
150040180000	ROUND DIA 32.0 MM - IS2062GRA	KG	2952
150040070000	ROUND DIA 40.0 MM -IS2062GRA	KG	600
150040230000	ROUND DIA 50.0 MM - IS2062GRA	KG	544.8
156275480000	Round Dia 60 mm IS2062E250A(FE410W)	KG	100

150041070000	ROUND DIA 63.0 MM - IS2062GRA	KG	100
156275300000	Round Dia 75 mm IS2062E250A(FE410W)	KG	132.13
156275390000	Round Bar Dia 80MM-IS2062Gr.E250B	KG	363.23
156275330000	Round Dia 125mm IS2062E250A(FE410W)	KG	100
150263600000	DIA 32.0 MM - IS1875CL4	KG	512.63
150271350000	DIA 40 - IS1875CL4	KG	100
156275010000	MS ROUND BAR DIA 30 IS 2062 GR.A/B	KG	100
156275450000	BRIGHT STEEL ROUND BAR Dia20 IS9550-2001	KG	100
156275460000	BRIGHT STEEL ROUND BAR Dia45 IS9550-2001	KG	100
156276150000	ROUND20HOTRLD/FRGDNORMLIS1570GR40C8-DHYB	KG	500
156276180000	BRIGHT STEEL ROUND BAR DIA90 IS9550-2001	KG	100
156276190000	FORGED ROUND BAR DIA 120 IS4367-1991	KG	100
156290580000	ROUND 100MM IS 2062	KG	173.25
150241370000	DIA 6 - SA479TY304	KG	139.4
150241300000	DIA 10.0 MM - SA479TY304(CERT)	KG	774.6
156275880000	ROUND DIA 16 - SA479TY304(Maitree)	KG	100
150241930000	DIA 20.0 MM - SA479TY304(CERT)	KG	556
150241940000	DIA 32.0 MM - SA479TY304(CERT)	KG	586.2
156275690000	DIA 32.0 MM - SA479TY304(CERT)(Maitree)	KG	100
150241590000	DIA 50.0 MM - SA479TP304	KG	4983.8
156275730000	DIA 50.0 MM - SA479TP304(Maitree)	KG	100
156275940000	DIA 50.0 MM - SA479TP304	KG	100
150241600000	DIA 63.0 MM - SA479TP304	KG	509
156270790000	ROUND 63MM SA 479 TP 304	KG	1114
156271510000	ROUND 10MM AISI 310S	KG	500
156275870000	ROUND DIA 16 - SA182F316(Maitree)	KG	100
156272340000	ROUND 50MM SA182 F 316	KG	623.8

Information for Online Participation

Bidder who wish to participate in this tender needs to procure Digital Certificate as per Information Technology Act-2000 using that they can digitally sign their electronic bids. Bidders can procure the same from any or the CCA approved certifying agencies,

or they may contact e-Procurement Technologies Ltd. at below mentioned address and they will assist them in procuring the same. Bidders who already have a valid digital Certificate need not to procure the same. In case bidders need any clarification regarding online participation, they can contact,

e-Procurement Technologies Ltd.

Corporate Office:

Address : A-201/208, Wall Street - 2, Opp. Orient Club,
Nr. Gujarat College, Ellis Bridge,
Ahmedabad - 380006, Gujarat(INDIA)

Digital Certificate Contacts

Contact Person : Mr. Himalay Vaishnav

Cell : +91-9099090830

Phone Nos. : +91-9099090830

Fax No :

e-Mail : info@abcProcure.com

Support Team Contacts

Contact Person : BHEL Support Team Ahmedabad

Cell : +91-8160087732

Phone Nos. : +91-79-68136809/849/871/823/872

Fax No :

e-Mail : Bhel.Support@abcProcure.com

Bidder who wish to participate in e-Tender need to fill data in predefined forms of Price bid available in respective tender only. After filling data in predefined forms bidders need to click on final submission link to submit their encrypted bid. Bidder need to submit Document Fees, EMD & Reference Documents in hard copy if such instruction are given by tendering authority. As Per the new Inter-operability guidelines released by Controller of Certifying Authorities(CCA), the Secured Socket Layer(SSL) certificate for a e-procurement application is generated on a new algorithm, SHA2.

Also, the Digital Certificates that will be applicable for these platforms have to be SHA2 algorithm complaint. For the same, the users have to ensure that they have Windows XP(SP3)/Windows Vista/Windows7 installed in their respective PC/Laptop. In case of Windows XP Service pack - 3, if you get any issue you can install the SSL patch, which is available at our download section of our e-Tender/e-Auction Portal and also at our corporate website www.abcprocure.com just below the label of "Knowledge section".

Fraud Prevention

Bidder along with its associate/collaborators/sub-contractors/sub-vendors/consultants/service providers shall strictly adhere to BHEL Fraud Prevention Policy displayed on BHEL website <http://www.bhel.com> and shall immediately bring to the notice of BHEL Management about any fraud or suspected fraud as soon as it comes to their notice.

Preference to Make in India

For this procurement, Public Procurement (Preference to Make in India), order 2017 dated 15.06.2017 & 28.05.2018 and subsequent orders issued by the respective Nodal ministry shall be applicable even if issued after issue of this NIT but before finalization of contract/PO/WO against this NIT. In the event of any Nodal Ministry prescribing higher or lower percentage of purchase preference and/ or local content in respect of this procurement, same shall be applicable. Default margin of purchase preference shall be 20% to local suppliers with default minimum local content of 50%.