

| ANNEXURE II: | | | | | | | | |
|--|----------|---|-------|-------|----------------|-----------------|------------|----------|
| ESTIMATION FOR I/O PORT RATE CONTRACT -2010-2011 | | | | | | | | |
| Slno | Sub slno | Detailed Work Schedule Description of Materials Work content | UNIT | QTY | Rate/unit (Rs) | Total cost (Rs) | Appl Taxes | Taxe Amt |
| | | Material Required : | | | | | | |
| 1 | 1 | 1. Information Outlets (Systimax,Molex,Panduit) | Nos. | 300 | | | 4% VAT | |
| | 2 | 2. Surface mounting boxes | Nos. | 300 | | | 4% VAT | |
| | 3 | 3. Category 6 UTP cable (Systimax,Molex,Panduit) | Mtrs. | 15000 | | | 12.50% | |
| | 4 | PVC channels & flexible hose suitable for above | Mtrs. | 4000 | | | 4% VAT | |
| | | Sub Total | | | | | | |
| | | Labour For laying fresh points : | | | | | | |
| 2 | 1 | Charges for laying CAT - 6 UTP Cables | Mtrs. | 15000 | | | 10.30% | |
| | 2 | Charges for fixing PVC channels | Mtrs. | 4000 | | | 10.30% | |
| | 3 | Charges I/O points for jack panel and at user end | Nos. | 300 | | | 10.30% | |
| | | Sub Total | | | | | | |
| | | Charges for relocation or removal : | | | | | | |
| 3 | 1 | Charges for removal of old CAT cables | Mtrs. | 2000 | | | 10.30% | |
| | 2 | Charges for removal of old PVC channels | Mtrs. | 2000 | | | 10.30% | |
| | 3 | Charges for laying removed cables to the new location | Mtrs. | 1500 | | | 10.30% | |
| | 4 | Charges for removing old I/O outlets | Nos. | 100 | | | 10.30% | |
| | 5 | Charges for removal and termination of old I/O outlets | Nos. | 100 | | | 10.30% | |
| | | Sub Total | | | | | | |
| | | GROSS AMT | | | | | | |