

ANNEXURE-E GUIDELINES TO INDIAN SUPPLIERS FOR FILLING-UP SUPPLIER REGISTRATION FORM FOR OUTSOURCING-VENDOR(WITH BHEL MATERIALS)

BHEL-TRICHY-OUTSOURCING				
Document No. TRY:OS:SR:01				
Revision No. 01				
Page No. I of II				

- 1. Prospective Suppliers may also visit our web site www.bhel.com (link Supplier Registration -> New Supplier Required) to know more about the requirement of new suppliers for various items in our units.
- 2. Registration Form may be obtained from BHEL website <u>www.bheltry.co.in</u>.
- 3. Application for registration, with a covering letter detailing where your products can find application (if possible) in BHEL unit(s), should be sent to:

Supplier Development Cell

Unit Name:

SCDC, OUTSOURCING-, 79 BUILDING, Bharat Heavy Electricals Ltd, Trichy 620014

City:

India

- 4. In case registration is being sought in multiple units of BHEL, please send the separate application to each unit.
- 5. Any clarification with respect to procedure for registration may be obtained from the Supplier Development Cell of respective BHEL unit.
- 6. The Supplier Registration Form has four parts:

(to be filled by BHEL)

The set of formats to be filled by different category of suppliers is as follows:

Sl.No	Supplier Category	Formats	
1.	Indian Suppliers (manufacturers)	- Organisational Information	
		- Quality System	
		- Technical Competence	

- 7. All columns are to be filled up properly in the space provided for. Wherever it is not applicable, please mention "Not Applicable". The form is to be signed by the authorised signatory.
- 8. A separate sheet may be attached if the space provided is insufficient or additional information is to be given. Please put proper identification tag on the separately attached sheet.
- 9. Please ensure that all required enclosures are attached with the filled up Supplier Registration Form and all enclosures are numbered & list of enclosures is given as required.
- 10. As multiple copies of the application forms are required for processing at our end, please do not spiral bound the application forms or its enclosures and instead send them in two hole clip flat file.
- 11. Incomplete forms will be rejected.
- 12. Any information / clarification required by BHEL during evaluation must be given expeditiously.
- 13. Please note that if you are registered and participate in Tender process and qualify to get order from BHEL, your performance based on Quality of your product, delivery performance and service rendered will be evaluated in line with Chapter VI.
- 14. Please fill up the check- list given on next page and send along with the Supplier Registration Forms to BHEL.
- 15. If you are attaching a document in a language other than Hindi/ English, a self attested Hindi/ English translated document may please be also attached.



ANNEXURE-E

Check List for Indian Supplier Registration Form OUTSOURCING- VENDOR(WITH BHEL MATERIALS)

SUPPLIER REGISTRATION FORM

BHEL-TRICHY-OUTSOURCING				
Document No.	TRY:OS:SR:01			
Revision No. 01				
Page No.	II of II			

Sl.No.	Check-Point	Yes/No
1.	Information against all points under "Organizational Information" (Part-A) has been given.	
2.	All enclosures, applicable checklist and supporting documents have been enclosed.	
3.	Summary list of enclosures has been furnished as per S.N.10 of Organisational Information from no. SRF (I) 01 & S.N 12 of Quality system form no. SRF (I) 01.	
4.	Are you an ISO 9001accredited supplier?	
5.	If yes, have you enclosed "Table of Contents" of your Quality Manual and copy of ISO 9001 accreditation certificate?	
6.	Have you filled up Quality System format given in Part B?	
7.	Technical requirements, specifications, drawings, standards have been received from BHEL before filling up Technical Competence, Part C.	
8.	All the parts of the form & enclosures have been signed by Authorised Signatory.	
9.	Have you attached EFT details? (In original, Certified by the bank)	
10.	If you are seeking registration for a MSME company (as per MSME Act of Government of India), have you attached requisite certificate as per Act?	

	Signature & seal
Date:	
	(Authorised Signatory)

Note: This check list is to be attached with the filled up Supplier Registration Form.

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE-E

Page 1 of 15

GENERAL INSTRUCTIONS:

- ➤ INFORMATION WITH * MARKS IS SCOREABLE.
- ➤ ALL COLUMNS SHOULD BE PROPERLY FILLED IN THE SPACE PROVIDED FOR, WHEREVER IT IS NOT APPLICABLE, PLEASE WRITE "NOT APPLICABLE". INCOMPLETE OR INCORRECT FORMS MAY NOT BE CONSIDERED. PLEASE ATTACH SEPARATE SHEET, IF SPACE AVAILABLE IS INADEQUATE.
- > ALL THE PAGES OF THE FORM ARE TO BE SIGNED ALONG WITH SEAL BY THE AUTHORISED SIGNATORY
- > THIS FORM CONTAINS PART A, B & C

PART- A: ORGANISATIONAL SOUNDNESS

SL.	PRODUCT APPLIED FOR	MFG. STD/ IS / DIN /BS

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE-E

Page 2 of 15

	ORGANISATIONAL INFORMATION				
	2.0 GENERAL INFORMATION: (Additional sheet to be attached in case more units) 2.11 NAME AND ADDRESS OF HEAD OFFICE IF ANY				
	IAMES OF THE WORKS/DIVISION mentioned:	ON (Products manufactured at each works to			
AI	ODRESS	: E - Mail			
: T	TELEPHONE	: Landline			
		: Mobile			
	2.2 NAME OF CHIEF EXECUTIVE / PROPRIETOR / PARTNER & ADDRESS :				
2.3 DE	ETAILS OF AUTHORISED SIGNAT	ORY FOR SEEKING CLARIFICATION:			
N.	AME	:			
D	ESIGNATION	: E - Mail			
:7	ΓELEPHONE	: Landline			
		Mobile			
•	Clarifications and correspondence shall be sent only to the authorized signatory				

SUPPLIER'S AUTHORISED SIGNATORY

ANNEXURE-E

Page 3 of 15

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

	ORGANISAT	IONA	L INFORMATION
3.0	OWNERSHIP INFORMATION :		DOCUMENTS TO BE FURNISHED
3.1	OR PARTNERSHIP FIRM, OR PROPRIETORSHIP,	: :	MEMORANDUM AND ARTICLES OF ASSOCIATION MEMORANDUM AND ARTICLES OF ASSOCIATION SOCIETY RULES AND BYE LAWS PARTNERSHIP DEED PROFESSION TAX REGN. AND MUNICIPAL REGN.
3.2	(MANUFACTURING UNIT/ ENGG CONSULTANT/ EPC COI (AGENTS/ DISTRIBUTORS/STO	OCKIS' Y/ CH :	TS/DEALERS/ ANNEL PARTNER – attach authorization
··· 3.4	+ IEAR OF COMMENCEMENT OF	DUS	INESS :

SUPPLIER'S AUTHORISED SIGNATORY BHEL CERTIFIED ASSESSOR

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE-E

Page 4 of 15

ORGANISATIONAL INFORMATION

4.0 REGISTRATION PARTICULARS

(FURNISH DETAILS AND ENCLOSE COPY OF CERTIFICATE FOR THE FOLLOWING)

4.1 PERMANENT ACCOUNT NO :

4.2 CENTRAL SALES TAX REGN NUMBER :

4.3 STATE SALES TAX / TIN NUMBER :

4.4 EXCISE DUTY REGN NUMBER :

4.5 EXCISE CONTROL CODE NUMBER :

4.6 SERVICE TAX REGN NUMBER :

4.7 CATEGORY AS PER MSMED ACT : MICRO/ SMALL/ MEDIUM

REGN NO. :

VALID UPTO :

(Attach Certificate)

5.0 TOTAL ORGANISATIONAL STRENGTH: (ATTACH ORGANISATION CHART)

GRADUATE DIPLOMA SKILLED NON-SKILLED

ENGINEERING :

MANUFACTURING :

QUALITY :

QUANTITY(NDT) :

COMMERCIAL /

SERVICE AFTER SALES:

OTHERS :

TOTAL :

CONNECTED LOAD TO EB: KVA

* 5.1 STAND BY ARRANGEMENT FOR POWER: YES/NO

(GIVE DETAILS)

SUPPLIER'S AUTHORISED SIGNATORY BHEL CERTIFIED ASSESSOR

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE-E

Page 5 of 15

ORGANISATIONAL INFORMATION

6.0 OTHER PARTICULARS:

(FURNISH DETAILS AND ENCLOSE DOCUMENTARY EVIDENCE/ COPY OF CERTIFICATE FOR THE FOLLOWING)

- * 6.1 IF THE COMPANY IS ALREADY REGISTERED WITH ANY OF BHEL UNITS, GIVE :
 - 6.1.1. BHEL UNIT'S NAME:
 - 6.1.2. SUPPLIER REGN. CODE NO. :
 - 6.1.3. ITEMS FOR WHICH REGISTERED & THEIR SPECIFICATION (ENCLOSE PROOF OF SUCCESSFUL EXECUTION OF ONE OR MORE PURCHASE ORDERS):
- * 6.2 IS THE COMPANY APPROVED BY

ASME / NTPC / NPC / EIL / DGS&D / RAILWAYS /

IBR / LLOYDS ETC FOR INTENDED

MATERIAL CATEGORY?: YES / NO

(ENCLOSE DOCUMENTARY EVIDENCE)

- * 6.3 IS THE COMPANY ISO 9001 APPROVED? : YES / NO (ENCLOSE CERTIFICATE & TOC OF QUALITY SYSTEM) :
- * 6.4 IS THE COMPANY AN ISO 14000 APPROVED? : YES / NO (ENCLOSE CERTIFICATE) :
- * 6.5 IS THE COMPANY OHSAS 18000 APPROVED?: YES / NO (ENCLOSE CERTIFICATE)
- * 6.6 TECHNICAL COLLABORATOR: (FOREIGN OR INDIGENOUS) (ENCLOSE DOCUMENTARY EVIDENCE)
- 6.7 R&D SET UP
- 6.8 DIRECTORS / PARTNERS, IF RELATED TO ANY

BHEL EMPLOYEE.

NAME : STAFE NO. : DESIGNATION : Unit & DEPARTMENT :

RELATIONSHIP:

SUPPLIER'S AUTHORISED SIGNATORY

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE-E

Page 6 of 15

ORGANISATIONAL INFORMATION

6.9 IF ANY EX-BHEL PERSONNEL IS EMPLOYED BY THE COMPANY, MENTION HIS / HER DETAILS OF LAST POSTING.

NAME : STAFF NO. : DESIGNATION : UNIT & DEPARTMENT : DATE OF LEAVING SERVICE:

6.10 COMPANY'S WEEKLY HOLIDAYS :

WORKS OFFICE

6.11 EXPERIENCE LIST:

(ATTACH LIST OF PRESENT CUSTOMERS WITH NAME & ADDRESS FOR WHOM SIMILAR PRODUCTS HAS BEEN SUPPLIED. PERFORMANCE / END USER CERTIFICATE/ RECENT PURCHASE ORDER COPIES MAY BE ATTACHED

- *6.12 DETAILS OF PENDING LEGAL ISSUES ON CONTRACTUAL ASPECTS WITH CUSTOMER, IF ANY
- 6.13 The following information of B ank Account of the Company, duly endorsed by the Bank (required for Electronic Fund Transfer –EFT/RTGS) is to be submitted
 - 1. Name of the Company
 - 2. Name of Bank
 - 3. Name of Bank Branch
 - 4. City/Place
 - 5. Account Number
 - 6. Account type
 - 7. IFSC code of the Bank Branch
 - 8. MICR Code of the Bank Branch
 - 9. Details of other Bankers (for reference purpose only)

NOTE:

Suppliers who have already submitted the above information are requested to submit a copy of the same.

SUPPLIER'S AUTHORISED SIGNATORY

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE-E

Page 7 of 15

ORGANISATIONAL INFORMA TION						
FINANCIAL INFORMATION FOR THE PREVIOUS FOUR YEARS						
9.0	Parameter	Year 1	Year 2	Year 3	Year 4	
* 9.1	NET WORTH (Share Capital +Reserves)	(Years in asc	cending order,	Money value i	n Rs. Lakhs)	
0.1	Growth over previous year (%)					
9.2	LONG TERM DEBT / LOAN					
* 9.3	DEBT EQUITY RATIO Long term Debt (9.2) Net worth (9.1)					
	INVESTMENT IN: Land & Building					
9.4	Plant & Machinery					
	Other Fixed Assets					
	NET CURRENT ASSETS a) Cash on hand					
	b) Account receivable					
	c) Inventories					
9.5*	Total					
9.5	CURRENT LIABILITY a) Sundry creditors					
	b) Interest accrued but not due					
	c) Other liabilities					
	Total					
	* QUICK RATIO <u>CA - INVENT. {9.5(1)-9.5(1)c}</u> 3 Current liability {9.5 (2)}					
* 9.6	SALES					
9.0	Growth over previous year (%)					
* 9.7	PROFIT BEFORE TAX					
	Growth over previous year (%)					
* 9.8	Whether the supplier has been referred to BIFR / NCLT / any other Govt agency (If YES , enclose details)			YES / NO		
* 9.9	Whether the supplier is a potential sick company.(If YES , enclose details)					

NOTE: 1. Copies of annual accounts (Balance Sheet) for the last four years (or from date of incorporation whichever is less) along with audit report are to be submitted. The above details shall be highlighted in the Balance Sheet.

2. Status of Tax assessments done under various laws (Income Tax, VAT/Sales Tax, Excise & Service Tax, Custom) and details of disputes pending, if any, with these authorities to be submitted.

SUPPLIER'S AUTHORISED SIGNATORY

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE-E

Page 8 of 15

ORGANISATIONAL INFORMATION

10. LIST OF ENCLOSURES (Tags to be put on enclosures) :

(i)

	SOCIETY RULES AND BYE LAWS / PARTNERSHIP DEED/	: YES / NO
	PROFESSION TAX REGN & MUNICIPAL REGN.	
(ii)	Copy of certificate of following:-	
	 PERMANENT ACCOUNT NO 	: YES / NO
	 CENTRAL SALES TAX REGN NUMBER 	: YES / NO
	 STATE SALES TAX / TIN NUMBER 	: YES / NO
	 EXCISE DUTY REGN NUMBER 	: YES/NO
	 EXCISE CONTROL CODE NUMBER 	: YES / NO

MEMORANDUM AND ARTICLES OF ASSOCIATION /

SERVICE TAX REGN NUMBER : YES / NO REGN NUMBER OF CATEGORY AS PER MSMED ACT : YES / NO

(iii) ORGANISATION CHART : YES / NO

(iv) If registered with any other BHEL Unit,

> LETTER OF REGISTRATION WITH BHEL UNIT : YES / NO

PROOF OF SUCCESSFUL EXECUTION OF ONE OR

MORE PURCHASE ORDERS : YES/NO

(v) Letter of approval from ASME / NTPC / NPC / EIL / DGS&D

/ RAILWAYS / IBR / LLOYDS ETC : YES / NO

(vi) Accreditation certificate for

> ISO: 9001 : YES / NO TOC of Quality System Manual : YES / NO ISO: 14000 : YES / NO OHSAS, ISO 18000 : YES/NO : YES / NO

(vii) Letter regarding technical collaboration (viii) Experience List / Performance certificate : YES / NO Balance Sheet for the last four years along with audit Report (ix) : YES / NO (x) Principal's authorization in case of dealers/ agents : YES / NO

(xi) EFT Bank's certificate : YES / NO

11. UNDERTAKING / DECLARATION LETTER BY VENDOR:

I /WE GIVE THE UNDERTAKING THAT BHEL DRAWINGS & SPECIFICATIONS SHALL NOT BE USED IN ANY WAY DETRIMENTAL TO THE INTEREST OF BHEL AND/ OR FOR SUPPLY OF ANY MATERIAL, PRODUCT OR SERVICES DIRECTLY OR INDIRECTLY TO ANY OTHER CUSTOMER.

Maximum Marks = 50Negative Marks = -13

Minimum Qualifying marks = 30

SUPPLIER'S AUTHORISED SIGNATORY

BHEL CERTIFIED ASSESSOR

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE-E

Page 9 of 15

FORM NO. SRF(I) 01 Part B (QUALITY SYSTEM):

Sl.	PARAMETERS	SYSTEM IN EFFECT		RECORDS	REMARKS
No		(Tick if exists & provide		(Tick if	
		evidences if ticked in		available &	
		written proce		submit	
		Written	Practice	evidences)	
		Procedure			
1*	Incoming Material Control				Furnish a copy of system
	System				and organization.
2*	In process control				Furnish at least one work
					instruction & record of
					process control parameter
3*	Manufacturing / Testing				Procedure Qualification
	Procedure Qualification				specification may be
					submitted
4*	Personnel qualification for 3				Record of Personnel
	above.				qualification (PQR) to be
					submitted
5*	Calibration system				Submit list of instrument
	•				& their calibration status
6*	System of Identification &				Copy of procedure to be
	Traceability of materials,				submitted
	tools, jigs, fixtures &				
	processed components, etc.				
7*	System of Storage,				Copy of procedure to be
	Preservation, Painting &				submitted
	packing				
8*	System of NCR disposition &				Two copies of NCR &
	corrective preventive action				CAPA
9*	Customer complaints				Submit list of customer
	handling system				complaints & status for
					the last three years
10*	Safety measures				Submit copy of safety
	-				system & Record of
					accidents for last three
					years
11	Any other quality initiative				
	<u>L</u>	l	I		<u> </u>

SUPPLIER'S AUTHORISED SIGNATORY

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE-E

Page 10 of 15

FORM NO. SRF(I) 01 Part B (QUALITY SYSTEM):

12. LIST OF ENCLOSURES

- (i) Copy of system of control incoming materials and organization chart
- (ii) Copy of at least one process control work instruction
- (iii) Record of process control parameter
- (iv) Copy of at least one Procedure Qualification specification
- (v) Record of Personnel qualification (PQR)
- (vi) List of instrument & their calibration status
- (vii) Copy of procedure for Identification & Traceability of materials, tools, jigs, fixtures & Processed components, etc.
- (viii) Copy of procedure for Storage/ preservation/ painting & packing
- (ix) Copies of two NCRs and their CAPA.
- (x) List of customer complaints & status for the last three years
- (xi) Copy of safety system
- (xii) Record of accidents for last three years

Maximum Marks = 25 Minimum Qualifying marks = 15

SUPPLIER'S AUTHORISED SIGNATORY

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE E

Page 11 of 15

FORM NO. SRF(I)01

Part C: TECHNICAL COMPETENCE

Technical competence shall be evaluated in two parts viz. common competence and product/ Rate schedule category specific competence.

(i) COMMON TECHNICAL COMPETENCE

TECHNICAL COMPETENCE (Based on the drawings given by BHEL supplier shall respond for the below)	MARKING RANGE	SUPPLIER RESPONSE (ALONG WITH SUPPORTING DOCUMENTS)#	MARKS BY BHEL
1. Supplier understands the product specification.	(0-3)		
2. Supplier understands the inspection requirements.	(0-2)		
3. Supplier has process capability to achieve the product specification/dimensional requirement.	(0-3)		
4. Supplier has experienced manpower to carry out the job.	(0-2)		
TOTAL MARKS OUT OF POSSIBLE	10		

(ii) PRODUCT TECHNICAL COMPETENCE

(Max Marks: 25)

The checklist for each product/rate schedules are given in Annexure B. Supplier shall submit the checklist duly filled for each product. In order to qualify for a particular product/rate schedule the supplier has to fulfil all the mandatory conditions mentioned in the check list for each product/rate schedule.

Attach documentary evidence wherever applicable:

Documentary Proof for Machineries/Equipment: Purchase order copies / Photographs Proof for Inspection equipment: Calibration details from NABL Approved lab for each equipment

LIST OF ENCLOSURES:

 $Maximum\ Marks = 35$

Minimum Qualifying marks = 21

No marks is to be given by the supplier. Only supplier response along with supporting documents.

SUPPLIER'S AUTHORISED SIGNATORY

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE-E

Page 10 of 15

Part D: SCORE SHEET:

> Score Sheet shall be filled only by BHEL officials based on the documents submitted and the same has been attached only for information. Based on the score supplier shall be rejected or recommended for further processing.

1. ORGANISATIONAL SOUNDNESS (for Manufacturers):

S.N.	PARAMETER	CRITERIA	Maxm. Marks	Marks Awarded
1.	Whether all relevant information like ownership, PAN no., sales tax no., excise duty no., etc. submitted	Yes: 2 No: 0	2	
2.	3.4 YEAR OF COMMENCEMENT OF BUSINESS	More than 5 years: 2 1-5 years : 1 Less than 1 year : 0	2	
3.	5.1 POWER BACKUP	Yes : 1 No : 0	1	
4.	5.2 DOES THE COMPANY SELL ITS PRODUCT DIRECTLY	Yes : 1 No : 0	1	
5.	6.1 REGISTERED WITH ANY OF BHEL UNITS	Yes (same item) : 2 Yes (another item) : 1 No : 0	2	
6.	6.2 APPROVAL BY ASME/ NTPC/ NPC/ EIL/ DGS&D/ RAILWAYS/ IBR/ LLOYDS ETC	Yes : 2 No : 0	2	
7.	6.3 ISO 9001 ACCREDITATION	Yes : 2 No : 0	2	
8.	6.4 ISO 14000 ACCREDITATION	Yes : 1 No : 0	1	
9.	6.5 OHSAS - 18000 ACCREDITATION	Yes : 1 No : 0	1	
10.	6.6 TECHNICAL COLLABORATOR : (FOREIGN OR INDIGENOUS)	Yes : 1 No : 0	1	
11.	6.12 PENDING LEGAL ISSUES ON TECHNO – COMMERCIAL ASPECTS WITH CUSTOMER	Yes : -5 No : 0	0	
	TOTAL		15	

BHEL CERTIFIED ASSESSOR		

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE E

Page 13 of 15

Part D: SCORE SHEET

> Score Sheet shall be filled only by BHEL officials based on the documents submitted and the same has been attached only for information. Based on the score supplier shall be rejected or recommended for further processing.

2. FINANCIAL INFORMATION (for Manufacturers):

S.N.	PARAMETER	CRITERIA	Maximum Marks	Marks Awarded
1.	9.1 Growth of Net Worth over previous year (%) Average of three years to be worked out	More than 20 %: 5 10 - 20 %: 4 5 - 10 %: 3 > 0 & < 5 %: 2 0 or below: 0	5	
2.	9.3 DEBT EQUITY RATIO Long term Debt (9.2) Net worth (9.1)	1:1 : 5 1.1 upto 1.5:1 : 4 1.6 upto 2.0:1 : 3 2.0 & above:1 : 2	5	
3.	9.5 QUICK RATIO CA - INVENTORIES {9.5(1)-9.5(1)c} Current liability {9.5 (2)}	1:1 : 5 1:1 upto 1.5 : 4 1:1.5 upto 1.75 : 3 1:1.75 upto 2.5 : 2 1:>2.5 : 0	5	
4.	9.6 Growth in Sales over previous year (%) Average of three years to be worked out	More than 35% : 5 20 -35 % : 4 10 - 20 % : 3 5 - 10 % : 2 > 0 & < 5 % : 1 0 or negative : 0	5	
5.	9.7 PROFIT BEFORE TAX Growth over previous year (%)	More than 20 % : 5 10 - 20 % : 4 5 - 10 % : 3 > 0 & < 5 % : 2 0 or below : 0	5	
6.	9.8 Whether the supplier has been referred to BIFR / NCLT/ any other similar Govt agency	Yes: -5 No: 0	0	
7.	9.9 Whether the supplier is a potentially sick company	Yes: -3 No: 0	0	
	TOTAL		25	

Note: If the supplier is new in business and does not have past data, then the evaluation will be done on the basis of information provided by him and will be decided by MISCC.

BHEL CERTIFIED ASSESSOR		

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE-E

Page 14 of 15

Part D: SCORE SHEET

Score Sheet shall be filled only by BHEL officials based on the documents submitted and the same has been attached only for information. Based on the score supplier shall be rejected or recommended for further processing.

3. **QUALITY SYSTEM:**

S.N.	PARAMETER	CRITERIA	Maxm. Marks	Marks Awarded
1.	Incoming Material control System	System availability: Yes: 1 No:0	1	
		Availability of Organisation chart Yes: 1 No: 0	1	
2.	Process control	Work instruction available: Yes: 1 No: 0	1	
		Record of process Control: Available: 2 Partial record: 1 Not available: 0	2	
3.	Manufacturing / Testing Procedure Qualification	Procedure Qualification Specification : Adequate : 3 In adequate: 1 Not available : 0	3	
4.	Personnel qualification	Record of PQR: Adequate: 3 In adequate: 1 Not available: 0	3	
5.	Calibration system	Adequate : 3 In adequate: 1 Not available : 0	3	
6.	System of Identification & Traceability of materials, tools, jigs, fixtures & processed components, etc.	Procedure available : Adequate : 2 In adequate: 1 Not available : 0	2	
7.	System of Storage/ preservation/ painting & packing	Procedure available : Adequate : 2 In adequate: 1 Not available : 0	2	
8.	System of NCR disposition & corrective preventive action	Two copies of NCR & CAPA Available :2 Not available : 0	2	
9.	Customer complaints handling system	System available: Yes: 1 No:0	1	
		Complaints registered & resolved : 2 Complaints registered & partially resolved : 1 Complaints not registered or not resolved : 0	2	
10.	Safety measures	System available: Yes: 1 No: 0 Record available: Yes: 1	1	
	TOTAL	No:0	25	
	IUIAL		45	

FORM NO. SRF(I) 01 (INDIAN SUPPLIER)

ANNEXURE-E

Part D: SCORE SHEET

Page 15 of 15

Score Sheet shall be filled only by BHEL officials based on the documents submitted and the same has been attached only for information. Based on the score, supplier shall be rejected or recommended for further processing.

4. TECHNICAL COMPETENCE

(Max Marks: 35)

A. Common Technical Competence: 10 Marks (from Part C- Page 11)

B. Product Specific Technical Competence: 25 Marks

Note: For 4.B above, checklist for each product may be evaluated, and marks may be awarded for the mandatory facilities. Awarded marks may then be converted to a scale of 25 for each product. Vendor may be recommended only for the products where they have scored 25 out of 25 in product technical competence.

TOTAL(A+B): 35

SUMMARY:

Sl. No	Criteria	Maxm Marks	Qualifying marks *	Marks obtained	Recommendation for registration
1.	Organisational Soundness	40	25		Recommended:
	Financial Information				Permanent code /Development code/
2.	Quality System	25	15		Trial code
3.	Technical Competence				
	Common Technical Competence	10	5		Not recommended
	Product Specific Technical Competence (as per the product checklist)	25	25		
	TOTAL	100	70		

^{*}Minimum Qualifying Score in Each category is indicated above.

RECOMMENDATION:

BHEL CERTIFIED ASSESSOR	

FACILITY CHECKLIST FOR OSB VENDOR REGISTRATION

SL NO	CHECKLIST NAME
1	AUTO WELDED BEAMS AND BUCKSTAY
2	CEILING GIRDER
3	COAL FEEDERS & GRAVIMETRIC FEEDERS
4	COLUMN
5	DRAIN OIL TANK & DOOR
6	DUCTS
7	FOUNDATION MATERIALS
8	GATE AND ISOLATION GATES
9	GENERAL FABRICATION STAIRS AND DUCTS ASSY
10	HANGERS AND SUPPORTS
11	OIL SYSTEM
12	INSTRUMENT TAPPING
13	METALLIC EXPANSION BELLOWS & PLEATED PANNEL
14	ROUND CORNERS FOR BELLOWS
15	OIL GUN ASSY
16	SEAL BOXES
17	VENTURI & AERO FOIL DUCTS
18	WIND BOX AND SOFA
19	PUNCHING PRESSING AND SHEARING
20	COILS AND LOOSE TUBES
21	PANELS
22	MACHINING

NOTE:

The above Checklist are subject to revision. For latest revision refer corrigendum if any released.

	बी एच ई एल	BHARAT HEAVY ELECTRI	CALS LIMITED, TIRU	CHIRAPALLI		
	mbber -	OUT	ISOURCING			
	- HIJEL	Check List for Spot Visit - A	utowelded Beams a	nd Buck Stavs		
Doc N	No: SVCL:024/01 dated 30.12.2015	опостанова орос так				
	dor Name and Address:					
VCIIC	dor Name and Address.					
Spot	assessment date:					
•		Part-A	(Mandatory)			
SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/ Not Ok
1	Land area (If land is taken under lease,	0.9 Acres				
	registered lease deed for 3 yrs period is					
	required)					
2	Fencing/Compound wall	All around				
3	Power capacity	100 HP (3 phase)				
4	Covered shed	12M X 14M or 168 sq.m with				
		minimum width of 10 m				
5	Auto welding M/C(SAW) with track facility	2 Nos, Min 800 amps, track of min				
	and 45 degree fixtures	20 mtr continuous length				
6	Material handling crane facility with	20 MT (Combination of multiple				
	stability certificate (EOT/A frame/ Gantry	cranes with minimum capacity of				
	/ Mobile crane)	12 MTs each crane is also				
		acceptable. Mobile crane may be				
		owned or under lease)				
7	I hadaa dhaa dhaa dhaa dhaa dhaa dhaa dh	4.01-				
1	Hydraulic warpage removal machine (Min	I NO				
	500 MT capacity) or Hydraulic press (Min					
	500 MT capacity) or Beam straightening					
	machine (Min 500 MT capacity)					

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/ Not Ok
	OVEN:					
8	Flux baking oven (1 No. for each SAW	2 Nos				
	Auto-welding work station)					
10	Electrode baking oven	1 No				
11	Electrode holding oven	1 No				
12	Flask Oven	5 Nos				
	CUTTING MACHINE:					
13	Bug cutting machine	2 Nos				
	Manual cutting torch	2 Nos				
15	(SMAW)Welding M/c 400 Amps Inverter	5 Nos				
	GRINDING & DRILLING MACHINES:					
16	Bench Grinding	1 No				
17	Manual / Portable AG	2 Nos				
18	Drilling M/c (Min 25 mm dia)	2 Nos				
	INSPECTION FACILITIES					
19	LPI kit	1 Set				
20	MPI Unit with calibration block (Prod type - 1000 A)	1 No				
21	Level II LPI/MPI qualified Personnel with valid certificate	1 Person				
	MEASURING INSTRUMENTS					
22	Tape 3m,5m,20m (with Class I accuracy)	each 2 Nos				
23	Vernier caliper 0-200mm	1 No				
24	Feeler gauge	1 No				
	Weld fillet gauge 25 mm	1 No				
26	Straight edge	1 No				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/ Not Ok
27	Try square	1 No				
28	Sprit level	1 No				
29	DFT meter for painting	1 No				
30	Water level checking arrangement	1 No				
31	Blasting / Painting facility	Inhouse / Outsourced (from BHEL approved source only)				
32	IT Pan Card	Original must be offered for verification				
33	TIN No / VAT registration	Original must be offered for verification				
1.34	Excise Registration Certifcate (for OVM vendors)	Original must be offered for verification				
1.35	Office room with 2 PC , internet facility and printer	Must				
	MATERIAL ACCOUNTING:					
1.30	Raw Material Clearance System (For OVM Vendors)	Day Book Entry system or likewise.				
37	Raw Material Testing (For OVM Vendors)	Access to testing labs of BHEL or Any other NABL approved lab				

NOTE_1:

A. Items in Sl.no: 5, 8 - 12, 20, 22, 23, 24, 25, 26, 29 (Tapes & Straight edge - one time calibration) must have valid calibration certificate from any NABL accreditated lab.

B. For Sl.no: 31, earlier executed POs or valid agreement for facility tie-up with BHEL approved source must be produced.

C. For mobile cranes under lease, valid lease document must be produced at the time of spot assessment.

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/ Not Ok			
Part-B (Optional)									
	Standby Generator :								
1	a Capacity (HP)								
	b Owned or On rent								
/	Spectrometer (applicable for alloy steel fabrication)	Inhouse/Outsourced							
3	ISO Certification								
		Part-C: Final Recomm	nendation (for BHEL use	e only)					
Recon	nmendation after document verification:								
Recon	nmendation after spot assessment:								
Audi	tor-1 (Spot assessment):		Auditor-2 (Spot assess	ment):					
Note_	<u>2:</u>								
01	Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time of spot visit								
02	Part-B is only optional and need not be consid	Part-B is only optional and need not be considered for disqualifying the vendor.							

	बीएम ईं एल	BHARAT HEAVY ELECTR	ICALS LIMITED, TIRUCHIRA	PALLI		
	HHEL	OU	TSOURCING			
	<u> </u>	Check List for Sp	oot Visit - Ceiling girders	;		
Doc No	o: SVCL:004/02 dated 31.12.2015					
Vendo	or Name and Address:					
Spot asse	essment date:					
			A - (Mandatory)			
	n experience required for Ceiling girders fabrica					
01	Report of past experience in fabricating simila accompanied by P.O copies, inspection report		•			
02	Spot evaluation of firm's quality (if qualified) i	ncluding firm's personnel by BHEL on fu	Ifiling the above requirement.			
		Part-A	1 - (Mandatory)			
SI No	Paramter for evaluation	Minimum Required	As given by Firm	As observed in Audit	Remarks	Ok/ Not Ok
1	Land area (If land is taken under lease, registered lease deed for 3 yrs period is required)	2 acres				
2	Fencing/Compound wall	All around				
3	Power capacity	100 HP (3 phase)				
4	Covered Shed	30 x 40 m or 1200 sq.m with minimum width of 25 m				
5	45 degree fixtures	2 Nos, Min 800 amps, track of min 20 mtr continuous length				
6	Material handling crane facility (EOT/ Gantry / Mobile crane)	To Handle 60 MT (Single piece) (combination of multiple cranes with minimum capacity of 30 MTs each crane is also acceptable)				
		Span: 12 m				
		Track Length : 30 m				

			 	,	
	GRINDING MACHINE				
7	Bench Grinding	1 No			
8	Manual / portable grinding machine (AG)	2 Nos			
	CUTTING & DRILLING MACHINE:				
9	Bug Cutting M/c	2 Nos			
10	Manual Cutting torch	2 Nos			
11	Drilling machine (Min 25 mm dia)	2 Nos			
	OVEN				
12	Flux baking oven (1 No. for each SAW Auto-	2 Nos			
10	welding work station)				
13	Electrode baking oven	1 No			
14	Electrode holding oven	1 No			
15	Flask Oven	5 Nos			
16	Pre heating & post heating	Burner with minimum length of 15 m.			
17	(SMAW)Welding M/c 400 Amps Inverter	5 Nos			
	INSPECTION FACILITIES				
18	MPI Unit with calibration block (Prod type - 1000 A)	1 No			
19	LPI Kit	1 Set			
20	certificate	1 Person for each type.			
21	UT/RT facility with qualified personnel	Inhouse / Outsourced - BHEL approved source only			

SVCL:004/02_Ceiling girders

SUPPLIER'S AUTHORISED SIGNATURE AND SEAL

	MEASURING INSTRUMENTS			
22	Tape 3m,5m,20m (Class I accuracy)	each 2 Nos		
23	Vernier 0-200mm	1 No		
24	Feeler gauge	1 No		
25	Weld fillet gauge 25 MM	1 No		
26	Straight edge	1 No		
27	Try square	1 No		
28	Spirit level	1 No		
29	Water level checking arrangement	1 No		
32	DFT Meter for painting	1 No		
33	Post welding heat treatment facilities (Electrical resistance upto 40 mm and induction heating above 40 mm)	Inhouse / Outsourced - BHEL approved source		
34	Blasting / Painting facility	Inhouse / Outsourced - BHEL approved source		
35	IT Pan Card	Original to be offered for verification		
36	TIN No	Original to be offered for verification		
37	Excise Registration Certifcate (for OVM vendors)	Original to be offered for verification		
38	Office room with 2 PC , internet facility and printer	Must		
	MATERIAL ACCOUNTING			
39	Raw Material Clearance System (For OVM Vendors)	Day Book Entry system or likewise.		
40	Raw Material Testing (For OVM Vendors)	Access to testing labs of BHEL or any other NABL approved lab		

NOTE_1:

A. Items in Sl.no: 5, 12,13, 14, 15, 22, 23, 24, 25, 26, 32 (Tapes & Straight edge - one time calibration) must have valid calibration certificate from any NABL accreditated lab.

B. For outsourced facilities, earlier executed POs or valid agreement for facility tie-up with BHEL approved source must be produced.

C. For mobile cranes under lease, valid lease document must be produced at the time of spot assessment.

SVCL:004/02_Ceiling girders

SUPPLIER'S AUTHORISED SIGNATURE AND SEAL

		Part - B	3 (Optional)						
1	Standby Generator								
	Capacity (KVA / HP)								
	Owned or On rent								
2	Stenciling								
3	Punching Machine								
	Part	-C: Final Recommer	ndation (for BHEL use only)						
Recomm	endation after document verification:								
Recomm	endation after spot assessment:								
Auditor-	Auditor-1 (Spot assessment): Auditor-2 (Spot assessment):								
<u>Importa</u>	nt Notes :								
01	1. Part-A, A1 requirement is a must for qualifying the vendor. Hence, fi	lling up all evaluation	ion parameters is a must and s	shall be available at the time of	spot visit				
02	2. Part-B is only optional and need not be considered for disqualifying	the vendor.							

SVCL:004/02_Ceiling girders

SUPPLIER'S AUTHORISED SIGNATURE AND SEAL

Check List for Spot Visit - Coal Feeders/Gravimetric Feeders Doc No: SVCL:017/00 Date: 15.10.2013 **Vendor Name and Address:** Part-A (Mandatory) SI No Parameter for evaluation **Minimum Required** As given by Firm **Actual observed in Audit** Remarks Ok/Not Ok 1 Land area . (If lease land 3 2 Acres yrs with registered deed) 2 Office room with 2 PC, Must internet facility and printer 3 Fencing/Compound wall All around 10m x 15m 4 Covered shed 5 EB Power 100 Hp /630 kva (3 phase) 6 Handling Facility (EOT/A To Handle 10 MT frame/ Gantry Mobile) 7 Full fledged covered storage Racks with proper traceability for electrical &sub delivery items 8 (SMAW)Welding M/c 400 Min 4 Nos. Amps Inverter 9 CNC Floor Boring Machine Min 1 No. 10 Puck cutting sets Min 2 sets 11 Shearing Machine/ Plasma Min 1 No. cutting machine for SS materials for thickness of 6mm and 10 mm 12 Grinding Machine - AG-7 Min 5 Nos

13 Bench Grinder for tools

Machine

14 Bending machine or Rolling 1 no

1 no

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
15	Bandsaw cutting machine	1 no	,			,
	-					
16	Flat Base Plate (25 mm) 500	2 Nos				
	mm raised level of size 3m x					
	4 m for feeder reference					
	setting					
	Table type drilling	1 no				
18	Radial Drilling	3 nos				
19	Lathe for holding bigger dia	1 no				
	jobs (600 mm dia)					
20	Lathe for doing small jobs in	1 no				
	parallel like pins and so on					
	Milling machine	1 no				
22	Taps for threading	1 set				
	(M24,M20,M16,M12, M10)					
23	Tool Box with all ranges of	1 set				
	spanners for assembly of GR					
	feeders					
24	Air Compressor of 5HP	1 set				
	rating,gun for painting					
25	IT Pan Card	Original to be Offered for				
		verification				
26	TIN No	Original to be Offered for				
		verification				
27	Excise Registration	Original to be Offered for				
	Certificate	verification				
	Inspection Facilities					

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
28	Measuring device set (tape,	Min 1 No each				
	vernier , Dial gauge and					
	micrometers,height guages					
	with calibn)					
	AADI II					
29	MPI machine -prod type	1No				
	with calibration	4.51				
30	LPI sets with required	1 No				
	claibration	4.0				
31	Level II LPI/MPI qualified	1 Person				
- 22	Personnel	4.81-				
32	l	1 No				
	machining components					
33	DFT Meter for Painting	1 No				
34	Fit up bench and Spiders for	1 No				
	shell welding					
35	End door fixture	1 No				
36	Inlet collar fixture	1 No				
37	Fixture for Rail upper Guide	1 No				
	& Rail lower guide					
38	Chain link fixture	1 No				
39	Frame LH & RH Fixture	1 No				
40	Plate end door fixture	1 No				
	Block machining Fixture	1 No				
	Jig for table type drilling	1 No				
	Jig for radial drilling	1 No				
44	Electronic weighing machine	1 No				
	with calibration records					
45	U tube mano meter	1 Set				

SI No Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
	Part-B (Optional)			
Standby Generator					
1 Capacity (HP)					
Owned or On rent					
2 Cylindrical Grinding	Inhouse/ Outsourced				
3 ISO Certification					
	Part-C (Fi	inal Recommend	dation)		
NTPC/Non-NTPC					1
Material					
Valid Upto					
	•				_
Auditor-1:]	Auditor-2:		
7.00.00			7.00.00.		
		_			_
Prepared by:			Approved By		

Important Notes:

- 01 Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time
- 02 Part-B is only optional and need not be considered for disqualifying the vendor.

	बी एच ई एन	BHARAT HEAVY ELECT	RICALS LIMITED, TIRUCHI	RAPALLI		
	BHEL		JTSOURCING			
			or Spot Visit - Columns			
Doc N	lo: SVCL:001/03 dated 31.12.2015					
Vend	for Name and Address:					
					-	
Spot	assessment date:					
		Part-A	A - (Mandatory)			
Minir	num experience required for Column Fab	rication	-			
01		similar jobs (Min 20 MT as assembly using p				
		inspection report with dimensions issued by	y customer (or) client or tracl	crecord for at least 2 BHEL - POs or 1	00MT completion fo	r Auto welded
	Beams/Buckstays .					
02	Spot evaluation of firm's quality (if quali	ified) including firm's personnel by BHEL or	<u> </u>	ent.		
		Part-A	11- (Mandatory)			
SI No	Paramter for evaluation	Minimum Required	As Given by Firm	Actual Observed in Audit	Remarks	Ok/Not O
01	Land area (If land is taken under lease,	0.9 Acres				
	registered lease deed for 3 yrs period is					
	required)					
02	Fencing/Compound wall	All around				
03	Power capacity	100 HP (3 phase)				
04	Covered shed	12M X 14M or 168 sq.m with minimum				
		width of 10 m				
05	Auto welding M/C(SAW) with track	2 Nos, Min 800 amps, track of min 20				
	facility and 45 degree fixtures	mtr continuous length				
06	Hydraulic warpage removal machine	1 No				
	(Min 500 MT capacity) or Hydraulic press	·				
	(Min 500 MT capacity) or Beam					
	straightening machine (Min 500 MT					
07	capacity) Roller Supports for Individual Column	14 Nos. (Open area length Min :85 M)				
07	Pieces - Column Assembly	14 1403. (Open area length with .03 W)				
08	End machining (milling or any machining	+		+		
	process) set up to obtain rest plate/ cap					
1	I					1

approved source only)

is also acceptable)

fabrication and assembly (EOT/A frame/ minimum capacity of 20 MTs each crane

To Handle 60 MT (Single piece)

(combination of multiple cranes with

plate flatness of 0.1 mm accuracy

Material handling crane facility with

stability certificate for column

Gantry / Mobile crane)

	CUTTING & DRILLING MACHINE:				
10	Bug cutting machine	2 Nos			
11	Manual gas cutting torch	2 Nos			
12	Drilling machine - Column Assembly	Radial / Column drilling machine - 1 no,			
		Portable (Magnet type) - 2 Nos			
	OVEN:	, , , , ,			
13	Flux baking oven (1 No. for each SAW	2 Nos			
	Auto-welding work station)				
14	Electrode baking oven	1 No			
15	Electrode holding oven	1 No			
16	Flask Oven	5 Nos			
17	Pre heating	Burner with 15 m minimum length.			
18	(SMAW)Welding M/c 400 Amps Inverter	5 Nos			
	INSPECTION FACILITIES				
19	MPI Unit with calibration block (Prod	1 No			
	type - 1000 A)				
20	LPI Kit	1 Set			
21	Level II LPI/MPI qualified Personnel with	1 Person for each type.			
	valid certificate				
	MEASURING INSTRUMENTS				
22	Tape 3m,5m,20m (with Class I accuracy)	each 2 Nos			
23	Vernier caliper 0-200mm	1 No			
24	Feeler gauge	1 No			
25	Weld fillet gauge 25 MM	1 No			
26	Straight edge	1 No			
27	Try square	1 No			
28	Spirit level	1 No			
29	Water level checking arrangement	1 No			
30	Air Compressor of 3 HP rating	1 set			
31	IT Pan Card	Original to be offered for verification			
	MATERIAL ACCOUNTING				
32	Raw Material Clearance System (For	Day Book Entry system or likewise.			_
L	OVM Vendors)				<u> </u>
33	Raw Material Testing (For OVM	Access to testing labs of BHEL or any			_
	Vendors)	other NABL approved lab			
NOT	F 1.			 	

NOTE_1:

A. Items in Sl.no: 5, 13-16, 19, 22, 23, 24, 25, 26 (Tapes & Straight edge - one time calibration) must have valid calibration certificate from any NABL accreditated lab.

B. For outsourced facilities, earlier executed POs or valid agreement for facility tie-up with BHEL approved source must be produced.

C. For mobile cranes under lease, valid lease document must be produced at the time of spot assessment.

		Р	art - B (Optional)					
01	ISO Certification							
02	Stenciling	Off cuts identification (using metal						
		markers). Spectro machine preferable						
03	Post welding Heat Treatment Facilities	Inhouse / Outsourced (from BHEL						
	(Electrical Resistance upto 40 mm and	approved source only)						
	induction heating above 40 mm)							
	,							
04 05	Templates and Shop made gauges	As per product requirements						
05	UT/RT	Inhouse / Outsourced (from BHEL						
		approved source only)						
06	Blast cleaning	Inhouse / Outsourced (from BHEL						
		approved source only)						
07	Punching Machine							
80	CNC cutting machine							
09	Standby Generator							
	Capacity (HP)							
	Owned or On rent/hire							
		Part-C: Final Reco	mmendation (for BHEL use	only)				
Reco	mmendation after document verification	1:						
Doco	mmendation after spot assessment:							
Keco	innendation after spot assessment.							
Audi	tor-1 (Spot assessment):		Auditor-2 (Spot assessment):					
NOTI	= 2·							
01		alifying the vendor. Hence, filling up all e	evaluation narameters is a must	and shall be available at the time				
02				ind shan be available at the tille.				
UZ	Part-B is only optional and need not be considered for disqualifying the vendor.							

SVCL:001/03_Columns SUPPLIER'S AUTHORISED SIGNATURE AND SEAL

Check List for Spot Visit - Drain Oil Tank and Doors

Doc No: SVCL:023/00 Date : 15.10.2013

Vendor Name and Address:

Part-A (Mandatory)

			t-A (ivialidatoly	1		
SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
1	Land area . (If lease land 3	2 Acres				
	yrs with registered deed)					
2	Fencing/Compound wall	All around				
3	Full fledged covered storage	Racks with proper traceability				
	for electrical ⊂ delivery					
	items					
4	Covered shed	10M x 5M				
5	Centre Lathe 3 feet	1 No				
6	TIG welding equipment	1 No				
_	Grinding machine - AG 5,	1 No each				
/	AG 7					
	Pump for hydro testing upto.	1 No				
	50 Kgs / Cm ² with					
8	calibrated pressure gauges					
0	Bench Drilling machine &	1 No each				
9	magnet base drilling m/c	The each				
	(SMAW)Welding M/c 400	2 Nos				
10	Amps Inverter					
	Electrode baking & holding	1 NO EACH				
11	oven					
12	Flask Oven	2 No				
	Wire Wheel - for power tool	1 No				
13	cleaning					
14	LPI kit	1 Set				
15	MPI Unit	1 No				
	Level II LPI/MPI qualified	1 Person				
16	Personnel					
17	Shearing Machine	upto 12 mm thickness				
	Gas cutting equipment for	2 Nos				
18	bottom plates					
19	Handling	12T hydra mobile crane				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
20	Air Compressor of 5HP rating with gun for painting	1 set				
	IT Pan Card	Original to be offered for				
21		verification				
	TIN No	Original to be offered for				
22		verification				
	Excise Registration	Original to be offered for				
23	Certificate	verification				
24	EB Power	A must				
	Office room with 2 PC ,	Must				
	internet facility and printer					
25						

9	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
		Part-B	Optional)			
	Rolling/bending machine	upto 20 mm thickness				
	Standby Generator					
	Capacity (HP)					
	Owned or On rent					
	ISO Certification					
	Part-C (Final Recommendation)					I
	NTPC/Non-NTPC					
	Material					1
	Valid Upto					
•						- "
	Auditor-1:]	Auditor-2:		
			1			_

Important Notes:

- Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time
- Part-B is only optional and need not be considered for disqualifying the vendor.

Check List for Spot Visit - Foundation Materials

Doc No: SVCL:021/00 Date : 15.10.2013

Vendor Name and Address:

	Part-A (Mandatory)					
SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
1	`	1 Acres				
	3 yrs with registered					
	deed)					
2	Fencing/Compound wall	All around				
3	EB Power	100 HP (3 Phase)				
4	Covered shed	10M x 5 M				
5	Centre Lathe - 6' - with	2 Nos				
	threading facility.(80 mm					
	Dia / Thread Rolling					
	Machine.)					
6	Welding machine	2 Nos				
	(SMAW)400 Amps.					
7	Electrode Baking Oven &	1 Nos				
	Flask					
8	Grinding M/c					
	Bench Grinding	1 Nos				
10	Manual / Portable AG 5/7	2 Nos				
11	LPI kit	1 Set				
12	MPI Unit	1 No				
13	Level II LPI/MPI qualified	1 Person				
	Personnel					
14	Wire Wheel (for power	1 Nos				
	tool cleaning)					
15	Cutting equipment- power	1 No each				
	saw cutting & gas cutting					
	(for rod and bottom					
	plates)					
16	Air Compressor of 5HP	1 set				
	rating, gun for painting					
	Measuring Instruments					
	(all calibrated)					
	Tape 3m,5m,20m	each 2 Nos				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
	Micro Dial Gauge	2 Nos				
	Vernier 0-200mm	1No.				
17	Weld fillet gauge 25 MM	1 no				
	Ring Gauge/ Plug	As per Drg				
	Gauges					
	Straight Edge	1 No				
	Try square	1 no				
	Sprit level	1 no				
18	IT Pan Card	Original to be offered for				
		verification				
19	TIN No	Original to be offered for				
		verification				
20	Excise Registration	Original to be offered for				
	Certificate	verification				
	,	Must				
	internet facility and printer					

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
		Part-B (Optional)			
1	Standby Generator					
	Capacity (HP)					
	Owned or On rent					
2	Furnace for Heat					
	Treatment					
3	ISO Certification					
		Part-C (Fi	nal Recommend	dation)		
	NTPC/Non-NTPC					
	Material					
	Valid Upto					
•		•				_
	Auditor-1:			Auditor-2:		

Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time
Part-B is only optional and need not be considered for disqualifying the vendor.

Check List for Spot Visit - Raw Coal Gates / Isolation Gates/Needle Gates

Doc No: SVCL:020/00 Date : 15.10.2013

Vendor Name and Address:

	Part-A (Mandatory)						
SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok	
1	Land area . (If lease land 3	1 Acre, 0.5 Acre for an					
	yrs with registered deed)	exclusive unit					
	Fencing/Compound wall	All around					
_	Covered Shed	10m x 15m					
	Full fledged covered storage for electrical ⊂ delivery	Racks with proper traceability					
	items						
5	EB Power availability -	70 HP with 35 HP power for					
		the exclsive unit					
_	Overhead Crane/ Mobile	Min Mobile Crane with 12T					
	Crane/ A -Frame	capacity					
-	Lathe (80 mm Dia)	Min 1 No.					
8	Grinding Machine	AG5-2 nos, AG7-2nos, Bench					
		type for tool grinding-1 no.					
	(
	(SMAW)Welding M/c 400	4 Nos					
—	Amps Inverter					-	
	Plasma Cutting Machine	1 No					
	Shearing/Pug Cutting	1 No					
	Machine						
	Electrode baking & holding	1 NO EACH					
	oven						
	Flask Oven	2 No					
	•	1 No					
	capacity for diameter of						
	32mm						
1 15	Air Compressor of 5HP	1 set					
	rating,gun for painting						
	Measuring Instruments (all						
	calibrated)					<u> </u>	

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
	Tape 3m,5m,20m	each 2 Nos				
	Vernier 0-300mm	1No.				
	Micrometer 0-75mm	1No.				
16	Feeler Gauge	1 Set				
10	Weld fillet gauge 25 MM	1 no				
	Surface finish comparator	1 Set				
	Try square	1 no				
	Sprit level	1 no				
17	LPI kit	1 Set				
18	MPI Unit (1000A)	1 No				
19	Level II LPI/MPI qualified	1 Person				
	Personnel					
20	IT Pan Card	Original to be offered for verification				
21	TIN No	Original to be offered for verification				
22	Excise Registration	Original to be offered for				
	Certificate	verification				
23	Office room with 2 PC,	Must				
	internet facility and printer					
		Part-B (Optional)			
	Universal Milling M/c /Gear Hobbimg M/c	Inhouse /Outsourced				
2	Nitriding	Inhouse /Outsourced				
3	Hardness Testing facility	Inhouse /Outsourced				
	Standby Generator					
4	Capacity (HP)					
	Owned or On rent					
5	ISO Certification					

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
		Part-C (Fi	nal Recommend	dation)		
	NTPC/Non-NTPC					
	Material					
	Valid Upto					
-						_
	Auditor-1:			Auditor-2:		
			Í			

- 01 Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time of spot visit
- 02 Part-B is only optional and need not be considered for disqualifying the vendor.



BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPALLI

OUTSOURCING

Check List for Spot Visit - General Fabrication, Stairs and Ducts assembly

Doc No: SVCL:026	/01 dated	30.12.2015
------------------	-----------	------------

Vendor	Name	and	Addr	ess:
--------	------	-----	------	------

Spot assessment date:

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
1	Land area . (If land is taken under	0.9 Acres				
	lease, registered lease deed for 3 yrs					
	period is required)					
2	Fencing/Compound wall	All around				
3	Power (MIN)	70 HP				
4	Covered Shed	10 M X 10 M or equivalent to 100				
		sq.m with minimum width of 8 m				
5	Three roller bending machine (for min	Inhouse / Outsourced (from BHEL				
	7 mm plate thickness)	approved source only)				
6	Material handling crane capacity with	10 MT (Mobile crane may be owned				
	stability certificate (Mobile crane / A	or under lease)				
	frame / EOT)					
	OVEN:					
7	Electrode baking oven	1 No				
8	Electrode holding oven	1 No				
9	Flask Oven	4 nos				
10	Manual Gas cutting	2 Nos				
	CUTTING MACHINE:					
11	Gas Cutting	1 No				
	GRINDING & DRILLING MACHINES:					
12	Bench Grinding	1 No				
13	Manual / Portable AG (Type 5&7)	2 Nos Each				
14	Drilling machine (Min 25 mm)	1 No				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
15	Portable drilling machine (Min 16 mm)	1 No				
16	(SMAW)Welding M/c 400 Amps	4 Nos				
	Inverter					
	INSPECTION FACILITIES					
17	LPI Kit	1 Set				
18	MPI Unit with calibration block (Prod type - 1000 A)	1 No				
19	Level II LPI/MPI qualified Personnel with valid certificate	1 Person				
20	Blasting / Painting facility	Inhouse / Outsourced from BHEL approved source				
	MEASURING INSTRUMENTS					
21	Tape 3m,5m,20m (with Class I accuracy)	each 2 Nos				
22	Vernier 0-200mm	1 No				
23	Feeler Gauge	1 No				
24	Weld fillet gauge 25 MM	1 No				
25	Straight Edge	1 No				
26	Try square	1 No				
27	Sprit level	1 No				
28	Water level checking arrangement	1 No				
29	IT Pan Card	Original to be offered for verification				
30	TIN No	Original to be offered for verification				
31	Excise Registration Certifcate (for OVM vendors)	Original to be offered for verification				
32	Office room with 2 PC, internet facility and printer	Must				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
	MATERIAL ACCOUNTING:					
33	Raw Material Clearance System (For	Day Book Entry system or likewise.				
33	OVM Vendors)					
34	Raw Material Testing (For OVM	Access to testing labs of BHEL or Any				
	Vendors)	other NABL approved lab				
NOTE	_1 :					
A. Ite	ms in Sl.no: 7, 8, 9, 18, 21, 22, 23, 24	and 25 (Tapes & Straight edge - o	ne time calibration) must	have valid calibration certifica	ate from any NABL	
accre	ditated lab.					
B. Fo	r Sl.no: 5 and 20 earlier executed PO	s or valid agreement for facility tie	-up with BHEL approved so	ource must be produced.		
	r mobile cranes under lease, valid lea	-				
0 0		<u> </u>	<u> </u>			I
	T	Part-B (O	ptional)			
	Standby Generator					
1	Capacity (HP)					
_	Owned or On rent					
2	ISO Certification					
		Part-C: Final Recomn	nendation (for BHEL us	e only)		
Recor	nmendation after document verification	n:				
Recor	nmendation after spot assessment:					
Audi	tor-1 (Spot assessment):		Auditor-2 (Spot assess	sment):		
	(-)		()	,		
Imno	rtant Notes ·					

⁰¹ Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time of spot visit

⁰² Part-B is only optional and need not be considered for disqualifying the vendor.

Check List for Spot Visit - Hangers and Supports

Doc No: SVCL:003/01 Date : 15.10.2013

Vendor Name and Address:

	Fait-A (Manuatory)					
SI No	Paramter for evaluation	Minimum Required	As given by Firm	Actual Observed in Audit	Remarks	Ok/Not Ok
1	Open area	1 Acre				
2	Covered shed	12m X 20m				
3	EB Power	70 Hp (3 Phase)				
4	Raw Material Clearance (For ACF Vendors)	Day Book Entry system or likewise.				
5	Raw Material Testing (For ACF Vendors)	Access to testing labs, BHEL or Any other NABL approved				
6	Lathe	Minimum 4 Nos, Spindle bore dia ranging from bore dia 25 to 100(minium one lathe bore dia 100mm)				
7	Thread Rolling M/C/Thread chasing M/C	Dia upto dia 63 mm -1No				
8	Gas cutting/Manual cutting torch	1 No				
9	Grinding M/C	2 Nos (AG7 & Bench Type)				
	Welding M/C	8 Nos.				
10	TYPE	RECTIFIER / INVERTOR				
	Capacity	400 Amps				
11	Electrode Oven (Calibrated)	2 Nos				
12	Drilling Machine	1 No. (Dia –2inch)				
13	Heat Treatment Furnace with PID controller OWN	1 No.				
	Size	1m x 1m x 1m				
14	Air test facility -Air Compressor of 5HP rating, gun and U tube manometer combinations for painting	1 set				
15	RT/UT	Inhouse/Outsorced				
16	LPI&MPI Testing facility	one set				
17	Vernier	0-300mm				
18	Bevel protractor	1 No				
19	Tape 3m,5m,20m	each 1				

il No	Paramter for evaluation	Minimum Required	As given by Firm	Actual Observed in Audit	Remarks	Ok/Not Ok
20 21 22	Thread gauges	1 No				
21	Rod straightening machine	1No				
22	IT Pan Card	Original to be offered for verification				
23 24	TIN No	Original to be offered for verification				
24	Excise Registration Certificate	Original to be offered for verification				
25	Office room with 2 PC , internet	Must				
	facility and printer					
		Part-B (O _l	otional)			
	Standby Generator availability					
L	Capacity					
	Own/Registered/Lease					
)	Engraving/Dot punching type					
3	Stenciling Machine					
		Part-C (Final Rec	ommendation)			
	Max Weight]
	NTPC/Non-NTPC					1
	Valid Upto					1
			•			•
	Auditor-1:			Auditor-2:		

Impo	<u>rtant Notes :</u>
01	Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time of
02	Part-B is only optional and need not be considered for disqualifying the vendor.

Check List for Spot Visit - OIL SYSTEM (HFO/LFO/ HFO Heater Set/Burner Skid Assy)

Doc No: SVCL:014/00 Date : 15.10.2013

Vendor Name and Address:

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
1	Surface area of land	1 Acre, 0.5 Acre for an				
		exclusive unit				
2	Fencing/Compound wall	All around				
3	Covered Shed	10m x 12m				
4	Full fledged storage for	Racks with proper traceabilty				
	electrical ⊂ delivery items	for items stores				
5	EB Power availability	70 HP with 35 HP power for				
		the exclusive unit				
_	Overhead Crane/ Mobile Crane/ A -Frame	Min 12T capacity				
7	Lathe for tube sheet, shell	Min 1 No. (swing over bed				
	end cover &steam channel machining	300mm),				
8	Grinding Machine	AG5-2 nos, AG7-2nos, Bench				
		type for tool grinding-1 no.				
9	Welding Machine	4 Nos.				
	Invertor/Rectifier type with					
	400A					
10	TIG Welding M/c and with accessories	1 No				
11	Oil bath with heating	1 No				
	arrangement upto 500					
	degree celsius					
	Plasma Cutting Machine	1 No				
13	Shearing/Pug Cutting	1 No				
	Machine					
14	Electrode Oven Calibrated	1 No				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
15	Radial Drilling Machine with	1 No - With reamer and				
	capacity for diameter of	groover tools				
	32mm					
16	Tube expander with torque	Holding capacity size 17mm-				
	M/c with expansion tool	1no , Tool Size 17mm - 5 nos				
17	Tube Bending m/c with	1 No				
	former (D21.3, R 45 &60)	4.51				
18	Hydro test facilities with capacity 50 – 75 Kg/ sq cm,	1 No, with 3 gauges (calibrated)				
	and pressure gauges	(calibrated)				
19	Air Compressor of 5HP	1 set				
	rating, gun for painting					
20	Measuring Instruments	Bore Dial Gauge 10-20mm - 1				
		No, Dial Gauge - 1				
		No,Micrometer 0-25mm -				
		1No, Vernier 0-600m - 1 No,				
		Measuring Tape 3m - 1 No,				
21	NDF Facilities	15m - 1 No.				
21	NDE Facilities	LPI Kits - 2 Nos, MPI Kit-1 No				
		(1000A). NDE Personnel level-				
22	IT Pan Card	Original To be Offered for				
	in run cara	verification				
23	TIN No	Original To be Offered for				
		verification				
24	Excise Registration	Original To be Offered for				
	Certificate	verification				
25	Office room with 2 PC,	Must				
	internet facility and printer					
		Part-B (Optional)			
	Standby Generator					
1	Capacity (HP)					
	Owned or On rent					
2	ISO Certification					

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
		Part-C (Fi	nal Recommend	dation)		
	NTPC/Non-NTPC					
	Material					
	Valid Upto					
•						
	Auditor-1:			Auditor-2:		

01 Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time

Check List for Spot Visit - Instrument Tapping (Pressure/Temperature)

Doc No: SVCL:018/00 Date : 15.10.2013

Vendor Name and Address:

			art-A (ivialidatory	<u>*</u>	ı	_
SI No		Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
	Land area . (If lease land 3 yrs with registered deed)	2 Acres				
	Fencing/Compound wall	All around				
3	Covered Shed	10m x 12m				
	Abrasive cutting equipment - for pipe cutting	1 No				
	Lathe 3 feet - for threads forming and turning (100 mm Dia)	1 No				
6	Portable Grinding machine - AG-7	2 Nos				
	Welding machine with 400 Amps	2 Nos				
	Bench Drilling machine	1 No				
9	Electrode Baking Oven & Flask	1 No each				
10	LPI kit	1 Set				
11	MPI Unit	1 No				
12	Level II LPI/MPI qualified Personnel	1 Person				
	Measuring Instruments (all calibrated)					
13	Tape 3m,5m,20m	each 2 Nos				
13	Ring Gauge/ Plug Gauges	As per Drg				
	Vernier 0-200mm	1No.				
	Wire Wheel - for power tool cleaning	1 No				
15	Air Compressor of 5HP rating, gun and for painting	1 set				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
16	Raw Material Clearance (For	Day Book Entry system or				
	ACF Vendors)	likewise.				
17	Raw Material Testing (For	Access to testing labs, BHEL or				
	ACF Vendors)	Any other NABL approved				
18	Office room with 2 PC ,	Must				
	internet facility and printer					

l No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
		Part-B (Optional)			
	Fencing/Compound wall	All around				
	Standby Generator					
	Capacity (HP)					
	Owned or On rent					
	ISO Certification					
		Part-C (Fi	inal Recommend	dation)		
	NTPC/Non-NTPC					
	Material					
	Valid Upto					
			-			=
	Auditor-1:		1	Auditor-2:		
	ridaitoi 1.			7.44.101 2.		

01 Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time



BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPALLI

OUTSOURCING

Check List for Spot Visit - Metallic Expansion Bellows

Doc N	10:	SV	CL:0	05/	02	dated	27/	11.	/20	15

Vendor Name and Address:

Spot assessment date:

Part-A ((Mandatory)	

SI No	Paramter for evaluation	Minimum Required	As Given by Firm	Actual Observed in Audit	Remarks	Ok/Not Ok
1	Land area (If land is taken	0.9 Acres				
	under lease, registered					
	lease deed for 3 yrs period					
	is required)					
2	Fencing/Compound wall	All around				
3	Power capacity	75 HP (3 phase)				
4	Covered shed	10m x 10m or 100 sq.m				
		with minimum width of				
		8 m				
5	Material handling crane capacity with stability certificate (Mobile crane / EOT / A frame)	5 MT				
	Shearing Machine (4 mm thickness & min 2.5 m width)	1 No				
	Press Brake / Hydaraulic press with capacity of 50 T, 4 mm thickness & 2.5 m width with appropriate tooling to handle different varities as per drawing	1 No				

SI No	Paramter for evaluation	Minimum Required	As Given by Firm	Actual Observed in Audit	Remarks	Ok/Not Ok
	GRINDING MACHINE:					
8	Manual / Portable - AG 5/7	1 No each				
9	(SMAW) Welding M/c 400 Amps Inverter	2 Nos				
10	Manual gas cutting machine/torch	1 No				
	DRILLING MACHINE:					
11	Drilling machine - dia. 25 mm	1 No				
	INSPECTION FACILITIES:					
12	LPI kit	1 Set				
13	Kerosene leak test facilities (Sprayer)	1 No				
14	Level II LPI/MPI qualified Personnel with valid certificate	1 Person				
	MEASURING INSTRUMENTS					
	Tape 3m,5m,20m (Class I accuracy)	each 2 Nos				
16	Vernier 0-200mm	1 No				
	Try square	1 No				
	Sprit level	1 No				
19	Straight Edge	1 No				

SI No	Paramter for evaluation	Minimum Required	As Given by Firm	Actual Observed in Audit	Remarks	Ok/Not Ok
20	IT Pan Card	Original must be offered for verification				
21	TIN No / VAT registration	Original must be offered for verification				
22	Excise Registration Certifcate (for OVM vendors)	Original must be offered for verification				
	Office room with 2 PC , internet facility and printer	Must				
	MATERIAL ACCOUNTING:					
	Raw Material Clearance System (For OVM Vendors)	Day Book Entry system or likewise.				
	OVM Vendors)	Access to testing labs of BHEL or Any other NABL approved lab				

NOTE_1:

A. Items in Sl.no: 15 & 16 (Tapes & Straight edge - one time calibration) must have valid calibration certificate from any NABL accreditated lab.

B. For mobile cranes under lease, valid lease document must be produced at the time of spot assessment.

SI No Paramter for evaluation	Minimum Required	As Given by Firm	Actual Observed in Audit	Remarks	Ok/Not Ok
•		Part-B (Optional)			
1 Horizontal bending using	1 No				ļ
formers for Round corners					
0.0 1 7 1 (40,400)	10 11 11 6				
2 Spectro Testing (AS/SS)	Access to testing labs of				
	BHEL or Any other NABL				
	approved lab				
3 Profile forming tool/die	Inhouse / Outsourced				
4 MPI Unit with calibration	1 No				
block (Prod type - 1000 A)					
	Part-C: Fina	al Recommendation (fo	r BHEL use only)		
Recommendation after document ve	rification:				
December detion of the constraint					
Recommendation after spot assessm	ent:				
Auditor 1 (Spot assessment)		Auditor 2 (Spot accoss	mont).		
Auditor-1 (Spot assessment):		Auditor-2 (Spot assess)	menty:		

⁰¹ Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time of spot visit

⁰² Part-B is only optional and need not be considered for disqualifying the vendor.

		Check List for	Spot Visit - Rou	nded Corners		
Doc N	lo: SVCL:029/00		-		Date :	17.12.2014
Vend	or Name and Address:					
		Pa	art-A (Mandator	y)		
SI No	Paramter for evaluation	Minimum Required	As Given by Firm	Actual Observed in Audit	Remarks	Ok/Not Ok
01	Open area	0.5 Acres				
02	Fencing/Compound wall	All around				
03	Covered shed for M/Cs and layout	12m X 14m				
04	EB Power	50 HP (3 phase)				
05	Raw Material Clearance (For ACF Vendors)	Day Book Entry system or likewise.				
06	Raw Material Testing (For ACF Vendors)	Access to testing labs, BHEL or Any other NABL approved				
07	Shearing Machine	4mm Thick and 2.5 m width.				
08	Press Brake /Hydaraulic press with appropriate tooling to handle different varities as per drawing	4mm Thick and 2.5m width (1 no 50 MT - min)				
09	Bending m/c using formers for Round corners	Min 1 No.				
10	(SMAW)Welding M/c 400 Amps Inverter	2 Nos				

11	Measuring Instruments			
	Tape 3m,5m,20m with calibration	each 2 Nos		
	Try square	1 no		
	Sprit level	1 no		
	Vernier 0-200mm	1No.		
	Straight Edge	1 No		
12	Grinding M/c (manual/Portable)	1 No		
13	Material handling capacity(min) (Mobile crane/EOT & A frame with stability certificate)	1 MT		
14	IT Pan Card	Originals to be offered for verification		
15	TIN No	Originals to be offered for verification		
16	Excise Registration Certificate	Originals to be offered for verification		
17	Office room with 2 PC , internet facility and printer	Must		

		F	Part-B (Optional)		
01	Spectro Testing (AS/SS)	Access to testing labs, other NABL approved labs				
02	Furnace Heat Treatment	Inhouse / Outsourced				
03	Knowledge on designing forming tools/dies					
		Part-C (I	ı Final Recomme	ndation)	L	
	Material					
	Valid Upto					
	Auditor-1:			Auditor-2:		
	Prepared by:			Approved By		
Impoi	tant Notes :					
	of spot visit	et for qualifying the vendor. He			st and shall be available a	t the time
02		need not be considered for disq	ualifying the vendo	r.		

Check List for Spot Visit - Oil Gun Assy

Doc No: SVCL:022/00 Date : 15.10.2013

Vendor Name and Address:

CLNG	Part-A (Walluatory)								
SI No	Parameter for evaluation Surface area of land	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok			
1	Surface area of land	1 Acre, 0.5 Acre for an							
	exclusive unit								
2	Fencing/Compound wall	All around							
3	Covered Shed	10m x 15m							
4	Full fledged covered storage for electrical ⊂ delivery items(covered shed for	With racks and records for proper traceability							
	electrical items) EB Power availability	70 UDish 25 UD							
5	Lb Fower availability	70 HP with 35 HP power for the exclusive unit							
6	Lathe (Dia 200 mm)	Min 1 No.							
7	Grinding Machine	AG5-2 nos, AG7-2nos, Bench							
		type for tool grinding-1 no.							
8	Welding Machine	4 Nos.							
	Invertor/Rectifier type with								
	400A								
9	TIG Welding M/c and with accessories	1 No							
10	Plasma Cutting Machine	1 No							
11	Shearing/Pug Cutting Machine	1 No							
12	Electrode Oven Calibrated 1 No - for Baking and 1 No- for drying								
13									
14	Vertical Milling Machine	1 No							
15	Precision Drilling Machine Dia 8 mm	1 No							
16	Hydro test facilities for a pressure at least upto 75-100 kg/sq.cm	1 No with 3 calibrated gauges to suit the test pressure							

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
17	Measuring Instruments	Bore Dial Gauge - 1No,				
		Digital Vernier 0-300mm - 1				
		No, Measuring Tape 3m - 1				
		No, 15m - 1 No.				
18	NDE Facilities	LPI Kits - 2 Nos, MPI Kit-1 No				
		(1000A). NDE qualified				
		Personnel level-II				
19	IT Pan Card	Originals to be offered for				
		verification				
20	TIN No	Originals to be offered for				
		verification				
21	Excise Registration	Originals to be offered for				
	Certificate	verification				
22	Office room with 2 PC ,	Must				
	internet facility and printer					

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
		Part	-B (Optional)			
	Standby Generator					
1	Capacity (HP)					
	Owned or On rent					
2	Nitriding	Outsourced				
3	Hardness testing Facility	Inhouse/ Outsourced				
4	ISO Certification					
		Part-C	(Final Recommend	dation)		
	NTPC/Non-NTPC					
	Material					
	Valid Upto					
						<u> </u>
	Auditor-1:			Auditor-2:		

01 Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time

Check List for Spot Visit - Seal Boxes (CS,AS and SS)

Doc No: SVCL:025/00 Date : 15.10.2013

Vendor Name and Address:

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
1	Land Area	2 acres				
2	Fencing/Compound wall	All around				
	Press Brake machine	Pressing capacity for plate				
		thickness of 12 mm				
4	Covered shed	10M x 5M				
5	Shearing machine 2.5 m width	Thickness Max 12 mm				
6	Welding machine (SMAW) 400 Amps	4 Nos				
	Electrode Baking Oven & Flask	1 No Each				
8	Manual Rolling Machine 3 Rollers (Dia 300 mm)/ - Screw type	1 No				
9	Material handling capacity(MIN)(Mobile crane/EOT & A frame with stability certificate)	10 MT				
10	Wire Wheel - for power tool cleaning	1 No				
11	Gas cutting equipment -	1 No				
12	Air Compressor of 5HP rating, gun for painting	1 set				
13	Portable Grinding machine - AG 7	2 Nos				
14	Bench Drilling machine	1 No				
15	LPI kit	1 Set				
16	MPI Unit	1 No				
17	Level II LPI/MPI qualified Personnel	1 Person				
18	Measuring Instruments (all calibrated)					
	Tape 3m,5m,20m	each 2 Nos				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
	Vernier 0-200mm	1No.				
	Weld fillet gauge 25 MM	1 no				
	Straight Edge	1 No				
	Try square	1 no				
	Sprit level	1 no				
19	Electricity	100 HP (3 Phase)				
20	Plasma Cutting for SS	1 No				
	material					
21	Raw Material Clearance (For	Day Book Entry system or				
	ACF Vendors)	likewise.				
22	Raw Material Testing (For	Access to testing labs, BHEL or				
	ACF Vendors)	Any other NABL approved				
23	Office room with 2 PC , internet facility and printer	Must				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
		Part-B (Optional)			
1	Standby Generator					
	Capacity (HP)					
	Owned or On rent					
2	ISO Certification					
3	Constant Testing (AC/CC)	Access to testing labs, other				
	Spectro Testing (AS/SS)	NABL approved labs				
		Part-C (Fi	nal Recommend	dation)		
	NTPC/Non-NTPC					
	Material					
	Valid Upto					
						—
	Auditor-1:			Auditor-2:		\neg

	lm	por	tant	No	tes	:
--	----	-----	------	----	-----	---

Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time

Check List for Spot Visit - Venturi & Aerofoil Duct

Doc No: SVCL:027/00 Date : 15.10.2013

Vendor Name and Address:

	Tare A (Manageory)								
SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok			
1	Land area . (If lease	2 Acres							
	land 3 yrs with								
	registered deed)								
2	Fencing/Compound wall	All around							
3	Covered shed	10m X 20m							
4	EB Power	100 Hp /630 kva (3 phase)							
5	Raw Material Clearance	Day Book Entry system or							
	(For ACF Vendors)	likewise.							
6	Raw Material Testing	Access to testing labs, BHEL or							
	(For ACF Vendors)	Any other NABL approved labs.							
7	Three roller bending	1 Nos							
,	machine	11103							
8	(SMAW)Welding M/c	3 Nos							
	400 Amps Inverter								
9	Drilling machine	1 Nos							
	(Min 16 mm								
10	`	1 Nos							
	Min 16 mm dia								
11	LPI kits	1 No.							
12	Gas Cutting/ Shearing	4 N -							
	machine	1 No.							
13	Grinding M/c								
14	Bench Grinding	1 Nos							
15	Manual / Portable AG	2 Nos Each							
	5&7								
16	Material Handling								

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
	Handling Facility	10 MT				
	(EOT/A frame with					
	stability cert/ Gantry					
	/Mobile)					
	Crane capacity for	Boom length upto 15 m				
	Assembly	height				
	Leased Mobile crane	Lease agreement				
17	Measuring Instruments (all calibrated)					
	Tape 3m,5m,20m	each 2 Nos				
	Vernier 0-300mm	1No.				
	Feeler Gauge	1No.				
	Weld fillet gauge	1 No.				
	Try square	1 No.				
	Sprit level	1 No.				
18	Water level checking arrangement	1 No.				
19	Painting Facility (5 HP compressor with Gun)	1 No.				
20	IT Pan Card	Original to be offered for verification				
21	TIN No	Original to be offered for				
		verification				
22	Excise Registration Certificate	Original to be offered for verification				
23	Office room with 2 PC, internet facility and printer	To be verified				

No	Parameter for evaluat	io Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
		Part	-B (Optional)			
1	Blasting Facility	1 No.				
2	Standby Generator					
	Capacity (HP)					
	Owned or On rent					
3	Stenciling					
4	Punching Machine					
		Part-C	(Final Recomme	ndation)		
	NTPC/Non-NTPC					
	Material					
	Valid Upto					
		•				
	Auditor-1:			Auditor-2:		\exists

01 Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the

Check List for Spot Visit - Wind Box and Sofa

Doc No: SVCL:015/00 Date : 15.10.2013

Vendor Name and Address:

	Fait-A (ivialidatory)							
SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok		
1	Covered shed to handle the job	14m X 20m						
2	Fencing/Compound wall	All around						
3	EB Power	100 Hp (3 phase)						
4	Land area . (If lease land 3 yrs with registered deed)	2 Acre						
	Full fledged covered storage for sub delivery items (Within Shed)	Racks with proper traceability						
6	Sub Critical : Bug cutting m/c OTSC: CNC Cutting	1 nos						
7	(SMAW)Welding M/c 400 Amps Inverter	4 Nos						
8	Lathe (Max 100 mm Dia) OTSC : CNC Lathe	1 No						
9	Handling Facility for Assembly .(EOT/A frame/ Gantry /Mobile)	Combined 40 MT						
10	CNC plasma for SS plate cutting	1 no						
11	Core Drilling M/c for Sub critical.Drilling (32 mm Dia) m/c magnet base / pillar type	1 No						
12	Base Frame/Platform Min : 12x4 m	2 No						
13	Electrode Baking Oven + Flask	2 Nos + 4 Nos						
14	Grinding machine AG-5, AG-7	2 Nos each						
15	Painting Facility (5 HP compressor with Gun)	1 No.						

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
	MPI machine -prod type with calibration	1No				
17	LPI Kit	1 No				
	Level II LPI/MPI qualified Personnel	1 Person				
	Measuring Instruments (all calibrated)					
	Tape 3m,5m,20m	each 2 Nos				
	Vernier 0-150mm	1No.				
	Micrometer 0-25mm	1No.				
19	Feeler Gauge	1 set				
19	Weld fillet gauge 25 MM	1 no				
	Surface finish Comparator for OTSC	1 No				
	Pistol Caliper	1 No				
	Try square	1 no				
	Sprit level	1 no				
	Bevel Protractor	1 No				
	Water level checking arrangement	1 No.				
20	IT Pan Card	Original to be offered for verification				
21	TIN No	Original to be offered for verification				
22	Excise Registration Certificate	Original to be offered for verification				
23	Office room with 2 PC , internet facility and printer	Must		1		

			_			
SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
		Part-B (Optional)				
1	Press Brake machine with forming dies	capacity for 10mm plate				
2	Shearing Machine	upto 12 mm				
3	Rolling Machine (3 Rollers)	capacity for 12mm plate				
4	Base Frame/Platform Min : 12x4 m (ISMB 600x220)	2 No				
5	Fixture , templates , shop made gauges	As per product Requirements				
	Stand by Generator					
6	Capacity (HP)					
	Owned or On rent					
7	ISO Certification					
	_	Part-C (Final Recom	mendation)			<u></u>
	NTPC/Non-NTPC					
	Material					
	Valid Upto]
			_			
	Auditor-1:			Auditor-2:		
			I			I

- 01 Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the
- 02 Part-B is only optional and need not be considered for disqualifying the vendor.

Doc N	lo: SVCL:016/01					Date : 17.12.2014				
Vend	lor Name and Address:									
	Part-A (Mandatory)									
SI No	Paramter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok				
01	Area required	0.5 Acre								
02	Office room with 2 PCs with	A Must								
	Internet Facility and printer									
03	EB Power	75 HP								
04	System for Raw Material	A must								
	Clearance (For ACF Vendors)									
05	System for Raw Material	A must								
	Testing (For ACF Vendors)									
06	welding machines	2 Nos								
	(Rectifier/Invertor type) - 400 A									
07		Each 1 no.								
	calibration									
08	Press Brake min.2.5M width,									
	min. 50MT capacity for a thickness upto 10mm	1 No.								
	thickness upto 10mm									
09	Drilling Machine for Dia upto	1 No								
	32mm									
10	Grinding Machine (AG-7 & AG-4)	2 Nos.								
11	Gas Cutting machine for a									
	thickness of 10mm and width	1 No								
	of min 2.5M									
12	Shearing machine for a									
	thickness of 10mm and width	1 No								
	of min.2.5M									
13	Measuring Instruments									
	Tape 3m,5m,20m - with	1 No								
	calibration									

	Vernier 0-300mm - with	1 No				
	calibration Feeler Gauge	1 No				
	Weld fillet gauge	1 No				
	Try square	1 No				
	Sprit level	1 No				
1.1	LPI kits	2 Nos.				
		2 NOS.				
15	Punching Machine min. 100T	1 No				
16	Painting Facility	1 No				
17	IT Pan Card	Originals to be offered for				
		verification				
18	TIN No	Originals to be offered for				
		verification				
19	Excise Registration Certificate	Originals to be offered for				
		verification				
			(Optional)			
01	Fencing/Compound wall	All around				
02	Preheating Burner					
	Standby Generator					
03	Capacity (HP)					
	Owned or On rent					
04	Stenciling					
		Part	t-C (Final Reco	mmendation)		
	NTPC/Non-NTPC					
	Material					1
	Valid Upto					
	Auditor-1:			Auditor-2:		
	Prepared by:			Approved By		
				Approved by		
	tant Notes :					
01	Part-A requirement is a must for	or qualifying the vendor. Hen	ce, filling up all ev	aluation parameters is a mus	t and shall be available a	at the time of spot visit
02	Part-B is only optional and nee	d not be considered for disqu	alifying the vendo	r.		

	Check List for Spo	t Visit - Panels			
Doc No	: SVCL:011/01			Da	te : 17.12.2014
Vendo	r Name and Address:				
	Part-A (Ma	ndatory)			
SI No	Paramter for evaluation	As given by Firm	As observed in Audit	Remarks	Ok/Not Ok
01	Land -1 acre (43559 sq ft)				
02	Covered shed Area - 8000 sq ft with concrete flooring				
03	Office with PC (Min 2 Nos) & internet facility				
04	Firm approval for boiler pressure parts by IBR				
05	IBR qualified welders. CS/AS - Min One for each category				
06	Panel Processing Machine (SAW/ FCAW)				
07	Fin decoiler				
08	Fin calibraton facility				
09	Blast cleaning facility (Inhouse/Outsourced)				
10	Tube cutting machine				
11	Tube bending machine - capable of bending 63.5 mm dia tubes.				
12	Preheating/Post Heating burner facilities (Min 3 nos.)				
13	Heating torches for bow correction. (Min 2 Nos.)				
14	Rectifier/inverter welding machine for SMAW process				
15	TIG welding machines for tube butt joints - (Min 2 Nos.)				
16	Electrode baking & holding oven with calibration - Each 1 No.				
17	Hot flask for electrodes - (Min 3 Nos.)				
18	Flux oven (in case of SAW process)				
19	Hydro testing pumps - Min 400 Kg/Sq Cm				
20	Heat treatment furnace with IBR approval & with valid calibration (Inhouse/				
	Outsourced - 4m x 4m, capability to handle length of 16 to 24 m. Temperatue range				
	600 - 720 deg C)				
21	Local stress relieving (Inhouse/Outsourced)				
22	NDE facility for PT,MT,UT and RT with IBR approval (inhouse/outsourced - PT, MT				
	must be inhouse and UT & RT can be outsourced).				
23	Qualified NDE personnel -Level-II for MT,PT,UT and RT				
24	Supporting stands (Min - 10 stands)				
25	Grinding M/Cs - nortable (5 Nos)				

Spectrotesting M/c (Inhouse/Outsourced)
5m, 30m measuring tape with calibration

28	Tube chamferring machine capable of machining upto OD 63.5 mm				
29	D meter for thickness measurement				
30	Vernier calipers with calibration - 150 mm minimum				
31	3 phase power connection (100 HP)				
32	EOT / mobile cranes - 5 T min (2 Nos)				
33	Ball & Sponge Test Facility with compresser				
34	Spray painting facility				
35	Paint coating thickness meter				
	Part-B (O	otional)			
1	Stenciling/Engraving/Dot punching facility				
2	Gang bending m/c for bend panels.				
3	Gang bend layout checking facility				
4	Gen. set				
	Part-C (Final Rec	ommendation)			
	Pannel size (length, width)				
	Material Specification				
		-	<u></u>		•
	Auditor-1:		Auditor-2:		
]			J
	Down and the		Ammunum d Du		
	Prepared by:		Approved By		
Importa	nt Notes :				
Importa	Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluat	ion narameters is a mus	et and shall he available at	the time of snot visit	
01	are A requirement is a must for qualifying the vehicor. Hence, illing up an evaluat	on parameters is a mus	ot and snan be available at	the time of spot visit	
02	Part-B is only optional and need not be considered for disqualifying the vendor.				

	Check List for Sp	ot Visit - Coils, loose	tubes		
Doc No	: SVCL:010/01			Date	: 17.12.2014
Vendo	r Name and Address:				
	Part-	A (Mandatory)			
SI No		As given by Firm	As observed in Audit	Remarks	Ok/Not Ok
01	Land - 1 Acre (43559 sq ft)				
02	Covered shed area - 8000 sq ft with concrete flooring				
03	Office with PC (Min 2 Nos) & internet facility				
04	Firm Approval for boiler pressure parts by IBR				
05	IBR qualified welders. CS/AS - Min one person for each category				
	Tube cutting machine				
07	Tube bending machine - capable of bending 76.1 mm dia tubes.				
	Tube chamferring machine (Min: 2 Nos.)				
09	Rectifier/inverter welding machine for SMAW process				
10	TIG welding machines for tube butt joints - (Min 2 Nos.)				
11	Electrode baking & holding oven with calibration - Each 1 No.				
12	Hot flask for electrodes - (Min 3 Nos.)				
13	Preheating/post heating - fuel & burner facilities - Min one for each welding				
	centre				
14	Heat treatment furnace with IBR approval & with valid calibration -				
	(Inhouse/Outsourced) - 4m X 4m capability to handle length of 16 to 24m.				
	Temperature range :600 -780 °C				
15	Local SR facility (Inhouse/Outsourced)				
16	Layout marking facilities required				
	NDE facility for PT,MT,UT & RT with IBR approval (inhouse/outsourced)-PT & MT				
	inhouse must. UT & RT can be outsourced to IBR approved firms				
	·				
18	Qualified NDE personnel - Level-II for PT, MT, UT & RT				
19	Grinding M/Cs (AG 7 AND AG 5 , each: 5 nos)				
	Spectrotesting M/C (Inhouse/Outsourced)- Portable type				
21	Ball & Sponge Test Facility with compresser				
	Spray painting facility				
	Paint coating thickness meter				
24	D-Meter (for thickness checking)				
	Vernier caliper with calibration - 150 mm minimum				
26	5m, 30m measuring tape with calibration				
	Hydro testing pumps - Min 400 Kg/Sq Cm				
	3 Phase power connection (100 HP)				

29 EOT crane (10 T)

	Part	t-B (Optional)			
01	Gen. set				
02	Stenciling/Engraving/Dot punching facility				
03	Stud welding machine				
	<u></u>				
Note	If facility is outsourced, details of facility available with the outsoucer and their co	oncurrence to provide ser	vice to vendor in 'outsourcer letter	head shall be enclosed witho	out fail.
					1
	Part-C (Final	Recommendation)			
	Recommended for	Coils/ loose tubes			
	Material Specification				
	Auditor-1:		Auditor-2:		
		I			I
	Prepared by:		Approved By		
Importa	ant Notes :				
01	Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation	ation parameters is a mus	t and shall be available at the time	of spot visit	

02

Part-B is only optional and need not be considered for disqualifying the vendor.

	Check List	for Spot Visit - Machining (I	BR/ Non IBR)		
Doc N	lo: SVCL:013/01				Date : 17.12.2014
Vend	or Name and Address:				
		Part-A (Mandatory)			
SI No	Parameter for evaluation	As given by Firm	As observed in Audit	Remarks	Ok/Not Ok
01	Land Area (Own/Lease/Rent) -4000 Sq. ft				
02	Office with PC (Min 2 Nos) & internet facility				
03	Cover Shed with asbestos roofing - 2000 Sq. ft				
04	Fencing/Compound wall - All around				
05	3 Phase Electricity (Min 20 HP)				
06	Surface table for marking 1m X 1m				
07	Firm approval for machining of boiler components by IBR				
07	(Applicable for IBR Machining only)				
08	Measuring tape - 3 m with calibration				
09	Vernier caliper - 300 mm with calibration				
10	Straight edge				
11	Micrometer with calibration				
12	Steel rule				
13	Spirit Level				
14	Comparators for surface finish of machining components				
15	Drilling machine - to drill upto 40 mm dia				
16	Lathe - 6 feet minimum (Min: 2 nos.)				
17	Spectrotesting M/c (Inhouse/Outsourced)				
		Part-B (Optional)			
01	Painting facility				
02	Milling Machine				
03	Horizontal Boring				
04	Vertical boring Machine				
05	CNC lathe				
06	Stenciling/Engraving/dot punching facility				

07	Standby Generator				
08	Material Handling (Crane capacity- 1 tonne minimum)				
	P	art-C (Final Recommendation)			
	Recommended for turning, chasing, milling boring, etc.				
		1 r			
	Auditor-1:		Auditor-2:		
•		' -			
Impor	tant Notes:				
01	Part-A requirement is a must for qualifying the vendor. Hence, fill	ing up all evaluation parameters is a mu	ust and shall be available	at the time of spot visit	
02	Part-B is only optional and need not be considered for disqualifyir	ng the vendor.			

	बी एच ई एल	
	RHFI	
Doc No: SVCL:02	28/01 dated 28	.06.

BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPALLI

OUTSOURCING

Check List for Spot Visit - Blast Cleaning and Painting

.2016

Vendor Name and Address:

Spot assessment date:

	Part-A (Mandatory)										
SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok					
1	Blasting facilities	 a. Centrifugal * (electrically operated) or Compressor - 1 No. with Flow: minimum 250 CFM, Air outlet pressure: 7 Kg/cm2, b. Oil separator / Water separator (inbuilt in compressor or separate unit) c. Blasting nozzles with throat size of min 7 mm (Venturi or Straight bore and 45 deg taper type along with taper gauge to check nozzle size) 									
		* - centrifugal setup must be with electrical motors & auxiliaries in an arrangement to obtain a blasting finish of SA 2.5 with profile roughness of 30-50 micron. For centrifugal setup, blasting chamber size shall be 1500 x 1500 mm ² (minimum)									
2	Abrasive media for blasting	Cu. Slag/Steel Shots/Steel grits									

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
3	Availability of Pictorial Std for blasting profile and for rust grades	NACE or ISO 8501-1				
4	Shade Card	As per IS 5 (eg: Shade no: 176, 692, etc)				
5	Land area	1 acre (for firms applying exclusively for blasting & painting).				
6	Covered shed	1 No. L = 12m, H x W = 6x4m with suitable exhaust arrangement (with minimum two sides covered apart from roof) (Exclusive for blasting / painting)				
7	Handling Facility	EOT / Mobile Cranes - 12 MT min / as per job requirement (Mobile crane may be owned or leased)				
8	Blotter testing facility to check quality of compressed air	1 No. (Test kit)				
9	Airless spray equipment with suitble nozzles (eg. 2xx, 3xx, 4xx, etc)	Minimum pressure ratio - 1:75				
10	Powered agitators (Electrical or pneumatic) for proper mixing of paints	1 No.				
11	Paint filters	80-100 micron (Nylon mesh / Muslin cloth)				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok
12	Solvents used for degreasing	Organic solvent / Alkaline cleaner				
13	Measuring instrument for surface roughness	Surface Profile meter (0-100µ) (Elcometer)- 1 No.				
14	For measurement of temperature for dew point & Relative Humidity (RH)	Digital measurement of RH / whirl type (dry bulb, wet bulb, RH chart)				
	For measurement of metal temperature	Thermocouple - Contact type / Laser type				
16	Coating thickness gauge	For wet film thickness - Comb gauge - 1 No. and For dry film thickness - DFT Meter - 1 No. (0-500 micron) (Elcometer/ Defelsko)				
17	Qualified/Certified painter	1 Person				
18	Certified personnel for surface coating inspection	1 Person				
19	Adhesion test: Cross / X-Cut test as per ASTM D3359 with pressure sensitive tape	1 set				
20	Surface cleanliness check for dust: Tape Test	1 set				
	Surface contamination check instrument (any method to identify salt contamination)	1 set				

SI No	Parameter for evaluation	Minimum Required	As given by Firm	Actual observed in Audit	Remarks	Ok/Not Ok	
22	Log book	Record book					
	Lab / Separate room to store all analytical gauges, measuring devices and consumables.	1 No.					
24	Safety appliances / masks for spray painting and other PPEs	For all personnel engaged					
		P	art-B (Optional)				
01	Stand-by Generator Facility						
02	Effluent facility and certificate						
		Part-C: Final	Recommendation (fo	or BHEL use only)	·		
Recon	nmendation after document v	verification:					
Recon	nmendation after spot assess	ment:					
Auditor-1 (Spot assessment):			Auditor-2 (Spot as	Auditor-2 (Spot assessment):			
			ı				

Important Notes:

Part-A requirement is a must for qualifying the vendor. Hence, filling up all evaluation parameters is a must and shall be available at the time of spot visit

02 Part-B is only optional and need not be considered for disqualifying the vendor.