

For publication in TOI Delhi edition
Bharat Heavy Electricals Limited
Insulator- Plant, Jagdishpur
NOTICE INVITING TENDER

Sealed tenders are invited in two-bid system from experienced contractors for the following works for Insulator- Plant at I.A. Jagdishpur, Distt CSM NAGAR (U.P)

Sr. No	Scope of work	EMD (Rs)	Issue of Tender documents	Last Date of Submission	Tender opening date & time
1.	Tender for Repair of roads in Township at I.A. Jagdishpur Tender Enquiry No:40 Dated:- 31/10/11	150000.0 (One lacs fifty thousand only)	From 02/11/11 to 23/11/2011	11:30 hrs on 24/11/2011 in tender box kept at Adm.Bldg.I.P. Jagdishpur	Techno-commercial Bid on: 24/11/2011 at 1500 hrs at BHEL, I.P.Jagdishpur

Cost of each tender documents: Rs 3000/- (Non- refundable)

Interested bidders may obtain tender documents from the office of Sr. Engineer(C) ,BHEL,I.P. Jagdishpur on all working days by submitting demand draft towards cost of tender documents in favour of '**Bharat Heavy Electricals Ltd.**' Payable at SBI/BOB I.A.Jagdishpur Distt. CSM NAGAR (U.P). BHEL reserves the right to accept or reject any of the tenders. Kindly visit BHEL web site (www.bhel.com) for corrigendum, extension notification of above tenders if any.

Sr. Engineer (C)
BHEL, I.P. Jagdishpur
Distt CSM Nagar(UP)
Tel. 05361-267378

SECTION-IV

BHARAT HEAVY ELECTRICALS LIMITED
INSULATOR-PLANT, JAGDISHPURREPAIR OF ROADS IN TOWNSHIP
SECTION- IVBILL OF QUANTITYPage-
1/2

Item. No DSR07	Description	Unit	Qty.	Rate	Amount
1/16.7.1	Brick edging in full brick width and half brick depth including excavation,refilling and disposal of surplus earth lead upto 50 meters. With FPS bricks of class designation 75.	Mtr.	5000.00		
2/16.13.1	Cutting road and making good the same include ing supply of extra quantities of materials i.e. aggregate, moorum screening, red bajri and labour required. Bituminous portion.	Cum	495.00		
3/16.27	Surface dressing on old surface with hot bitumen of grade A-90/S-90 of approved quality using 1.95 kg. of bitumen per vsqm.with 1.50 cum. of stone chipping 11.5 mm nominal size per 100 sqm. Of road surface including consolidation with road roller of 6 to 8 tonne capacity,etc. complete.	Sqm	9900.00		
4/16.30.1	Providing and applying tack coat using hot straight run bitumen of grade 80/100 include ing heating the bitumen, spraying the bitumen with mechanically operated spray unit fitted on bitumen boiler,cleaning and preapring the existing road surface as per specification: on WBM @ 0.75 Kg./Sqm.	Sqm.	1980.00		
5/16.30.2	Providing and applying tack coat using hot straight run bitumen of grade 80/100 include ing heating the bitumen, spraying the bitumen with mechanically operated spray unit fitted on bitumen boiler,cleaning and preapring the existing road surface as per specification: on bitumenious surface @ 0.50 Kg./Sqm.	Sqm.	9900.00		

Contd. On page 2

6/16.57	Providing and laying Dense Bitumen Concrete on prepared surface with specified graded stone aggregate for wearing course including loading of aggregate with F.E. loader, and hot mixing of bitumen with filler and stone aggregate in hot mix plant, transporting the mixed material by tippers to paver and laying the mixed material with mechanical paver finisher fitted with electronic sensing device to the required level and grade and rolling with road roller, as per MORTH specifications, to achieve the desired density and compaction but excluding cost of primer/tack coat. 40mm/50mm compacted thickness with bitumen of grade CRMB-60@ 5.5% and lime @ 3% (percentage by weight of total Mix.)
---------	---

Cum.	742.50		
------	--------	--	--

Total amount in Figure
Rs.

Total amount in words:-

Sr. Engineer (C)

Signature of contractor
Address:-