

 BHEL RANIPET	SPECIFICATION FOR NYLON SOCKS (Ref: BAP:SE:PPE:NS:2020)	Rev. No. 00 Page 01 of 03
01. Scope This Standard covers the requirements of Nylon Socks. 02. Compliance with Standards - It shall comply with IS - 5084 – 1990. 03. Technical Requirement - The socks shall be made up of 100% nylon material and Brown in colour. - The construction shall rib-knitted and cub reversible type. - Multi filament stretch nylon yarn shall be used in knitting, linking and splicing the socks and shall conform to IS: 5084- 1990 - The heel, sole and toe portions of the socks shall be knitted in plain stitches with splicing. - The socks shall be securely linked at toe. The linking shall be elastic smooth knots. Linking shall not give way when socks are stretched to the full extend of stretch ability of the socks - The socks shall be of free size to the requirement of any adult and measurement shall be as per Table-A of Page 2. - The weight of the socks shall be as per IS :5084-1990. 04. Sample shall be submitted along with the offer for our evaluation. 05 Test Certificate Supplier shall submit the test certificate for the following along with the bulk supply Test certificate shall indicate - BHEL Purchase Order Number and Date - Batch Number, Month and Year of manufacturing 06 Packing The socks shall be supplied in good quality protective cover		



**SPECIFICATION
FOR
NYLON SOCKS
(Ref: BAP:SE:PPE:NS:2020)**

Rev. No. 00

Page 02 of 03

07 Marking

The socks shall be marked for the following information

- Size of the socks
- Supplier's identity
- Batch Number, Month and Year of manufacturing

08 Inspection

Inspection will be carried out at our works with reference to the accepted sample and test reports

09 Guarantee Certificate

Guarantee certificate is to be given for any manufacturing defects along with the consignment from the date of receipts at our Stores for free replacement within six months

TABLE: A


The measurement shall be as follows:

A.) Foot length	250 mm
B.) Leg length	250 mm
C.) Width of foot (M-N)	95 mm
D.) Width of leg(K-L)	95 mm
E.) Height of the top	50 mm
F.) Width of the (Q-R)	70 mm

**SPECIFICATION
FOR
NYLON SOCKS
(Ref: BAP:SE:PPE:NS:2020)**

Rev. No. 00

Page 03 of 03



PREPARED BY

APPROVED BY

Signature : *S. Kesavan*

Name : S. Kesavan
Designation : Dy. Engineer
Department : Safety Engineering

Seal

Signature : *P. Jegathiesh*

Name : P. Jegathiesh
Designation : Dy. Manager
Department : Safety Engineering

Seal **பொன். ஜெகதீஸ்**
पोन. जगदीश/P. JEGATHIESH
उपप्रबंधक/Deputy Manager
सुरक्षा अभियंत्रिकी/Safety Engineering
बीएचईएल, बीएपी, रानीपेट/BHEL, BAP, Ranipet-6

Bharat Heavy Electricals Limited , Ranipet 632406 Phone no.(04172) 28 3018 or 28 4338 email: rptpuruty@bhelrpt.co.in			
	BHEL Enquiry no , Date & due Date		
	Item Description	Nylon Socks (Indent No D84390013, dt.28.02.2020) Qty: 1700 pairs	
SL No	Pre-qualification criteria	Documentary proof	Enclosed Yes/No
01	Supplier must have supplied (a) minimum 40% pairs of Nylon socks (680 pairs) in three times or (b) minimum 50% pairs of Nylon socks (850 pairs) in two times or (c) minimum 80% pairs of Nylon socks (1360 pairs) in a single supply.	Proof like Purchase order (at least unpriced) or supply completion certificate or any other proof which the supplier may want to submit to substantiate the proof of supplies made.	
02	The supplies shall be dated after 01.01.2018. Supplier must submit proof as a manufacturer or authorized dealer indicating the GST/TIN/PAN number along with technical bid.	Copy of GST/TIN/PAN shall be enclosed. If the supplier is a dealer, authorization letter is required.	
03	Supplier must submit samples - one pair nylon socks according to our technical specification on non-returnable basis. (Without sample , offer will not accepted)	-----	

P. J. J.
29/02/2020

Dm/HSE

பொன். ஜெகதீஸ்
பொன். ஜகதீஸ்/P. JEGATHIESH
அப்பதேவ்/Deputy Manager
சுரகா அபியோஜிதி/Safety Engineering
பிளேவ்/பிளேவ், ரனபெட்/BHEL, BAP, Ranipet-6