



2 X 800 MW UPPUR TPP BTG

TENDER ENQUIRY REF NO:PE/PG/UPP/E-5977/2018 Dated: 20.06.2018

BOQ CUM PRICE SCHEDULE FOR FRP CABLE TRAY & ACCESSORIES

SL. NO. (1)	ITEM DESCRIPTION (2)	HSN CODE(3)	UNIT(4)	ORDER QTY (5)		UNIT EX- WORKS PRICE (Rs.) (6)	TOTAL EX- WORKS PRICE (Rs.)(7)	FREIGHT CHARGES (8)		TOTAL PRICES (ex works + freight) (INR) (9)	APPLICABLE GST RATE IN % ON TOTAL EX WORKS + FREIGHT) BOTH (INR) (10)	TOTAL PRICE F.O.R Prices with taxes (INR) (11)	FOR FOREIGN BIDDERS		
				ORDER QTY (5A)	LOT-1(5B)			@ % OF TOTAL EX WORKS (8A)	AMOUNT IN (INR) (8B) =[7x8A]				UNIT C&F Chennai Sea Port Price (Currency) (12)	Total C&F Chennai Sea Port Price (Currency) (13)	
1.0	FRP LADDER TYPE CABLE TRAY COMPLETE WITH COUPLER PLATES, FASTENERS, CLAMPS AND FIXING HARDWARES ETC.														
a)	CABLE TRAY 4 MM THICK- LADDER TYPE 150W		MTR	2010	1407										
b)	CABLE TRAY 4 MM THICK- LADDER TYPE 300W		MTR	21450	15015										
c)	CABLE TRAY 4 MM THICK- LADDER TYPE 450W		MTR	6600	4620										
d)	CABLE TRAY 4 MM THICK- LADDER TYPE 600W		MTR	60600	42420										
2.0	FRP PERFORATED TYPE CABLE TRAY COMPLETE WITH COUPLER PLATES, FASTENERS, CLAMPS AND FIXING HARDWARES ETC.														
a)	CABLE TRAY 4 MM THICK- PERFORATED TYPE 50W		MTR	2250	1575										
b)	CABLE TRAY 4 MM THICK- PERFORATED TYPE 100W		MTR	2250	1575										
c)	CABLE TRAY 4 MM THICK- PERFORATED TYPE 150W		MTR	7680	5376										
d)	CABLE TRAY 4 MM THICK- PERFORATED TYPE 300W		MTR	10500	7350										
e)	CABLE TRAY 4 MM THICK- PERFORATED TYPE 450W		MTR	1200	840										
f)	CABLE TRAY 4 MM THICK- PERFORATED TYPE 600W		MTR	21900	15330										
3.0	FRP CABLE TRAY ACCESSORIES														
3.1	LADDER TYPE HORIZONTAL 90 DEG. BEND-600mm RADIUS														
a)	LAD HOR 90DEG BEND 4 MM THICK 600 RAD 150W		NOS	48	34										
b)	LAD HOR 90DEG BEND 4 MM THICK 600 RAD 300W		NOS	146	102										
c)	LAD HOR 90DEG BEND 4 MM THICK 600 RAD 450W		NOS	33	23										
d)	LAD HOR 90DEG BEND 4 MM THICK 600 RAD 600W		NOS	974	682										
3.2	LADDER TYPE VERTICAL 90 DEG. BEND-600mm RADIUS (INSIDE)														
a)	LAD VER 90DEG BEND 4 MM THICK 600 RAD-INSIDE 150W		NOS	55	39										
b)	LAD VER 90DEG BEND 4 MM THICK 600 RAD-INSIDE 300W		NOS	165	116										
c)	LAD VER 90DEG BEND 4 MM THICK 600 RAD-INSIDE 450W		NOS	24	17										
d)	LAD VER 90DEG BEND 4 MM THICK 600 RAD-INSIDE 600W		NOS	113	79										
3.3	LADDER TYPE VERTICAL 90 DEG. BEND-600mm RADIUS (OUTSIDE)														
a)	LAD VER 90DEG BEND 4 MM THICK 600 RAD-OUTSIDE 150W		NOS	55	39										
b)	LAD VER 90DEG BEND 4 MM THICK 600 RAD-OUTSIDE 300W		NOS	178	125										

Handwritten signature or mark.

[illegible]

5

