

Sl.no.	PQC conditions for PR 2000047770 dtd. 18.09.2020	
	Supplier shall necessarily meet the following conditions	
1	The vendor should have supplied traction batteries(atleast 5 nos of minimum 100Ah capacity) in India within last 5 years .Please provide proof of supply viz, PO copy or customer's completion certificate	Enclosed/Not Enclosed
2	Offer shall be for new bateries and not for refurbished or used ones.All parts used in the batteries must be new and not used/refurbished.A declaration to that effect to be furnished	Enclosed/Not Enclosed
3	The vendor should have after sales support for batteries inside India.Provide the address and contact details of service centre	
4	Only OEMs or authorized dealers of Exide/Amararaja/Rocket/Union Batteries/Amco/Unik can quote. In case of authorized dealers, authorization letter form OEM is a must	Enclosed/Not Enclosed/OEM
5	The vendor shall be able to attend any service calls on site(BHEL, bangalore) within 4 working days, if required	Agreed/Not Agreed
6	Warranty:12 months from supply	Agreed/Not Agreed

The Pre-Qualification Criteria are mandatory requiremnts and the technuical bid will be considered only

Note: 1 if all the above PQC are met


Note: 2 All supporting documents related to PQC shall be enclosed in techno-commercial offer




MACROTECH FORKLIFT BATTERY BOX DIMENSION

ESD/FS/FL01


72V 5 hr@336/332/320Ah X 2 nos



TOP VIEW



FRONT VIEW




SIDE VIEW

GODREJ FORKLIFT BATTERY


BOX DIMENSION

ESD/FS/FL02


72V 5 hr@336/332/320Ah X 2nos.



TOP VIEW



FRONT VIEW




SIDE VIEW


FTS BATTERY BOX DIMENSION

ESD/FS/FL03


24V 5 hr@166Ah X 2nos



TOP VIEW




SIDE VIEW



FRONT VIEW


MACROTECH BOPT BATTERY BOX DIMENSION




ESD/FS/FL04

24V 5 hr@240Ah X 5 nos

TOP VIEW



FRONT VIEW




SIDE VIEW


ACER BOPT/STACKER BATTERY BOX DIMENSION

ESD/FS/FL05


24V 5 hr@270Ah X 4 nos.



TOP VIEW



FRONT VIEW




SIDE VIEW


MACROTECH STACKER BATTERY BOX DIMENSION

ESD/FS/FL06


24V 5 hr@294Ah X 2



TOP VIEW



FRONT VIEW



SIDE VIEW