

RFQ/NIT HEADER DETAIL

ORGANIZATION NAME	TRICHY, BHEL	RFQ FLOATED UNDER THE	PURCHASE POLICY
RFQ/NIT REFERENCE	2661700603	POLICY	
CODE/ENQUIRY NO		RFQ OWNER/NIT	MR ARUNACHALAM T(AE1/PUR)
RFQ/NIT TYPE	OPEN TENDER	OFFICER/ENQUIRY OWNER	
NUMBER OF ITEMS ALREADY	21		
ATTACHED			
CURRENCY	INR - INDIAN RUPEE		
DESCRIPTION	Steel wire ropes		
DETAILED DESCRIPTION	Steel wire ropes for cranes		
NUMBER OF BID PART(S)	2	PUBLISHED DATE	17 Oct , 2017 3:51:34 PM

ATTRIBUTE(S)

ATTRIBUTE NAME	ATTRIBUTE VALUE
Delivery at	BHEL Trichy
Inspection By	BHEL engineers
Validity of the Offer	PRICE SHOULD BE FIXED AND VALID FOR 90 days FROM THE DATE OF TENDER OPENING
Inspection	BHEL WORKS

DATE-TIME DETAIL(S)

BID START DATE	17 Oct , 2017 4:00:00 PM	BID DUE DATE	31 Oct , 2017 10:00:00 AM
BID OPEN DATE	31 Oct , 2017 10:30:00 AM		
(SCHEDULED)			

PRE-BID DISCUSSION DETAILS

PRE-BID DISCUSSION TYPE NOT REQUIRED

ALTERNATE BID DECRYPTOR(S)

USER DETAILS
MR Admin SANJEEVI B(SDGM/PUR)
MR CHANDRAMOHAN D(DGM/PUR)
MR CHELLIAH V(SM/PUR)
MR ARUNACHALAM T(AE1/PUR)
MR ASHOK ANAND RAJ S(AE1/PUR)

SELLER DETAIL(S)

CODE	ORGANIZATION NAME
023505	TEST (Mr test ot test)

TERM AND CONDITION DETAIL(S) - SPECIAL TERM(S)

SL. NO.	CATEGORY	DESCRIPTION
1	SPECIAL TERM(S)	SPECIAL TERM(S) GENERAL NOTE:PLEASE SUBMIT YOUR OFFER IN "TWO PART BID SYSTEM" AS PERTHE ANNEXURES ENCLOSED THROUGH E-TENDER ONLY. ENCLOSURES:ANNEXURE III,IV,V,VI,VII.OPENING OF TENDERSThe Part I - Technical & commercial bid alone would be opened on theTender opening date.The Part II - Price bid of technically suitable Bidders alone would beopened. The TechnicallySuitable Bidders would be informed about the tender opening date through e-mail.Clarifications if any required by BHEL for Technical evaluation would be sought from Bidders before opening of Part II - price bid.For anyclarification the bidders may contact us through chells@bheltry.co.in , arunachal@bheltry.co.inSubmit your offer in E-Procurement website only www.bheleps.buyjunction.in. The bidder along with its associate/ collaborators/ sub-contractors/ sub-vendors/ consultants/ serviceproviders shall strictly adhere to BHEL fraud prevention policy displayed on BHEL website http://www.bhel.com and shall immediately bring to the notice of BHEL management about any fraud or suspected fraud as soon as itcomes to their notice.

RFQ/NIT ITEM DETAILS

SL. NO.	CODE	DESCRIPTION	QUANTITY	RFQ/NIT U.O.M	OFFER U.O.M
---------	------	-------------	----------	---------------	-------------



10	000000531010120 000	SIZE :12 MM, LENGTH :4 MTR, EYE TYPE:SOFT EYE.EYE SIZE:300MM.COMMON SPECIFICATION FOR SL NOS 10 to 100:STEEL WIRE ROPE SLING MECHANICALLY SPLICED WITH CONICAL ALUMINUM FERRULEWITH TEST CERTIFICATE. IDENTIFICATION MARK,LENGTH AND SAFE WORKING LOADSHALL BE PUNCHED IN FERRULE.STEELWIRE ROPE AS PER IS-2266/LATEST, 6X19 CONSTRUCTION, ROUND STRAND,TENSILE DESIGNATION-1770N/MM SQ, RH0L, FIBRE MAIN CORE, UNGALVANISEDCONICAL FERRULE (TYPE-C) AS PER IS 10942/LATEST.STEEL WIRE ROPE SLINGS SHALL BE MECHANICALLY SPLICED AS PERIS-5245-PART-II/LATESTSTEEL WIRE ROPE SLINGS SHALL CONFIRM TO IS-2762/LATEST..COMMON NOTE FOR ALL ITEMS:1) PRE-DISPATCH INSPECTION WILL BE DONE BY BHEL OFFICIAL AT SUPPLIERWORKS FOR 100% PROOF LOAD TESTING OF ALL THE SLINGS IN EACH ITEM. FORTHE ABOVE TESTING SUPPLIER HAS TO MAKE ALL NECESSARY ARRANGEMENTS.2) FOR ALL ITEMS, THE MANUFACTURER TEST CERTIFICATE FOR THE STEEL WIREROPES USED ARE TO BE SUBMITTED ALONG WITH SUPPLY.3) FOR ALL ITEMS TEST CERTIFICATES BY COMPETENT PERSON AS PER FACTORIESACT, 1948 FOR STEEL WIRE ROPE SLINGS SHALL BE SUBMITTED ALONG WITHSUPPLY. COPY OF AUTHORISING LETTER OF COMPETENT PERSON SHOULD BESUBMITTED WITH TEST CERTIFICATE..PRE QUALIFYING CRITERIA:BIDDER SHOULD GIVE POINT-WISE REPLY TO ALL THE FOLLOWING POINTS The BIDDER has to compulsorily meet all the following requirements to get qualified for consideration of the technical offer for the SUPPLY OFSTEEL WIRE ROPE SLINGS. If the bidder does not qualify as per the PREQUALIFYING CRITERIA, the technical offer of such BIDDER(s) will not beevaluated..1) The BIDDER(s) shall be a Manufacturer of steel wire ropes.2) The BIDDER(S) shall be certified for Quality Management system underISO 9001:2008 or ISO 9001:2015. The Bidder(s) should necessarily attach a copy of their valid ISO certificate3) The BIDDER(S) shall be a holder of BIS License for IS-2266 for manufacture of steel wire ropes. The Bidder(s) should necessarily attach a copy of their valid BIS License for IS-22664) Along with Technical offer, the bidder should submit previouspurchase order details of the similar items supplied within last twoyears as on date of tender opening. The bidder should submit minimum one number of performance certificate from a customer in the customer's letter head for similar items supplied within last two	12.00	NUMBER	NUMBER
----	------------------------	---	-------	--------	--------



		years as on date of tender opening. Similar items means steel wire rope slings as per IS-2762 mechanically spliced as per IS-5245-PART-II.5) The supplier has to submit the original Manufacturer's test certificate for the steel wire ropes that are used to make slings at the time of supply.6) The supplier has to submit the Competent Authority Certificate as per Factories Act, 1948 for the slings at the time of supply.7) Any Deviations in technical specification may lead to rejection of the offer.8) BHEL reserves the right to visit the bidder's works for verifying the manufacturing facilities and any other credential furnished by the bidder. In case the information furnished with the offer is/are found to be false /incorrect, the offer shall be summarily rejected. STEEL WIRE ROPE SLING 12 MM X 4 MTR			
	ATTRIBUTE DETAILS	ATTRIBUTE NAME MATERIAL CODE: MATERIAL GROUP: KILOGRAM PER UNIT: Cenvatable (Yes / No) Delivery Location Vatable (Yes / No) Delivery Date (i) : Delivery Qty (i) :	ATTRIBUTE VALUE 000000531010120000 53MHSPARE 0.0 Yes TAMIL NADU Yes 02-JAN-2018 12		
20	000000531010180000	SIZE :12 MM, LENGTH :8 MTR, EYE TYPE:SOFT EYE.EYE SIZE:300MM STEEL WIRE ROPE SLING MECHANICALLY SPLICED WITH CONICAL ALUMINUM FERRULE AS PER IS:5245-PART-II AND ROPE AS PER IS:2266 TENSILE DESIGNATION 1770N/MM SQ.,6X19 CONS.FIBRE CORE WITH TEST CERTIFICATE AND IDENTIFICATION MARK, LENGTH AND SWL PUNCHED IN FERRULE.SIZE :12 MM, LENGTH :8 MTR, EYE TYPE:SOFT EYE.EYE SIZE:300MM STEEL WIRE ROPE SLING 12 MM X 8 MTR	22.00	NUMBER	NUMBER
	ATTRIBUTE DETAILS	ATTRIBUTE NAME MATERIAL CODE: MATERIAL GROUP: KILOGRAM PER UNIT: Cenvatable (Yes / No) Delivery Location Vatable (Yes / No) Delivery Date (i) : Delivery Qty (i) :	ATTRIBUTE VALUE 000000531010180000 53MHSPARE 0.0 Yes TAMIL NADU Yes 02-JAN-2018 22		
30	000000531010200000	SIZE :12 MM, LENGTH :10 MTR, EYE TYPE:SOFT EYE.EYE SIZE:300MM STEEL WIRE ROPE SLING MECHANICALLY SPLICED WITH CONICAL ALUMINUM FERRULE AS PER IS:5245-PART-II AND ROPE AS PER IS:2266 TENSILE DESIGNATION 1770N/MM SQ.,6X19 CONS.FIBRE CORE WITH TEST CERTIFICATE AND IDENTIFICATION MARK, LENGTH AND SWL PUNCHED IN FERRULE.SIZE :12 MM, LENGTH :10 MTR, EYE TYPE:SOFT EYE.EYE SIZE:300MM STEEL WIRE ROPE SLING 12 MM X 10 MTR	22.00	NUMBER	NUMBER



	ATTRIBUTE DETAILS	ATTRIBUTE NAME		ATTRIBUTE VALUE	
		MATERIAL CODE:		000000531010200000	
		MATERIAL GROUP:		53MHSPARE	
		KILOGRAM PER UNIT:		0.0	
		Cenvatable (Yes / No)		Yes	
		Delivery Location		TAMIL NADU	
		Vatable (Yes / No)		Yes	
		Delivery Date (i) :		02-JAN-2018	
		Delivery Qty (i) :		22	
40	000000531010280000	SIZE :16 MM, LENGTH :4 MTR, EYE TYPE:SOFT EYE.EYE SIZE:350MMSTEEL WIRE ROPE SLING 16 MM X 4 MTR		40.00	NUMBER
	ATTRIBUTE DETAILS	ATTRIBUTE NAME		ATTRIBUTE VALUE	
		MATERIAL CODE:		000000531010280000	
		MATERIAL GROUP:		53MHSPARE	
		KILOGRAM PER UNIT:		0.0	
		Cenvatable (Yes / No)		Yes	
		Delivery Location		TAMIL NADU	
		Vatable (Yes / No)		Yes	
		Delivery Date (i) :		02-JAN-2018	
		Delivery Qty (i) :		40	
50	000000531010330000	SIZE :16 MM, LENGTH :8 MTR, EYE TYPE:SOFT EYE.EYE SIZE:350MMSTEEL WIRE ROPE SLING MECHANICALLY SPLICED WITH CONICAL ALUMINUM FERRULEAS PER IS:5245-PART-II AND ROPE AS PER IS:2266 TENSILE DESIGNATION 1770N/MM SQ.,6X19 CONS.FIBRE CORE WITH TEST CERTIFICATE AND IDENTIFICATIONMARK,LENGTH AND SWL PUNCHED IN FERRULE.SIZE :16 MM, LENGTH :8 MTR, EYE TYPE:SOFT EYE.EYE SIZE:350MMSTEEL WIRE ROPE SLING 16 MM X 8 MTR		24.00	NUMBER
	ATTRIBUTE DETAILS	ATTRIBUTE NAME		ATTRIBUTE VALUE	
		MATERIAL CODE:		000000531010330000	
		MATERIAL GROUP:		53MHSPARE	
		KILOGRAM PER UNIT:		0.0	
		Cenvatable (Yes / No)		Yes	
		Delivery Location		TAMIL NADU	
		Vatable (Yes / No)		Yes	
		Delivery Date (i) :		02-JAN-2018	
		Delivery Qty (i) :		24	
60	000000531010340000	SIZE :16 MM, LENGTH :10 MTR, EYE TYPE:SOFT EYE.EYE SIZE:350MMSTEEL WIRE ROPE SLING MECHANICALLY SPLICED WITH CONICAL ALUMINUM FERRULEAS PER IS:5245-PART-II AND ROPE AS PER IS:2266 TENSILE DESIGNATION 1770N/MM SQ.,6X19 CONS.FIBRE CORE WITH TEST CERTIFICATE AND IDENTIFICATIONMARK,LENGTH AND SWL PUNCHED IN FERRULE.SIZE :16 MM, LENGTH :10 MTR, EYE TYPE:SOFT EYE.EYE SIZE:350MMSTEEL WIRE ROPE SLING 16 MM X 10 MTR		36.00	NUMBER
	ATTRIBUTE DETAILS	ATTRIBUTE NAME		ATTRIBUTE VALUE	
		MATERIAL CODE:		000000531010340000	
		MATERIAL GROUP:		53MHSPARE	
		KILOGRAM PER UNIT:		0.0	
		Cenvatable (Yes / No)		Yes	
		Delivery Location		TAMIL NADU	
		Vatable (Yes / No)		Yes	
		Delivery Date (i) :		02-JAN-2018	
		Delivery Qty (i) :		36	
70	000000531010400000	SIZE :18 MM, LENGTH :5 MTR, EYE TYPE:SOFT EYE.EYE SIZE:350MMSTEEL WIRE ROPE SLING 18 MM X 5 MTR		28.00	NUMBER



	ATTRIBUTE DETAILS	ATTRIBUTE NAME		ATTRIBUTE VALUE	
		MATERIAL CODE:		000000531010400000	
		MATERIAL GROUP:		53MHSPARE	
		KILOGRAM PER UNIT:		0.0	
		Cenvatable (Yes / No)		Yes	
		Delivery Location		TAMIL NADU	
		Vatable (Yes / No)		Yes	
		Delivery Date (i) :		02-JAN-2018	
		Delivery Qty (i) :		28	
80	000000531010420 000	SIZE :18 MM, LENGTH :6 MTR, EYE TYPE:SOFT EYE.EYE SIZE:350MMSTEEL WIRE ROPE SLING 18 MM X 6 MTR		12.00	NUMBER
	ATTRIBUTE DETAILS	ATTRIBUTE NAME		ATTRIBUTE VALUE	
		MATERIAL CODE:		000000531010420000	
		MATERIAL GROUP:		53MHSPARE	
		KILOGRAM PER UNIT:		0.0	
		Cenvatable (Yes / No)		Yes	
		Delivery Location		TAMIL NADU	
		Vatable (Yes / No)		Yes	
		Delivery Date (i) :		02-JAN-2018	
		Delivery Qty (i) :		12	
90	000000531010440 000	SIZE :18 MM, LENGTH :8 MTR, EYE TYPE:SOFT EYE.EYE SIZE:350MMSTEEL WIRE ROPE SLING MECHANICALLY SPLICED WITH CONICAL ALUMINUM FERRULEAS PER IS:5245- PART-II AND ROPE AS PER IS:2266 TENSILE DESIGNATION 1770N/MM SQ.,6X19 CONS.FIBRE CORE WITH TEST CERTIFICATE AND IDENTIFICATIONMARK,LENGTH AND SWL PUNCHED IN FERRULE.SIZE :18 MM, LENGTH :8 MTR, EYE TYPE:SOFT EYE.EYE SIZE:350MMSTEEL WIRE ROPE SLING 18 MM X 8 MTR		40.00	NUMBER
	ATTRIBUTE DETAILS	ATTRIBUTE NAME		ATTRIBUTE VALUE	
		MATERIAL CODE:		000000531010440000	
		MATERIAL GROUP:		53MHSPARE	
		KILOGRAM PER UNIT:		0.0	
		Cenvatable (Yes / No)		Yes	
		Delivery Location		TAMIL NADU	
		Vatable (Yes / No)		Yes	
		Delivery Date (i) :		02-JAN-2018	
		Delivery Qty (i) :		40	
100	000000531010450 000	SIZE :18 MM, LENGTH :10 MTR, EYE TYPE:SOFT EYE.EYE SIZE:350MMSTEEL WIRE ROPE SLING 18 MM X 10 MTR		22.00	NUMBER
	ATTRIBUTE DETAILS	ATTRIBUTE NAME		ATTRIBUTE VALUE	
		MATERIAL CODE:		000000531010450000	
		MATERIAL GROUP:		53MHSPARE	
		KILOGRAM PER UNIT:		0.0	
		Cenvatable (Yes / No)		Yes	
		Delivery Location		TAMIL NADU	
		Vatable (Yes / No)		Yes	
		Delivery Date (i) :		02-JAN-2018	
		Delivery Qty (i) :		22	



110	53MHSPARE_NO	SIZE :22 MM, LENGTH :5 MTR, EYE TYPE:SOFT EYE.EYE SIZE:400MM.COMMON SPECIFICATION FOR SL NOS 110 to 190:STEEL WIRE ROPE SLING MECHANICALLY SPLICED WITH SLIMLINE ALUMINUMFERRULE WITH TEST CERTIFICATE. IDENTIFICATION MARK,LENGTH AND SAFEWORKING LOAD SHALL BE PUNCHED IN FERRULE.STEELWIRE ROPE AS PER IS-2266/LATEST, 6X19 CONSTRUCTION, ROUND STRAND,TENSILE DESIGNATION-1770N/MM SQ, RHOL, FIBRE MAIN CORE, UNGALVANISED SLIMLINE FERRULE (TYPE-B) AS PER IS 10942/LATEST.STEEL WIRE ROPE SLINGS SHALL BE MECHANICALLY SPLICED AS PERIS-5245-PART-II/LATEST.STEEL WIRE ROPE SLINGS SHALL CONFIRM TO IS-2762/LATEST.STEEL WIRE ROPE SLING 22 MM X 5 MTR	24.00	NUMBER	NUMBER
	ATTRIBUTE DETAILS	ATTRIBUTE NAME MATERIAL CODE: MATERIAL GROUP: KILOGRAM PER UNIT: Cenvatable (Yes / No) Delivery Location Vatable (Yes / No) Delivery Date (i) : Delivery Qty (i) :	ATTRIBUTE VALUE 53MHSPARE_NO 53MHSPARE 0.0 Yes TAMIL NADU Yes 02-JAN-2018 24		
120	53MHSPARE_NO	SIZE :22 MM, LENGTH :8 MTR, EYE TYPE:SOFT EYE.EYE SIZE:400MMSTEEL WIRE ROPE SLING 22 MM X 8 MTR	16.00	NUMBER	NUMBER
	ATTRIBUTE DETAILS	ATTRIBUTE NAME MATERIAL CODE: MATERIAL GROUP: KILOGRAM PER UNIT: Cenvatable (Yes / No) Delivery Location Vatable (Yes / No) Delivery Date (i) : Delivery Qty (i) :	ATTRIBUTE VALUE 53MHSPARE_NO 53MHSPARE 0.0 Yes TAMIL NADU Yes 02-JAN-2018 16		
130	53MHSPARE_NO	SIZE :22 MM, LENGTH :10 MTR, EYE TYPE:SOFT EYE.EYE SIZE:400MMSTEEL WIRE ROPE SLING 22 MM X 10 MTR	18.00	NUMBER	NUMBER
	ATTRIBUTE DETAILS	ATTRIBUTE NAME MATERIAL CODE: MATERIAL GROUP: KILOGRAM PER UNIT: Cenvatable (Yes / No) Delivery Location Vatable (Yes / No) Delivery Date (i) : Delivery Qty (i) :	ATTRIBUTE VALUE 53MHSPARE_NO 53MHSPARE 0.0 Yes TAMIL NADU Yes 02-JAN-2018 18		
140	53MHSPARE_NO	SIZE :25 MM, LENGTH :5 MTR, EYE TYPE:SOFT EYE.EYE SIZE:450MMSTEEL WIRE ROPE SLING 25 MM X 5 MTR	12.00	NUMBER	NUMBER
	ATTRIBUTE DETAILS	ATTRIBUTE NAME MATERIAL CODE: MATERIAL GROUP: KILOGRAM PER UNIT: Cenvatable (Yes / No) Delivery Location Vatable (Yes / No) Delivery Date (i) : Delivery Qty (i) :	ATTRIBUTE VALUE 53MHSPARE_NO 53MHSPARE 0.0 Yes TAMIL NADU Yes 02-JAN-2018 12		
150	53MHSPARE_NO	SIZE :25 MM, LENGTH :6 MTR, EYE TYPE:SOFT EYE.EYE SIZE:450MMSTEEL WIRE ROPE SLING 25 MM X 6 MTR	24.00	NUMBER	NUMBER



	ATTRIBUTE DETAILS	ATTRIBUTE NAME		ATTRIBUTE VALUE	
		MATERIAL CODE:		53MHSPARE_NO	
		MATERIAL GROUP:		53MHSPARE	
		KILOGRAM PER UNIT:		0.0	
		Cenvatable (Yes / No)		Yes	
		Delivery Location		TAMIL NADU	
		Vatable (Yes / No)		Yes	
		Delivery Date (i) :		02-JAN-2018	
		Delivery Qty (i) :		24	
160	53MHSPARE_NO	SIZE :25 MM, LENGTH :8 MTR, EYE TYPE:SOFT EYE.EYE SIZE:450MMSTEEL WIRE ROPE SLING 25 MM X 8 MTR	42.00	NUMBER	NUMBER
	ATTRIBUTE DETAILS	ATTRIBUTE NAME		ATTRIBUTE VALUE	
		MATERIAL CODE:		53MHSPARE_NO	
		MATERIAL GROUP:		53MHSPARE	
		KILOGRAM PER UNIT:		0.0	
		Cenvatable (Yes / No)		Yes	
		Delivery Location		TAMIL NADU	
		Vatable (Yes / No)		Yes	
		Delivery Date (i) :		02-JAN-2018	
		Delivery Qty (i) :		42	
170	53MHSPARE_NO	SIZE :25 MM, LENGTH :10 MTR, EYE TYPE:SOFT EYE.EYE SIZE:450MMSTEEL WIRE ROPE SLING 25 MM X 10 MTR	32.00	NUMBER	NUMBER
	ATTRIBUTE DETAILS	ATTRIBUTE NAME		ATTRIBUTE VALUE	
		MATERIAL CODE:		53MHSPARE_NO	
		MATERIAL GROUP:		53MHSPARE	
		KILOGRAM PER UNIT:		0.0	
		Cenvatable (Yes / No)		Yes	
		Delivery Location		TAMIL NADU	
		Vatable (Yes / No)		Yes	
		Delivery Date (i) :		02-JAN-2018	
		Delivery Qty (i) :		32	
180	53MHSPARE_NO	SIZE :28 MM, LENGTH :8 MTR, EYE TYPE:SOFT EYE.EYE SIZE:500MMSTEEL WIRE ROPE SLING 28 MM X 8 MTR	20.00	NUMBER	NUMBER
	ATTRIBUTE DETAILS	ATTRIBUTE NAME		ATTRIBUTE VALUE	
		MATERIAL CODE:		53MHSPARE_NO	
		MATERIAL GROUP:		53MHSPARE	
		KILOGRAM PER UNIT:		0.0	
		Cenvatable (Yes / No)		Yes	
		Delivery Location		TAMIL NADU	
		Vatable (Yes / No)		Yes	
		Delivery Date (i) :		02-JAN-2018	
		Delivery Qty (i) :		20	
190	53MHSPARE_NO	SIZE :28 MM, LENGTH :10 MTR, EYE TYPE:SOFT EYE.EYE SIZE:500MMSTEEL WIRE ROPE SLING 28 MM X 10 MTR	12.00	NUMBER	NUMBER
	ATTRIBUTE DETAILS	ATTRIBUTE NAME		ATTRIBUTE VALUE	
		MATERIAL CODE:		53MHSPARE_NO	
		MATERIAL GROUP:		53MHSPARE	
		KILOGRAM PER UNIT:		0.0	
		Cenvatable (Yes / No)		Yes	
		Delivery Location		TAMIL NADU	
		Vatable (Yes / No)		Yes	
		Delivery Date (i) :		02-JAN-2018	
		Delivery Qty (i) :		12	



200	53MHSPARE_NO	SIZE :32 MM, LENGTH :6 MTR, EYE TYPE:SOFT EYE.EYE SIZE:500MMSTEEL WIRE ROPE SLING MECHANICALLY SPLICED WITH SLIMLINE ALUMINUMFERRULE WITH TEST CERTIFICATE AND IDENTIFICATION MARK,LENGTH AND SAFEWORKING LOAD PUNCHED IN FERRULE..STEELWIRE ROPE AS PER IS-2266/LATEST, 6X37 OR 6X36 CONSTRUCTION, ROUNDSTRAND, TENSILE DESIGNATION-1770N/MM SQ, RHOL, FIBRE MAIN CORE,UNGALVANISED SLIMLINE FERRULE (TYPE-B) AS PER IS 10942/LATEST.STEEL WIRE ROPE SLINGS SHALL BE MECHANICALLY SPLICED AS PER IS-5245-PART-II/LATESTSTEEL WIRE ROPE SLINGS SHALL CONFIRM TO IS-2762/LATEST.STEEL WIRE ROPE SLING 32 MM X 6 MTR	10.00	NUMBER	NUMBER
	ATTRIBUTE DETAILS	ATTRIBUTE NAME	ATTRIBUTE VALUE		
		MATERIAL CODE:	53MHSPARE_NO		
		MATERIAL GROUP:	53MHSPARE		
		KILOGRAM PER UNIT:	0.0		
		Cenvatable (Yes / No)	Yes		
		Delivery Location	TAMIL NADU		
		Vatable (Yes / No)	Yes		
		Delivery Date (i) :	02-JAN-2018		
		Delivery Qty (i) :	10		
210	53MHSPARE_NO	SIZE :35 MM, LENGTH :12 MTR, EYE TYPE:SOFT EYE.EYE SIZE:500MMSTEEL WIRE ROPE SLING MECHANICALLY SPLICED WITH SLIMLINE ALUMINUMFERRULE WITH TEST CERTIFICATE AND IDENTIFICATION MARK,LENGTH AND SAFEWORKING LOAD PUNCHED IN FERRULE..STEELWIRE ROPE AS PER IS-2266/LATEST, 6X37 OR 6X36 CONSTRUCTION, ROUNDSTRAND, TENSILE DESIGNATION-1770N/MM SQ, RHOL, FIBRE MAIN CORE,UNGALVANISED SLIMLINE FERRULE (TYPE-B) AS PER IS 10942/LATEST.STEEL WIRE ROPE SLINGS SHALL BE MECHANICALLY SPLICED AS PER IS-5245-PART-II/LATESTSTEEL WIRE ROPE SLINGS SHALL CONFIRM TO IS-2762/LATEST.STEEL WIRE ROPE SLING 35 MM X 12 MTR	12.00	NUMBER	NUMBER
	ATTRIBUTE DETAILS	ATTRIBUTE NAME	ATTRIBUTE VALUE		
		MATERIAL CODE:	53MHSPARE_NO		
		MATERIAL GROUP:	53MHSPARE		
		KILOGRAM PER UNIT:	0.0		
		Cenvatable (Yes / No)	Yes		
		Delivery Location	TAMIL NADU		
		Vatable (Yes / No)	Yes		
		Delivery Date (i) :	02-JAN-2018		
		Delivery Qty (i) :	12		

IMPORTANT NOTICE

PLEASE READ THE FOLLOWING ATTACHMENT(S)[SEPARATELY DOWNLOADABLE] ALONG WITH THIS RFQ/NIT/ENQUIRY .

RFQ/NIT/ENQUIRY - ATTACHMENTS

LABEL	FILE NAME
ANNEXURES EPS trichy stores	ANNEXURES EPS trichy stores.docx

