may be considered for further award ofwork. In case such lowest eligible 'Local Supplier' fails to match the L1 price, the eligible 'Local Supplier' with the next higher bid within the Margin of Purchase Preference(i.e 20% of L-1 Price) as above shall be invited to match the L1 price, and so on, and may be considered for award of workaccordingly. In case none of the 'Local Suppliers' within the Margin of Purchase Preference(i.e 20% of L-1 price) matches the L1 price, then the L1 bidder may be considered for award of work.

(B) In case where RA is failed-
Price bid shall be opened as per reverse auction procedure of BHEL and based on the same make in India policy shall be implemented.

9. For this procurement, Public Procurement (Preference to Make in India), Order 2017 dated 15.06.2017 & 28.05.2018 and subsequent orders issued by the respective nodal ministry shall be applicable even if issued after issue of this NIT but before finalization of contract/PO/WO against this NIT. In the event of any Nodal Ministry prescribing higher or lower percentage of purchase preference and/ or local content in respect of this procurement, same shall be applicable. Preference to Make in India will be as per the Public Procurement (Preference to Make in India), Order 2017 available in the following link:http://dipp.nic.in/sites/default/files/publicProcurement_MakeinIndia_15June2017.pdf
http://dipp.nic.in/sites/default/files/Revised-PPP-MII-Order-2017_28052018.pdf
For Public Procurement (Preference to Make in India) to provide for Purchase Preference (linked with local content), it is proposed to kept the minimum local content as 100% in line with circular no. 11/05/2018-Coord applicable in respect of thermal power sector / Transmission / Hydro power plant for Earthing material. The margin for purchase preference shall be 20%.

10. **Pre – Qualification criteria :** Vendor must be PGCIL (Powergrid approved) approved at the time of technical bid opening for supply of M S Rod.

11. **Evaluation :** over all quantity basis.

ALL OTHER TERMS AND CONDITIONS SHALL BE AS PER GTC Rev-01.