




	PRE-QUALIFICATION REQUIREMENTS FOR LT PVC CONTROL CABLE	PE-PQ-999-507-E015
		REVISION NO. 04 DATE 29/09/2017
		SHEET NO. 1 OF 1

ITEMS : LT PVC Control Cable	
SCOPE : Supply : YES; Erection & Commissioning : NO;	
1.0	Vendor should be a manufacturer of LT control cables.
2.0	Availability of test reports of tests of LT PVC/HRPVC FRLS control cables to establish in- house capability to carry out all routine, type & acceptance tests as per relevant IS/ International Standards (except UV radiation & hydrolytic stability test which can be conducted at Govt. Lab/ Govt. approved Independent lab).
3.0	Capacity of manufacturing 200 km of LT control cables per month.
4.0	Manufactured and supplied at least one (1) km of FRLS cables.
5.0	Manufactured and supplied LT control cables upto 12 cores.
6.0	Manufactured & supplied at least 500 km of LT control cables of min. 1.5 sq. mm..in one or more orders and at least 100 km of LT control cables of min. 1.5 sq. mm.. in one single order.
7.0	Minimum two (2) nos. purchase orders for LT PVC / HRPVC control cables shall be submitted which should not be more than five (5) years old from the date of application for registration or date of techno- commercial bid opening (as applicable) for establishing continuity in business

Notes (General points):

1. Consideration of offer shall be subject to customer's approval of bidders, if applicable.
2. Bidder to submit all supporting documents in English. If documents submitted by bidder are in language other than English, a self-attested English translated document should also be submitted.
3. Any other project specific requirement shall be as per Annexure-I and bidder shall submit relevant supporting documents.
4. Notwithstanding anything stated above, BHEL reserves the right to assess the capabilities and capacity of the bidder to perform the contract, should the circumstances warrant such assessment in the overall interest of BHEL.
5. After satisfactory fulfillment of all the above criteria/ requirement, offer shall be considered for further evaluation as per NIT and all the other terms of the tender.

PREPARED BY  ABHISHEK MAURYA (CONVENOR)	REVIEWED BY  MANISH SHUKLA, DGM (APPROVER)	APPROVED BY  MEENA KESRI, GM (DH)
---	--	---

ANNEXURE I
2X800 MW KARIMNAGAR TPS
PROJECT SPECIFIC PRE-QUALIFYING REQUIREMENTS FOR LT PVC CONTROL
CABLES

-NIL-

Shweta Gaba
29/9/17
SHWETA GABA
(SR ENGR)

Hema
29/9/17
HEMA KUSHWAHA
(MANAGER)

Praveen Dutta
29/9/17
PRAVEEN DUTTA
(DGM-ELECT)

M. Kesri
29.9.17
MEENA KESRI
(GM-ELECT)