

PRE-QUALIFICATION CRITERIA

JOB	DESIGN, ENGINEERING, MANUFACTURING, SUPPLY/ DELIVERY TO SITE OF 220V DC HIGH DISCHARGE LEAD ACID PLANTE BATTERY FOR 2X500MW SAGARDIGHI TPS.
CONTRACT DURATION	__ MONTHS.
APPROXIMATE COST (NOT TO BE PUBLISHED IN THE WEBSITE)	

BIDDER SHALL NOTE & COMPLY WITH THE POINTS REFERRED BELOW.

SL NO	CRITERIA FOR BIDDERS NOT APPROVED WITH BHEL-PEM, NOIDA:
1.0	BIDDER SHOULD BE DESIGNER & DIRECT MANUFACTURER OF THE BATTERIES.
2.0	BIDDER TO FURNISH EXPERIENCE CERTIFICATES FOR MIN. 2 YEARS OF TROUBLE FREE OPERATION FROM MINIMUM 2 DIFFERENT END USERS, PREFERABLY FROM POWER PLANT.
3.0	MANUFACTURER SHOULD HAVE IN-HOUSE CAPABILITY TO CARRY OUT ALL ROUTINE & TYPE TESTS AS PER IS/ INTERNATIONAL STANDARDS FOR THE APPLICABLE TYPE & RANGE OF BATTERIES.
4.0	BIDDER TO FURNISH VALID TYPE TEST REPORTS AS PER IS-1652/ EQUIVALENT INTERNATIONAL STANDARD FOR BATTERY SIZE SIMILAR TO BATTERY RATING QUOTED FOR THIS PROJECT.
5.0	BIDDER TO FURNISH EXPERIENCE LIST/ ORDER EXECUTED IN LAST SEVEN YEARS.
6.0	BIDDER TO FURNISH TECHNICAL CATALOGUE OF BATTERY. RELEVANT DOCUMENT IN SUPPORT OF ABOVE SHALL BE SUBMITTED.

NOTES

1.0	BIDDER(S) ALREADY REGISTERED WITH BHEL-PEM-NOIDA FOR SUBJECT PACKAGE, NEED NOT SUBMIT CREDENTIALS FOR CRITERIA INDICATED ABOVE.
2.0	AFTER SATISFACTORY FULFILLMENT OF ALL THE ABOVE CRITERIA/ REQUIREMENT, OFFER SHALL BE CONSIDERED FOR FURTHER EVALUATION AS PER NIT AND ALL OTHER TERMS OF THE TENDER.
3.0	CONSIDERATION OF OFFER WILL BE SUBJECT TO CUSTOMER'S APPROVAL OF BIDDER.

#