

**BHARAT HEAVY ELECTRICALS LIMITED****HEEP HARIDWAR INDIA-PIN 249403****FAX NO: 0091 1334 226462****PHONE NO: 0091 1334 28658**Tender No.: **L/6433/16/2208D/1**

Sub: BHEL-HEEP/OPEN-TENDER (TL/6433)/2016-17/10

The Heavy Electricals Equipment Plant (HEEP) located in Haridwar, India is one of the major manufacturing plants of Bharat Heavy Electricals Ltd. The core business of HEEP includes design and manufacture of large steam and gas turbines, turbo generators and so on.

Sealed tenders with the Tender No. and opening date clearly super scribed on the cover are invited from the manufacturers (registered as well as unregistered) for the supply of the following items:-

S. No.	Tender No.	Description of Item	Qty	Delivery Schedule	Opening Date
1	L/6433/16/2208D/1	TLMW62778900 INDEXABLE INSERT TYPE FULL SIDE & FACE MILLING CUTTER DIA 200MM X BORE DIA 40MM ALONG WITH SUITABLE CARBIDE INSERTS DIA 18.5MM & OTHER SPARES AS PER ANNEXURE-1	1 ST	31.05.17	06.04.2017
		TLMW62779206 INDEXABLE INSERT TYPE FULL SIDE & FACE MILLING CUTTER DIA 200MM X BORE DIA 40MM ALONG WITH SUITABLE CARBIDE INSERTS DIA 22.5MM & OTHER SPARES AS PER ANNEXURE-2.	1 ST	31.05.17	

1. VENDORS TO QUOTE BEST POSSIBLE DELIVERY.
2. PAYMENT TERM SHALL BE 100% AFTER RECEIPT & ACCEPTANCE OF MATERIAL AT BHEL HHEP HARIDWAR. OFFER OF VENDORS QUOTING OTHER PAYMENT TERMS IS LIABLE TO BE IGNORED.
3. TECHNICAL DETAILS CUM SCOPE OF SUPPLY AS PER ANNEXURE-1,2 & REF. DRG/DOCUMENTS ATTACHED. VENDORS TO QUOTE ACCORDINGLY.
4. ALL ITEMS OF MATERIAL CODE TLMW62778900 TO BE PROCURED FROM SAME VENDOR.
5. ALL ITEMS OF MATERIAL CODE TLMW62779206 TO BE PROCURED FROM SAME VENDOR.
6. VENDORS TO SUBMIT COPIES OF CATALOGUES/DRAWINGS OF OFFERED ITEMS.

The tender documents can be downloaded from our web site www.bhel.com or www.bhelhwr.co.in or www.tenders.gov.in, after downloading the tender documents from web site, while submitting the tender as detailed in "Instruction to Bidders", intending vendors must remit tender fee of Rs. 2,000.00 for indigenous vendors (or equivalent amount in foreign currency for foreign vendors) against each tender if documents (in hard copies) are required from BHEL. Vendors must also remit the requisite EMD Rs 40,000/- (Rupees Forty thousand only) in the form of Cash (as permissible under Income Tax Act) / Pay Order / Demand draft. **If EMD is not submitted along with offer, then the offer may not be considered.**

As per notification reference no. NSIC/HO/GP/15(4)/2013-14 dated 07.07.2013 Micro & Small Enterprises (MSEs) are not required to submit EMD & tender fees. A certificate issued from competent authority shall be submitted in support of Micro & Small Enterprises (MSEs). BHEL will not be responsible for any type of postal delay / incomplete information from vendor.

Amendments/Corrigendum, if any, will be hosted on our web site only. Other terms and conditions will be as per tender documents.

Central / State – PSUs / Government departments are exempted from submission of EMD subject to approval by BHEL management.

Vendors registered with BHEL HEEP Haridwar with vendor code: F41334, M03549, M21156, M25265, M40011, M40366, M41066, M72157, M72397, S01755 and S25268 are exempted from submission of EMD.

Vendor registered with BHEL HEEP Haridwar with vendor code M21192 is exempted from submission of EMD in case vendor offer item TLMW62779206 only. If vendor submits offer for item TLMW62778900 then requisite EMD is to be submitted else offer may not be considered.

The date for opening of tender shall be 06.04.2017 Tenders will be received up to **1.45 P.M.** on **06.04.2017** and opened on the same day at 2.00 P.M. in the Tender Room. **Please note that tender received after due date & time (1.45 PM on 06.04.2017) will not be REPEAT will not be opened.** BHEL will not be responsible for any type of postal / courier delay.

Foreign and Indigenous bidders against open tender will necessarily have to obtain class – III DSCs. Procedure for application is available on www.bhel.com.

The total quantity may undergo change at the time of ordering.

Documents submitted with the offer/bid by the bidder (original registered supplier) shall be signed and stamped in each page by authorized representative of the bidder. Documents not signed and stamped in each page by the authorized signatory of the bidder, shall neither be accepted nor considered for evaluation of the bid.

Any vendor who is under hold (for the item)/ delisted/ banned with BHEL on date of opening of Part – 1 will not be allowed to quote for this tender. In case their offer is received, it may be out rightly rejected.

Please submit your offer only for the above requirement subject to our **GENERAL INSTRUCTIONS AND STANDARD TERMS & CONDITIONS (GISTC)**. Please visit our site www.bhelhwr.co.in for General Instructions and Standard Terms & Conditions (GISTC) for Tender Enquiries. **All the bidders/vendors must ensure compliance of these GISTC.**

BIDS shall be opened at 2.00 PM on the due date in the presence of authorized representative of the bidders who may like to be present. The authorized representative should bring authority letter from their parent company (Manufacturer) for the specific tender no. attending the bid opening.

Unregistered vendors may please visit our site www.bhel.com for filing up the Supplier Registration Form. Copy of filled Supplier Registration Form may be submitted along with the offer.

KINDLY READ “INSTRUCTIONS TO BIDDERS.” QUOTATION NOT IN ACCORDANCE WITH THE INSTRUCTIONS ARE LIABLE TO BE DISQUALIFIED AND IGNORED.

INSTRUCTIONS TO BIDDERS FOR OPEN TENDER

DEFINITION

Registered Vendors - Are those who are registered with BHEL, Haridwar for Megawatt rating/ Size/ Weight of tendered items in respective material grade or machining of such items.

Un-registered Vendors - Are those who are not registered with BHEL, Haridwar for Megawatt rating/ Size/ Weight of tendered items in respective material grade or machining of such items.

ESSENTIAL INSTRUCTIONS

* Un-registered vendors may be approved by BHEL, if found suitable, on the basis of data furnished by them in Supplier Registration Form (SRF) for Foreign Vendors or Indigenous Vendors (as applicable).

* BHEL team may visit the vendor (s) works for verification of capability and capacity claimed in tender documents/offer (s).

* The tenders shall be submitted in three parts in separate sub-envelopes clearly super scribing type of bid, tender no., due date and the name of vendor with full contact details.

- ❖ **Part I** – Tender fee (if hard copy insisted from BHEL) and Earnest Money Deposit OR attested copies of either EM II certificate having deemed validity (five years from the date of issue of acknowledgement in EM II) or valid NSIC certificate or EM II certificate along with attested copy of a CA certificate (if MSE benefits are to be availed), Supplier Registration Form (As applicable), Non Disclosure Agreement & Prequalifying conditions.
- ❖ **Part II** – Techno- Commercial Bid - it should be replica of price bid (copy of price bid without price part).
- ❖ **Part III** – Price Bid.

All the sub-envelopes (Part-I, Part- II & Part-III) to be put in a single covering envelope indicating tender no., due date and the name of vendor, e-mail id, with full contact details. Offer should be complete in all respect (i.e. Part-I, Part- II & Part-III).

* Please submit your offer according to **General Instructions and Standard Terms & Conditions (GISTC)** for Tender Enquiries. Please visit our site www.bhelhwr.co.in for GISTC. **All the bidders/vendors must ensure compliance of these GISTC (VERSION: APRIL-16, REV. 00).**

GISTC (VERSION: APRIL-16, REV. 00) can also be referred by login to B2B Portal for Vendors.

ANNEXURE - A

8

(REF. INDENT 20162208)		
01.00	PRE QUALIFYING REQUIREMENTS	REQUIRED
01.01	Only those vendors to quote who are Original Equipment Manufacturers or authorized dealer/distributor/stockist of Original Equipment Manufacturers of referred/similar item (Valid Authorization certificate from Original Equipment Manufacturer to be furnished with the offer).	Vendor to confirm & submit details
01.02	Name of the customer / company where referred/ similar item has been supplied with complete contact details and month/year of previous supply of referred item.	Vendor to submit details
01.03	BHEL reserves the right to verify the information provided by vendor. BHEL may also visit vendor works. In case the information provided by vendor is found to be false/ incorrect, their offers are liable to be rejected. BHEL reserves the right to not to further consider the offer of vendor at any stage without assigning any reason thereof.	Vendor to accept

Pushy
13/09/16
(PUSHPDCE)
DY. MGR. ITE

Annexure-1

Technical Details cum Scope Of Supply for MPR:20150688 (Dia 18.5)

1. One Set of Tools shall be consists of Following items:
 - 1.1) Cutter Body= 02 Nos
 - 1.2) Carbide Insert (Total) = 100 Nos
 - 1.3) Insert Screw = 30 Nos
 - 1.4) Key = 04 Nos
 - 1.5) Any Other Spares if required = 04 no each.
2. Milling cutter shall have OD= 200 mm, Thickness =16.5 mm & Bore= 40 mm. Existing Milling cutter must be suitable for mounting on existing arbour having has OD of 40mm and one key way of dimension 10.2mm X 4mm.
3. Milling Cutter must be suitable to hold single type of carbide insert. Milling Cutter with multiple type of insert is not required.
4. Milling Cutter along with insert shall be suitable for milling of slots (Slot Size= **Dia 18.5** mm , for details see drawing of Insulated ring (21431001108 00 and 11431001029 00).
5. Material of Insulating rings: Textolite (Specification no:AA22415).
6. Cutting Speed of machine: 190rpm.
Feed rate of machine: 240mm /min.
7. All the items are to be procured from same source for compatibility consideration.
8. Copies of catalogues/drawings for all the items shall be submitted.


Balindras
07-01-16.


7/01/16
(UTTAM K.R.)
CM


07/01/16
(SHWETA)
EMT

Annexure- 2

Technical Details cum Scope Of Supply for MPR:20150688 (Dia 22.5)



1. One Set of Tools shall be consists of Following items:
 - 1.1)Cutter Body= 02 Nos
 - 1.2) Carbide Insert (Total) = 100 Nos
 - 1.3) Insert Screw = 30 Nos
 - 1.4) Key = 04 Nos
 - 1.5) Any Other Spares if required = 04 no each.
2. Milling cutter shall have OD= 200 mm, Thickness =20.5 mm & Bore= 40 mm.
Existing Milling cutter must be suitable for mounting on existing arbour having has OD of 40mm and one key way of dimension 10.2mm X 4mm.
3. Milling Cutter must be suitable to hold single type of carbide insert. Milling Cutter with multiple type of insert is not required.
4. Milling Cutter along with insert shall be suitable for milling of slots (Slot Size= Dia 22.5 mm , for details see drawing of Insulated ring (21431001103 00).
5. Material of Insulating rings: Textolite (Specification no: AA22415).
6. Cutting Speed of machine: 190rpm.

Feed rate of machine: 240mm /min.
7. All the items are to be procured from same source for compatibility consideration.
8. Copies of catalogues/drawings for all the items shall be submitted.


Balinder Singh
07.01.16.


07/01/16
(UTTAM KR.)
(CIM)


07/01/16
(SHWETA)
(EMT)




12.5
THE REST



INSULATING RING

21431001108

MAT: AA22415



62010-01-371-1
 Q. 62010-01-371-1



PRODUCT: INSULATING RING
 MAT: AA22415

DRAWING NO.
 1-143-10-01029



CORPORATE PURCHASING SPECIFICATION

AA 224 15

Rev. No. 02

PAGE 3 OF 5

7.0 SAMPLING AND ACCEPTANCE:

7.1 Routine and Acceptance Tests:

Unless otherwise stated, one sheet chosen at random out of every 20 sheets of a supply shall be subjected to routine tests. One sheet of 300 X 300 mm of 10 mm thickness shall be supplied with each consignment.

The arithmetic mean of the test results for an individual test shall meet the requirement of this specification.

The lowest value obtained for any test shall not be less than 90% at the specified value.

7.2 Type Tests:

Type tests shall be carried out at the time of first approval and subsequently once in two years and whenever doubt arises, on the quality of the material.

8.0 PHYSICAL PROPERTIES:

8.1 Specific Gravity : 1.8 ± 0.1

8.2 Marten's Heat distortion Temperature (Type test)
(For thickness 10mm and above) : 240°C , min

8.3 Water Absorption at 20°C for 24 hours (Type test):

Thickness (mm)		Water absorption %, max.
Above	upto & including	
-	1	0.40
1	1.5	0.30
1.5	3	0.20
3	10	0.15
10	25	0.10
More than	25*	0.10

* Thickness above 25 mm shall be machined to 25 mm keeping one side intact.

8.4 Texture of Glass Fabric:

For laminates upto 20 mm thickness a fine woven glass cloth of 0.18mm thick shall be used. For laminates above 20mm thickness a glass cloth of not more than 0.255 mm thick shall be used. This shall be checked by burning the bonding at 600°C for sufficient time.

**8.5 Heat Shock Test:**

A specimen of size 100x100 of ordered thickness is kept in an oven maintained at $250 \pm 5^{\circ}\text{C}$ for 15 minutes. The specimen is removed directly to ambient conditions (ie. Room temperature) after this period and observed. The material is considered satisfactory in this test, if no delamination, cracks, splitting, blistering or resin oozing is observed at the end of the test.

9.0 MECHANICAL PROPERTIES:**9.1 Tensile Strength (For sheets 1.5 mm thick and above) (Type test):**

250 N/mm^2 (25.5 kg/mm^2), min.

9.2 Cross Breaking Strength (For sheet 1.5 mm thick and above):

9.2.1 As received condition: 350 N/mm^2 (35.6 kg/mm^2), min.

9.2.2 After heating at 150°C for 1 hour and tested at 150°C . The reduction shall not be more than 50% of the value obtained in received condition.

9.3 Shear strength (for sheets 1.5 mm thick and above) (Type test):

100 N/mm^2 (10.2 kgf/mm^2), min.

9.4 Compression strength proof (For sheets 5 mm thick & above) (Type test):

400 N/mm^2 (40.8 kgf/mm^2).

9.5 Impact strength Charpy - Flatwise (For sheets 2.5 mm & above) (Type test):

Below 10 mm thick	:	75 kJ/m^2 , min.
10 mm thick & above	:	150 kJ/m^2 , min.

9.6 Splitting load, Edgewise (For sheets 10 mm thick and above): 2.94 kN (300 kg), min.**9.7 Punching (For sheets below 2.5 mm) (Type test):**

When the sheet under test is pierced in a single operation with a pattern shown in IS: 1998. There shall not be excessive lifting or cracking around the holes.

9.8 Machinability (For sheets 3.0mm and above) (Type test):

The sheet shall be capable of being sawn, milled, drilled and tapped with a M3.5 tap and shall be capable of being shaped in a shaping machine without showing any sign of cracking or chipping.

10.0 ELECTRICAL PROPERTIES:**10.1 Insulation Resistance after 24 hours immersion in water at 27°C (Type test):**

10^4 Megohms, min.



Thickness, mm		Permissible variation from nominal thickness, mm
Above	upto & including	
-	0.5	0.10
0.5	2	0.20
2	3	0.25
3	5	0.50
5	7	0.75
7	10	0.90
10	15	1.10
15	20	1.25
20	25	1.40
25	30	1.50
30	40	1.75
40	50	2.00
50	60	2.50
60	70	3.00

4.3.2 Width and Length:

Size, mm	Tolerance, $\pm$ mm
Below 1000	35
Above 1000	50

4.4 Flatness (for sheets 3.0mm and above):

The flatness of sheets shall be such that when a sheet is placed without restraint on a flat surface, concave side, if present, up, departure at any point of the surface from a light straight edge laid in any direction upon it shall not exceed the following:

- 0.50 mm under a 300 mm straight edge.
- 3.00 mm under a 600 mm straight edge.
- 6.00 mm under a 1000 mm straight edge.

5.0 FINISH:

The surface of the sheets shall be even, smooth, free from visible defects like blisters, loose fibres, resin concentration, delamination, wrinkles, local deformation and dents. The materials shall be supplied with trimmed edges.

6.0 TEST METHODS:

Unless otherwise specified the tests shall be conducted in accordance with the relevant methods of BHEL standard AA 085 17 01.



CORPORATE PURCHASING SPECIFICATION

AA 224 15

Rev. No. 02

PAGE 1 OF 5

EPOXY LAMINATED GLASS FABRIC BASE SHEET (TEMPERATURE INDEX 155)

1.0 GENERAL:

This specification governs the quality requirements of laminated sheet made from layers of fine and plain woven glass fabric (non-alkaline glass type E) having suitable silane/volan finish with good electrical properties using thermosetting epoxy resin as the bonding medium. The material has a temperature index of at least 155.

2.0 APPLICATION:

This material may be used with discretion for insulating spacers, wedges, packers and pressed parts of electrical machines.

3.0 COMPLIANCE WITH NATIONAL STANDARDS:

The material shall comply, in general, with the requirements of the following standards and also meet the requirements of this specification.

NEMA-LI-1: 1989, Gr. G-11.

4.0 DIMENSIONS AND TOLERANCES:

4.1 Sizes:

Thickness, width and length shall be as stated on BHEL order.

4.2 Preferred thickness (mm):

0.5, 1, 1.5, 2, 3, 4, 5, 6, 8, 10, 12, 15, 20, 25, 30, 40, 50 and 70.

Other thickness can also be ordered.

4.3 Tolerances:

4.3.1 Thickness:

Thickness of the sheet shall not depart at any point from the nominal thickness by more than the appropriate value as shown in the following table:

Revisions :			APPROVED :		
CI: 32.4.43 of MOM of MRC-E			INTERPLANT MATERIAL RATIONALISATION COMMITTEE-MRC (E)		
Rev. No. 02	Amd.No.	Reaffirmed	Prepared	Issued	Dt. of 1st Issue
Dt:15.01.2003	Dt :	Year :	HYDERABAD	Corp. R&D	May, 1980

25-854

ANNEXURE - 6

NON-DISCLOSURE AND PROPRIETARY INFORMATION AGREEMENT

BETWEEN

_____(Name of the Vendor),, having its registered offices in
_____(Address of Vendor), registered under the no.
of the Companies' register of _____(Name of Place and Country),
capital stock of _____(Value), with a place of business in
_____(Name of Place and Country) (hereinafter referred to as
"_____(Name of Vendor)");

AND

Bharat Heavy Electricals Ltd a company incorporated under the Indian Companies Act 1956 having its registered offices at BHEL House, Siri Fort, New Delhi -110 049 and having one of its works at Heavy Electrical Equipment Plant, Ranipur, Haridwar-249403 (Uttarakhand), India registered under the No. 4281 of 1964-65 of the companies register of Delhi, capital stock of Rs 4895.2 million with a place of registered office in New Delhi (hereinafter referred to as “BHEL”) hereinafter also referred to individually as “the Party” or collectively as “the Parties”.

BACKGROUND

This Agreement sets forth the rights and obligations of the Parties with respect to the use, handling, protection and safeguarding of Proprietary Information that is disclosed by and between the Parties.

WHEREAS

A) the Parties wish to pursue exploratory discussions concerning a possible collaboration between them in relation to the Program defined in Exhibit 1;

B) during the ensuing discussions and negotiations it may occur that either Party discloses to the other technical, financial or business information of a proprietary or confidential nature, which the Parties intend to protect against, making it available, by any means to any third person, and other unauthorized use and/or further disclosure by the recipient, in accordance with the terms and conditions set forth herein;

NOW, THEREFORE, the Parties have agreed as follows:

1. The term “Proprietary Information” shall mean any information or data of whatsoever kind of a confidential or proprietary nature, including but not limited to, commercial information, know how and technical information in the form of designs, drawings, concepts, requirements, specifications, software, interfaces, components, processes, or the like, that have been or will be disclosed by either Party to the other pursuant to this Agreement, either in writing, orally or other form, which is designated as “Proprietary” or “Confidential” by the disclosing Party by means of formal declaration or an appropriate stamp, legend or any other written or orally notice .
2. Proprietary Information may be conveyed, without limitation, through any written or printed documents, samples, models, electronic form on disk, tape, other storage media or any other means of disclosing such Proprietary Information that either Party may elect to use during the life of this Agreement, but if an originating Party originally discloses information orally or visually, the receiving Party will protect such information as Proprietary Information to the extent that the originating Party :
 - identifies the Information as Proprietary at the time of original disclosure,
 - summarizes the Proprietary Information in writing .

Information stored in electronic form on disk, tape, other storage media will be adequately marked if a proprietary legend displays when the information originally runs on a computer system and when the information is printed from its data file.

Proprietary Information also includes any information which can be obtained by examination, testing or analysis of any hardware or material substance or any component part of such hardware or material substance provided by the Disclosing Party even though the requirements in Clause 1 for marking and designation have not been fulfilled.

3. Each Party, to the extent of its rights to do so, shall disclose to the other only the Proprietary Information which the disclosing Party deems appropriate to fulfil the objectives of this Agreement. The Parties hereby represent that the disclosure of Proprietary Information by and between themselves shall be made in compliance with, and subject to the laws and regulations of the Disclosing Party's country.
4. The receiving Party hereby agrees and covenants that, from the effective date of this Agreement until the expiry date as per article 11 and the following period as per article 12, the Proprietary Information that either Party receives from the other shall:
 - a) be protected and kept in strict confidence by the receiving Party which must use the same degree of care it uses to protect its own confidential information and in no case less than a reasonable care;
 - b) be only disclosed to and used by those persons within the receiving Party's organization or that of its parent or controlled companies who have a need to know and solely for the purposes specified in this Agreement, and be treated by such persons or entities with the same degree of care and subject to the same restrictions;
 - c) to procure that each third party to whom Proprietary Information is disclosed under this Agreement is made aware of the provisions of this Agreement prior to such disclosure to it and that each such third party is

bound by obligations of confidentiality which are no less onerous than those contained in this Agreement;

- d) neither be disclosed nor caused to be disclosed or made available, either directly or indirectly, to any third Party or persons other than those mentioned in subparagraph b) above or other persons upon which both of the contractual Parties shall agree in an amendment to this Agreement;
- e) not to copy, reproduce or reduce to writing any part of such Proprietary Information except as may be reasonably necessary for the purpose referred to in the Recitals of this Agreement

PROVIDED THAT the Receiving Party shall be entitled to make any disclosure required by court order or government or regulatory requirement of the Disclosing Party's Proprietary Information subject to notifying the Disclosing Party as soon as possible of such requirement

- 5. Any Proprietary Information and copies thereof disclosed by either Party to the other shall remain the property of the disclosing Party and shall be immediately returned or destroyed by the receiving Party upon request.
- 6. The receiving Party shall have no obligations or restrictions with respect to any Proprietary Information for which the receiving Party can prove that:
 - a) is in or which comes into the public domain otherwise than as a result of a breach of this Agreement by any person to whom a disclosure of Proprietary Information is made as permitted under this Agreement or of any other duty of confidentiality relating to the Proprietary Information of which the Receiving Party has knowledge; or
 - b) it has been in its possession without restriction at the time of the disclosure, as evidenced by written documentation in its files; or
 - c) it has been lawfully received from a third Party without breach of this Agreement; or

- d) it has been or is published without violation of this Agreement; or
 - e) it has been independently developed in good faith by employees of the receiving Party who did not have access to the Proprietary Information; or
 - f) it has not been properly declared, designated or confirmed as Proprietary or Confidential; or
 - g) the protection period has expired according to articles 11 and 12 of this Agreement.
7. With respect to any exchange of Proprietary Information which may occur as a result of this Agreement, it is expressly understood and agreed that the persons listed in Exhibit 2 shall, on behalf of the respective Parties, be the exclusive individuals authorized to receive from and transmit to the other Party Proprietary Information under this Agreement. Each Party may replace at any time its respective authorized individuals identified in such Exhibit 2, within its own organization. Any such new designation by a Party shall be made by written notice to the other at the address indicated in such Exhibit 2.
8. Any Proprietary Information which is identified as “Classified Information”, or whose export is subject to an export license, shall be identified as such by the disclosing Party at the time of disclosure and the disclosure, protection, use and handling thereof, shall remain subject to the security procedures and restrictions imposed by the disclosing Party's Government.
9. The disclosure of Proprietary Information under this Agreement by either Party to the other shall not be construed as granting to the receiving Party any right, whether express or implied by licence or otherwise, on the matters, inventions or discoveries to which such information pertains, or as granting any trademark, patents, copyrights, trade secret right or other form of intellectual property right.

10. Nothing in this Agreement may be construed as an obligation of either Party to disclose any Proprietary Information to the other, or to enter into any subsequent contractual relationship with such other Party.
11. This Agreement covers the exchange of Proprietary Information which may be made by either Party to the other until ten years from signing of the agreement or any extension thereto which may be agreed upon by the Parties in writing. Proprietary information relevant to the Program detailed in Exhibit 1, already made available to the other contractual Party before the effective date, shall also be protected under this Agreement.

It is understood by the parties that, prior to disclosure, the Disclosing Party shall have obtained any government authorisation needed for the export of the Proprietary Information

12. The expiry of the period contemplated in Article 11 of this Agreement shall not relieve the receiving Party from complying with the obligations imposed by Article 4 here above with respect to the use and protection of the Proprietary Information, received prior the date of such expiry, for a period of ten (10) years after such expiry.
13. The Parties are independent contractors. Each will bear all costs and expenses in connection with this Agreement. This Agreement is intended to facilitate only the exchange of Proprietary Information and is not intended to be, and shall not be construed to create a teaming agreement, joint venture, association, partnership, or other business organisation or agency arrangement and no Party shall have the authority to bind the other without the other Party's separate prior written agreement .
14. This Agreement shall be governed by and shall be interpreted in accordance with the substantive federal laws of Switzerland excluding it's choice of law rules.

Irrespective of the foregoing each Party shall remain bound by the provisions of its own national laws and regulations with respect to the transfer or use of Classified Information or information whose export is subject to an export license.

15. All disputes among the Parties, in connection with or arising out of the existence, validity, construction, performance and termination of this Agreement (or any terms thereof), which the Parties are unable to resolve among themselves, shall be finally settled by an Arbitration. The Arbitration shall be held in Geneva (CH) in English language, in accordance with the rules of the ICC – International Chamber of Commerce by three arbitrators appointed in accordance with said rules.
16. The foregoing constitutes the entire Agreement among the Parties with respect to the subject matter hereof and supersedes and cancels all prior representations, negotiations, commitments, undertakings, communications, either oral or written, acceptances, understandings and agreements among the Parties with respect to or in connection with any of the matters to which such Agreement applies or refers.
17. Notices to _____ (**Name of Vendor**) shall be made at the following address:

(Complete Address of Vendor)

Attention: Mr. _____ (**Name of the Authorised Person of Vendor**)

Notices to BHEL shall be made at the following address:

BHARAT HEAVY ELECTRICALS LIMITED,

HEAVY ELECTRICAL EQUIPMENT PLANT,

Ranipur, Haridwar-249403 (Uttarakhand), India

Attention: Shri B.M.Bansal, General Manager- Materials Management

18. The effective date of this Agreement shall be the date of the last signature appearing herein.

IN WITNESS WHEREOF, each of the Parties has caused this Agreement, to be executed by its duly authorized officer.

Date :

Signed for and on behalf of

Signed for and on behalf of

(Name of Vendor)

BHEL

By:

By:

Title:

Title:

Signature:

Signature:

EXHIBIT 1

to the

NON-DISCLOSURE AGREEMENT

between

_____ **(Name of Vendor)**

and

BHARAT HEAVY ELECTRICALS LIMITED

dated:

The Non Disclosure Agreement covers the exchange of Proprietary Information which may occur during the discussions and negotiations in view of a possible cooperation between the Parties in the following programs:

-Description of Material or Services for which the order is placed

_____ **(Name of Vendor)** list of products that require an exchange of Proprietary Information which may be occur during the discussions and negotiations in view of a possible cooperation for the above programs :